



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2024 – 08:45 pm BST

PDB ID : 6QV1
Title : Structure of ATPgS-bound outward-facing TM287/288 in complex with nanobody Nb_TM1
Authors : Hutter, C.A.J.; Huerlimann, L.M.; Zimmermann, I.; Egloff, P.; Seeger, M.A.
Deposited on : 2019-03-01
Resolution : 3.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1099 (3.54-3.42)
Clashscore	180529	1048 (3.52-3.44)
Ramachandran outliers	177936	1033 (3.52-3.44)
Sidechain outliers	177891	1034 (3.52-3.44)
RSRZ outliers	164620	1098 (3.54-3.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">3% 85% 12% •</p>
1	C	587	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">4% 86% 11% •</p>
2	B	599	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">% 83% 12% •</p>
2	D	599	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">3% 82% 13% •</p>
3	E	118	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">3% 80% 18% •</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	118	 <p>A horizontal bar chart showing the quality of chain. The bar is divided into three segments: a small red segment on the left labeled '2%', a large green segment in the middle labeled '83%', and a yellow segment on the right labeled '14%'. A small grey dot is visible at the far right end of the bar.</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 19916 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ABC transporter, ATP-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	569	4468	2881	769	799	19	0	0	0
1	C	569	4468	2881	769	799	19	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	expression tag	UNP Q9WYC3
A	-8	PRO	-	expression tag	UNP Q9WYC3
A	-7	SER	-	expression tag	UNP Q9WYC3
A	-6	GLY	-	expression tag	UNP Q9WYC3
A	-5	SER	-	expression tag	UNP Q9WYC3
A	-4	GLY	-	expression tag	UNP Q9WYC3
A	-3	GLY	-	expression tag	UNP Q9WYC3
A	-2	GLY	-	expression tag	UNP Q9WYC3
A	-1	GLY	-	expression tag	UNP Q9WYC3
A	0	GLY	-	expression tag	UNP Q9WYC3
A	1	SER	-	expression tag	UNP Q9WYC3
A	41	ALA	ASP	engineered mutation	UNP Q9WYC3
C	-9	GLY	-	expression tag	UNP Q9WYC3
C	-8	PRO	-	expression tag	UNP Q9WYC3
C	-7	SER	-	expression tag	UNP Q9WYC3
C	-6	GLY	-	expression tag	UNP Q9WYC3
C	-5	SER	-	expression tag	UNP Q9WYC3
C	-4	GLY	-	expression tag	UNP Q9WYC3
C	-3	GLY	-	expression tag	UNP Q9WYC3
C	-2	GLY	-	expression tag	UNP Q9WYC3
C	-1	GLY	-	expression tag	UNP Q9WYC3
C	0	GLY	-	expression tag	UNP Q9WYC3
C	1	SER	-	expression tag	UNP Q9WYC3
C	41	ALA	ASP	engineered mutation	UNP Q9WYC3

- Molecule 2 is a protein called Uncharacterized ABC transporter ATP-binding protein TM_0288.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	573	Total	C	N	O	S	0	0	0
			4560	2949	769	828	14			
2	D	573	Total	C	N	O	S	0	0	0
			4560	2949	769	828	14			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	65	ALA	ASP	engineered mutation	UNP Q9WYC4
B	517	ALA	GLU	engineered mutation	UNP Q9WYC4
B	599	ALA	-	expression tag	UNP Q9WYC4
D	65	ALA	ASP	engineered mutation	UNP Q9WYC4
D	517	ALA	GLU	engineered mutation	UNP Q9WYC4
D	599	ALA	-	expression tag	UNP Q9WYC4

- Molecule 3 is a protein called Nb_TM1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	115	Total	C	N	O	S	0	0	0
			866	543	153	166	4			
3	F	115	Total	C	N	O	S	0	0	0
			866	543	153	166	4			

- Molecule 4 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
4	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ABC transporter, ATP-binding protein



- Molecule 1: ABC transporter, ATP-binding protein





- Molecule 2: Uncharacterized ABC transporter ATP-binding protein TM_0288







- Molecule 2: Uncharacterized ABC transporter ATP-binding protein TM_0288



- Molecule 3: Nb_TM1



- Molecule 3: Nb_TM1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	90.75Å 199.26Å 113.16Å 90.00° 91.26° 90.00°	Depositor
Resolution (Å)	34.64 – 3.48 34.64 – 3.48	Depositor EDS
% Data completeness (in resolution range)	58.2 (34.64-3.48) 58.2 (34.64-3.48)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 3.48Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.267 , 0.303 0.286 , 0.293	Depositor DCC
R_{free} test set	1514 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	118.5	Xtrriage
Anisotropy	0.099	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.19 , 386.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.149 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	19916	wwPDB-VP
Average B, all atoms (Å ²)	189.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/4543	0.58	0/6144
1	C	0.41	0/4543	0.57	0/6144
2	B	0.40	0/4638	0.57	0/6271
2	D	0.41	0/4638	0.57	0/6271
3	E	0.39	0/883	0.57	0/1195
3	F	0.39	0/883	0.57	0/1195
All	All	0.41	0/20128	0.57	0/27220

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4468	0	4669	29	0
1	C	4468	0	4669	30	0
2	B	4560	0	4748	25	0
2	D	4560	0	4748	27	0
3	E	866	0	858	8	0
3	F	866	0	858	6	0
4	A	31	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	31	0	12	0	0
4	C	31	0	12	0	0
4	D	31	0	12	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
All	All	19916	0	20598	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:424:LYS:HB2	1:A:459:TYR:HB3	1.81	0.63
1:C:424:LYS:HB2	1:C:459:TYR:HB3	1.82	0.60
1:C:199:LEU:HB3	2:D:133:HIS:HD2	1.67	0.60
1:A:501:ASP:HB3	2:B:389:PRO:HA	1.84	0.58
2:D:359:ASN:H	2:D:375:THR:HB	1.70	0.57
2:B:453:ASN:HB2	2:B:508:ALA:HA	1.87	0.57
2:B:345:ALA:HB1	2:B:423:LYS:HB3	1.86	0.57
1:C:529:PRO:HA	1:C:532:LEU:HD12	1.86	0.57
2:B:359:ASN:H	2:B:375:THR:HB	1.70	0.56
1:A:529:PRO:HA	1:A:532:LEU:HD12	1.86	0.56
2:D:345:ALA:HB1	2:D:423:LYS:HB3	1.87	0.55
2:B:453:ASN:HD22	2:B:456:ALA:HB2	1.72	0.55
1:C:319:ALA:HB3	1:C:322:ALA:HB2	1.89	0.54
1:A:448:ILE:HB	1:A:477:ARG:HB3	1.90	0.54
1:A:319:ALA:HB3	1:A:322:ALA:HB2	1.89	0.53
1:C:376:MET:HG3	1:C:524:ILE:HD11	1.90	0.53
2:B:401:LEU:HD23	2:B:514:ILE:HD11	1.91	0.52
2:D:384:VAL:HG22	2:D:558:LEU:HB3	1.91	0.52
1:A:376:MET:HG3	1:A:524:ILE:HD11	1.90	0.52
1:A:494:ASP:HA	1:A:524:ILE:HB	1.90	0.52
1:C:89:ARG:HG3	1:C:120:VAL:HG11	1.92	0.52
1:A:89:ARG:HG3	1:A:120:VAL:HG11	1.92	0.51
2:B:384:VAL:HG22	2:B:558:LEU:HB3	1.91	0.51
2:D:499:LEU:HA	2:D:502:ILE:HD12	1.92	0.51
3:E:53:SER:HA	3:E:71:ARG:HH12	1.75	0.51
3:E:5:VAL:HA	3:E:107:GLN:HE22	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:SER:HB2	1:A:393:ASP:HA	1.93	0.50
3:F:5:VAL:HA	3:F:107:GLN:HE22	1.76	0.50
1:A:463:VAL:HG22	1:A:470:PHE:HE2	1.77	0.50
2:D:371:LEU:HD22	2:D:374:ILE:HG13	1.93	0.50
3:E:32:PHE:HB3	3:E:99:LEU:HG	1.93	0.50
2:B:363:SER:HB2	2:B:369:PRO:HA	1.92	0.50
3:F:53:SER:HA	3:F:71:ARG:HH12	1.77	0.50
1:C:331:SER:HB2	1:C:393:ASP:HA	1.92	0.50
1:A:156:SER:HA	1:A:159:LEU:HD12	1.93	0.49
2:B:333:ILE:HA	2:B:336:LEU:HD12	1.95	0.49
1:C:109:THR:HA	1:C:112:LEU:HD12	1.93	0.49
3:F:32:PHE:HB3	3:F:99:LEU:HG	1.93	0.49
2:D:361:TRP:HB2	2:D:409:ARG:HG3	1.95	0.49
2:D:333:ILE:HA	2:D:336:LEU:HD12	1.95	0.49
2:B:361:TRP:HB2	2:B:409:ARG:HG3	1.95	0.48
1:C:155:LEU:HD11	1:C:261:LEU:HD11	1.94	0.48
1:C:494:ASP:HA	1:C:524:ILE:HB	1.95	0.48
2:D:79:TYR:HA	2:D:82:ILE:HD12	1.96	0.47
2:B:417:ILE:HB	2:B:422:ILE:HD11	1.97	0.47
1:C:452:ILE:O	1:C:458:GLY:HA2	2.14	0.47
3:E:22:CYS:HB3	3:E:78:VAL:HG13	1.97	0.47
2:B:79:TYR:HA	2:B:82:ILE:HD12	1.96	0.47
2:D:417:ILE:HB	2:D:422:ILE:HD11	1.97	0.47
1:A:199:LEU:HB3	2:B:133:HIS:HD2	1.79	0.47
1:C:199:LEU:HB3	2:D:133:HIS:CD2	2.48	0.47
2:D:265:PRO:HA	2:D:268:ASN:HD22	1.80	0.47
2:B:265:PRO:HA	2:B:268:ASN:HD22	1.80	0.46
1:C:501:ASP:HB3	2:D:389:PRO:HA	1.97	0.46
1:A:375:LEU:HA	1:A:378:LEU:HD12	1.98	0.46
1:C:375:LEU:HA	1:C:378:LEU:HD12	1.98	0.46
1:A:477:ARG:HA	1:A:480:ILE:HD12	1.98	0.46
1:A:442:ALA:HA	1:A:445:ILE:HD12	1.98	0.46
2:D:105:SER:HA	2:D:151:LEU:HD22	1.98	0.46
3:F:90:THR:HG23	3:F:112:THR:HA	1.98	0.46
2:B:530:ILE:HG22	2:B:534:MET:HB2	1.99	0.45
2:D:530:ILE:HG22	2:D:534:MET:HB2	1.98	0.45
1:C:448:ILE:HB	1:C:477:ARG:HB3	1.99	0.45
2:D:453:ASN:HB2	2:D:508:ALA:HA	1.98	0.45
2:D:398:VAL:HG13	2:D:514:ILE:HD13	1.99	0.45
2:D:355:ILE:HB	2:D:378:ILE:HB	1.99	0.45
2:D:516:ASP:HA	2:D:546:ILE:HB	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:416:THR:HG21	1:A:476:GLN:HA	1.99	0.45
2:B:105:SER:HA	2:B:151:LEU:HD22	1.99	0.45
1:A:62:VAL:HA	1:A:65:ILE:HD12	1.99	0.44
3:E:90:THR:HG23	3:E:112:THR:HA	1.98	0.44
1:C:62:VAL:HA	1:C:65:ILE:HD12	2.00	0.44
2:B:355:ILE:HB	2:B:378:ILE:HB	1.99	0.44
1:C:58:LEU:HA	1:C:61:ILE:HD12	2.00	0.44
2:B:499:LEU:HA	2:B:502:ILE:HD12	2.00	0.44
1:A:201:GLY:HA3	2:B:439:ILE:HG21	1.99	0.44
1:C:92:LEU:HD11	1:C:306:VAL:HG13	2.00	0.44
1:C:227:ARG:HA	1:C:230:ILE:HG12	2.00	0.44
1:A:58:LEU:HA	1:A:61:ILE:HD12	2.00	0.43
1:A:180:LEU:HA	1:A:183:LYS:HD2	2.00	0.43
2:B:364:TYR:HD2	2:B:370:VAL:HG21	1.83	0.43
1:C:180:LEU:HA	1:C:183:LYS:HD2	2.00	0.43
1:A:414:GLN:HB3	2:B:494:GLN:HG3	1.99	0.43
3:E:40:ALA:HB3	3:E:43:LYS:HB2	2.00	0.43
1:C:181:PHE:HZ	1:C:236:ILE:HD11	1.83	0.43
2:D:453:ASN:HD22	2:D:456:ALA:HB2	1.83	0.43
3:F:40:ALA:HB3	3:F:43:LYS:HB2	2.01	0.43
1:A:92:LEU:HD11	1:A:306:VAL:HG13	1.99	0.43
3:E:60:ALA:HB3	3:E:63:VAL:HG22	2.01	0.43
1:A:227:ARG:HA	1:A:230:ILE:HG12	2.00	0.43
3:E:7:SER:HB2	3:E:21:SER:HB3	2.01	0.43
2:D:207:GLU:HB3	2:D:252:VAL:HG21	2.01	0.42
1:C:156:SER:HA	1:C:159:LEU:HD12	2.00	0.42
1:C:477:ARG:HA	1:C:480:ILE:HD12	2.01	0.42
1:A:181:PHE:HZ	1:A:236:ILE:HD11	1.83	0.42
2:B:207:GLU:HB3	2:B:252:VAL:HG21	2.01	0.42
2:D:29:LEU:HA	2:D:32:LEU:HD12	2.02	0.42
2:D:364:TYR:HD2	2:D:370:VAL:HG21	1.85	0.42
1:A:200:LEU:HD11	1:A:465:ARG:NH2	2.36	0.41
2:B:226:LEU:HA	2:B:229:ILE:HD12	2.02	0.41
1:C:181:PHE:HA	1:C:184:ILE:HD12	2.02	0.41
1:A:237:VAL:HA	1:A:240:LEU:HD12	2.03	0.41
1:C:237:VAL:HA	1:C:240:LEU:HD12	2.03	0.41
3:F:60:ALA:HB3	3:F:63:VAL:HG22	2.01	0.41
2:B:29:LEU:HA	2:B:32:LEU:HD12	2.02	0.41
2:D:226:LEU:HA	2:D:229:ILE:HD12	2.03	0.41
1:A:378:LEU:HB3	1:A:390:VAL:HG21	2.03	0.41
1:C:475:LYS:HA	1:C:478:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:25:LEU:HD13	2:D:324:LEU:HD11	2.03	0.41
1:C:420:SER:HA	1:C:463:VAL:O	2.21	0.41
1:A:181:PHE:HA	1:A:184:ILE:HD12	2.02	0.40
2:B:25:LEU:HD13	2:B:324:LEU:HD11	2.03	0.40
1:C:97:LEU:HA	2:D:226:LEU:HD11	2.03	0.40
2:D:498:GLN:HE22	2:D:520:SER:H	1.69	0.40
1:C:236:ILE:HD13	1:C:294:ASN:HD21	1.86	0.40
1:A:491:LEU:HD23	1:A:521:THR:HG23	2.03	0.40
1:C:378:LEU:HB3	1:C:390:VAL:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	567/587 (97%)	542 (96%)	24 (4%)	1 (0%)	44	76
1	C	567/587 (97%)	542 (96%)	25 (4%)	0	100	100
2	B	571/599 (95%)	543 (95%)	26 (5%)	2 (0%)	30	64
2	D	571/599 (95%)	541 (95%)	27 (5%)	3 (0%)	25	59
3	E	113/118 (96%)	100 (88%)	13 (12%)	0	100	100
3	F	113/118 (96%)	101 (89%)	12 (11%)	0	100	100
All	All	2502/2608 (96%)	2369 (95%)	127 (5%)	6 (0%)	44	76

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	531	GLN
2	D	393	GLY
2	D	531	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	447	GLN
2	B	291	ILE
2	D	291	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	494/503 (98%)	473 (96%)	21 (4%)	25	54
1	C	494/503 (98%)	478 (97%)	16 (3%)	34	62
2	B	508/531 (96%)	481 (95%)	27 (5%)	19	47
2	D	508/531 (96%)	477 (94%)	31 (6%)	15	43
3	E	92/94 (98%)	87 (95%)	5 (5%)	18	46
3	F	92/94 (98%)	87 (95%)	5 (5%)	18	46
All	All	2188/2256 (97%)	2083 (95%)	105 (5%)	21	51

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	THR
1	A	20	LEU
1	A	44	ILE
1	A	51	LEU
1	A	88	LEU
1	A	91	ASP
1	A	155	LEU
1	A	168	LEU
1	A	169	LEU
1	A	196	ARG
1	A	235	LEU
1	A	279	LEU
1	A	293	LEU
1	A	323	LEU
1	A	405	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	450	ASP
1	A	455	LEU
1	A	465	ARG
1	A	495	ASP
1	A	496	CYS
1	A	514	ARG
2	B	66	VAL
2	B	76	LEU
2	B	92	LEU
2	B	104	LEU
2	B	112	LEU
2	B	129	ASP
2	B	143	ASP
2	B	184	LEU
2	B	189	LEU
2	B	192	LEU
2	B	202	ARG
2	B	205	PHE
2	B	210	ARG
2	B	227	THR
2	B	235	GLU
2	B	263	LEU
2	B	266	LEU
2	B	324	LEU
2	B	348	LEU
2	B	354	GLU
2	B	415	ASP
2	B	419	ILE
2	B	427	LEU
2	B	486	THR
2	B	503	THR
2	B	537	LEU
2	B	591	TYR
1	C	3	THR
1	C	20	LEU
1	C	44	ILE
1	C	51	LEU
1	C	88	LEU
1	C	91	ASP
1	C	168	LEU
1	C	169	LEU
1	C	235	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	273	MET
1	C	293	LEU
1	C	323	LEU
1	C	405	LEU
1	C	475	LYS
1	C	496	CYS
1	C	514	ARG
2	D	66	VAL
2	D	76	LEU
2	D	92	LEU
2	D	104	LEU
2	D	112	LEU
2	D	129	ASP
2	D	143	ASP
2	D	184	LEU
2	D	189	LEU
2	D	192	LEU
2	D	202	ARG
2	D	205	PHE
2	D	210	ARG
2	D	227	THR
2	D	235	GLU
2	D	263	LEU
2	D	266	LEU
2	D	324	LEU
2	D	348	LEU
2	D	354	GLU
2	D	406	ASP
2	D	415	ASP
2	D	419	ILE
2	D	427	LEU
2	D	431	ILE
2	D	448	ASN
2	D	486	THR
2	D	503	THR
2	D	537	LEU
2	D	562	LEU
2	D	591	TYR
3	E	18	LEU
3	E	27	ARG
3	E	47	LEU
3	E	51	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	57	ILE
3	F	18	LEU
3	F	27	ARG
3	F	47	LEU
3	F	51	MET
3	F	57	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	ASN
1	A	215	ASN
1	A	248	ASN
2	B	268	ASN
2	B	271	ASN
2	B	311	ASN
2	B	448	ASN
2	B	453	ASN
1	C	152	ASN
1	C	215	ASN
1	C	248	ASN
2	D	133	HIS
2	D	268	ASN
2	D	271	ASN
2	D	311	ASN
2	D	436	GLN
2	D	453	ASN
2	D	476	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AGS	A	600	5	26,33,33	0.59	0	26,52,52	0.70	1 (3%)
4	AGS	C	600	5	26,33,33	0.58	0	26,52,52	0.71	1 (3%)
4	AGS	B	600	5	26,33,33	0.58	0	26,52,52	0.70	1 (3%)
4	AGS	D	600	5	26,33,33	0.61	0	26,52,52	0.71	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AGS	A	600	5	-	2/17/38/38	0/3/3/3
4	AGS	C	600	5	-	2/17/38/38	0/3/3/3
4	AGS	B	600	5	-	1/17/38/38	0/3/3/3
4	AGS	D	600	5	-	5/17/38/38	0/3/3/3

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	600	AGS	C5-C6-N6	2.25	123.77	120.35
4	A	600	AGS	C5-C6-N6	2.22	123.72	120.35
4	D	600	AGS	C5-C6-N6	2.21	123.71	120.35
4	B	600	AGS	C5-C6-N6	2.16	123.64	120.35

There are no chirality outliers.



All (10) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	D	600	AGS	PB-O3B-PG-O2G
4	A	600	AGS	PG-O3B-PB-O2B
4	B	600	AGS	PG-O3B-PB-O2B
4	C	600	AGS	PG-O3B-PB-O2B
4	D	600	AGS	PG-O3B-PB-O1B
4	D	600	AGS	C3'-C4'-C5'-O5'
4	D	600	AGS	O4'-C4'-C5'-O5'
4	A	600	AGS	C5'-O5'-PA-O1A
4	C	600	AGS	C5'-O5'-PA-O1A
4	D	600	AGS	C5'-O5'-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	569/587 (96%)	-0.75	16 (2%) 55 37	73, 177, 277, 287	0
1	C	569/587 (96%)	-0.46	23 (4%) 43 29	99, 206, 269, 277	0
2	B	573/599 (95%)	-0.74	3 (0%) 87 76	76, 151, 276, 280	0
2	D	573/599 (95%)	-0.45	20 (3%) 47 32	103, 188, 267, 276	0
3	E	115/118 (97%)	-0.47	4 (3%) 47 32	154, 195, 215, 225	0
3	F	115/118 (97%)	-0.49	2 (1%) 69 50	181, 230, 248, 257	0
All	All	2514/2608 (96%)	-0.59	68 (2%) 56 38	73, 188, 271, 287	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	283	MET	7.5
1	C	247	VAL	7.3
2	D	574	ASP	7.1
1	A	264	ASN	6.7
1	C	280	MET	6.0
1	C	403	LYS	5.9
1	C	251	MET	5.6
2	D	262	VAL	5.3
2	D	40	ILE	5.2
1	C	75	VAL	4.9
2	D	150	VAL	4.7
2	D	266	LEU	4.7
1	C	243	PHE	4.6
1	A	265	ASN	4.5
1	C	399	THR	4.5
1	C	284	PHE	4.3
1	A	399	THR	4.2
1	A	247	VAL	4.1
1	A	238	PHE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	264	PRO	3.8
3	E	75	LYS	3.8
2	D	314	SER	3.6
1	A	286	LEU	3.6
1	C	265	ASN	3.6
1	C	244	ILE	3.6
1	A	244	ILE	3.4
3	F	72	ASP	3.3
1	A	280	MET	3.3
2	D	39	LEU	3.2
2	D	409	ARG	3.2
1	A	243	PHE	3.2
1	C	14	PHE	3.2
3	E	72	ASP	3.2
1	A	251	MET	3.2
1	C	402	LEU	3.1
1	A	266	GLN	3.1
1	A	283	MET	3.1
1	C	240	LEU	3.1
1	C	287	MET	3.0
3	E	45	ARG	3.0
2	D	154	SER	3.0
2	D	267	MET	2.9
1	A	290	GLY	2.8
1	C	404	ASP	2.8
2	D	151	LEU	2.7
1	C	405	LEU	2.6
2	D	235	GLU	2.6
1	C	321	ASN	2.6
2	D	158	PHE	2.6
2	D	259	PHE	2.5
3	F	29	ILE	2.5
1	A	242	LEU	2.5
1	C	238	PHE	2.4
3	E	73	ASP	2.3
2	D	411	GLN	2.3
2	B	312	GLU	2.2
2	B	262	VAL	2.2
2	D	155	ILE	2.2
1	C	76	PHE	2.2
2	D	459	GLU	2.1
2	D	470	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	264	PRO	2.1
1	C	175	LYS	2.1
1	A	395	LEU	2.1
2	D	108	VAL	2.1
1	C	528	ILE	2.0
1	A	287	MET	2.0
1	C	380	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MG	C	601	1/1	0.96	0.07	143,143,143,143	0
4	AGS	D	600	31/31	0.98	0.07	157,163,169,169	0
4	AGS	C	600	31/31	0.99	0.07	150,155,163,164	0
4	AGS	A	600	31/31	0.99	0.04	120,124,126,127	0
4	AGS	B	600	31/31	0.99	0.04	94,97,100,102	0
5	MG	B	601	1/1	1.00	0.04	76,76,76,76	0
5	MG	A	601	1/1	1.00	0.09	87,87,87,87	0
5	MG	D	601	1/1	1.00	0.08	121,121,121,121	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AGS D 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS C 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AGS B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.