



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 25, 2023 – 12:39 pm GMT

PDB ID : 7QVW  
Title : R396W mutant of the vanadium-dependent bromoperoxidase from *Corallina pilulifera*  
Authors : Isupov, M.N.; Mitchell, D.; Littelchild, J.A.; Garcia-Rodriguez, E.  
Deposited on : 2022-01-23  
Resolution : 1.92 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.31.3  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	7937 (1.94-1.90)
Clashscore	141614	8644 (1.94-1.90)
Ramachandran outliers	138981	8530 (1.94-1.90)
Sidechain outliers	138945	8530 (1.94-1.90)
RSRZ outliers	127900	7793 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	598	 2% 91% 8%
1	BBB	598	 2% 91% 8%
1	CCC	598	 % 91% 8%
1	DDD	598	 % 92% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	AAA	616	-	-	X	-
4	GOL	AAA	619	-	-	X	-
4	GOL	AAA	620	-	-	X	-
4	GOL	AAA	621	-	-	X	-
4	GOL	BBB	601	-	-	X	-
4	GOL	BBB	611	-	-	X	-
4	GOL	BBB	617	-	-	X	-
4	GOL	CCC	601	-	-	X	-
4	GOL	CCC	611	-	-	X	-
4	GOL	CCC	617	-	-	X	-
4	GOL	DDD	601	-	-	X	-
4	GOL	DDD	616	-	-	X	-

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 22996 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Vanadium-dependent bromoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	Br	C	N	O	S			
1	AAA	597	4849	2	3120	781	939	7	0	44	0
1	BBB	597	4845	2	3118	782	936	7	0	44	0
1	CCC	597	4877	2	3139	782	947	7	0	50	0
1	DDD	597	4834	2	3106	780	939	7	0	42	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	397	TRP	ARG	engineered mutation	UNP O81959
AAA	423	ALA	PRO	conflict	UNP O81959
BBB	397	TRP	ARG	engineered mutation	UNP O81959
BBB	423	ALA	PRO	conflict	UNP O81959
CCC	397	TRP	ARG	engineered mutation	UNP O81959
CCC	423	ALA	PRO	conflict	UNP O81959
DDD	397	TRP	ARG	engineered mutation	UNP O81959
DDD	423	ALA	PRO	conflict	UNP O81959

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	AAA	1	Total O P 5 4 1	0	0
2	AAA	1	Total O P 5 4 1	0	0
2	AAA	1	Total O P 5 4 1	0	0
2	BBB	1	Total O P 5 4 1	0	0
2	BBB	1	Total O P 5 4 1	0	0
2	CCC	1	Total O P 5 4 1	0	0
2	CCC	1	Total O P 5 4 1	0	0
2	DDD	1	Total O P 5 4 1	0	0
2	DDD	1	Total O P 5 4 1	0	0
2	DDD	1	Total O P 5 4 1	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	Total Ca 1 1	0	0
3	BBB	1	Total Ca 1 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	CCC	1	Total Ca 1 1	0	0
3	DDD	1	Total Ca 1 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0
4	AAA	1	Total C O 6 3 3	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	AAA	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		
4	BBB	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	BBB	1	Total 6	C 3	O 3	0	0
4	BBB	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	CCC	1	Total 6	C 3	O 3	0	0
4	DDD	1	Total 6	C 3	O 3	0	0
4	DDD	1	Total 6	C 3	O 3	0	0
4	DDD	1	Total 6	C 3	O 3	0	0
4	DDD	1	Total 6	C 3	O 3	0	0
4	DDD	1	Total 6	C 3	O 3	0	0

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		
4	DDD	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	AAA	2	Total	Na	0	0
			2	2		
5	BBB	2	Total	Na	0	0
			2	2		
5	CCC	3	Total	Na	0	0
			3	3		
5	DDD	3	Total	Na	0	0
			3	3		

- Molecule 6 is TRIS-HYDROXYMETHYL-METHYL-AMMONIUM (three-letter code: 144) (formula: C<sub>4</sub>H<sub>12</sub>NO<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	CCC	1	8	4	1	3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	AAA	785	Total 785	O 785	1	0
7	BBB	788	Total 788	O 788	0	0
7	CCC	806	Total 806	O 806	0	0
7	DDD	768	Total 768	O 768	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Vanadium-dependent bromoperoxidase



- Molecule 1: Vanadium-dependent bromoperoxidase




- Molecule 1: Vanadium-dependent bromoperoxidase



- Molecule 1: Vanadium-dependent bromoperoxidase





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.15Å 182.15Å 177.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.60 – 1.92 49.55 – 1.92	Depositor EDS
% Data completeness (in resolution range)	97.0 (49.60-1.92) 97.0 (49.55-1.92)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.37 (at 1.92Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.153 , 0.185 0.153 , 0.185	Depositor DCC
$R_{free}$ test set	2460 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.4	Xtrriage
Anisotropy	0.289	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 63.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	0.014 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	22996	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GOL, PO4, NA, 144, BYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AAA	0.52	0/5038	0.74	1/6840 (0.0%)
1	BBB	0.50	0/5034	0.73	0/6834
1	CCC	0.54	1/5082 (0.0%)	0.74	0/6901
1	DDD	0.51	0/5014	0.73	2/6811 (0.0%)
All	All	0.52	1/20168 (0.0%)	0.73	3/27386 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	BBB	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	CCC	2	GLY	N-CA	5.85	1.54	1.46

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	DDD	214	ARG	NE-CZ-NH2	-5.92	117.34	120.30
1	AAA	29	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	DDD	214	ARG	NE-CZ-NH1	5.27	122.93	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	BBB	527[A]	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	4849	0	4863	61	0
1	BBB	4845	0	4865	60	0
1	CCC	4877	0	4892	73	0
1	DDD	4834	0	4827	60	0
2	AAA	15	0	0	0	0
2	BBB	10	0	0	0	0
2	CCC	10	0	0	0	0
2	DDD	15	0	0	0	0
3	AAA	1	0	0	0	0
3	BBB	1	0	0	0	0
3	CCC	1	0	0	0	0
3	DDD	1	0	0	0	0
4	AAA	102	0	134	36	0
4	BBB	90	0	118	21	0
4	CCC	84	0	110	24	0
4	DDD	96	0	127	22	0
5	AAA	2	0	0	0	0
5	BBB	2	0	0	0	0
5	CCC	3	0	0	0	0
5	DDD	3	0	0	0	0
6	CCC	8	0	12	5	0
7	AAA	785	0	0	22	0
7	BBB	788	0	0	22	1
7	CCC	806	0	0	23	0
7	DDD	768	0	0	17	0
All	All	22996	0	19948	262	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 262 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:DDD:337[B]:LEU:HA	7:DDD:708:HOH:O	1.16	1.32
1:BBB:337[B]:LEU:HD13	7:BBB:1216:HOH:O	1.36	1.24
1:BBB:337[B]:LEU:HA	7:BBB:721:HOH:O	1.08	1.23
1:CCC:337[B]:LEU:HA	7:CCC:712:HOH:O	1.09	1.23
1:AAA:337[B]:LEU:HA	7:AAA:714:HOH:O	1.34	1.21

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:BBB:1148:HOH:O	7:BBB:1361:HOH:O[3_565]	2.09	0.11

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	638/598 (107%)	627 (98%)	11 (2%)	0	100	100
1	BBB	637/598 (106%)	626 (98%)	11 (2%)	0	100	100
1	CCC	643/598 (108%)	634 (99%)	9 (1%)	0	100	100
1	DDD	635/598 (106%)	623 (98%)	12 (2%)	0	100	100
All	All	2553/2392 (107%)	2510 (98%)	43 (2%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	531/489 (109%)	520 (98%)	11 (2%)	53	46
1	BBB	530/489 (108%)	522 (98%)	8 (2%)	65	61
1	CCC	536/489 (110%)	533 (99%)	3 (1%)	86	86
1	DDD	528/489 (108%)	520 (98%)	8 (2%)	65	61
All	All	2125/1956 (109%)	2095 (99%)	30 (1%)	73	63

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	BBB	370	GLN
1	DDD	370	GLN
1	BBB	527[A]	LYS
1	DDD	479	PHE
1	DDD	180[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	BYR	AAA	186	1	12,13,14	0.60	0	14,17,19	2.13	2 (14%)
1	BYR	AAA	43	1	12,13,14	0.91	0	14,17,19	1.19	1 (7%)
1	BYR	DDD	186	1	12,13,14	0.59	0	14,17,19	1.85	2 (14%)
1	BYR	DDD	43	1	12,13,14	0.84	0	14,17,19	1.40	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	BYR	CCC	186	1	12,13,14	0.92	0	14,17,19	1.99	2 (14%)
1	BYR	BBB	186	1	12,13,14	0.70	0	14,17,19	1.83	2 (14%)
1	BYR	CCC	43	1	12,13,14	0.84	0	14,17,19	1.24	2 (14%)
1	BYR	BBB	43	1	12,13,14	1.12	1 (8%)	14,17,19	1.68	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	BYR	AAA	186	1	-	0/5/6/8	0/1/1/1
1	BYR	AAA	43	1	-	0/5/6/8	0/1/1/1
1	BYR	DDD	186	1	-	0/5/6/8	0/1/1/1
1	BYR	DDD	43	1	-	0/5/6/8	0/1/1/1
1	BYR	CCC	186	1	-	0/5/6/8	0/1/1/1
1	BYR	BBB	186	1	-	0/5/6/8	0/1/1/1
1	BYR	CCC	43	1	-	0/5/6/8	0/1/1/1
1	BYR	BBB	43	1	-	2/5/6/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	BBB	43	BYR	CD1-CE1	2.15	1.42	1.38

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	186	BYR	CG-CB-CA	-5.37	103.22	114.10
1	DDD	186	BYR	CG-CB-CA	-5.24	103.49	114.10
1	CCC	186	BYR	CG-CB-CA	-5.14	103.70	114.10
1	BBB	186	BYR	CG-CB-CA	-4.99	103.99	114.10
1	AAA	186	BYR	BR-CE2-CZ	4.62	123.10	119.31

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	BBB	43	BYR	CA-CB-CG-CD1
1	BBB	43	BYR	CA-CB-CG-CD2

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	AAA	43	BYR	1	0
1	DDD	43	BYR	1	0
1	CCC	43	BYR	2	0
1	BBB	43	BYR	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 87 ligands modelled in this entry, 14 are monoatomic - leaving 73 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	CCC	612	-	5,5,5	0.17	0	5,5,5	0.46	0
4	GOL	BBB	618	-	5,5,5	0.10	0	5,5,5	0.41	0
4	GOL	CCC	609	-	5,5,5	0.33	0	5,5,5	0.53	0
4	GOL	CCC	601	-	5,5,5	0.23	0	5,5,5	0.45	0
2	PO4	CCC	608	-	4,4,4	1.17	0	6,6,6	0.82	0
4	GOL	DDD	618	-	5,5,5	0.13	0	5,5,5	0.38	0
4	GOL	AAA	606	-	5,5,5	0.09	0	5,5,5	0.40	0
4	GOL	BBB	614	-	5,5,5	0.21	0	5,5,5	0.52	0
4	GOL	AAA	609	-	5,5,5	0.39	0	5,5,5	0.62	0
4	GOL	AAA	619	5	5,5,5	0.13	0	5,5,5	0.35	0
4	GOL	DDD	605	-	5,5,5	0.14	0	5,5,5	0.61	0
4	GOL	DDD	613	-	5,5,5	0.12	0	5,5,5	0.39	0
4	GOL	AAA	610	-	5,5,5	0.15	0	5,5,5	0.40	0
2	PO4	AAA	608	-	4,4,4	1.64	1 (25%)	6,6,6	0.54	0
4	GOL	AAA	620	-	5,5,5	0.11	0	5,5,5	0.42	0
4	GOL	DDD	610	-	5,5,5	0.21	0	5,5,5	0.54	0
4	GOL	AAA	604	5	5,5,5	0.44	0	5,5,5	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	BBB	613	-	5,5,5	0.26	0	5,5,5	0.91	0
4	GOL	DDD	601	-	5,5,5	0.25	0	5,5,5	0.66	0
4	GOL	CCC	607	-	5,5,5	0.14	0	5,5,5	0.46	0
4	GOL	BBB	612	-	5,5,5	0.21	0	5,5,5	0.38	0
4	GOL	CCC	611	-	5,5,5	0.22	0	5,5,5	0.42	0
2	PO4	BBB	607	-	4,4,4	0.60	0	6,6,6	0.62	0
4	GOL	BBB	610	-	5,5,5	0.24	0	5,5,5	0.69	0
4	GOL	CCC	617	5	5,5,5	0.18	0	5,5,5	0.50	0
4	GOL	AAA	612	-	5,5,5	0.21	0	5,5,5	0.48	0
4	GOL	DDD	619	-	5,5,5	0.20	0	5,5,5	0.39	0
4	GOL	BBB	601	5	5,5,5	0.15	0	5,5,5	0.31	0
4	GOL	CCC	606	-	5,5,5	0.21	0	5,5,5	0.84	0
4	GOL	DDD	612	-	5,5,5	0.16	0	5,5,5	0.35	0
4	GOL	CCC	615	-	5,5,5	0.15	0	5,5,5	0.36	0
4	GOL	DDD	606	5	5,5,5	0.51	0	5,5,5	0.64	0
4	GOL	BBB	615	-	5,5,5	0.18	0	5,5,5	0.35	0
4	GOL	AAA	617	-	5,5,5	0.09	0	5,5,5	0.24	0
4	GOL	AAA	603	-	5,5,5	0.13	0	5,5,5	0.61	0
4	GOL	BBB	608	-	5,5,5	0.29	0	5,5,5	0.47	0
4	GOL	AAA	615	-	5,5,5	0.18	0	5,5,5	0.34	0
4	GOL	BBB	617	-	5,5,5	0.17	0	5,5,5	0.67	0
4	GOL	DDD	607	-	5,5,5	0.16	0	5,5,5	0.36	0
4	GOL	AAA	605	-	5,5,5	0.18	0	5,5,5	0.57	0
4	GOL	BBB	609	-	5,5,5	0.23	0	5,5,5	0.56	0
4	GOL	CCC	604	-	5,5,5	0.14	0	5,5,5	0.42	0
4	GOL	CCC	614	-	5,5,5	0.41	0	5,5,5	1.06	0
4	GOL	DDD	617	-	5,5,5	0.23	0	5,5,5	0.39	0
4	GOL	AAA	614	-	5,5,5	0.21	0	5,5,5	0.59	0
4	GOL	BBB	606	-	5,5,5	0.24	0	5,5,5	0.49	0
4	GOL	DDD	615	-	5,5,5	0.17	0	5,5,5	0.40	0
2	PO4	AAA	601	-	4,4,4	0.91	0	6,6,6	0.72	0
4	GOL	CCC	616	-	5,5,5	0.24	0	5,5,5	0.47	0
4	GOL	DDD	602	-	5,5,5	0.17	0	5,5,5	0.50	0
6	144	CCC	618	-	1,7,7	0.21	0	3,9,9	1.07	0
4	GOL	CCC	610	-	5,5,5	0.14	0	5,5,5	0.43	0
2	PO4	CCC	602	-	4,4,4	1.38	1 (25%)	6,6,6	0.77	0
4	GOL	DDD	614	-	5,5,5	0.29	0	5,5,5	0.72	0
2	PO4	DDD	623	-	4,4,4	1.13	1 (25%)	6,6,6	0.37	0
4	GOL	AAA	613	-	5,5,5	0.31	0	5,5,5	0.53	0
2	PO4	DDD	609	-	4,4,4	1.07	0	6,6,6	0.77	0
4	GOL	CCC	613	-	5,5,5	0.19	0	5,5,5	0.51	0
4	GOL	BBB	604	5	5,5,5	0.46	0	5,5,5	0.69	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PO4	BBB	602	-	4,4,4	1.15	0	6,6,6	0.81	0
4	GOL	AAA	616	-	5,5,5	0.10	0	5,5,5	0.42	0
4	GOL	AAA	611	-	5,5,5	0.21	0	5,5,5	0.46	0
4	GOL	CCC	605	5	5,5,5	0.38	0	5,5,5	0.58	0
2	PO4	AAA	607	-	4,4,4	1.70	1 (25%)	6,6,6	0.70	0
4	GOL	AAA	618	-	5,5,5	0.23	0	5,5,5	0.43	0
4	GOL	DDD	608	-	5,5,5	0.15	0	5,5,5	0.46	0
4	GOL	DDD	611	-	5,5,5	0.17	0	5,5,5	0.27	0
4	GOL	DDD	616	-	5,5,5	0.47	0	5,5,5	0.81	0
2	PO4	DDD	603	-	4,4,4	1.83	2 (50%)	6,6,6	0.75	0
4	GOL	BBB	605	-	5,5,5	0.10	0	5,5,5	0.33	0
4	GOL	BBB	616	-	5,5,5	0.18	0	5,5,5	0.44	0
4	GOL	BBB	611	-	5,5,5	0.22	0	5,5,5	0.53	0
4	GOL	AAA	621	-	5,5,5	0.51	0	5,5,5	1.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	CCC	612	-	-	2/4/4/4	-
4	GOL	BBB	618	-	-	3/4/4/4	-
4	GOL	CCC	609	-	-	0/4/4/4	-
4	GOL	CCC	601	-	-	4/4/4/4	-
4	GOL	DDD	618	-	-	4/4/4/4	-
4	GOL	AAA	606	-	-	2/4/4/4	-
4	GOL	BBB	614	-	-	4/4/4/4	-
4	GOL	AAA	609	-	-	1/4/4/4	-
4	GOL	AAA	619	5	-	2/4/4/4	-
4	GOL	DDD	605	-	-	2/4/4/4	-
4	GOL	DDD	613	-	-	2/4/4/4	-
4	GOL	AAA	610	-	-	0/4/4/4	-
4	GOL	AAA	620	-	-	2/4/4/4	-
4	GOL	DDD	610	-	-	0/4/4/4	-
4	GOL	AAA	604	5	-	0/4/4/4	-
4	GOL	BBB	613	-	-	4/4/4/4	-
4	GOL	DDD	601	-	-	2/4/4/4	-
4	GOL	CCC	607	-	-	2/4/4/4	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	BBB	612	-	-	2/4/4/4	-
4	GOL	CCC	611	-	-	0/4/4/4	-
4	GOL	CCC	617	5	-	2/4/4/4	-
4	GOL	BBB	610	-	-	3/4/4/4	-
4	GOL	AAA	612	-	-	2/4/4/4	-
4	GOL	DDD	619	-	-	3/4/4/4	-
4	GOL	BBB	601	5	-	2/4/4/4	-
4	GOL	CCC	606	-	-	3/4/4/4	-
4	GOL	DDD	612	-	-	2/4/4/4	-
4	GOL	CCC	615	-	-	2/4/4/4	-
4	GOL	DDD	606	5	-	0/4/4/4	-
4	GOL	BBB	615	-	-	2/4/4/4	-
4	GOL	AAA	617	-	-	4/4/4/4	-
4	GOL	AAA	603	-	-	4/4/4/4	-
4	GOL	BBB	608	-	-	0/4/4/4	-
4	GOL	AAA	615	-	-	3/4/4/4	-
4	GOL	BBB	617	-	-	2/4/4/4	-
4	GOL	DDD	607	-	-	3/4/4/4	-
4	GOL	AAA	605	-	-	2/4/4/4	-
4	GOL	BBB	609	-	-	0/4/4/4	-
4	GOL	CCC	604	-	-	2/4/4/4	-
4	GOL	CCC	614	-	-	2/4/4/4	-
4	GOL	DDD	617	-	-	2/4/4/4	-
4	GOL	AAA	614	-	-	4/4/4/4	-
4	GOL	BBB	606	-	-	4/4/4/4	-
4	GOL	DDD	615	-	-	4/4/4/4	-
4	GOL	CCC	616	-	-	1/4/4/4	-
4	GOL	DDD	602	-	-	0/4/4/4	-
6	144	CCC	618	-	-	0/0/9/9	-
4	GOL	CCC	610	-	-	0/4/4/4	-
4	GOL	DDD	614	-	-	3/4/4/4	-
4	GOL	AAA	613	-	-	4/4/4/4	-
4	GOL	CCC	613	-	-	1/4/4/4	-
4	GOL	BBB	604	5	-	0/4/4/4	-
4	GOL	CCC	605	5	-	0/4/4/4	-
4	GOL	AAA	616	-	-	3/4/4/4	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	AAA	611	-	-	3/4/4/4	-
4	GOL	DDD	608	-	-	1/4/4/4	-
4	GOL	AAA	618	-	-	3/4/4/4	-
4	GOL	DDD	616	-	-	4/4/4/4	-
4	GOL	DDD	611	-	-	0/4/4/4	-
4	GOL	BBB	605	-	-	2/4/4/4	-
4	GOL	BBB	616	-	-	0/4/4/4	-
4	GOL	BBB	611	-	-	4/4/4/4	-
4	GOL	AAA	621	-	-	4/4/4/4	-

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AAA	608	PO4	P-O1	2.98	1.57	1.50
2	DDD	603	PO4	P-O1	2.91	1.57	1.50
2	AAA	607	PO4	P-O1	2.79	1.57	1.50
2	DDD	603	PO4	P-O2	-2.23	1.47	1.54
2	CCC	602	PO4	P-O1	2.19	1.56	1.50

There are no bond angle outliers.

There are no chirality outliers.

5 of 128 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	AAA	603	GOL	O1-C1-C2-O2
4	AAA	603	GOL	O1-C1-C2-C3
4	AAA	603	GOL	C1-C2-C3-O3
4	AAA	605	GOL	O1-C1-C2-C3
4	AAA	611	GOL	C1-C2-C3-O3

There are no ring outliers.

34 monomers are involved in 108 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	CCC	612	GOL	3	0
4	CCC	601	GOL	4	0
4	BBB	614	GOL	3	0
4	AAA	619	GOL	7	0
4	DDD	605	GOL	2	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	DDD	613	GOL	3	0
4	AAA	620	GOL	5	0
4	DDD	601	GOL	4	0
4	CCC	607	GOL	2	0
4	BBB	612	GOL	1	0
4	CCC	611	GOL	6	0
4	CCC	617	GOL	5	0
4	AAA	612	GOL	3	0
4	DDD	619	GOL	1	0
4	BBB	601	GOL	5	0
4	DDD	612	GOL	3	0
4	DDD	606	GOL	1	0
4	BBB	615	GOL	2	0
4	AAA	617	GOL	1	0
4	AAA	603	GOL	3	0
4	BBB	617	GOL	5	0
4	DDD	607	GOL	2	0
4	CCC	604	GOL	1	0
4	CCC	614	GOL	3	0
4	AAA	614	GOL	2	0
4	BBB	606	GOL	1	0
4	DDD	615	GOL	2	0
6	CCC	618	144	5	0
4	AAA	616	GOL	5	0
4	AAA	618	GOL	1	0
4	DDD	608	GOL	1	0
4	DDD	616	GOL	4	0
4	BBB	611	GOL	4	0
4	AAA	621	GOL	9	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	AAA	595/598 (99%)	-0.37	12 (2%) 65 68	20, 27, 43, 91	0
1	BBB	595/598 (99%)	-0.40	11 (1%) 68 71	21, 27, 42, 86	0
1	CCC	595/598 (99%)	-0.41	6 (1%) 82 84	17, 25, 40, 106	0
1	DDD	595/598 (99%)	-0.46	7 (1%) 79 81	20, 27, 43, 98	0
All	All	2380/2392 (99%)	-0.41	36 (1%) 73 76	17, 26, 42, 106	0

The worst 5 of 36 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	337[A]	LEU	6.1
1	CCC	48	PRO	5.6
1	AAA	48	PRO	4.7
1	CCC	337[A]	LEU	4.7
1	DDD	337[A]	LEU	3.9

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	BYR	CCC	186	13/14	0.94	0.09	32,37,46,49	1
1	BYR	BBB	43	13/14	0.96	0.07	23,26,30,33	1
1	BYR	AAA	43	13/14	0.97	0.07	18,23,29,31	1
1	BYR	BBB	186	13/14	0.97	0.13	31,35,42,52	1
1	BYR	AAA	186	13/14	0.97	0.17	29,37,43,47	1
1	BYR	DDD	43	13/14	0.97	0.07	21,24,28,28	1
1	BYR	CCC	43	13/14	0.98	0.08	21,22,27,31	1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	BYR	DDD	186	13/14	0.98	0.12	25,35,41,44	1

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	GOL	BBB	618	6/6	0.69	0.25	71,75,92,113	0
5	NA	CCC	619	1/1	0.78	0.13	61,61,61,61	0
4	GOL	DDD	618	6/6	0.80	0.28	30,48,51,51	6
4	GOL	DDD	602	6/6	0.81	0.30	55,62,69,73	0
4	GOL	DDD	619	6/6	0.81	0.21	60,69,70,128	0
4	GOL	DDD	616	6/6	0.81	0.21	38,45,52,106	0
4	GOL	AAA	621	6/6	0.82	0.23	39,49,88,102	0
2	PO4	DDD	623	5/5	0.83	0.25	31,50,64,65	5
4	GOL	CCC	616	6/6	0.84	0.19	35,60,81,84	0
4	GOL	BBB	613	6/6	0.84	0.19	39,50,65,66	0
6	144	CCC	618	8/8	0.84	0.17	35,69,98,104	0
4	GOL	CCC	614	6/6	0.85	0.21	29,48,61,85	0
4	GOL	AAA	616	6/6	0.85	0.32	60,71,73,92	0
4	GOL	DDD	617	6/6	0.86	0.18	29,57,75,82	0
4	GOL	AAA	613	6/6	0.86	0.23	26,39,49,59	6
4	GOL	BBB	610	6/6	0.86	0.17	45,67,76,80	0
4	GOL	AAA	618	6/6	0.86	0.27	43,55,60,112	0
4	GOL	AAA	620	6/6	0.86	0.17	52,61,77,89	0
4	GOL	BBB	609	6/6	0.87	0.18	31,44,77,82	0
4	GOL	DDD	601	6/6	0.88	0.14	42,64,70,72	0
5	NA	CCC	620	1/1	0.88	0.36	60,60,60,60	0
4	GOL	CCC	615	6/6	0.88	0.15	53,61,78,113	0
4	GOL	BBB	615	6/6	0.90	0.15	29,62,75,78	0
4	GOL	AAA	615	6/6	0.90	0.30	56,58,76,91	0
4	GOL	CCC	610	6/6	0.91	0.19	32,57,86,90	0
4	GOL	BBB	606	6/6	0.91	0.25	27,62,86,86	0
4	GOL	DDD	614	6/6	0.91	0.15	31,44,63,69	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	GOL	BBB	617	6/6	0.91	0.25	30,58,72,72	0
4	GOL	AAA	611	6/6	0.91	0.20	30,53,74,97	0
4	GOL	BBB	616	6/6	0.92	0.18	51,66,95,98	0
4	GOL	CCC	613	6/6	0.92	0.12	38,53,61,61	0
5	NA	DDD	621	1/1	0.92	0.14	62,62,62,62	0
5	NA	DDD	622	1/1	0.92	0.15	39,39,39,39	0
5	NA	BBB	620	1/1	0.92	0.22	43,43,43,43	0
4	GOL	DDD	613	6/6	0.93	0.16	40,53,62,81	0
4	GOL	CCC	607	6/6	0.93	0.16	25,68,72,74	0
4	GOL	BBB	601	6/6	0.93	0.18	44,53,62,66	0
4	GOL	AAA	617	6/6	0.93	0.21	36,55,77,112	0
4	GOL	AAA	604	6/6	0.93	0.09	28,32,35,37	0
4	GOL	DDD	606	6/6	0.93	0.10	26,29,34,34	0
5	NA	AAA	623	1/1	0.94	0.24	46,46,46,46	0
4	GOL	CCC	617	6/6	0.94	0.13	37,47,56,60	0
4	GOL	DDD	615	6/6	0.94	0.24	40,46,53,80	0
4	GOL	BBB	611	6/6	0.94	0.13	36,52,77,85	0
2	PO4	AAA	607	5/5	0.94	0.12	34,34,40,47	5
4	GOL	BBB	614	6/6	0.94	0.25	44,47,57,154	0
4	GOL	CCC	612	6/6	0.94	0.14	37,46,77,91	0
4	GOL	CCC	601	6/6	0.95	0.16	27,42,51,113	0
4	GOL	CCC	605	6/6	0.95	0.08	25,31,34,39	0
4	GOL	BBB	605	6/6	0.95	0.12	33,52,65,81	0
4	GOL	AAA	614	6/6	0.95	0.17	37,51,76,80	0
4	GOL	AAA	609	6/6	0.95	0.10	31,35,36,41	0
4	GOL	DDD	607	6/6	0.95	0.19	24,61,73,82	0
4	GOL	DDD	611	6/6	0.95	0.12	30,41,54,60	0
4	GOL	DDD	612	6/6	0.95	0.13	33,47,57,63	0
4	GOL	AAA	612	6/6	0.95	0.12	35,44,66,79	0
4	GOL	AAA	610	6/6	0.95	0.12	33,42,57,74	0
4	GOL	BBB	612	6/6	0.95	0.30	33,46,67,75	0
4	GOL	CCC	604	6/6	0.96	0.13	30,41,78,101	0
4	GOL	AAA	606	6/6	0.96	0.12	19,38,49,54	6
4	GOL	DDD	608	6/6	0.96	0.11	37,47,56,65	0
5	NA	AAA	622	1/1	0.96	0.10	51,51,51,51	0
4	GOL	DDD	610	6/6	0.96	0.11	26,40,43,46	0
4	GOL	CCC	606	6/6	0.96	0.12	32,45,62,80	0
4	GOL	AAA	603	6/6	0.96	0.16	24,49,52,112	0
4	GOL	BBB	604	6/6	0.96	0.09	29,34,34,37	0
5	NA	DDD	620	1/1	0.96	0.10	49,49,49,49	0
4	GOL	CCC	611	6/6	0.96	0.21	21,37,54,102	0
4	GOL	AAA	605	6/6	0.96	0.10	36,48,56,70	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	DDD	605	6/6	0.96	0.14	23,40,76,112	0
5	NA	CCC	621	1/1	0.97	0.21	44,44,44,44	0
5	NA	BBB	619	1/1	0.97	0.10	57,57,57,57	0
4	GOL	CCC	609	6/6	0.97	0.09	27,32,33,36	0
4	GOL	AAA	619	6/6	0.97	0.11	43,52,77,80	0
2	PO4	CCC	608	5/5	0.97	0.14	42,43,57,70	0
4	GOL	BBB	608	6/6	0.98	0.08	26,33,40,40	0
2	PO4	AAA	608	5/5	0.98	0.11	39,46,53,57	0
2	PO4	DDD	609	5/5	0.98	0.14	40,45,57,84	0
2	PO4	BBB	607	5/5	0.98	0.11	44,44,53,53	0
2	PO4	CCC	602	5/5	0.99	0.09	24,25,27,27	0
3	CA	AAA	602	1/1	0.99	0.07	27,27,27,27	0
3	CA	BBB	603	1/1	0.99	0.04	27,27,27,27	0
3	CA	CCC	603	1/1	0.99	0.04	28,28,28,28	0
2	PO4	BBB	602	5/5	0.99	0.11	27,28,30,36	0
2	PO4	DDD	603	5/5	0.99	0.09	29,29,30,32	0
2	PO4	AAA	601	5/5	0.99	0.06	25,26,28,36	0
3	CA	DDD	604	1/1	1.00	0.07	25,25,25,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around PO4 DDD 623:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 AAA 607:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around PO4 CCC 608:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 AAA 608:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 DDD 609:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 BBB 607:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 CCC 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 BBB 602:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 DDD 603:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.