



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 29, 2024 – 02:15 pm GMT

PDB ID : 8QYZ
Title : Crystal structure of hiNES2 in complex with Xpo1 and RanGTP
Authors : Rymarenko, O.; Huyton, T.; Gorlich, D.
Deposited on : 2023-10-26
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2511 (3.00-3.00)
Clashscore	180529	2866 (3.00-3.00)
Ramachandran outliers	177936	2778 (3.00-3.00)
Sidechain outliers	177891	2781 (3.00-3.00)
RSRZ outliers	164620	2523 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	182	 77% 17% 5%
1	B	182	 0% 78% 16% 5%
1	E	182	 3% 70% 23% 7%
1	G	182	 3% 78% 15% 7%
2	C	1048	 78% 18% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	1048	 80% 16%
2	F	1048	 2% 75% 21%
2	H	1048	 % 75% 22%
3	I	16	 81% 19%
3	J	16	 75% 19% 6%
3	K	16	 88% 12%
3	L	16	 88% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	ACT	A	203	-	-	X	-
6	ACT	G	203	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 39266 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding nuclear protein GSP1/CNR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	172	1395	909	238	244	4	0	0	0
1	B	172	1395	909	238	244	4	0	0	0
1	E	170	1384	903	236	241	4	0	0	0
1	G	170	1384	903	236	241	4	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	71	LEU	GLN	engineered mutation	UNP P32835
B	71	LEU	GLN	engineered mutation	UNP P32835
E	71	LEU	GLN	engineered mutation	UNP P32835
G	71	LEU	GLN	engineered mutation	UNP P32835

- Molecule 2 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	1016	8230	5290	1356	1546	38	0	2	0
2	D	1016	8218	5283	1351	1546	38	0	1	0
2	F	1015	8216	5281	1350	1547	38	0	1	0
2	H	1015	8207	5276	1349	1544	38	0	0	0

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	GLY	-	expression tag	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ASN	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	TYR	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	LYS	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	PHE	deletion	UNP P30822
D	0	GLY	-	expression tag	UNP P30822
D	?	-	VAL	deletion	UNP P30822
D	?	-	GLN	deletion	UNP P30822
D	?	-	ARG	deletion	UNP P30822
D	?	-	LEU	deletion	UNP P30822

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	PRO	deletion	UNP P30822
D	?	-	ALA	deletion	UNP P30822
D	?	-	THR	deletion	UNP P30822
D	?	-	GLU	deletion	UNP P30822
D	?	-	MET	deletion	UNP P30822
D	?	-	SER	deletion	UNP P30822
D	?	-	PRO	deletion	UNP P30822
D	?	-	LEU	deletion	UNP P30822
D	?	-	ILE	deletion	UNP P30822
D	?	-	GLN	deletion	UNP P30822
D	?	-	LEU	deletion	UNP P30822
D	?	-	SER	deletion	UNP P30822
D	?	-	VAL	deletion	UNP P30822
D	?	-	GLY	deletion	UNP P30822
D	?	-	SER	deletion	UNP P30822
D	?	-	GLN	deletion	UNP P30822
D	?	-	ALA	deletion	UNP P30822
D	?	-	ILE	deletion	UNP P30822
D	?	-	SER	deletion	UNP P30822
D	?	-	THR	deletion	UNP P30822
D	?	-	GLY	deletion	UNP P30822
D	?	-	SER	deletion	UNP P30822
D	?	-	GLY	deletion	UNP P30822
D	?	-	ALA	deletion	UNP P30822
D	?	-	LEU	deletion	UNP P30822
D	?	-	ASN	deletion	UNP P30822
D	?	-	PRO	deletion	UNP P30822
D	?	-	GLU	deletion	UNP P30822
D	?	-	TYR	deletion	UNP P30822
D	?	-	MET	deletion	UNP P30822
D	?	-	LYS	deletion	UNP P30822
D	?	-	ARG	deletion	UNP P30822
D	?	-	PHE	deletion	UNP P30822
F	0	GLY	-	expression tag	UNP P30822
F	?	-	VAL	deletion	UNP P30822
F	?	-	GLN	deletion	UNP P30822
F	?	-	ARG	deletion	UNP P30822
F	?	-	LEU	deletion	UNP P30822
F	?	-	PRO	deletion	UNP P30822
F	?	-	ALA	deletion	UNP P30822
F	?	-	THR	deletion	UNP P30822
F	?	-	GLU	deletion	UNP P30822

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	?	-	MET	deletion	UNP P30822
F	?	-	SER	deletion	UNP P30822
F	?	-	PRO	deletion	UNP P30822
F	?	-	LEU	deletion	UNP P30822
F	?	-	ILE	deletion	UNP P30822
F	?	-	GLN	deletion	UNP P30822
F	?	-	LEU	deletion	UNP P30822
F	?	-	SER	deletion	UNP P30822
F	?	-	VAL	deletion	UNP P30822
F	?	-	GLY	deletion	UNP P30822
F	?	-	SER	deletion	UNP P30822
F	?	-	GLN	deletion	UNP P30822
F	?	-	ALA	deletion	UNP P30822
F	?	-	ILE	deletion	UNP P30822
F	?	-	SER	deletion	UNP P30822
F	?	-	THR	deletion	UNP P30822
F	?	-	GLY	deletion	UNP P30822
F	?	-	SER	deletion	UNP P30822
F	?	-	GLY	deletion	UNP P30822
F	?	-	ALA	deletion	UNP P30822
F	?	-	LEU	deletion	UNP P30822
F	?	-	ASN	deletion	UNP P30822
F	?	-	PRO	deletion	UNP P30822
F	?	-	GLU	deletion	UNP P30822
F	?	-	TYR	deletion	UNP P30822
F	?	-	MET	deletion	UNP P30822
F	?	-	LYS	deletion	UNP P30822
F	?	-	ARG	deletion	UNP P30822
F	?	-	PHE	deletion	UNP P30822
H	0	GLY	-	expression tag	UNP P30822
H	?	-	VAL	deletion	UNP P30822
H	?	-	GLN	deletion	UNP P30822
H	?	-	ARG	deletion	UNP P30822
H	?	-	LEU	deletion	UNP P30822
H	?	-	PRO	deletion	UNP P30822
H	?	-	ALA	deletion	UNP P30822
H	?	-	THR	deletion	UNP P30822
H	?	-	GLU	deletion	UNP P30822
H	?	-	MET	deletion	UNP P30822
H	?	-	SER	deletion	UNP P30822
H	?	-	PRO	deletion	UNP P30822
H	?	-	LEU	deletion	UNP P30822

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	?	-	ILE	deletion	UNP P30822
H	?	-	GLN	deletion	UNP P30822
H	?	-	LEU	deletion	UNP P30822
H	?	-	SER	deletion	UNP P30822
H	?	-	VAL	deletion	UNP P30822
H	?	-	GLY	deletion	UNP P30822
H	?	-	SER	deletion	UNP P30822
H	?	-	GLN	deletion	UNP P30822
H	?	-	ALA	deletion	UNP P30822
H	?	-	ILE	deletion	UNP P30822
H	?	-	SER	deletion	UNP P30822
H	?	-	THR	deletion	UNP P30822
H	?	-	GLY	deletion	UNP P30822
H	?	-	SER	deletion	UNP P30822
H	?	-	GLY	deletion	UNP P30822
H	?	-	ALA	deletion	UNP P30822
H	?	-	LEU	deletion	UNP P30822
H	?	-	ASN	deletion	UNP P30822
H	?	-	PRO	deletion	UNP P30822
H	?	-	GLU	deletion	UNP P30822
H	?	-	TYR	deletion	UNP P30822
H	?	-	MET	deletion	UNP P30822
H	?	-	LYS	deletion	UNP P30822
H	?	-	ARG	deletion	UNP P30822
H	?	-	PHE	deletion	UNP P30822

- Molecule 3 is a protein called hiNES2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	I	16	Total	C	N	O	S	0	0	0
			120	72	18	28	2			
3	J	16	Total	C	N	O	S	0	0	0
			120	72	18	28	2			
3	K	16	Total	C	N	O	S	0	0	0
			120	72	18	28	2			
3	L	16	Total	C	N	O	S	0	0	0
			120	72	18	28	2			

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	B	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	E	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	G	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
5	A	1	Total 1	Mg 1	0	0
5	B	1	Total 1	Mg 1	0	0
5	E	1	Total 1	Mg 1	0	0
5	G	1	Total 1	Mg 1	0	0

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	E	1	Total C O 4 2 2	0	0
6	G	1	Total C O 4 2 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	18	Total O 18 18	0	0
7	C	76	Total O 76 76	0	0
7	B	6	Total O 6 6	0	0
7	D	60	Total O 60 60	0	0
7	E	1	Total O 1 1	0	0
7	F	26	Total O 26 26	0	0
7	H	22	Total O 22 22	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GTP-binding nuclear protein GSP1/CNR1

Chain A: 




- Molecule 1: GTP-binding nuclear protein GSP1/CNR1

Chain B: 





- Molecule 1: GTP-binding nuclear protein GSP1/CNR1


Chain E: 





- Molecule 1: GTP-binding nuclear protein GSP1/CNR1

Chain G: 








• Molecule 2: Exportin-1





• Molecule 2: Exportin-1








• Molecule 2: Exportin-1





• Molecule 2: Exportin-1






• Molecule 3: hiNES2




• Molecule 3: hiNES2



• Molecule 3: hiNES2



• Molecule 3: hiNES2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	97.36Å 105.57Å 170.40Å 82.08° 86.67° 76.67°	Depositor
Resolution (Å)	82.79 – 3.00 82.79 – 3.00	Depositor EDS
% Data completeness (in resolution range)	96.4 (82.79-3.00) 96.4 (82.79-3.00)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 3.01Å)	Xtrriage
Refinement program	REFMAC 5.8.0350	Depositor
R, R_{free}	0.218 , 0.247 0.217 , 0.247	Depositor DCC
R_{free} test set	6266 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	62.9	Xtrriage
Anisotropy	0.169	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 54.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	39266	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, GTP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/1430	0.65	0/1932
1	B	0.32	0/1430	0.62	0/1932
1	E	0.30	0/1419	0.65	0/1917
1	G	0.31	0/1419	0.61	0/1917
2	C	0.33	0/8388	0.62	0/11367
2	D	0.33	0/8376	0.62	0/11352
2	F	0.32	0/8374	0.62	0/11349
2	H	0.32	0/8365	0.61	0/11337
3	I	0.35	0/119	0.51	0/158
3	J	0.34	0/119	0.52	0/158
3	K	0.30	0/119	0.57	0/158
3	L	0.40	0/119	0.62	0/158
All	All	0.32	0/39677	0.62	0/53735

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1395	0	1410	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1395	0	1410	26	0
1	E	1384	0	1400	30	0
1	G	1384	0	1400	27	0
2	C	8230	0	8319	135	0
2	D	8218	0	8303	117	0
2	F	8216	0	8297	174	0
2	H	8207	0	8292	176	0
3	I	120	0	116	3	0
3	J	120	0	116	5	0
3	K	120	0	116	4	0
3	L	120	0	116	5	0
4	A	32	0	12	2	0
4	B	32	0	12	2	0
4	E	32	0	12	4	0
4	G	32	0	12	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
6	A	4	0	3	2	0
6	B	4	0	3	1	0
6	E	4	0	3	1	0
6	G	4	0	3	3	0
7	A	18	0	0	0	0
7	B	6	0	0	0	0
7	C	76	0	0	6	0
7	D	60	0	0	9	0
7	E	1	0	0	0	0
7	F	26	0	0	5	0
7	H	22	0	0	4	0
All	All	39266	0	39355	697	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 697 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:981:VAL:HG11	2:H:985:THR:HG21	1.16	1.14
2:H:11:LEU:HD12	2:H:50:LYS:HD2	1.42	1.01
2:H:637:GLN:HG3	2:H:638:PRO:HD2	1.46	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:574:ARG:HD2	7:D:1144:HOH:O	1.65	0.95
2:H:26:GLY:O	2:H:31:GLN:HB3	1.70	0.92

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	170/182 (93%)	168 (99%)	2 (1%)	0	100	100
1	B	170/182 (93%)	169 (99%)	1 (1%)	0	100	100
1	E	168/182 (92%)	166 (99%)	2 (1%)	0	100	100
1	G	168/182 (92%)	166 (99%)	2 (1%)	0	100	100
2	C	1016/1048 (97%)	996 (98%)	20 (2%)	0	100	100
2	D	1015/1048 (97%)	997 (98%)	18 (2%)	0	100	100
2	F	1014/1048 (97%)	991 (98%)	23 (2%)	0	100	100
2	H	1013/1048 (97%)	988 (98%)	25 (2%)	0	100	100
3	I	14/16 (88%)	14 (100%)	0	0	100	100
3	J	14/16 (88%)	14 (100%)	0	0	100	100
3	K	14/16 (88%)	14 (100%)	0	0	100	100
3	L	14/16 (88%)	14 (100%)	0	0	100	100
All	All	4790/4984 (96%)	4697 (98%)	93 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/156 (96%)	150 (100%)	0	100	100
1	B	150/156 (96%)	150 (100%)	0	100	100
1	E	149/156 (96%)	147 (99%)	2 (1%)	65	85
1	G	149/156 (96%)	149 (100%)	0	100	100
2	C	931/955 (98%)	915 (98%)	16 (2%)	56	81
2	D	930/955 (97%)	922 (99%)	8 (1%)	75	89
2	F	930/955 (97%)	905 (97%)	25 (3%)	40	71
2	H	929/955 (97%)	914 (98%)	15 (2%)	58	82
3	I	14/14 (100%)	13 (93%)	1 (7%)	12	40
3	J	14/14 (100%)	13 (93%)	1 (7%)	12	40
3	K	14/14 (100%)	13 (93%)	1 (7%)	12	40
3	L	14/14 (100%)	14 (100%)	0	100	100
All	All	4374/4500 (97%)	4305 (98%)	69 (2%)	58	82

5 of 69 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	422	GLU
2	H	541	LYS
2	H	1005	HIS
1	E	44	THR
2	D	737	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
2	F	92	ASN
2	F	313	GLN
2	H	285	GLN
2	F	173	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	682	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	ACT	E	203	-	3,3,3	0.96	0	3,3,3	0.77	0
6	ACT	G	203	-	3,3,3	0.86	0	3,3,3	0.82	0
4	GTP	E	201	5	26,34,34	0.93	1 (3%)	32,54,54	1.06	2 (6%)
4	GTP	G	201	5	26,34,34	0.94	2 (7%)	32,54,54	1.02	1 (3%)
4	GTP	A	201	5	26,34,34	0.95	2 (7%)	32,54,54	1.05	2 (6%)
4	GTP	B	201	5	26,34,34	0.93	1 (3%)	32,54,54	0.98	2 (6%)
6	ACT	A	203	-	3,3,3	0.97	0	3,3,3	0.65	0
6	ACT	B	203	-	3,3,3	0.99	0	3,3,3	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	E	201	5	-	4/18/38/38	0/3/3/3
4	GTP	G	201	5	-	4/18/38/38	0/3/3/3
4	GTP	A	201	5	-	1/18/38/38	0/3/3/3
4	GTP	B	201	5	-	1/18/38/38	0/3/3/3

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	201	GTP	C5-C6	-2.57	1.42	1.47
4	E	201	GTP	C5-C6	-2.55	1.42	1.47
4	A	201	GTP	C5-C6	-2.53	1.42	1.47
4	G	201	GTP	C5-C6	-2.51	1.42	1.47
4	A	201	GTP	C8-N7	-2.15	1.31	1.35

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	201	GTP	PB-O3B-PG	-2.56	124.03	132.83
4	E	201	GTP	O2B-PB-O1B	2.37	123.95	112.24
4	A	201	GTP	O3'-C3'-C4'	-2.25	104.55	111.05
4	E	201	GTP	C3'-C2'-C1'	2.24	104.34	100.98
4	A	201	GTP	O3'-C3'-C2'	2.19	118.92	111.82

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	201	GTP	O4'-C4'-C5'-O5'
4	E	201	GTP	O4'-C4'-C5'-O5'
4	E	201	GTP	C3'-C4'-C5'-O5'
4	G	201	GTP	O4'-C4'-C5'-O5'
4	G	201	GTP	C3'-C4'-C5'-O5'

There are no ring outliers.

8 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	203	ACT	1	0
6	G	203	ACT	3	0
4	E	201	GTP	4	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	201	GTP	2	0
4	A	201	GTP	2	0
4	B	201	GTP	2	0
6	A	203	ACT	2	0
6	B	203	ACT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	172/182 (94%)	-0.31	0 100 100	37, 53, 90, 106	0
1	B	172/182 (94%)	-0.25	1 (0%) 85 71	44, 61, 92, 110	0
1	E	170/182 (93%)	0.34	5 (2%) 54 32	76, 112, 147, 172	0
1	G	170/182 (93%)	0.34	5 (2%) 54 32	77, 121, 158, 176	0
2	C	1016/1048 (96%)	-0.34	1 (0%) 92 88	22, 56, 84, 130	2 (0%)
2	D	1016/1048 (96%)	-0.32	3 (0%) 90 81	38, 60, 91, 122	1 (0%)
2	F	1015/1048 (96%)	0.11	18 (1%) 67 45	25, 92, 148, 170	1 (0%)
2	H	1015/1048 (96%)	0.12	14 (1%) 73 52	43, 97, 148, 172	0
3	I	16/16 (100%)	-0.19	0 100 100	49, 66, 87, 92	0
3	J	16/16 (100%)	-0.17	0 100 100	57, 68, 95, 96	0
3	K	16/16 (100%)	-0.32	0 100 100	65, 80, 102, 110	0
3	L	16/16 (100%)	-0.01	0 100 100	72, 87, 102, 107	0
All	All	4810/4984 (96%)	-0.09	47 (0%) 79 60	22, 70, 142, 176	4 (0%)

The worst 5 of 47 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	29	VAL	3.7
2	H	11	LEU	3.6
2	H	5	LEU	3.3
2	F	96	GLY	3.0
2	H	41	PHE	2.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	ACT	E	203	4/4	0.81	0.16	99,100,100,102	0
6	ACT	G	203	4/4	0.85	0.17	98,99,99,100	0
6	ACT	A	203	4/4	0.87	0.16	71,73,73,73	0
6	ACT	B	203	4/4	0.87	0.12	62,63,64,65	0
4	GTP	G	201	32/32	0.89	0.09	112,118,123,129	0
4	GTP	E	201	32/32	0.90	0.08	95,104,114,117	0
4	GTP	B	201	32/32	0.95	0.07	54,60,65,69	0
5	MG	G	202	1/1	0.95	0.08	119,119,119,119	0
5	MG	B	202	1/1	0.97	0.04	59,59,59,59	0
4	GTP	A	201	32/32	0.97	0.06	38,48,53,55	0
5	MG	E	202	1/1	0.98	0.05	109,109,109,109	0
5	MG	A	202	1/1	0.98	0.04	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around GTP G 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP E 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP B 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP A 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.