



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2024 – 03:22 PM EDT

PDB ID : 4R11  
Title : A conserved phosphorylation switch controls the interaction between cadherin and beta-catenin in vitro and in vivo  
Authors : Choi, H.-J.; Loveless, T.; Lynch, A.; Bang, I.; Hardin, J.; Weis, W.I.  
Deposited on : 2014-08-03  
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	572	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">3%      81%      12%      7%</p>
1	C	572	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">%      81%      12%      6%</p>
1	E	572	<div style="display: flex; align-items: center;"> <div style="width: 14%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 62%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">14%      76%      12%      • 11%</p>
2	B	84	<div style="display: flex; align-items: center;"> <div style="width: 17%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 25%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 49%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">17%      42%      10%      49%</p>
2	D	84	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 38%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 52%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">6%      44%      5%      • 50%</p>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	84	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a red segment (8%), a green segment (33%), a yellow segment (11%), and a grey segment (55%). The percentages are labeled below the bar.</p>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13120 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein humpback-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	534	4070	2540	733	770	27	0	0	0
1	C	536	4087	2552	735	773	27	0	0	0
1	E	508	3882	2423	703	729	27	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	GLY	-	EXPRESSION TAG	UNP O44326
A	51	GLY	-	EXPRESSION TAG	UNP O44326
A	52	ILE	-	EXPRESSION TAG	UNP O44326
C	50	GLY	-	EXPRESSION TAG	UNP O44326
C	51	GLY	-	EXPRESSION TAG	UNP O44326
C	52	ILE	-	EXPRESSION TAG	UNP O44326
E	50	GLY	-	EXPRESSION TAG	UNP O44326
E	51	GLY	-	EXPRESSION TAG	UNP O44326
E	52	ILE	-	EXPRESSION TAG	UNP O44326

- Molecule 2 is a protein called Cadherin-related hmr-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
2	B	43	355	215	61	77	1	1	0	0	0
2	D	42	348	210	60	76	1	1	0	0	0
2	F	38	317	186	46	81	4	0	0	0	

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1140	GLY	-	EXPRESSION TAG	UNP Q967F4
B	1141	GLY	-	EXPRESSION TAG	UNP Q967F4
B	1142	ILE	-	EXPRESSION TAG	UNP Q967F4
B	1143	GLN	-	EXPRESSION TAG	UNP Q967F4
D	1140	GLY	-	EXPRESSION TAG	UNP Q967F4
D	1141	GLY	-	EXPRESSION TAG	UNP Q967F4
D	1142	ILE	-	EXPRESSION TAG	UNP Q967F4
D	1143	GLN	-	EXPRESSION TAG	UNP Q967F4
F	1140	GLY	-	EXPRESSION TAG	UNP Q967F4
F	1141	GLY	-	EXPRESSION TAG	UNP Q967F4
F	1142	ILE	-	EXPRESSION TAG	UNP Q967F4
F	1143	GLN	-	EXPRESSION TAG	UNP Q967F4


- Molecule 3 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total I 4 4	0	0
3	C	4	Total I 4 4	0	0
3	E	1	Total I 1 1	0	0



- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	12	Total O 12 12	0	0
4	B	2	Total O 2 2	0	0
4	C	22	Total O 22 22	0	0
4	D	4	Total O 4 4	0	0
4	E	11	Total O 11 11	0	0
4	F	1	Total O 1 1	0	0









- Molecule 2: Cadherin-related hmr-1



- Molecule 2: Cadherin-related hmr-1



- Molecule 2: Cadherin-related hmr-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.06Å 157.72Å 84.82Å 90.00° 94.20° 90.00°	Depositor
Resolution (Å)	44.69 – 2.79 44.69 – 2.79	Depositor EDS
% Data completeness (in resolution range)	98.7 (44.69-2.79) 98.7 (44.69-2.79)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.20 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.199 , 0.249 0.202 , 0.250	Depositor DCC
$R_{free}$ test set	4262 reflections (7.78%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.4	Xtrriage
Anisotropy	0.233	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 49.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.015 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13120	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	80.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, IOD, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.22	0/4131	0.41	0/5611
1	C	0.25	0/4148	0.43	0/5635
1	E	0.23	0/3934	0.41	0/5338
2	B	0.23	0/348	0.41	0/467
2	D	0.25	0/342	0.38	0/460
2	F	0.24	0/273	0.41	0/362
All	All	0.23	0/13176	0.42	0/17873

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4070	0	4145	38	0
1	C	4087	0	4166	44	0
1	E	3882	0	3985	41	0
2	B	355	0	332	5	0
2	D	348	0	323	4	0
2	F	317	0	281	4	0
3	A	4	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	4	0	0	0	0
3	E	1	0	0	1	0
4	A	12	0	0	0	0
4	B	2	0	0	0	0
4	C	22	0	0	1	0
4	D	4	0	0	1	0
4	E	11	0	0	0	0
4	F	1	0	0	0	0
All	All	13120	0	13232	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:547:LEU:HD13	1:A:555:LEU:HD23	1.66	0.75
1:C:259:TYR:HB3	1:C:265:LEU:HD23	1.70	0.72
1:A:278:VAL:HG11	2:B:1207:GLU:HB3	1.73	0.69
1:A:485:ASN:HB3	1:A:488:ILE:HB	1.79	0.65
1:C:381:ILE:HG23	1:C:391:THR:HG22	1.77	0.65
1:C:118:PHE:CE2	1:C:120:HIS:HA	2.32	0.65
1:E:460:GLN:HG2	1:E:466:THR:HG22	1.79	0.64
1:E:120:HIS:HB2	1:E:158:LEU:HD21	1.81	0.63
1:C:485:ASN:HB3	1:C:488:ILE:HB	1.80	0.62
1:C:132:LYS:HG2	1:E:341:VAL:HG11	1.83	0.60
1:C:118:PHE:HE2	1:C:120:HIS:HA	1.67	0.60
1:A:83:LEU:HG	1:A:87:MET:HE3	1.85	0.59
1:E:500:GLU:HA	1:E:555:LEU:HD23	1.86	0.58
1:C:547:LEU:HD13	1:C:555:LEU:HD23	1.86	0.57
2:B:1147:ARG:HB3	2:B:1200:GLU:HB3	1.87	0.57
1:C:267:TYR:OH	2:D:1212:SEP:O2P	2.23	0.56
1:A:110:PRO:HB3	1:A:152:GLN:HG3	1.86	0.56
1:A:456:LEU:HD21	1:A:509:LEU:HD21	1.87	0.56
1:E:465:HIS:HB3	1:E:470:LEU:HG	1.88	0.56
1:A:476:ARG:HG2	1:A:537:LEU:HD21	1.86	0.56
1:E:547:LEU:HD13	1:E:555:LEU:HD12	1.87	0.56
2:F:1221:SEP:HA	2:F:1222:ALA:HB3	1.88	0.55
1:A:460:GLN:HG2	1:A:466:THR:HG22	1.88	0.55
1:C:599:TYR:O	1:C:603:VAL:HG23	2.05	0.55
1:A:292:LEU:HB2	1:A:293:PRO:HD3	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:172:LEU:HB3	1:E:213:HIS:HE2	1.72	0.54
1:C:175:SER:HB3	1:E:382:ARG:HH12	1.74	0.53
1:E:279:CYS:HB3	1:E:282:ASN:HB2	1.91	0.53
1:E:283:LYS:HB3	1:E:284:PRO:HD3	1.90	0.53
1:C:554:VAL:HG22	1:C:557:ARG:HH21	1.73	0.53
1:C:170:ARG:HD3	1:E:341:VAL:HA	1.90	0.53
1:E:177:GLU:HG3	1:E:181:HIS:NE2	2.23	0.53
1:E:283:LYS:HG3	1:E:318:LEU:HD23	1.91	0.52
1:E:283:LYS:O	1:E:287:ILE:HG12	2.10	0.52
1:E:351:CYS:HB3	1:E:393:PRO:HB2	1.92	0.52
1:A:456:LEU:CD2	1:A:509:LEU:HD21	2.39	0.51
1:C:557:ARG:NH1	1:C:558:GLU:OE2	2.44	0.51
1:A:283:LYS:HB3	1:A:284:PRO:HD3	1.93	0.50
1:A:598:THR:HB	2:B:1189:LEU:HD11	1.92	0.50
1:E:339:ILE:HG23	1:E:380:ALA:HB2	1.91	0.50
1:C:360:ASN:ND2	2:D:1199:ASP:HB2	2.27	0.50
1:C:136:VAL:HG22	1:C:176:LEU:HD11	1.94	0.50
1:E:328:LEU:O	1:E:332:ILE:HG12	2.12	0.49
1:E:250:GLN:HB2	3:E:701:IOD:I	2.82	0.49
1:C:283:LYS:HB3	1:C:284:PRO:HD3	1.93	0.49
1:C:167:GLU:O	1:C:171:MET:HG3	2.13	0.49
1:C:571:ASP:OD1	1:C:571:ASP:N	2.38	0.49
1:E:544:HIS:HE1	1:E:546:ARG:HG2	1.76	0.49
1:C:100:HIS:O	1:C:104:MET:HG2	2.13	0.48
1:C:259:TYR:CB	1:C:265:LEU:HD23	2.39	0.48
1:E:544:HIS:CE1	1:E:546:ARG:HG2	2.47	0.48
1:C:91:ASP:HB3	1:C:94:VAL:HG12	1.95	0.48
1:A:147:SER:O	1:A:151:GLU:HG2	2.13	0.48
1:C:479:ILE:O	1:C:483:GLU:HG2	2.13	0.48
1:E:147:SER:O	1:E:151:GLU:HG2	2.13	0.48
1:A:557:ARG:NH1	1:A:558:GLU:OE2	2.47	0.47
1:A:565:GLN:HA	1:A:568:LYS:HD3	1.96	0.47
1:C:283:LYS:HG3	1:C:318:LEU:HD23	1.96	0.47
1:E:554:VAL:HG22	1:E:557:ARG:HH21	1.79	0.47
1:C:460:GLN:HG2	1:C:466:THR:HG22	1.96	0.47
1:E:181:HIS:CE1	1:E:221:LEU:HD22	2.50	0.47
1:A:198:ARG:O	1:A:202:ARG:HG3	2.15	0.47
1:C:260:SER:HB2	4:C:812:HOH:O	2.14	0.47
1:A:381:ILE:HG23	1:A:391:THR:HG22	1.96	0.46
1:C:279:CYS:HB3	1:C:282:ASN:HB2	1.97	0.46
1:C:517:ALA:HA	1:C:569:ARG:NH2	2.29	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:ASN:HD22	1:A:138:VAL:HG23	1.80	0.46
1:A:167:GLU:O	1:A:171:MET:HG3	2.15	0.46
1:C:331:LEU:O	1:C:335:LEU:HG	2.16	0.46
1:E:425:LEU:HD22	1:E:470:LEU:HD12	1.97	0.46
1:A:563:LEU:HD23	1:A:566:LEU:HD12	1.98	0.46
1:C:368:VAL:HG13	1:C:373:GLY:HA3	1.98	0.46
1:A:542:LEU:HD13	1:A:559:ILE:HG21	1.98	0.46
1:A:213:HIS:ND1	1:A:216:LYS:HE2	2.31	0.46
1:E:157:LEU:O	1:E:161:ARG:HG2	2.16	0.46
1:E:342:ALA:O	1:E:383:ARG:NH2	2.41	0.45
1:E:567:SER:O	1:E:606:ASN:HB3	2.16	0.45
1:A:166:ALA:HA	1:A:204:LEU:HD13	1.98	0.45
1:C:292:LEU:HB2	1:C:293:PRO:HD3	1.98	0.45
1:E:167:GLU:O	1:E:171:MET:HG3	2.17	0.45
1:C:535:LEU:HB3	1:C:579:THR:HG21	1.99	0.45
1:E:214:LEU:HB3	1:E:251:ILE:HG21	1.97	0.45
1:C:277:SER:O	1:C:283:LYS:HE2	2.17	0.44
1:A:485:ASN:HA	1:A:486:PRO:HD3	1.73	0.44
1:A:496:TRP:NE1	1:A:546:ARG:HD3	2.32	0.44
1:C:319:SER:HB3	1:C:353:THR:HG23	2.00	0.44
2:D:1147:ARG:HB3	2:D:1200:GLU:HB3	1.98	0.44
1:C:110:PRO:HB3	1:C:152:GLN:CD	2.38	0.44
1:E:279:CYS:HA	1:E:280:PRO:HD3	1.90	0.44
1:A:544:HIS:HA	1:A:545:PRO:HD3	1.89	0.43
1:C:120:HIS:CD2	1:C:121:ARG:HG3	2.54	0.43
1:C:436:ILE:HG23	1:C:474:ILE:HD13	2.00	0.43
1:A:468:VAL:HG21	1:A:515:VAL:HG22	2.01	0.43
1:C:198:ARG:O	1:C:202:ARG:HG3	2.19	0.43
1:A:120:HIS:HB3	1:A:158:LEU:HD13	2.01	0.42
1:C:465:HIS:HB3	1:C:470:LEU:HG	2.00	0.42
1:E:176:LEU:HD23	1:E:176:LEU:HA	1.82	0.42
1:A:237:ALA:O	1:A:241:ILE:HG12	2.18	0.42
1:A:482:ILE:HA	1:A:485:ASN:O	2.19	0.42
1:E:570:PRO:O	1:E:574:ARG:HG3	2.19	0.42
1:E:506:LEU:HD13	1:E:534:PHE:HZ	1.83	0.42
1:A:283:LYS:HG3	1:A:318:LEU:HD23	2.00	0.42
1:C:352:GLY:HA2	1:C:393:PRO:HB3	2.02	0.42
1:C:444:ARG:HH21	1:C:448:LEU:HD11	1.83	0.42
1:E:543:ALA:HB2	1:E:584:LEU:HD11	2.02	0.42
1:A:330:GLN:HG3	1:C:245:SER:HB2	2.01	0.42
1:A:436:ILE:HG23	1:A:474:ILE:HD13	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:598:THR:HG21	2:B:1185:LYS:HB3	2.01	0.42
2:B:1148:LYS:HA	2:B:1149:PRO:HD2	1.87	0.42
1:E:482:ILE:HD12	1:E:496:TRP:CZ2	2.55	0.42
1:A:603:VAL:O	1:A:607:LEU:HG	2.20	0.42
1:C:392:GLU:HB3	1:C:393:PRO:HD3	2.01	0.41
1:E:368:VAL:HG13	1:E:373:GLY:HA3	2.03	0.41
1:E:544:HIS:HA	1:E:545:PRO:HD3	1.95	0.41
1:A:170:ARG:HG2	1:A:170:ARG:HH11	1.85	0.41
1:A:479:ILE:O	1:A:483:GLU:HG2	2.20	0.41
1:C:439:ALA:O	1:C:443:ILE:HG13	2.21	0.41
2:D:1207:GLU:HA	4:D:1302:HOH:O	2.21	0.41
2:F:1183:ASN:OD1	2:F:1186:ILE:HB	2.21	0.41
1:E:221:LEU:HB2	2:F:1219:ILE:CD1	2.51	0.41
1:A:392:GLU:HB3	1:A:393:PRO:HD3	2.03	0.41
1:E:485:ASN:HB3	1:E:488:ILE:HB	2.03	0.41
1:E:217:THR:O	1:E:219:PRO:HD3	2.22	0.40
1:E:449:LEU:HD23	1:E:449:LEU:HA	1.93	0.40
1:C:535:LEU:HD23	1:C:535:LEU:HA	1.89	0.40
2:F:1202:ARG:HG2	2:F:1204:TYR:CZ	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/572 (93%)	523 (98%)	9 (2%)	0	100	100
1	C	534/572 (93%)	525 (98%)	9 (2%)	0	100	100
1	E	502/572 (88%)	495 (99%)	7 (1%)	0	100	100
2	B	38/84 (45%)	32 (84%)	6 (16%)	0	100	100
2	D	38/84 (45%)	37 (97%)	1 (3%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	30/84 (36%)	29 (97%)	1 (3%)	0	100	100
All	All	1674/1968 (85%)	1641 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	449/483 (93%)	445 (99%)	4 (1%)	78	92
1	C	452/483 (94%)	448 (99%)	4 (1%)	78	92
1	E	430/483 (89%)	420 (98%)	10 (2%)	50	79
2	B	39/66 (59%)	39 (100%)	0	100	100
2	D	38/66 (58%)	38 (100%)	0	100	100
2	F	31/66 (47%)	31 (100%)	0	100	100
All	All	1439/1647 (87%)	1421 (99%)	18 (1%)	69	89

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	170	ARG
1	A	227	ASP
1	A	500	GLU
1	A	595	SER
1	C	227	ASP
1	C	444	ARG
1	C	552	ASP
1	C	578	SER
1	E	176	LEU
1	E	187	LEU
1	E	196	ASP
1	E	265	LEU
1	E	292	LEU

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	E	299	LEU
1	E	339	ILE
1	E	456	LEU
1	E	495	MET
1	E	555	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	ASN
2	B	1210	ASN
1	E	141	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SEP	D	1212	2	8,9,10	1.55	1 (12%)	8,12,14	1.68	2 (25%)
2	TPO	F	1215	2	8,10,11	1.16	0	10,14,16	1.62	2 (20%)
2	SEP	F	1212	2	8,9,10	1.55	1 (12%)	8,12,14	1.99	2 (25%)
2	SEP	B	1212	2	8,9,10	1.57	1 (12%)	8,12,14	1.94	2 (25%)
2	SEP	F	1221	2	8,9,10	1.57	1 (12%)	8,12,14	1.74	2 (25%)
2	SEP	F	1218	2	8,9,10	1.56	1 (12%)	8,12,14	1.69	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	D	1212	2	-	2/5/8/10	-
2	TPO	F	1215	2	-	2/9/11/13	-
2	SEP	F	1212	2	-	3/5/8/10	-
2	SEP	B	1212	2	-	1/5/8/10	-
2	SEP	F	1221	2	-	2/5/8/10	-
2	SEP	F	1218	2	-	4/5/8/10	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1221	SEP	P-O1P	3.44	1.61	1.50
2	F	1218	SEP	P-O1P	3.41	1.61	1.50
2	B	1212	SEP	P-O1P	3.39	1.61	1.50
2	F	1212	SEP	P-O1P	3.36	1.61	1.50
2	D	1212	SEP	P-O1P	3.33	1.61	1.50

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1212	SEP	OG-CB-CA	3.81	111.85	108.14
2	F	1212	SEP	P-OG-CB	-3.81	107.80	118.30
2	F	1212	SEP	OG-CB-CA	3.72	111.76	108.14
2	D	1212	SEP	P-OG-CB	-3.71	108.07	118.30
2	F	1215	TPO	P-OG1-CB	-3.47	112.72	123.21
2	F	1221	SEP	OG-CB-CA	3.37	111.43	108.14
2	B	1212	SEP	P-OG-CB	-3.30	109.19	118.30
2	F	1218	SEP	P-OG-CB	-3.24	109.38	118.30
2	F	1221	SEP	P-OG-CB	-3.08	109.80	118.30
2	F	1215	TPO	CG2-CB-CA	-3.04	107.16	113.16
2	F	1218	SEP	OG-CB-CA	3.02	111.08	108.14
2	D	1212	SEP	OG-CB-CA	2.41	110.49	108.14

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	1212	SEP	CB-OG-P-O1P
2	F	1212	SEP	CB-OG-P-O2P

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	F	1218	SEP	CB-OG-P-O1P
2	F	1218	SEP	CB-OG-P-O2P
2	F	1218	SEP	CB-OG-P-O3P
2	F	1221	SEP	CB-OG-P-O1P
2	F	1215	TPO	CG2-CB-OG1-P
2	D	1212	SEP	CB-OG-P-O3P
2	B	1212	SEP	N-CA-CB-OG
2	D	1212	SEP	N-CA-CB-OG
2	F	1218	SEP	N-CA-CB-OG
2	F	1212	SEP	CB-OG-P-O3P
2	F	1221	SEP	CB-OG-P-O2P
2	F	1215	TPO	CB-OG1-P-O2P

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1212	SEP	1	0
2	F	1221	SEP	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	534/572 (93%)	0.26	19 (3%) 42 37	39, 68, 124, 175	0
1	C	536/572 (93%)	0.13	8 (1%) 73 71	37, 58, 108, 189	0
1	E	508/572 (88%)	0.79	78 (15%) 2 1	38, 90, 177, 250	0
2	B	42/84 (50%)	1.45	14 (33%) 0 0	57, 106, 149, 169	0
2	D	41/84 (48%)	0.84	5 (12%) 4 3	52, 99, 134, 171	0
2	F	34/84 (40%)	1.21	7 (20%) 1 0	63, 104, 130, 144	0
All	All	1695/1968 (86%)	0.44	131 (7%) 13 9	37, 69, 148, 250	0

All (131) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	87	MET	10.1
1	E	83	LEU	7.7
1	E	107	ARG	7.1
1	E	87	MET	6.7
1	A	86	LEU	6.5
2	F	1205	ASP	6.5
1	E	84	VAL	6.3
1	E	124	VAL	6.2
2	B	1211	ILE	6.1
1	C	78	LEU	6.0
2	D	1180	HIS	6.0
1	E	106	SER	5.8
1	E	131	SER	5.8
1	E	120	HIS	5.5
1	E	138	VAL	5.4
1	E	91	ASP	5.4
1	E	94	VAL	5.4
2	F	1222	ALA	5.3
1	E	82	ASP	5.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	90	HIS	5.1
1	E	137	ASN	5.1
1	E	123	PHE	5.0
1	E	178	SER	5.0
2	B	1180	HIS	4.6
1	E	97	ARG	4.5
1	E	536	ASP	4.5
1	E	158	LEU	4.5
1	A	85	LYS	4.4
1	E	161	ARG	4.3
1	E	176	LEU	4.2
1	E	541	LEU	4.2
1	E	121	ARG	4.1
1	E	86	LEU	4.0
2	B	1208	ARG	4.0
2	D	1208	ARG	3.9
1	E	93	SER	3.9
1	E	99	VAL	3.9
1	E	179	VAL	3.9
1	E	90	HIS	3.9
1	E	171	MET	3.9
1	E	101	ARG	3.8
1	E	98	ALA	3.8
1	E	89	ASP	3.8
1	C	118	PHE	3.5
1	E	576	VAL	3.4
1	E	127	LEU	3.4
2	B	1189	LEU	3.4
2	F	1191	THR	3.3
2	F	1211	ILE	3.3
1	E	85	LYS	3.2
1	E	165	LEU	3.2
1	C	121	ARG	3.2
1	E	133	SER	3.2
2	B	1188	ASP	3.1
1	C	526	VAL	3.1
1	E	482	ILE	3.1
1	E	489	ALA	3.1
1	E	143	ILE	3.1
2	F	1217	GLU	3.0
1	E	534	PHE	3.0
1	E	575	ALA	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	103	TYR	2.9
1	E	607	LEU	2.9
1	A	124	VAL	2.9
1	A	83	LEU	2.9
1	C	90	HIS	2.9
1	E	139	ARG	2.9
1	E	125	GLU	2.9
1	E	224	GLN	2.8
2	B	1150	VAL	2.8
1	A	89	ASP	2.8
1	A	118	PHE	2.8
1	E	483	GLU	2.8
1	E	213	HIS	2.8
2	B	1181	GLU	2.8
1	E	543	ALA	2.7
2	B	1210	ASN	2.7
2	B	1209	ASP	2.7
1	E	488	ILE	2.7
2	B	1179	ASP	2.6
1	A	449	LEU	2.6
1	E	169	ILE	2.6
1	A	123	PHE	2.6
2	B	1148	LYS	2.5
1	A	551	ASP	2.5
2	D	1211	ILE	2.5
1	E	537	LEU	2.5
2	B	1198	TYR	2.5
2	F	1220	GLU	2.5
1	A	165	LEU	2.5
1	E	538	LEU	2.5
1	E	478	ALA	2.5
1	E	160	PHE	2.5
1	E	149	MET	2.5
1	E	177	GLU	2.4
1	E	164	GLY	2.4
1	E	494	PRO	2.4
1	E	465	HIS	2.4
1	A	120	HIS	2.4
1	C	120	HIS	2.4
1	E	135	ASN	2.4
1	C	117	GLY	2.4
1	E	579	THR	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	484	GLU	2.4
1	E	456	LEU	2.4
1	A	614	ALA	2.4
1	C	80	LEU	2.3
1	E	157	LEU	2.3
1	E	326	GLU	2.3
1	A	190	LEU	2.3
1	E	88	CYS	2.3
1	E	472	MET	2.3
1	A	97	ARG	2.3
1	A	82	ASP	2.3
2	B	1193	GLN	2.2
1	E	153	ARG	2.2
1	E	540	ARG	2.2
2	D	1181	GLU	2.2
1	A	569	ARG	2.2
1	E	104	MET	2.2
1	E	479	ILE	2.1
1	E	566	LEU	2.1
2	F	1182	LEU	2.1
1	E	140	ARG	2.1
2	B	1186	ILE	2.0
1	A	128	MET	2.0
2	D	1209	ASP	2.0
1	E	450	GLN	2.0
1	E	259	TYR	2.0
1	E	496	TRP	2.0
1	E	519	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SEP	F	1218	10/11	0.71	0.19	78,145,164,172	0
2	SEP	F	1221	10/11	0.80	0.15	75,125,131,189	0
2	TPO	F	1215	11/12	0.86	0.15	84,110,134,143	0
2	SEP	B	1212	10/11	0.87	0.16	102,128,133,134	0
2	SEP	D	1212	10/11	0.88	0.21	59,118,131,172	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SEP	F	1212	10/11	0.95	0.15	63,104,116,140	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	IOD	A	702	1/1	0.95	0.10	107,107,107,107	0
3	IOD	A	704	1/1	0.97	0.07	142,142,142,142	0
3	IOD	C	704	1/1	0.97	0.09	94,94,94,94	0
3	IOD	C	701	1/1	0.98	0.08	109,109,109,109	0
3	IOD	C	702	1/1	0.98	0.06	131,131,131,131	0
3	IOD	A	701	1/1	0.98	0.12	89,89,89,89	0
3	IOD	C	703	1/1	0.99	0.19	92,92,92,92	0
3	IOD	A	703	1/1	0.99	0.07	138,138,138,138	0
3	IOD	E	701	1/1	0.99	0.14	94,94,94,94	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.