

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 22, 2024 – 07:03 PM EDT

PDB ID	:	4R1Z
Title	:	Zebra fish cytochrome P450 17A1 with Abiraterone
Authors	:	Pallan, P.S.; Egli, M.
Deposited on	:	2014-08-08
Resolution	:	3.30  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
$\mathrm{EDS}$	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	164625	1085 (3.32 - 3.28)
Clashscore	180529	1128 (3.32-3.28)
Ramachandran outliers	177936	1125 (3.32 - 3.28)
Sidechain outliers	177891	1124 (3.32-3.28)
RSRZ outliers	164620	1085 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	А	439	71%	21%	•• 5%				
1	В	439	70%	18%	5% 6%				



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 6719 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Cyp17a1 protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	417	Total 3310	C 2105	N 581	O 608	S 16	4	0	0
1	В	411	$\begin{array}{c} \text{Total} \\ 3256 \end{array}$	C 2068	N 571	O 601	S 16	0	1	0

• Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	Δ	1	Total	С	Fe	Ν	0	0	0
2 A	1	43	34	1	4	4	0	0	
0	р	1	Total	С	Fe	Ν	Ο	0	0
	D	1	43	34	1	4	4	0	0

• Molecule 3 is Abiraterone (three-letter code: AER) (formula:  $C_{24}H_{31}NO$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	Δ	1	Total	С	Ν	0	0	0	
0	D A	T	26	24	1	1	0		
2	В	1	Total	С	Ν	Ο	0	0	
0	D	В		24	1	1	0	U	

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	12	Total         O           12         12	0	0
4	В	3	Total O 3 3	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Cyp17a1 protein



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants	136.63Å 136.63Å 135.44Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	29.00 - 3.30	Depositor
Resolution (A)	29.00 - 3.30	EDS
% Data completeness	99.8 (29.00-3.30)	Depositor
(in resolution range)	99.8 (29.00-3.30)	EDS
R <sub>merge</sub>	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	7.31 (at 3.31Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
D D.	0.168 , $0.238$	Depositor
$n, n_{free}$	0.166 , $0.234$	DCC
$R_{free}$ test set	1682 reflections $(7.54\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	75.9	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31,63.0	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6719	wwPDB-VP
Average B, all atoms $(Å^2)$	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, AER

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
10101	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.69	0/3376	0.88	2/4562~(0.0%)	
1	В	0.54	0/3317	0.79	0/4480	
All	All	0.62	0/6693	0.84	2/9042~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	358	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	А	351	ARG	NE-CZ-NH1	5.11	122.85	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	499	LYS	Peptide
1	В	500[B]	PHE	Peptide



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3310	0	3349	61	0
1	В	3256	0	3303	75	0
2	А	43	0	30	4	0
2	В	43	0	30	4	0
3	А	26	0	31	3	0
3	В	26	0	31	1	0
4	А	12	0	0	0	1
4	В	3	0	0	0	1
All	All	6719	0	6774	143	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:398:GLN:O	1:A:401:THR:HG22	1.56	1.05	
1:B:112:THR:O	1:B:116:ASP:HB2	1.69	0.91	
1:B:500[A]:PHE:H	1:B:500[A]:PHE:HD1	1.23	0.86	
1:B:185:THR:HG22	1:B:319:THR:HG21	1.65	0.78	
1:A:334:GLN:N	1:A:334:GLN:OE1	2.21	0.74	
1:B:227:LEU:HB3	1:B:228:VAL:HG22	1.70	0.73	
2:B:600:HEM:HBB2	2:B:600:HEM:HHC	1.70	0.73	
1:A:138:ARG:NH2	1:A:452:VAL:O	2.19	0.69	
1:B:370:GLU:OE2	1:B:373:ARG:NH1	2.25	0.69	
1:A:240:LYS:HG2	1:A:241:ASP:HA	1.75	0.68	
1:A:237:PHE:O	1:A:239:ASN:ND2	2.26	0.67	
1:B:398:GLN:O	1:B:401:THR:HG23	1.95	0.66	
1:B:500[A]:PHE:CD1	1:B:500[A]:PHE:N	2.64	0.66	
1:B:112:THR:HG21	1:B:224:LYS:HG2	1.78	0.66	
1:B:108:GLY:HA3	1:B:387:LEU:HD21	1.80	0.62	
2:A:600:HEM:HBB2	2:A:600:HEM:HHC	1.82	0.62	
1:A:171:THR:O	1:A:174:GLN:HB2	1.99	0.61	
1:A:233:TRP:CZ3	1:A:235:GLN:HA	2.36	0.60	
1:A:263:HIS:HE1	1:A:274:ASP:OD2	1.84	0.60	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:123:LYS:O	1:B:124:ASP:OD1	2.20	0.60
1:A:148:PHE:CE1	1:A:158:ILE:HD11	2.36	0.60
1:A:211:MET:HA	1:A:214:TYR:CE2	2.37	0.59
1:A:375:ARG:NH1	1:A:487:LEU:O	2.37	0.58
1:A:180:LEU:O	1:A:184:LEU:HB2	2.04	0.56
1:B:115:THR:O	1:B:119:THR:HG22	2.05	0.56
1:B:91:ASN:OD1	1:B:91:ASN:C	2.44	0.56
1:B:211:MET:HA	1:B:214:TYR:CE2	2.41	0.56
1:B:263:HIS:HE1	1:B:274:ASP:OD2	1.87	0.56
1:A:148:PHE:HE1	1:A:158:ILE:HD11	1.69	0.56
1:A:258:LYS:O	1:A:262:GLU:HG3	2.06	0.56
1:A:169:VAL:HG11	1:A:183:GLU:HG2	1.88	0.55
1:B:112:THR:HG21	1:B:224:LYS:CG	2.36	0.55
1:A:118:LEU:O	1:A:305:MET:HE1	2.07	0.55
1:B:431:GLU:O	1:B:432:GLU:HB2	2.07	0.55
1:B:224:LYS:HG3	1:B:225:ASP:HA	1.88	0.55
1:A:358:ARG:HG3	1:A:358:ARG:HH11	1.72	0.54
1:B:370:GLU:HA	1:B:370:GLU:OE1	2.06	0.54
1:B:112:THR:O	1:B:116:ASP:CB	2.49	0.54
1:B:147:MET:O	1:B:149:GLY:HA3	2.07	0.54
1:B:138:ARG:HG2	1:B:454:LEU:HD13	1.90	0.54
1:B:485:PRO:HB3	1:B:500[A]:PHE:HB3	1.90	0.54
1:A:235:GLN:C	1:A:236:ILE:HG12	2.28	0.53
1:B:355:LEU:HD13	1:B:465:LEU:HD11	1.90	0.52
1:B:112:THR:CG2	1:B:224:LYS:HG2	2.40	0.52
1:B:310:ILE:HG23	2:B:600:HEM:HBC1	1.92	0.51
1:A:420:PRO:O	1:A:421:GLU:CB	2.57	0.51
1:B:115:THR:OG1	1:B:116:ASP:N	2.44	0.51
1:B:392:VAL:O	1:B:393:GLY:O	2.28	0.51
1:B:230:ILE:HG22	1:B:230:ILE:O	2.11	0.50
1:A:240:LYS:CG	1:A:241:ASP:HA	2.41	0.50
1:B:360:ASN:C	1:B:362:PRO:HD3	2.32	0.50
1:B:174:GLN:NE2	1:B:506:VAL:HG23	2.26	0.50
1:B:431:GLU:O	1:B:432:GLU:CB	2.59	0.50
1:B:227:LEU:HA	1:B:228:VAL:HG13	1.94	0.50
1:B:109:ARG:HD2	1:B:126:ALA:O	2.12	0.50
1:A:138:ARG:HG2	1:A:454:LEU:HD13	1.93	0.49
1:A:380:LEU:C	1:A:381:LEU:O	2.48	0.49
1:B:153:VAL:H	1:B:154:SER:HA	1.76	0.49
1:A:237:PHE:O	1:A:239:ASN:N	2.44	0.49
1:B:147:MET:C	1:B:149:GLY:HA3	2.33	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:166:MET:HA	1:B:169:VAL:HG12	1.94	0.49
1:B:252:ARG:O	1:B:255:LEU:N	2.46	0.49
1:B:375:ARG:NH2	1:B:421:GLU:OE2	2.45	0.49
1:A:479:PRO:O	1:A:481:GLY:N	2.46	0.49
1:B:175:ASN:OD1	1:B:505:LYS:HB3	2.12	0.48
1:A:147:MET:O	1:A:149:GLY:HA3	2.12	0.48
1:A:205:ASP:OD1	1:A:207:GLU:N	2.44	0.48
1:B:252:ARG:O	1:B:253:ASP:C	2.52	0.48
1:A:205:ASP:OD1	1:A:205:ASP:C	2.51	0.48
1:A:211:MET:HA	1:A:214:TYR:CD2	2.49	0.48
1:B:124:ASP:OD1	1:B:124:ASP:C	2.52	0.48
1:A:351:ARG:HG3	1:A:352:HIS:N	2.28	0.47
1:B:109:ARG:NH1	1:B:383:PRO:O	2.46	0.47
1:A:171:THR:O	1:A:174:GLN:CB	2.61	0.47
1:B:98:ILE:HD11	1:B:392:VAL:HG21	1.96	0.47
1:A:267:TYR:CE2	1:A:284:ARG:NH2	2.83	0.47
1:A:370:GLU:HG3	1:A:423:PHE:CE1	2.50	0.47
1:A:443:TYR:CZ	1:A:445:PRO:HG3	2.50	0.46
1:B:180:LEU:O	1:B:181:GLY:C	2.53	0.46
1:A:355:LEU:HG	1:A:358:ARG:HH11	1.80	0.46
1:A:415:LYS:HE3	1:A:415:LYS:HA	1.98	0.46
1:B:109:ARG:HD2	1:B:127:PHE:HA	1.97	0.46
1:B:214:TYR:CE1	1:B:252:ARG:HB2	2.50	0.46
1:B:305:MET:CE	1:B:305:MET:HA	2.45	0.46
1:B:165:SER:O	1:B:168:GLU:HG2	2.15	0.46
1:B:229:ASP:HA	1:B:230:ILE:HA	1.69	0.46
2:B:600:HEM:HHD	2:B:600:HEM:HBC2	1.97	0.46
2:A:600:HEM:C1B	3:A:601:AER:H23	2.51	0.46
1:A:239:ASN:HB3	1:A:240:LYS:HB3	1.99	0.45
1:B:214:TYR:OH	1:B:252:ARG:HG3	2.16	0.45
1:B:189:THR:O	1:B:193:CYS:N	2.46	0.45
1:B:321:VAL:HG11	1:B:463:LEU:HD11	1.99	0.45
1:B:214:TYR:CZ	1:B:252:ARG:HG3	2.52	0.45
1:A:408:TRP:CD1	1:A:408:TRP:C	2.90	0.45
2:A:600:HEM:HBC2	2:A:600:HEM:HHD	1.98	0.45
1:B:328:TYR:CZ	1:B:487:LEU:HD13	2.52	0.45
1:B:370:GLU:HG3	1:B:423:PHE:CD2	2.52	0.45
1:A:317:THR:HG21	3:A:601:AER:C23	2.46	0.45
1:A:284:ARG:O	1:A:287:GLU:HB3	2.17	0.44
1:A:150:GLU:HG3	1:A:151:GLY:HA2	1.98	0.44
1:B:392:VAL:O	1:B:393:GLY:C	2.56	0.44



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:148:PHE:C	1:A:148:PHE:CD1	2.90	0.44
1:A:150:GLU:CG	1:A:151:GLY:HA2	2.47	0.44
1:B:134:TRP:CZ2	1:B:138:ARG:HD2	2.52	0.44
1:B:444:LEU:O	1:B:445:PRO:C	2.56	0.44
1:A:155:ILE:HA	1:A:158:ILE:HD12	2.00	0.44
1:A:220:ASP:O	1:A:223:ALA:HB3	2.18	0.44
1:A:427:ARG:HG2	1:A:427:ARG:HH11	1.83	0.44
1:B:224:LYS:CG	1:B:225:ASP:HA	2.48	0.44
1:B:484:LEU:HD12	1:B:484:LEU:H	1.83	0.44
1:A:358:ARG:HG3	1:A:358:ARG:NH1	2.32	0.43
1:A:104:LYS:HE2	1:A:130:TYR:OH	2.18	0.43
1:A:480:THR:HG23	1:A:481:GLY:H	1.84	0.43
1:B:148:PHE:CD2	1:B:148:PHE:O	2.71	0.43
1:B:123:LYS:O	1:B:124:ASP:CB	2.67	0.43
1:A:162:GLU:OE1	1:A:162:GLU:HA	2.19	0.42
1:A:283:LYS:HG3	1:A:298:LEU:O	2.19	0.42
1:A:148:PHE:CE1	1:A:158:ILE:CD1	3.02	0.42
1:B:152:SER:HA	1:B:153:VAL:HA	1.83	0.42
1:B:479:PRO:HB2	1:B:482:GLN:HG3	2.00	0.42
1:A:240:LYS:CB	1:A:241:ASP:HA	2.50	0.42
1:A:381:LEU:HD21	1:A:407:LEU:HD13	2.02	0.41
2:A:600:HEM:C1D	3:A:601:AER:H21	2.55	0.41
1:A:205:ASP:O	1:A:209:GLU:HG2	2.21	0.41
1:A:455:GLY:O	1:A:456:GLU:C	2.56	0.41
1:B:180:LEU:HD13	1:B:502:VAL:HG22	2.00	0.41
2:B:600:HEM:ND	3:B:601:AER:H21	2.36	0.41
1:A:355:LEU:HD13	1:A:465:LEU:HD11	2.02	0.41
1:B:149:GLY:HA2	1:B:150:GLU:HA	1.68	0.41
1:B:166:MET:O	1:B:169:VAL:HG13	2.21	0.41
1:B:109:ARG:CD	1:B:126:ALA:O	2.69	0.41
1:B:452:VAL:HG22	1:B:453:CYS:N	2.36	0.41
1:B:153:VAL:N	1:B:154:SER:HA	2.35	0.41
1:B:181:GLY:O	1:B:185:THR:HG23	2.20	0.41
1:A:287:GLU:OE1	1:A:288:ASN:OD1	2.39	0.41
1:B:370:GLU:OE1	1:B:373:ARG:HD3	2.21	0.41
1:A:234:LEU:O	1:A:234:LEU:HG	2.21	0.40
1:B:394:GLU:HG2	1:B:395:TYR:N	2.36	0.40
1:B:202:LYS:O	1:B:205:ASP:HB2	2.21	0.40
1:A:169:VAL:HG22	1:A:203:ARG:NH2	2.36	0.40
1:A:242:LEU:C	1:A:242:LEU:HD23	2.42	0.40
1:B:149:GLY:N	1:B:152:SER:O	2.55	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:A:420:PRO:O	1:A:421:GLU:HB2	2.21	0.40	

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:708:HOH:O	4:B:701:HOH:O[5_665]	2.17	0.03

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	P	erc	entile	es
1	А	411/439 (94%)	370~(90%)	32 (8%)	9(2%)		5	26	
1	В	406/439~(92%)	358~(88%)	38~(9%)	10 (2%)		4	24	
All	All	817/878~(93%)	728 (89%)	70 (9%)	19 (2%)		5	26	

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	234	LEU
1	А	480	THR
1	А	223	ALA
1	А	393	GLY
1	В	181	GLY
1	В	393	GLY
1	В	432	GLU
1	В	501	LYS
1	А	238	PRO
1	А	381	LEU
1	В	155	ILE
1	В	229	ASP



Continued from previous page...

Mol	Chain	Res	Type
1	В	253	ASP
1	В	500[A]	PHE
1	В	500[B]	PHE
1	А	489	GLY
1	А	394	GLU
1	В	116	ASP
1	А	508	ALA

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Per	centiles
1	А	367/388~(95%)	332~(90%)	35~(10%)	7	25
1	В	362/388~(93%)	332~(92%)	30 (8%)	Ģ	31
All	All	729/776~(94%)	664 (91%)	65~(9%)	8	8 28

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	112	THR
1	А	152	SER
1	А	154	SER
1	А	155	ILE
1	А	166	MET
1	А	195	LEU
1	А	199	SER
1	А	202	LYS
1	А	211	MET
1	А	226	SER
1	А	234	LEU
1	А	236	ILE
1	А	237	PHE
1	А	240	LYS
1	А	242	LEU
1	А	243	THR



Mol	Chain	Res	Type
1	А	244	ILE
1	А	245	LEU
1	А	276	LEU
1	A	281	ARG
1	А	336	GLN
1	А	351	ARG
1	А	358	ARG
1	А	369	ARG
1	А	377	VAL
1	А	380	LEU
1	А	396	THR
1	А	401	THR
1	А	409	SER
1	А	418	LYS
1	А	444	LEU
1	А	473	ARG
1	А	475	THR
1	А	482	GLN
1	А	509	ASP
1	В	86	LEU
1	В	91	ASN
1	В	119	THR
1	В	124	ASP
1	В	138	ARG
1	В	150	GLU
1	В	154	SER
1	В	155	ILE
1	В	157	LYS
1	В	169	VAL
1	В	170	LEU
1	В	183	GLU
1	В	212	LEU
1	В	221	THR
1	В	227	LEU
1	В	228	VAL
1	В	241	ASP
1	В	268	SER
1	В	277	ASP
1	В	305	MET
1	В	319	THR
1	В	355	LEU
1	В	380	LEU

Continued from previous page...



Continued from previous page...

	v	1	1 0
Mol	Chain	$\mathbf{Res}$	Type
1	В	394	GLU
1	В	401	THR
1	В	442	SER
1	В	480	THR
1	В	490	LYS
1	В	500[A]	PHE
1	В	500[B]	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	$\operatorname{Res}$	Type
1	А	137	HIS
1	А	239	ASN
1	А	263	HIS
1	А	270	ASN
1	В	93	HIS
1	В	174	GLN
1	В	263	HIS
1	В	272	GLN
1	В	289	ASN
1	В	354	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

4 ligands are modelled in this entry.



4R1Z

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm sths}$	B	ond ang	gles
INIOI	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	AER	А	601	2	30,30,30	2.46	3 (10%)	47,47,47	2.34	11 (23%)
3	AER	В	601	2	30,30,30	2.45	2 (6%)	47,47,47	2.56	17 (36%)
2	HEM	В	600	3,1	42,50,50	1.52	7 (16%)	46,82,82	1.85	16 (34%)
2	HEM	А	600	3,1	42,50,50	1.53	8 (19%)	46,82,82	1.89	15 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AER	А	601	2	-	2/4/62/62	0/5/5/5
3	AER	В	601	2	-	0/4/62/62	0/5/5/5
2	HEM	В	600	3,1	-	3/12/54/54	-
2	HEM	А	600	3,1	-	5/12/54/54	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	В	601	AER	C16-C17	12.58	1.55	1.33
3	А	601	AER	C16-C17	12.41	1.54	1.33
2	В	600	HEM	C1B-NB	-4.06	1.33	1.40
2	А	600	HEM	C1B-NB	-3.89	1.33	1.40
2	В	600	HEM	C4D-ND	-3.45	1.34	1.40
2	А	600	HEM	C4B-NB	-3.26	1.32	1.38
2	А	600	HEM	C4D-ND	-3.18	1.34	1.40
2	В	600	HEM	C4B-NB	-2.76	1.33	1.38
2	А	600	HEM	C3C-C2C	-2.58	1.36	1.40
2	В	600	HEM	FE-NB	2.58	2.12	1.98
2	В	600	HEM	C3C-C2C	-2.42	1.37	1.40
2	В	600	HEM	C3C-C4C	2.37	1.44	1.41
2	A	600	HEM	CHB-C1B	2.32	1.40	1.34
3	В	601	AER	C20-C17	2.32	1.51	1.48



Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
2	А	600	HEM	FE-NB	2.24	2.10	1.98
3	А	601	AER	C13-C14	-2.23	1.50	1.54
2	А	600	HEM	C3B-C4B	2.23	1.49	1.44
3	А	601	AER	C12-C13	-2.13	1.50	1.54
2	А	600	HEM	O2D-CGD	-2.09	1.23	1.30
2	В	600	HEM	C1D-ND	-2.07	1.34	1.38

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	601	AER	C15-C16-C17	-8.85	104.88	112.56
3	В	601	AER	C15-C16-C17	-7.74	105.84	112.56
3	В	601	AER	C20-C17-C16	-7.11	115.92	125.08
3	А	601	AER	C20-C17-C16	-5.76	117.65	125.08
3	В	601	AER	C13-C17-C20	-5.54	119.52	125.39
3	А	601	AER	C13-C17-C20	-5.43	119.63	125.39
3	В	601	AER	C14-C13-C17	5.27	103.96	99.50
3	А	601	AER	C14-C13-C17	5.17	103.88	99.50
2	В	600	HEM	CHD-C1D-ND	4.73	129.52	124.44
3	В	601	AER	C13-C17-C16	-4.68	105.50	109.66
3	А	601	AER	C15-C14-C8	-4.29	117.08	121.63
3	В	601	AER	C15-C14-C13	4.22	107.00	104.05
2	А	600	HEM	CHD-C1D-ND	4.04	128.78	124.44
3	А	601	AER	C13-C17-C16	-3.97	106.13	109.66
2	В	600	HEM	CHA-C4D-ND	3.77	129.04	124.37
2	А	600	HEM	CHA-C4D-ND	3.68	128.94	124.37
2	В	600	HEM	CHC-C4B-NB	3.45	128.15	124.44
3	В	601	AER	C7-C8-C9	3.41	113.66	109.72
2	А	600	HEM	C4B-CHC-C1C	3.25	126.84	122.56
2	В	600	HEM	C1B-NB-C4B	3.20	108.99	105.21
2	А	600	HEM	C4B-C3B-C2B	-3.19	104.35	107.28
3	В	601	AER	C4-C5-C6	-3.16	116.28	120.57
3	В	601	AER	C15-C14-C8	-3.16	118.28	121.63
2	А	600	HEM	C1B-NB-C4B	3.14	108.93	105.21
3	А	601	AER	C18-C13-C17	-3.10	102.94	107.81
2	В	600	HEM	CMB-C2B-C1B	3.08	129.84	125.03
2	А	600	HEM	CHA-C4D-C3D	-3.04	119.62	125.23
2	В	600	HEM	CHA-C4D-C3D	-2.86	119.95	125.23
2	А	600	HEM	CMB-C2B-C1B	2.79	129.39	125.03
3	В	601	AER	C4-C5-C10	2.76	119.96	116.42
2	В	600	HEM	CHB-C1B-NB	2.76	127.79	124.37
2	А	600	HEM	C4A-C3A-C2A	2.74	108.91	107.00



Mol	Chain	$\mathbf{Res}$	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	В	601	AER	C14-C8-C9	-2.69	105.57	109.09
2	А	600	HEM	C3C-C4C-NC	-2.62	106.01	110.94
2	В	600	HEM	C4A-C3A-C2A	2.58	108.79	107.00
2	А	600	HEM	C3B-C2B-C1B	2.55	108.33	106.41
2	А	600	HEM	CMB-C2B-C3B	-2.54	122.28	128.43
2	А	600	HEM	CHC-C4B-NB	2.54	127.16	124.44
2	В	600	HEM	C3C-C4C-NC	-2.49	106.24	110.94
3	В	601	AER	C18-C13-C12	-2.47	108.28	111.10
2	А	600	HEM	C2C-C3C-C4C	2.44	108.60	106.90
2	В	600	HEM	C3B-C4B-NB	-2.41	107.73	109.47
3	В	601	AER	C12-C13-C17	2.39	122.07	119.30
2	А	600	HEM	O2D-CGD-O1D	-2.30	117.42	123.33
3	А	601	AER	C14-C8-C9	-2.29	106.10	109.09
3	В	601	AER	C12-C11-C9	2.28	117.00	113.14
3	В	601	AER	C23-N22-C21	2.25	120.78	116.85
3	А	601	AER	C4-C5-C10	2.21	119.25	116.42
2	А	600	HEM	CHB-C1B-NB	2.19	127.08	124.37
3	А	601	AER	C12-C13-C14	-2.17	105.52	108.88
2	В	600	HEM	CMB-C2B-C3B	-2.15	123.22	128.43
2	В	600	HEM	CAB-C3B-C2B	-2.14	121.48	128.43
3	В	601	AER	C12-C13-C14	-2.12	105.60	108.88
2	В	600	HEM	CHD-C1D-C2D	-2.11	121.69	125.03
2	В	600	HEM	C4D-ND-C1D	2.08	107.67	105.21
2	В	600	HEM	C4B-CHC-C1C	2.08	125.30	122.56
2	В	600	HEM	O2A-CGA-O1A	-2.08	117.99	123.33
3	В	601	AER	C13-C14-C8	-2.03	110.99	113.13
3	А	601	AER	C24-C25-C20	-2.02	118.38	120.36

Continued from previous page...

There are no chirality outliers.

All (10) torsion outliers are listed	below:
--------------------------------------	--------

Mol	Chain	Res	Type	Atoms
2	В	600	HEM	C4B-C3B-CAB-CBB
2	А	600	HEM	C4B-C3B-CAB-CBB
3	А	601	AER	C13-C17-C20-C25
2	А	600	HEM	CAA-CBA-CGA-O2A
2	А	600	HEM	CAA-CBA-CGA-O1A
2	А	600	HEM	CAD-CBD-CGD-O1D
2	В	600	HEM	CAD-CBD-CGD-O1D
2	В	600	HEM	CAD-CBD-CGD-O2D
3	А	601	AER	C13-C17-C20-C21
2	А	600	HEM	CAD-CBD-CGD-O2D



There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	601	AER	3	0
3	В	601	AER	1	0
2	В	600	HEM	4	0
2	А	600	HEM	4	0

4 monomers are involved in 9 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	417/439~(94%)	-0.74	2 (0%) 87 80	33, 54, 107, 153	1 (0%)
1	В	411/439 (93%)	-0.51	4 (0%) 79 68	44, 85, 125, 143	1 (0%)
All	All	828/878~(94%)	-0.62	6 (0%) 84 75	33, 67, 122, 153	2~(0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	RSRZ
1	В	227	LEU	4.1
1	А	226	SER	3.2
1	А	234	LEU	3.1
1	В	500[A]	PHE	2.9
1	В	508	ALA	2.4
1	В	150	GLU	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
3	AER	В	601	26/26	0.97	0.09	$67,\!74,\!80,\!81$	0
2	HEM	В	600	43/43	0.98	0.07	$46,\!53,\!58,\!65$	0
3	AER	А	601	26/26	0.98	0.08	37,41,48,51	0
2	HEM	А	600	43/43	0.98	0.07	35,49,54,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.













## 6.5 Other polymers (i)

There are no such residues in this entry.

