

Full wwPDB X-ray Structure Validation Report (i)

Nov 26, 2024 – 12:07 pm GMT

er with spacing four bp
pale, J.

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	164625	1482 (3.30-3.22)
Clashscore	180529	1546 (3.30-3.22)
Ramachandran outliers	177936	1536 (3.30-3.22)
Sidechain outliers	177891	1535 (3.30-3.22)
RSRZ outliers	164620	1483 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
			55	5%	-				
1	А	60		65%		1	30%		5%
			43%						
1	Ε	60		63%		3	2%		5%
			12%						
1	G	60		77%				22%	•
				67%					
1	Κ	60	40%	3	30%	8%	•	20%	
			22%						
2	D	9	11% 22%		67%				



Mol	Chain	Length		Quality of chain						
3	В	9	11%	33%		56%				
4	Н	18	17%		22%	44%				
5	Ι	18	22% 17%		39%	44%				



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 3073 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf	Trace		
1	1 E	1 F	E 6	60	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	E	00	515	319	103	92	1	0	0	0		
1	Λ	60	Total	С	Ν	Ο	S	0	0	0		
	A	00	514	317	103	93	1	0	0	0		
1	С	60	Total	С	Ν	Ο	S	0	0	0		
	G	00	516	319	103	93	1	0	0	0		
1	K	18	Total	С	Ν	Ο	S	0	0	0		
	IV	40	414	256	79	78	1	0	0	U		

• Molecule 1 is a protein called BarH-like 2 homeobox protein.

• Molecule 2 is a DNA chain called DNA (5'-D(P*CP*TP*AP*AP*AP*CP*GP*GP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	9	Total 185	C 88	N 35	O 53	Р 9	0	0	0

• Molecule 3 is a DNA chain called DNA (5'-D(P*AP*CP*CP*GP*TP*TP*TP*AP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	В	9	Total 184	C 88	N 32	O 55	Р 9	0	0	0

• Molecule 4 is a DNA chain called DNA (5'-D(P*CP*TP*AP*AP*TP*TP*GP*CP*TP*AP *CP*CP*GP*TP*TP*AP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	Н	18	Total 366	C 176	N 61	0 111	Р 18	0	0	0

• Molecule 5 is a DNA chain called DNA (5'-D(P*CP*TP*AP*AP*AP*CP*GP*GP*TP*AP *GP*CP*AP*AP*TP*TP*AP*G)-3').



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	Ι	18	Total 372	C 177	N 72	O 105	Р 18	0	0	0

• Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	Е	1	Total Na 1 1	0	0

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	D	1	Total O 1 1	0	0
7	В	3	Total O 3 3	0	0
7	G	1	Total O 1 1	0	0
7	Н	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: BarH-like 2 homeobox protein

• Molecule 3: DNA (5'-D(P*AP*CP*CP*GP*TP*TP*TP*AP*G)-3')



Chain B:	11% 11%	33%	56	%	
A10 C11 C12 C12 C12 C12 T14 T15	618 618				
• Molecule P*AP*G)·	e 4: DNA (5 [;] -3 ['])	-D(P*CP*TP*A	\P*AP*TP*TP*C	GP*CP*TP*AP*C	CP*CP*GP*TP*TP*T
Chain H:	17% 33%	22%	%	44%	
C1 T2 A3 T5 G7 G7	C11 C12 C12 C12 C13 C13 T14 T16 T16 A17 C18 G18				
• Molecule P*AP*G)·	e 5: DNA (5' -3')	-D(P*CP*TP*A	.P*AP*AP*CP*C	GP*GP*TP*AP*C	GP*CP*AP*AP*TP*T
Chain I:	22% 17%	39%		44%	

•											•	•	•			
5 F	A3	A4	A5	C6	G7	89 89	T9	A10	G11	C12	A13	A14	T15	T16	A17	G18



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants	159.96Å 159.96 Å 159.96 Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	43.00 - 3.26	Depositor
Resolution (A)	43.00 - 3.26	EDS
% Data completeness	99.3 (43.00-3.26)	Depositor
(in resolution range)	99.4 (43.00-3.26)	EDS
R _{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.01 (at 3.25 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
D D.	0.198 , 0.252	Depositor
Π, Π_{free}	0.203 , 0.251	DCC
R_{free} test set	529 reflections (4.87%)	wwPDB-VP
Wilson B-factor $(Å^2)$	141.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.21, 999.0	EDS
L-test for twinning ²	$< L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	0.043 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3073	wwPDB-VP
Average B, all atoms $(Å^2)$	177.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.62% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	nd lengths	Bond angles		
WIOI			RMSZ $\# Z > 5$		# Z > 5	
1	А	0.46	0/522	1.00	2/700~(0.3%)	
1	Е	0.50	0/524	1.06	3/703~(0.4%)	
1	G	0.34	0/525	0.83	0/704	
1	K	0.34	0/421	0.96	0/567	
2	D	0.93	0/207	2.84	17/317~(5.4%)	
3	В	0.85	0/205	2.23	14/314~(4.5%)	
4	Н	1.30	5/408~(1.2%)	1.99	18/627~(2.9%)	
5	Ι	1.07	2/418~(0.5%)	1.83	20/643~(3.1%)	
All	All	0.76	7/3230~(0.2%)	1.57	74/4575~(1.6%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	G	0	1
1	Κ	0	1
All	All	0	3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Н	17	DA	N3-C4	7.78	1.39	1.34
4	Н	17	DA	C6-N1	7.54	1.40	1.35
4	Н	17	DA	N7-C5	6.76	1.43	1.39
4	Н	17	DA	N9-C8	6.73	1.43	1.37
5	Ι	1	DC	N1-C6	-6.63	1.33	1.37
4	Н	18	DG	N1-C2	5.08	1.41	1.37
5	Ι	2	DT	C3'-O3'	-5.01	1.37	1.44



8R7Z

Mol	Chain	Res	Type	Atoms	Z	Observed(^o)	$Ideal(^{o})$
2	D	3	DA	O5'-P-OP2	-22.26	83.99	110.70
2	D	3	DA	O5'-P-OP1	17.93	132.22	110.70
2	D	5	DA	O5'-P-OP1	-12.48	94.47	105.70
4	Н	17	DA	O5'-P-OP1	-11.58	95.28	105.70
5	Ι	7	DG	OP2-P-O3'	10.22	127.69	105.20
4	Н	14	DT	O5'-P-OP2	-10.04	96.66	105.70
2	D	2	DT	O3'-P-O5'	-9.78	85.42	104.00
5	Ι	1	DC	OP1-P-O3'	-9.69	83.88	105.20
3	В	11	DC	O5'-P-OP2	-9.66	97.01	105.70
4	Н	18	DG	O5'-P-OP2	-8.80	97.78	105.70
3	В	10	DA	OP2-P-O3'	8.73	124.41	105.20
4	Н	14	DT	O5'-P-OP1	8.39	120.77	110.70
5	Ι	11	DG	O4'-C1'-N9	-8.28	102.20	108.00
4	Н	17	DA	N9-C4-C5	-8.17	102.53	105.80
4	Н	12	DC	C1'-O4'-C4'	-8.02	102.08	110.10
5	Ι	3	DA	O3'-P-O5'	-7.91	88.96	104.00
5	Ι	1	DC	OP2-P-O3'	7.87	122.51	105.20
2	D	2	DT	O5'-P-OP2	-7.67	98.79	105.70
4	Н	16	DT	C4-C5-C7	-7.56	114.46	119.00
3	В	18	DG	O4'-C1'-N9	-7.55	102.72	108.00
4	Н	17	DA	OP2-P-O3'	7.36	121.39	105.20
2	D	9	DT	O5'-P-OP1	-7.35	99.08	105.70
2	D	1	DC	OP1-P-O3'	-7.29	89.17	105.20
4	Н	16	DT	N3-C4-O4	7.28	124.27	119.90
5	Ι	1	DC	O4'-C4'-C3'	-7.21	101.62	104.50
1	Е	236	ARG	NE-CZ-NH2	-7.15	116.72	120.30
2	D	8	DG	OP2-P-O3'	7.15	120.92	105.20
2	D	1	DC	OP2-P-O3'	7.14	120.91	105.20
5	Ι	7	DG	P-O3'-C3'	7.04	128.14	119.70
4	Н	13	DG	O4'-C1'-N9	-6.87	103.19	108.00
2	D	1	DC	O4'-C4'-C3'	-6.74	101.80	104.50
5	Ι	2	DT	O4'-C1'-C2'	-6.62	100.60	105.90
5	Ι	4	DA	P-O3'-C3'	6.62	127.64	119.70
3	В	10	DA	OP1-P-O3'	-6.39	91.14	105.20
5	Ι	6	DC	OP2-P-O3'	6.33	119.13	105.20
5	Ι	2	DT	P-O3'-C3'	-6.31	112.13	119.70
4	Н	17	DA	C8-N9-C4	6.09	108.23	105.80
3	В	12	DC	O3'-P-O5'	-6.05	92.51	104.00
2	D	2	DT	OP2-P-O3'	6.03	118.47	105.20
3	В	10	DA	O4'-C1'-N9	-5.94	103.84	108.00
4	Н	15	DT	O5'-P-OP2	-5.92	100.37	105.70
4	Н	16	DT	C5-C4-O4	-5.90	120.77	124.90

All (74) bond angle outliers are listed below:



Mol	Chain	\mathbf{Res}	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
3	В	11	DC	O5'-P-OP1	5.89	117.77	110.70
5	Ι	6	DC	O4'-C1'-N1	5.89	112.12	108.00
3	В	12	DC	O4'-C1'-N1	-5.85	103.91	108.00
2	D	7	DG	C8-N9-C1'	5.75	134.48	127.00
2	D	5	DA	OP2-P-O3'	5.71	117.76	105.20
3	В	17	DA	O4'-C1'-C2'	-5.66	101.37	105.90
3	В	11	DC	OP1-P-O3'	-5.66	92.75	105.20
5	Ι	8	DG	O5'-P-OP2	-5.64	100.62	105.70
3	В	11	DC	OP2-P-O3'	5.64	117.60	105.20
5	Ι	1	DC	OP1-P-OP2	-5.54	111.29	119.60
4	Н	14	DT	OP2-P-O3'	5.54	117.38	105.20
5	Ι	7	DG	C8-N9-C1'	5.48	134.12	127.00
4	Н	18	DG	C4'-C3'-C2'	-5.42	98.22	103.10
2	D	7	DG	C4-N9-C1'	-5.41	119.46	126.50
5	Ι	2	DT	OP1-P-OP2	5.41	127.71	119.60
4	Н	18	DG	N1-C6-O6	5.38	123.13	119.90
4	Н	16	DT	C6-C5-C7	5.35	126.11	122.90
5	Ι	5	DA	C4'-C3'-C2'	-5.32	98.31	103.10
4	Н	11	DC	C1'-O4'-C4'	-5.26	104.84	110.10
3	В	12	DC	P-O5'-C5'	-5.23	112.53	120.90
1	Е	274	THR	CA-CB-OG1	-5.21	98.06	109.00
3	В	14	DT	C3'-C2'-C1'	-5.20	96.26	102.50
5	Ι	6	DC	C3'-C2'-C1'	-5.16	96.30	102.50
2	D	4	DA	O4'-C4'-C3'	5.16	109.09	106.00
5	Ι	4	DA	O4'-C4'-C3'	5.15	109.09	106.00
3	В	14	DT	O4'-C1'-N1	5.11	111.58	108.00
5	Ι	17	DA	O3'-P-O5'	-5.07	94.37	104.00
1	Е	262	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	А	245	ASN	CA-CB-CG	-5.04	102.31	113.40
2	D	3	DA	O3'-P-O5'	-5.02	94.47	104.00
1	А	232	PRO	N-CA-CB	5.01	109.31	103.30
2	D	7	DG	N1-C6-O6	5.01	122.90	119.90

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	289	ARG	Sidechain
1	G	253	ARG	Sidechain
1	Κ	253	ARG	Sidechain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	514	0	510	12	0
1	Е	515	0	516	13	0
1	G	516	0	516	10	0
1	Κ	414	0	402	49	0
2	D	185	0	102	9	2
3	В	184	0	103	22	2
4	Н	366	0	206	23	0
5	Ι	372	0	203	34	0
6	Е	1	0	0	0	0
7	В	3	0	0	0	0
7	D	1	0	0	1	0
7	G	1	0	0	0	0
7	Н	1	0	0	0	0
All	All	3073	0	2558	147	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
7100m-1	1100111-2	distance $(Å)$	overlap (Å)
1:K:255:LYS:NZ	1:K:287:TRP:CZ2	2.15	1.13
1:K:283:ARG:HH21	1:K:283:ARG:HA	1.10	1.12
4:H:17:DA:H4'	4:H:18:DG:OP1	1.51	1.07
1:K:249:ARG:O	1:K:252:GLU:HG3	1.62	0.96
5:I:8:DG:O3'	1:K:242:HIS:ND1	2.03	0.91
1:K:248:GLU:OE1	1:K:283:ARG:NH1	2.04	0.89
3:B:12:DC:H2"	3:B:13:DG:H5'	1.53	0.88
5:I:1:DC:P	5:I:1:DC:H3'	2.13	0.88
1:G:256:TYR:OH	5:I:12:DC:OP1	1.91	0.87
3:B:18:DG:H2"	5:I:1:DC:H5'	1.55	0.86
1:K:259:VAL:HG22	1:K:263:MET:CE	2.05	0.86
1:K:279:TRP:CE2	1:K:283:ARG:HD3	2.12	0.84
1:K:259:VAL:HG22	1:K:263:MET:HE1	1.60	0.83
1:K:283:ARG:HH21	1:K:283:ARG:CA	1.91	0.82



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:I:8:DG:H4'	1:K:242:HIS:CE1	2.14	0.82
1:K:283:ARG:HA	1:K:283:ARG:NH2	1.94	0.80
1:K:279:TRP:O	1:K:283:ARG:HG2	1.82	0.78
5:I:5:DA:O5'	5:I:5:DA:H2'	1.88	0.74
4:H:17:DA:C4'	4:H:18:DG:OP1	2.29	0.73
1:K:279:TRP:CH2	1:K:283:ARG:HG3	2.24	0.73
2:D:5:DA:N1	3:B:14:DT:O4	2.22	0.72
1:K:279:TRP:HA	1:K:282:ASN:HD21	1.53	0.72
4:H:13:DG:H2"	4:H:14:DT:H5'	1.73	0.71
5:I:12:DC:H2"	5:I:13:DA:H5'	1.74	0.70
1:K:279:TRP:NE1	1:K:283:ARG:HD3	2.08	0.68
5:I:9:DT:H2"	5:I:10:DA:C8	2.30	0.67
5:I:1:DC:P	5:I:1:DC:C3'	2.84	0.65
1:K:259:VAL:CG2	1:K:263:MET:HE1	2.25	0.65
5:I:10:DA:H2"	5:I:11:DG:OP2	1.97	0.64
1:A:272:THR:OG1	1:A:275:GLN:N	2.29	0.64
5:I:8:DG:C4'	1:K:242:HIS:CE1	2.81	0.64
3:B:10:DA:H2"	3:B:11:DC:O5'	1.97	0.63
1:G:272:THR:OG1	1:G:275:GLN:N	2.31	0.63
4:H:11:DC:H2"	4:H:12:DC:O4'	1.99	0.63
4:H:13:DG:H2"	4:H:14:DT:C5'	2.29	0.63
1:E:272:THR:OG1	1:E:275:GLN:N	2.29	0.63
5:I:11:DG:H2"	5:I:12:DC:O5'	1.99	0.63
1:K:279:TRP:CE2	1:K:283:ARG:CD	2.82	0.63
1:K:259:VAL:CG2	1:K:263:MET:CE	2.76	0.62
1:K:272:THR:OG1	1:K:275:GLN:N	2.29	0.62
2:D:2:DT:O2	2:D:3:DA:C5	2.53	0.62
5:I:8:DG:C3'	1:K:242:HIS:CE1	2.83	0.62
1:K:241:ASP:OD1	1:K:242:HIS:N	2.32	0.61
4:H:12:DC:H2'	4:H:13:DG:C8	2.34	0.61
4:H:15:DT:C2'	4:H:16:DT:H71	2.30	0.61
1:K:255:LYS:NZ	1:K:287:TRP:CE2	2.64	0.61
5:I:9:DT:P	1:K:242:HIS:HD1	2.23	0.61
3:B:12:DC:H2"	3:B:13:DG:C8	2.36	0.61
1:K:259:VAL:HG22	1:K:263:MET:HE3	1.80	0.60
3:B:10:DA:C4	3:B:11:DC:C5	2.90	0.60
3:B:12:DC:H2"	3:B:13:DG:C5'	2.27	0.59
1:K:279:TRP:CZ2	1:K:283:ARG:HG3	2.37	0.59
4:H:11:DC:C2'	4:H:12:DC:H6	2.16	0.59
4:H:15:DT:H2"	4:H:16:DT:H71	1.87	0.56
1:K:279:TRP:HA	1:K:282:ASN:ND2	2.19	0.56



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:B:11:DC:C2	3:B:12:DC:C5	2.94	0.56	
5:I:1:DC:OP1	5:I:1:DC:O4'	2.24	0.56	
5:I:5:DA:O5'	5:I:5:DA:C2'	2.54	0.56	
1:E:272:THR:HG23	1:E:275:GLN:OE1	2.06	0.55	
5:I:9:DT:H2"	5:I:10:DA:OP2	2.06	0.55	
1:G:272:THR:HG23	1:G:275:GLN:OE1	2.07	0.54	
5:I:1:DC:OP1	5:I:1:DC:C6	2.60	0.54	
4:H:11:DC:H2'	4:H:12:DC:H6	1.72	0.54	
4:H:15:DT:C6	4:H:16:DT:H71	2.43	0.54	
2:D:4:DA:H1'	2:D:5:DA:H5'	1.91	0.53	
1:K:279:TRP:CZ3	1:K:283:ARG:HG3	2.42	0.53	
1:A:272:THR:HG23	1:A:275:GLN:OE1	2.08	0.53	
1:K:272:THR:HG23	1:K:275:GLN:OE1	2.08	0.53	
1:K:279:TRP:CZ2	1:K:283:ARG:CD	2.92	0.53	
1:E:256:TYR:CE1	1:E:284:ARG:HD3	2.45	0.52	
4:H:5:DT:H2"	4:H:6:DT:OP2	2.08	0.52	
5:I:8:DG:O3'	1:K:242:HIS:CE1	2.63	0.51	
1:A:234:LYS:HG3	5:I:5:DA:OP1	2.11	0.51	
3:B:13:DG:H2"	3:B:14:DT:O5'	2.09	0.51	
4:H:15:DT:C6	4:H:16:DT:C7	2.94	0.50	
1:E:263:MET:HG2	1:E:273:ASP:OD2	2.10	0.50	
2:D:5:DA:C6	3:B:14:DT:O4	2.64	0.50	
1:G:263:MET:HE3	1:K:244:LEU:HB3	1.92	0.50	
3:B:11:DC:C2	3:B:12:DC:C4	3.00	0.50	
2:D:1:DC:C6	2:D:2:DT:C7	2.94	0.50	
5:I:6:DC:H2'	5:I:6:DC:OP2	2.11	0.49	
4:H:11:DC:H42	5:I:8:DG:H1	1.58	0.49	
3:B:15:DT:O5'	3:B:15:DT:H2'	2.12	0.49	
3:B:11:DC:H2"	3:B:12:DC:H6	1.78	0.48	
1:K:249:ARG:O	1:K:253:ARG:HG2	2.13	0.48	
5:I:8:DG:H4'	1:K:242:HIS:ND1	2.28	0.48	
1:K:279:TRP:CE2	1:K:283:ARG:CG	2.96	0.48	
5:I:10:DA:C6	5:I:11:DG:C6	3.02	0.48	
1:K:259:VAL:CG2	1:K:263:MET:HE3	2.43	0.48	
4:H:3:DA:H61	5:I:16:DT:H3	1.63	0.47	
1:E:251:PHE:CE2	1:E:283:ARG:HG3	2.49	0.47	
4:H:7:DG:N2	5:I:13:DA:C2	2.82	0.47	
3:B:10:DA:C4	3:B:11:DC:C6	3.02	0.47	
1:G:263:MET:CE	1:K:244:LEU:HB3	2.44	0.47	
3:B:10:DA:N3	3:B:11:DC:C6	2.84	0.46	
3:B:11:DC:H2"	3:B:12:DC:C6	2.49	0.46	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:257:LEU:HD11	1:A:280:TYR:CE2	2.50	0.46
1:E:257:LEU:HD11	1:E:280:TYR:CE1	2.50	0.46
1:G:263:MET:HG2	1:K:248:GLU:HG3	1.97	0.46
5:I:16:DT:C4	5:I:17:DA:C6	3.05	0.45
1:G:256:TYR:CE1	1:G:284:ARG:HD3	2.52	0.45
5:I:9:DT:H2"	5:I:10:DA:H8	1.80	0.45
1:K:257:LEU:HD11	1:K:280:TYR:CE2	2.52	0.45
5:I:1:DC:C5	5:I:2:DT:C4	3.05	0.45
3:B:14:DT:H1'	3:B:15:DT:H5'	1.99	0.44
1:A:233:ARG:NH1	4:H:17:DA:H5'	2.32	0.44
1:E:252:GLU:OE2	1:E:252:GLU:HA	2.18	0.43
4:H:13:DG:C2'	4:H:14:DT:H5'	2.45	0.43
4:H:3:DA:N1	5:I:17:DA:C2	2.87	0.43
1:K:240:SER:OG	1:K:243:GLN:HG3	2.19	0.43
3:B:10:DA:C2	3:B:11:DC:C2	3.07	0.43
1:G:240:SER:OG	1:G:243:GLN:HG3	2.19	0.43
5:I:1:DC:OP1	5:I:1:DC:H6	2.02	0.43
1:K:250:SER:HA	1:K:253:ARG:HE	1.84	0.43
1:E:288:LYS:NZ	3:B:12:DC:H3'	2.34	0.43
3:B:11:DC:C2'	3:B:12:DC:C6	3.01	0.43
2:D:4:DA:C2	2:D:5:DA:C5	3.06	0.42
1:E:243:GLN:O	1:E:244:LEU:C	2.58	0.42
1:E:290:GLN:HA	1:E:290:GLN:OE1	2.19	0.42
1:G:257:LEU:HD11	1:G:280:TYR:CE2	2.54	0.42
1:G:251:PHE:CE2	1:G:283:ARG:HG3	2.54	0.42
4:H:15:DT:C5	4:H:16:DT:H73	2.54	0.42
1:A:240:SER:OG	1:A:243:GLN:HG3	2.19	0.42
1:A:256:TYR:OH	4:H:12:DC:OP1	2.21	0.42
1:K:247:LEU:HB3	1:K:279:TRP:CH2	2.55	0.42
1:K:252:GLU:OE2	1:K:253:ARG:N	2.53	0.42
1:E:290:GLN:OE1	1:E:290:GLN:CA	2.68	0.42
1:A:236:ARG:NH2	5:I:2:DT:H1'	2.35	0.41
1:A:237:THR:OG1	5:I:4:DA:OP1	2.24	0.41
1:K:279:TRP:CZ2	1:K:283:ARG:CG	3.03	0.41
1:E:240:SER:OG	1:E:243:GLN:HG3	2.19	0.41
3:B:13:DG:H5'	3:B:13:DG:C8	2.55	0.41
1:A:289:ARG:CB	1:A:289:ARG:CZ	2.98	0.41
1:A:251:PHE:CE2	1:A:283:ARG:HG3	2.56	0.41
2:D:5:DA:N1	3:B:14:DT:C4	2.88	0.41
1:K:284:ARG:O	1:K:287:TRP:HB3	2.21	0.41
5:I:9:DT:H6	5:I:9:DT:H5'	1.86	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:284:ARG:O	1:E:287:TRP:HB3	2.21	0.41
1:A:284:ARG:O	1:A:287:TRP:HB3	2.20	0.40
4:H:14:DT:H2"	4:H:15:DT:O5'	2.21	0.40
1:K:252:GLU:OE2	1:K:253:ARG:HA	2.21	0.40
1:K:247:LEU:HD13	1:K:279:TRP:CD2	2.56	0.40
2:D:3:DA:H2'	7:D:101:HOH:O	2.21	0.40
2:D:2:DT:O2	2:D:3:DA:C6	2.74	0.40
1:K:252:GLU:OE2	1:K:253:ARG:CA	2.70	0.40
1:K:283:ARG:CA	1:K:283:ARG:NH2	2.70	0.40
4:H:6:DT:H2"	4:H:7:DG:O5'	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:9:DT:O3'	3:B:10:DA:OP1[15_455]	1.94	0.26
2:D:9:DT:O3'	3:B:10:DA:P[15_455]	1.96	0.24

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	58/60~(97%)	55~(95%)	3~(5%)	0	100	100
1	Е	58/60~(97%)	55~(95%)	3~(5%)	0	100	100
1	G	58/60~(97%)	54 (93%)	4 (7%)	0	100	100
1	Κ	46/60~(77%)	42 (91%)	4 (9%)	0	100	100
All	All	220/240~(92%)	206 (94%)	14 (6%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	54/55~(98%)	49 (91%)	5 (9%)	7 25
1	Ε	55/55~(100%)	50 (91%)	5 (9%)	7 26
1	G	55/55~(100%)	52 (94%)	3~(6%)	18 44
1	К	45/55~(82%)	38 (84%)	7~(16%)	2 9
All	All	209/220~(95%)	189 (90%)	20 (10%)	7 24

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	Е	245	ASN
1	Е	249	ARG
1	Е	273	ASP
1	Е	280	TYR
1	Е	290	GLN
1	А	233	ARG
1	А	249	ARG
1	А	259	VAL
1	А	274	THR
1	А	280	TYR
1	G	233	ARG
1	G	277	LYS
1	G	280	TYR
1	K	249	ARG
1	K	252	GLU
1	K	253	ARG
1	K	274	THR
1	K	280	TYR
1	К	282	ASN
1	K	283	ARG

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such side chains are listed below:



Mol	Chain	Res	Type
1	Е	245	ASN
1	А	290	GLN
1	G	245	ASN
1	Κ	243	GLN
1	К	245	ASN
1	K	282	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSR	\mathbf{Z} >	2	$OWAB(Å^2)$	$Q{<}0.9$
1	А	60/60~(100%)	2.56	33~(55%)	0	0	107, 149, 204, 235	0
1	Е	60/60~(100%)	2.22	26~(43%)	1	1	93, 120, 187, 245	0
1	G	60/60~(100%)	0.71	7 (11%) 1	.0	10	193, 241, 298, 318	0
1	K	48/60~(80%)	4.86	40 (83%)	0	0	62, 82, 99, 121	48 (100%)
2	D	9/9~(100%)	1.15	2(22%)	3	2	109, 130, 162, 181	0
3	В	9/9~(100%)	0.33	1 (11%) 1	2	11	111, 139, 153, 153	0
4	Н	18/18~(100%)	1.36	3~(16%)	5	5	147, 194, 264, 265	0
5	Ι	18/18~(100%)	2.08	4 (22%)	3	2	126, 197, 267, 278	0
All	All	282/294~(95%)	2.26	116 (41%)	1	1	62, 147, 267, 318	48 (17%)

All (116) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Κ	249	ARG	17.7
1	Κ	268	ALA	15.6
1	Κ	255	LYS	10.8
5	Ι	14	DA	9.7
1	Κ	244	LEU	9.6
1	Κ	252	GLU	9.2
1	Е	238	ALA	9.1
1	Κ	246	GLN	8.7
2	D	1	DC	8.4
1	А	238	ALA	8.1
1	Κ	275	GLN	8.0
1	Κ	285	THR	7.9
1	А	235	ALA	7.2
1	А	289	ARG	7.2
1	Е	239	PHE	7.1
1	K	277	LYS	7.1



8R7Z

Mol	Chain	Res Type		RSRZ	
1	Е	289	ARG	6.9	
1	K	264	ASP	6.9	
1	Κ	265	LEU	6.6	
1	Κ	241 ASP		6.6	
1	G	268	ALA	6.6	
1	Е	235	ALA	6.3	
1	Κ	248	GLU	6.2	
5	Ι	15	DT	6.1	
1	Е	249	ARG	6.1	
1	Е	253	ARG	6.1	
4	Н	1	DC	6.0	
1	А	249	ARG	5.8	
1	Е	244	LEU	5.7	
1	K	267	ALA	5.5	
1	K	247	LEU	5.4	
1	K	273	ASP	5.3	
1	Κ	271	LEU	5.3	
5	Ι	13	DA	5.2	
1	А	256	TYR	5.1	
1	А	234	LYS	5.1	
1	K	286	LYS	5.0	
1	А	287	TRP	5.0	
1	K	279	TRP	5.0	
1	А	248	GLU	4.9	
1	Κ	270	ASN	4.7	
1	А	255	LYS	4.5	
1	А	286	LYS	4.4	
1	K	269	LEU	4.4	
1	K	263	MET	4.2	
1	А	246	GLN	4.2	
1	Е	263	MET	4.2	
1	А	283	ARG	4.1	
1	Κ	254	GLN	4.1	
1	G	290	GLN	4.0	
1	Е	247	LEU	4.0	
1	Κ	276	VAL	3.9	
1	Κ	287	TRP	3.9	
1	Е	246	GLN	3.9	
1	А	253	ARG	3.8	
1	А	265	LEU	3.7	
1	K	259	VAL	3.7	
1	А	268	ALA	3.7	



8 R7 Z

Mol	Chain	Res	Type	RSRZ
1	Е	277	LYS	3.7
1	Е	265	LEU	3.6
1	К	253	ARG	3.6
1	K	243	243 GLN 3	
1	А	239	PHE	3.5
5	Ι	1	DC	3.5
1	Κ	283	ARG	3.4
1	Ε	254	GLN	3.4
1	А	244	LEU	3.3
1	K	250	SER	3.3
4	Н	6	DT	3.2
1	А	263	MET	3.1
1	K	240	SER	3.1
1	K	261	ASP	3.0
1	A	247	LEU	3.0
1	K	274	THR	3.0
1	А	269	LEU	3.0
1	А	237	THR	3.0
1	Е	261	ASP	2.9
1	K	245	ASN	2.9
1	G	256	TYR	2.9
1	А	291	THR	2.8
1	Е	243	GLN	2.8
1	E	269	LEU	2.8
1	А	288	LYS	2.8
1	K	262	ARG	2.8
1	G	291	THR	2.7
1	Е	233	ARG	2.7
1	K	258	SER	2.7
1	А	251	PHE	2.6
1	А	274	THR	2.6
1	K	251	PHE	2.6
1	Е	248	GLU	2.6
1	А	260	GLN	2.5
1	Е	291	THR	2.5
1	Е	259	VAL	2.5
1	K	281	GLN	2.4
4	Н	2	DT	2.4
1	Е	274	THR	2.4
1	А	277	LYS	2.3
1	G	288	LYS	2.3
1	Α	275	GLN	2.3



Mol	Chain	Res	Type	RSRZ	
1	Е	236	ARG	2.3	
2	D	2	DT	2.3	
1	А	290	GLN	2.3	
1	Ε	250	SER	2.3	
1	Е	278	THR	2.2	
1	А	271	LEU	2.2	
1	Е	237	THR	2.2	
1	Κ	260	GLN	2.2	
1	G	270	ASN	2.2	
1	А	266	ALA	2.1	
1	Ε	271	LEU	2.1	
1	G	286	LYS	2.1	
3	В	15	DT	2.1	
1	Κ	280	TYR	2.1	
1	A	273	ASP	2.0	
1	А	279	TRP	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	NA	Е	500	1/1	0.98	0.05	101,101,101,101	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

