



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 8, 2023 – 12:24 PM EDT

PDB ID : 4R8K
Title : Crystal structure of the guinea pig L-asparaginase 1 catalytic domain
Authors : Schalk, A.M.; Lavie, A.
Deposited on : 2014-09-02
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
1	B	385	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div>
1	C	385	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
1	D	385	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
1	E	385	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	385	 10% 86% 6% 8%
1	G	385	 7% 86% 5% 8%
1	H	385	 7% 87% 5% 8%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 22683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	355	2716	1737	469	494	16	0	0	0
1	B	347	2667	1705	460	486	16	0	0	0
1	C	355	2724	1743	471	494	16	0	1	0
1	D	355	2717	1738	469	494	16	0	0	0
1	E	353	2703	1729	466	492	16	0	0	0
1	F	354	2717	1739	470	492	16	0	1	0
1	G	354	2717	1739	470	492	16	0	1	0
1	H	354	2710	1734	468	492	16	0	0	0

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	expression tag	UNP H0W0T5
A	-21	GLY	-	expression tag	UNP H0W0T5
A	-20	SER	-	expression tag	UNP H0W0T5
A	-19	SER	-	expression tag	UNP H0W0T5
A	-18	HIS	-	expression tag	UNP H0W0T5
A	-17	HIS	-	expression tag	UNP H0W0T5
A	-16	HIS	-	expression tag	UNP H0W0T5
A	-15	HIS	-	expression tag	UNP H0W0T5
A	-14	HIS	-	expression tag	UNP H0W0T5
A	-13	HIS	-	expression tag	UNP H0W0T5
A	-12	SER	-	expression tag	UNP H0W0T5
A	-11	SER	-	expression tag	UNP H0W0T5
A	-10	GLY	-	expression tag	UNP H0W0T5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	expression tag	UNP H0W0T5
A	-8	ASN	-	expression tag	UNP H0W0T5
A	-7	GLU	-	expression tag	UNP H0W0T5
A	-6	ASN	-	expression tag	UNP H0W0T5
A	-5	LEU	-	expression tag	UNP H0W0T5
A	-4	TYR	-	expression tag	UNP H0W0T5
A	-3	PHE	-	expression tag	UNP H0W0T5
A	-2	GLN	-	expression tag	UNP H0W0T5
A	-1	GLY	-	expression tag	UNP H0W0T5
A	0	HIS	-	expression tag	UNP H0W0T5
B	-22	MET	-	expression tag	UNP H0W0T5
B	-21	GLY	-	expression tag	UNP H0W0T5
B	-20	SER	-	expression tag	UNP H0W0T5
B	-19	SER	-	expression tag	UNP H0W0T5
B	-18	HIS	-	expression tag	UNP H0W0T5
B	-17	HIS	-	expression tag	UNP H0W0T5
B	-16	HIS	-	expression tag	UNP H0W0T5
B	-15	HIS	-	expression tag	UNP H0W0T5
B	-14	HIS	-	expression tag	UNP H0W0T5
B	-13	HIS	-	expression tag	UNP H0W0T5
B	-12	SER	-	expression tag	UNP H0W0T5
B	-11	SER	-	expression tag	UNP H0W0T5
B	-10	GLY	-	expression tag	UNP H0W0T5
B	-9	GLY	-	expression tag	UNP H0W0T5
B	-8	ASN	-	expression tag	UNP H0W0T5
B	-7	GLU	-	expression tag	UNP H0W0T5
B	-6	ASN	-	expression tag	UNP H0W0T5
B	-5	LEU	-	expression tag	UNP H0W0T5
B	-4	TYR	-	expression tag	UNP H0W0T5
B	-3	PHE	-	expression tag	UNP H0W0T5
B	-2	GLN	-	expression tag	UNP H0W0T5
B	-1	GLY	-	expression tag	UNP H0W0T5
B	0	HIS	-	expression tag	UNP H0W0T5
C	-22	MET	-	expression tag	UNP H0W0T5
C	-21	GLY	-	expression tag	UNP H0W0T5
C	-20	SER	-	expression tag	UNP H0W0T5
C	-19	SER	-	expression tag	UNP H0W0T5
C	-18	HIS	-	expression tag	UNP H0W0T5
C	-17	HIS	-	expression tag	UNP H0W0T5
C	-16	HIS	-	expression tag	UNP H0W0T5
C	-15	HIS	-	expression tag	UNP H0W0T5
C	-14	HIS	-	expression tag	UNP H0W0T5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP H0W0T5
C	-12	SER	-	expression tag	UNP H0W0T5
C	-11	SER	-	expression tag	UNP H0W0T5
C	-10	GLY	-	expression tag	UNP H0W0T5
C	-9	GLY	-	expression tag	UNP H0W0T5
C	-8	ASN	-	expression tag	UNP H0W0T5
C	-7	GLU	-	expression tag	UNP H0W0T5
C	-6	ASN	-	expression tag	UNP H0W0T5
C	-5	LEU	-	expression tag	UNP H0W0T5
C	-4	TYR	-	expression tag	UNP H0W0T5
C	-3	PHE	-	expression tag	UNP H0W0T5
C	-2	GLN	-	expression tag	UNP H0W0T5
C	-1	GLY	-	expression tag	UNP H0W0T5
C	0	HIS	-	expression tag	UNP H0W0T5
D	-22	MET	-	expression tag	UNP H0W0T5
D	-21	GLY	-	expression tag	UNP H0W0T5
D	-20	SER	-	expression tag	UNP H0W0T5
D	-19	SER	-	expression tag	UNP H0W0T5
D	-18	HIS	-	expression tag	UNP H0W0T5
D	-17	HIS	-	expression tag	UNP H0W0T5
D	-16	HIS	-	expression tag	UNP H0W0T5
D	-15	HIS	-	expression tag	UNP H0W0T5
D	-14	HIS	-	expression tag	UNP H0W0T5
D	-13	HIS	-	expression tag	UNP H0W0T5
D	-12	SER	-	expression tag	UNP H0W0T5
D	-11	SER	-	expression tag	UNP H0W0T5
D	-10	GLY	-	expression tag	UNP H0W0T5
D	-9	GLY	-	expression tag	UNP H0W0T5
D	-8	ASN	-	expression tag	UNP H0W0T5
D	-7	GLU	-	expression tag	UNP H0W0T5
D	-6	ASN	-	expression tag	UNP H0W0T5
D	-5	LEU	-	expression tag	UNP H0W0T5
D	-4	TYR	-	expression tag	UNP H0W0T5
D	-3	PHE	-	expression tag	UNP H0W0T5
D	-2	GLN	-	expression tag	UNP H0W0T5
D	-1	GLY	-	expression tag	UNP H0W0T5
D	0	HIS	-	expression tag	UNP H0W0T5
E	-22	MET	-	expression tag	UNP H0W0T5
E	-21	GLY	-	expression tag	UNP H0W0T5
E	-20	SER	-	expression tag	UNP H0W0T5
E	-19	SER	-	expression tag	UNP H0W0T5
E	-18	HIS	-	expression tag	UNP H0W0T5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	HIS	-	expression tag	UNP H0W0T5
E	-16	HIS	-	expression tag	UNP H0W0T5
E	-15	HIS	-	expression tag	UNP H0W0T5
E	-14	HIS	-	expression tag	UNP H0W0T5
E	-13	HIS	-	expression tag	UNP H0W0T5
E	-12	SER	-	expression tag	UNP H0W0T5
E	-11	SER	-	expression tag	UNP H0W0T5
E	-10	GLY	-	expression tag	UNP H0W0T5
E	-9	GLY	-	expression tag	UNP H0W0T5
E	-8	ASN	-	expression tag	UNP H0W0T5
E	-7	GLU	-	expression tag	UNP H0W0T5
E	-6	ASN	-	expression tag	UNP H0W0T5
E	-5	LEU	-	expression tag	UNP H0W0T5
E	-4	TYR	-	expression tag	UNP H0W0T5
E	-3	PHE	-	expression tag	UNP H0W0T5
E	-2	GLN	-	expression tag	UNP H0W0T5
E	-1	GLY	-	expression tag	UNP H0W0T5
E	0	HIS	-	expression tag	UNP H0W0T5
F	-22	MET	-	expression tag	UNP H0W0T5
F	-21	GLY	-	expression tag	UNP H0W0T5
F	-20	SER	-	expression tag	UNP H0W0T5
F	-19	SER	-	expression tag	UNP H0W0T5
F	-18	HIS	-	expression tag	UNP H0W0T5
F	-17	HIS	-	expression tag	UNP H0W0T5
F	-16	HIS	-	expression tag	UNP H0W0T5
F	-15	HIS	-	expression tag	UNP H0W0T5
F	-14	HIS	-	expression tag	UNP H0W0T5
F	-13	HIS	-	expression tag	UNP H0W0T5
F	-12	SER	-	expression tag	UNP H0W0T5
F	-11	SER	-	expression tag	UNP H0W0T5
F	-10	GLY	-	expression tag	UNP H0W0T5
F	-9	GLY	-	expression tag	UNP H0W0T5
F	-8	ASN	-	expression tag	UNP H0W0T5
F	-7	GLU	-	expression tag	UNP H0W0T5
F	-6	ASN	-	expression tag	UNP H0W0T5
F	-5	LEU	-	expression tag	UNP H0W0T5
F	-4	TYR	-	expression tag	UNP H0W0T5
F	-3	PHE	-	expression tag	UNP H0W0T5
F	-2	GLN	-	expression tag	UNP H0W0T5
F	-1	GLY	-	expression tag	UNP H0W0T5
F	0	HIS	-	expression tag	UNP H0W0T5
G	-22	MET	-	expression tag	UNP H0W0T5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP H0W0T5
G	-20	SER	-	expression tag	UNP H0W0T5
G	-19	SER	-	expression tag	UNP H0W0T5
G	-18	HIS	-	expression tag	UNP H0W0T5
G	-17	HIS	-	expression tag	UNP H0W0T5
G	-16	HIS	-	expression tag	UNP H0W0T5
G	-15	HIS	-	expression tag	UNP H0W0T5
G	-14	HIS	-	expression tag	UNP H0W0T5
G	-13	HIS	-	expression tag	UNP H0W0T5
G	-12	SER	-	expression tag	UNP H0W0T5
G	-11	SER	-	expression tag	UNP H0W0T5
G	-10	GLY	-	expression tag	UNP H0W0T5
G	-9	GLY	-	expression tag	UNP H0W0T5
G	-8	ASN	-	expression tag	UNP H0W0T5
G	-7	GLU	-	expression tag	UNP H0W0T5
G	-6	ASN	-	expression tag	UNP H0W0T5
G	-5	LEU	-	expression tag	UNP H0W0T5
G	-4	TYR	-	expression tag	UNP H0W0T5
G	-3	PHE	-	expression tag	UNP H0W0T5
G	-2	GLN	-	expression tag	UNP H0W0T5
G	-1	GLY	-	expression tag	UNP H0W0T5
G	0	HIS	-	expression tag	UNP H0W0T5
H	-22	MET	-	expression tag	UNP H0W0T5
H	-21	GLY	-	expression tag	UNP H0W0T5
H	-20	SER	-	expression tag	UNP H0W0T5
H	-19	SER	-	expression tag	UNP H0W0T5
H	-18	HIS	-	expression tag	UNP H0W0T5
H	-17	HIS	-	expression tag	UNP H0W0T5
H	-16	HIS	-	expression tag	UNP H0W0T5
H	-15	HIS	-	expression tag	UNP H0W0T5
H	-14	HIS	-	expression tag	UNP H0W0T5
H	-13	HIS	-	expression tag	UNP H0W0T5
H	-12	SER	-	expression tag	UNP H0W0T5
H	-11	SER	-	expression tag	UNP H0W0T5
H	-10	GLY	-	expression tag	UNP H0W0T5
H	-9	GLY	-	expression tag	UNP H0W0T5
H	-8	ASN	-	expression tag	UNP H0W0T5
H	-7	GLU	-	expression tag	UNP H0W0T5
H	-6	ASN	-	expression tag	UNP H0W0T5
H	-5	LEU	-	expression tag	UNP H0W0T5
H	-4	TYR	-	expression tag	UNP H0W0T5
H	-3	PHE	-	expression tag	UNP H0W0T5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLN	-	expression tag	UNP H0W0T5
H	-1	GLY	-	expression tag	UNP H0W0T5
H	0	HIS	-	expression tag	UNP H0W0T5

- Molecule 2 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	E	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	F	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	G	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	H	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	119	Total 119	O 119	0	0
3	B	76	Total 76	O 76	0	0
3	C	138	Total 138	O 138	0	0
3	D	140	Total 140	O 140	0	0
3	E	91	Total 91	O 91	0	0
3	F	94	Total 94	O 94	0	0
3	G	120	Total 120	O 120	0	0
3	H	114	Total 114	O 114	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Uncharacterized protein




- Molecule 1: Uncharacterized protein




- Molecule 1: Uncharacterized protein





- Molecule 1: Uncharacterized protein









● Molecule 1: Uncharacterized protein




● Molecule 1: Uncharacterized protein




● Molecule 1: Uncharacterized protein



● Molecule 1: Uncharacterized protein





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	98.55Å 123.31Å 120.56Å 90.00° 92.35° 90.00°	Depositor
Resolution (Å)	29.62 – 2.20 29.62 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.62-2.20) 99.2 (29.62-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.35 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.207 , 0.238 0.212 , 0.243	Depositor DCC
R_{free} test set	7281 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtrriage
Anisotropy	0.243	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for -h,-l,-k 0.000 for -h,l,k 0.000 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	22683	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.88 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.4498e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/2773	0.68	0/3771
1	B	0.53	0/2722	0.68	0/3700
1	C	0.56	0/2785	0.68	0/3788
1	D	0.55	0/2774	0.67	0/3773
1	E	0.56	0/2759	0.70	0/3752
1	F	0.54	0/2778	0.68	0/3778
1	G	0.53	0/2778	0.68	0/3778
1	H	0.54	0/2767	0.68	0/3763
All	All	0.54	0/22136	0.68	0/30103

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2716	0	2786	16	0
1	B	2667	0	2730	18	0
1	C	2724	0	2795	23	0
1	D	2717	0	2788	15	0
1	E	2703	0	2769	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2717	0	2788	28	0
1	G	2717	0	2788	17	0
1	H	2710	0	2781	12	0
2	A	15	0	18	0	0
2	B	15	0	18	0	0
2	C	15	0	18	1	0
2	D	15	0	17	0	0
2	E	15	0	17	0	0
2	F	15	0	18	0	0
2	G	15	0	17	0	0
2	H	15	0	17	0	0
3	A	119	0	0	1	0
3	B	76	0	0	3	0
3	C	138	0	0	1	0
3	D	140	0	0	1	0
3	E	91	0	0	4	0
3	F	94	0	0	1	0
3	G	120	0	0	0	0
3	H	114	0	0	2	0
All	All	22683	0	22365	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 126 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:80:GLN:HG3	1:F:77:LEU:HD11	1.44	0.99
1:E:208:VAL:CG1	1:F:150:TRP:HE1	1.86	0.88
1:E:208:VAL:CG1	1:F:150:TRP:NE1	2.36	0.87
1:E:208:VAL:HG11	1:F:150:TRP:NE1	1.97	0.79
1:C:208:VAL:CG1	1:D:150:TRP:HE1	1.98	0.76

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/385 (92%)	343 (97%)	10 (3%)	0	100	100
1	B	343/385 (89%)	336 (98%)	7 (2%)	0	100	100
1	C	354/385 (92%)	346 (98%)	8 (2%)	0	100	100
1	D	353/385 (92%)	344 (98%)	9 (2%)	0	100	100
1	E	349/385 (91%)	341 (98%)	8 (2%)	0	100	100
1	F	353/385 (92%)	343 (97%)	10 (3%)	0	100	100
1	G	353/385 (92%)	344 (98%)	9 (2%)	0	100	100
1	H	352/385 (91%)	343 (97%)	9 (3%)	0	100	100
All	All	2810/3080 (91%)	2740 (98%)	70 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/320 (93%)	297 (100%)	0	100	100
1	B	292/320 (91%)	292 (100%)	0	100	100
1	C	298/320 (93%)	298 (100%)	0	100	100
1	D	297/320 (93%)	297 (100%)	0	100	100
1	E	296/320 (92%)	296 (100%)	0	100	100
1	F	297/320 (93%)	297 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	297/320 (93%)	297 (100%)	0	100	100
1	H	296/320 (92%)	296 (100%)	0	100	100
All	All	2370/2560 (93%)	2370 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EPE	F	700	-	15,15,15	1.91	1 (6%)	18,20,20	1.27	2 (11%)
2	EPE	G	700	-	15,15,15	1.97	1 (6%)	18,20,20	1.61	4 (22%)
2	EPE	B	700	-	15,15,15	2.08	1 (6%)	18,20,20	1.70	2 (11%)
2	EPE	C	700	-	15,15,15	1.94	1 (6%)	18,20,20	1.79	5 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EPE	A	700	-	15,15,15	2.13	1 (6%)	18,20,20	1.50	2 (11%)
2	EPE	E	700	-	15,15,15	1.94	1 (6%)	18,20,20	2.09	3 (16%)
2	EPE	H	700	-	15,15,15	2.24	1 (6%)	18,20,20	1.66	4 (22%)
2	EPE	D	700	-	15,15,15	2.18	1 (6%)	18,20,20	1.05	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPE	F	700	-	-	2/9/19/19	0/1/1/1
2	EPE	G	700	-	-	7/9/19/19	0/1/1/1
2	EPE	B	700	-	-	5/9/19/19	0/1/1/1
2	EPE	C	700	-	-	7/9/19/19	0/1/1/1
2	EPE	A	700	-	-	2/9/19/19	0/1/1/1
2	EPE	E	700	-	-	4/9/19/19	0/1/1/1
2	EPE	H	700	-	-	2/9/19/19	0/1/1/1
2	EPE	D	700	-	-	2/9/19/19	0/1/1/1

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	700	EPE	C10-S	-8.29	1.65	1.77
2	D	700	EPE	C10-S	-8.23	1.65	1.77
2	A	700	EPE	C10-S	-7.87	1.66	1.77
2	B	700	EPE	C10-S	-7.79	1.66	1.77
2	G	700	EPE	C10-S	-7.44	1.66	1.77

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	700	EPE	O1S-S-C10	6.18	114.36	106.92
2	H	700	EPE	O2S-S-C10	4.97	112.89	106.92
2	A	700	EPE	O1S-S-C10	4.62	112.47	106.92
2	C	700	EPE	O3S-S-C10	4.23	112.61	105.77
2	G	700	EPE	O1S-S-C10	4.01	111.74	106.92

There are no chirality outliers.

5 of 31 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	700	EPE	C10-C9-N1-C2
2	B	700	EPE	S-C10-C9-N1
2	B	700	EPE	C9-C10-S-O2S
2	C	700	EPE	C10-C9-N1-C2
2	C	700	EPE	C9-C10-S-O1S

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	700	EPE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	355/385 (92%)	0.05	19 (5%) 25 24	17, 30, 71, 104	0
1	B	347/385 (90%)	0.20	25 (7%) 15 14	21, 34, 80, 110	0
1	C	355/385 (92%)	-0.03	17 (4%) 30 29	18, 27, 67, 102	0
1	D	355/385 (92%)	0.01	20 (5%) 24 23	18, 28, 67, 110	0
1	E	353/385 (91%)	0.30	34 (9%) 8 6	21, 36, 79, 113	0
1	F	354/385 (91%)	0.39	40 (11%) 5 4	19, 33, 92, 129	0
1	G	354/385 (91%)	0.11	26 (7%) 15 14	19, 32, 71, 106	0
1	H	354/385 (91%)	0.18	27 (7%) 13 12	18, 31, 81, 120	0
All	All	2827/3080 (91%)	0.15	208 (7%) 14 13	17, 31, 76, 129	0

The worst 5 of 208 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	53	ALA	13.4
1	E	30	VAL	8.1
1	F	27	GLY	7.2
1	H	224	TRP	7.1
1	H	53	ALA	7.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EPE	G	700	15/15	0.96	0.13	27,43,59,63	0
2	EPE	E	700	15/15	0.97	0.13	29,44,58,60	0
2	EPE	C	700	15/15	0.98	0.14	19,35,52,57	0
2	EPE	D	700	15/15	0.98	0.10	28,35,51,59	0
2	EPE	A	700	15/15	0.98	0.13	20,29,51,55	0
2	EPE	F	700	15/15	0.98	0.13	18,31,49,54	0
2	EPE	B	700	15/15	0.98	0.09	30,38,44,46	0
2	EPE	H	700	15/15	0.98	0.12	23,32,42,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.