



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 30, 2022 – 10:05 AM EDT

PDB ID : 7R8F  
Title : Crystal structure of Pseudoceanicola lipolyticus Argonaute  
Authors : Shin, Y.; Murakami, K.S.  
Deposited on : 2021-06-26  
Resolution : 3.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.29  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1665 (3.20-3.12)
Clashscore	141614	1804 (3.20-3.12)
Ramachandran outliers	138981	1770 (3.20-3.12)
Sidechain outliers	138945	1769 (3.20-3.12)
RSRZ outliers	127900	1616 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	789	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 6019 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Argonaute.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	766	6019	3827	1073	1091	28	0	0	0

### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Argonaute



## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	197.94Å 197.94Å 197.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.48 – 3.16 49.48 – 3.16	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.48-3.16) 100.0 (49.48-3.16)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.75 (at 3.12Å)	Xtrriage
Refinement program	PHENIX (1.19.1_4122: ???)	Depositor
R, $R_{free}$	0.214 , 0.258 0.216 , 0.258	Depositor DCC
$R_{free}$ test set	1999 reflections (8.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	102.3	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 48.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.027 for -l,-k,-h	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6019	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	1/6154 (0.0%)	0.94	11/8323 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	676	GLU	CB-CG	-5.76	1.41	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	318	LEU	CA-CB-CG	10.67	139.83	115.30
1	A	31	LEU	CA-CB-CG	9.28	136.64	115.30
1	A	690	LEU	C-N-CA	-6.84	107.93	122.30
1	A	32	ASP	O-C-N	6.48	133.07	122.70
1	A	447	LEU	CA-CB-CG	-6.22	100.98	115.30
1	A	751	CYS	CA-CB-SG	6.17	125.10	114.00
1	A	28	LEU	N-CA-C	-5.51	96.11	111.00
1	A	294	ARG	CB-CG-CD	-5.35	97.69	111.60
1	A	226	LEU	CA-CB-CG	5.25	127.37	115.30
1	A	473	ARG	CA-CB-CG	5.24	124.92	113.40
1	A	289	ALA	N-CA-C	-5.21	96.94	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	288	ARG	Mainchain
1	A	696	LEU	Peptide
1	A	753	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6019	0	6063	161	0
All	All	6019	0	6063	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:GLY:HA2	1:A:86:VAL:HG12	1.25	1.16
1:A:13:LEU:HA	1:A:16:LEU:CD1	1.94	0.98
1:A:591:ARG:HG2	1:A:592:GLU:HG3	1.51	0.90
1:A:13:LEU:HA	1:A:16:LEU:HD12	1.57	0.87
1:A:746:PRO:HD2	1:A:752:MET:HE1	1.59	0.84
1:A:145:ARG:HH12	1:A:148:ASP:H	1.26	0.82
1:A:7:LEU:HD12	1:A:170:VAL:HG12	1.63	0.80
1:A:678:THR:O	1:A:680:GLU:N	2.17	0.77
1:A:32:ASP:HB2	1:A:35:GLU:HB2	1.68	0.75
1:A:35:GLU:OE2	1:A:38:LYS:NZ	2.20	0.72
1:A:621:VAL:HG11	1:A:641:PHE:CZ	2.24	0.72
1:A:118:LEU:HD13	1:A:169:ILE:HD11	1.71	0.71
1:A:56:VAL:HG22	1:A:112:ARG:HD2	1.71	0.71
1:A:487:GLU:OE1	1:A:585:ARG:NH2	2.25	0.70
1:A:146:LEU:HD21	1:A:295:GLN:HG3	1.73	0.69
1:A:284:THR:HG22	1:A:289:ALA:HB3	1.74	0.69
1:A:13:LEU:HA	1:A:16:LEU:HD11	1.75	0.69
1:A:34:THR:OG1	1:A:590:GLN:NE2	2.25	0.68
1:A:145:ARG:NH1	1:A:148:ASP:H	1.91	0.68
1:A:23:TYR:O	1:A:65:PHE:HA	1.95	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:604:THR:HG22	1:A:640:THR:HG23	1.75	0.67
1:A:754:LEU:HD22	1:A:758:ILE:HD11	1.77	0.66
1:A:13:LEU:HD23	1:A:16:LEU:HD12	1.77	0.66
1:A:13:LEU:HD23	1:A:16:LEU:CD1	2.25	0.65
1:A:576:GLU:HB2	1:A:579:ARG:HB2	1.79	0.64
1:A:334:PHE:CE2	1:A:694:LEU:HD13	2.32	0.64
1:A:544:SER:HA	1:A:546:TRP:CH2	2.35	0.62
1:A:130:GLN:HB2	1:A:137:PHE:CE1	2.35	0.62
1:A:318:LEU:HD23	1:A:325:LEU:O	2.00	0.61
1:A:185:ALA:O	1:A:258:GLY:HA2	2.01	0.61
1:A:427:GLU:HG2	1:A:429:ILE:HD11	1.81	0.61
1:A:16:LEU:CD1	1:A:325:LEU:HD11	2.31	0.61
1:A:293:GLN:O	1:A:296:THR:HG22	2.01	0.60
1:A:395:LEU:O	1:A:430:GLU:HA	2.02	0.60
1:A:510:PHE:HE1	1:A:515:PRO:HD3	1.68	0.59
1:A:79:HIS:O	1:A:86:VAL:HG22	2.01	0.59
1:A:27:GLY:HA2	1:A:86:VAL:CG1	2.17	0.59
1:A:27:GLY:CA	1:A:86:VAL:HG12	2.16	0.59
1:A:16:LEU:HD11	1:A:325:LEU:HD11	1.85	0.58
1:A:13:LEU:CD2	1:A:16:LEU:HD12	2.33	0.58
1:A:297:ILE:HG21	1:A:713:GLN:HG2	1.84	0.58
1:A:13:LEU:HD21	1:A:325:LEU:CD2	2.32	0.58
1:A:754:LEU:HD13	1:A:758:ILE:HD11	1.84	0.58
1:A:13:LEU:HD21	1:A:325:LEU:HD21	1.86	0.58
1:A:550:LEU:HD13	1:A:743:LEU:HD21	1.86	0.57
1:A:311:ILE:HD13	1:A:315:LEU:HD12	1.87	0.56
1:A:3:LEU:HD11	1:A:692:SER:HB3	1.87	0.56
1:A:33:GLU:CG	1:A:593:GLN:HE22	2.18	0.56
1:A:453:ARG:NE	1:A:455:GLU:OE2	2.32	0.56
1:A:33:GLU:HG2	1:A:593:GLN:HE22	1.71	0.55
1:A:613:GLU:HA	1:A:615:LYS:HE2	1.88	0.55
1:A:23:TYR:CE2	1:A:90:PRO:HG3	2.42	0.55
1:A:55:PHE:CE2	1:A:68:VAL:HG22	2.42	0.54
1:A:12:GLY:O	1:A:16:LEU:HD11	2.08	0.54
1:A:13:LEU:CD2	1:A:325:LEU:HG	2.38	0.54
1:A:334:PHE:CE1	1:A:336:THR:HB	2.44	0.53
1:A:487:GLU:HG3	1:A:492:LYS:O	2.09	0.53
1:A:617:GLN:HG3	1:A:618:VAL:N	2.23	0.53
1:A:118:LEU:CD1	1:A:169:ILE:HD11	2.37	0.53
1:A:243:ALA:HB1	1:A:247:ALA:HB2	1.89	0.53
1:A:233:ILE:HD12	1:A:237:GLN:HG2	1.90	0.53

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:PRO:HB2	1:A:458:SER:HB2	1.91	0.53
1:A:756:LEU:HG	1:A:760:LEU:HD22	1.91	0.53
1:A:361:PHE:HD1	1:A:709:PRO:HG3	1.75	0.52
1:A:380:VAL:HG22	1:A:381:GLY:N	2.26	0.51
1:A:221:VAL:HG12	1:A:236:ALA:HB2	1.92	0.51
1:A:22:LEU:HG	1:A:95:LEU:HD11	1.93	0.51
1:A:688:PRO:O	1:A:708:ALA:N	2.43	0.51
1:A:122:LEU:HD11	1:A:315:LEU:HD21	1.92	0.50
1:A:600:THR:HA	1:A:640:THR:OG1	2.11	0.50
1:A:591:ARG:HG2	1:A:592:GLU:CG	2.34	0.50
1:A:744:THR:HA	1:A:752:MET:CE	2.42	0.50
1:A:80:ARG:HE	1:A:85:MET:HG3	1.77	0.50
1:A:98:ARG:HG3	1:A:100:ASP:OD1	2.10	0.50
1:A:334:PHE:HE1	1:A:336:THR:HB	1.75	0.49
1:A:7:LEU:HD12	1:A:170:VAL:CG1	2.39	0.49
1:A:80:ARG:HH21	1:A:85:MET:HG3	1.77	0.49
1:A:509:ILE:HA	1:A:509:ILE:HD12	1.64	0.49
1:A:708:ALA:HB3	1:A:709:PRO:HD3	1.94	0.49
1:A:39:ASN:HA	1:A:42:LEU:HB3	1.95	0.48
1:A:370:MET:HG3	1:A:374:MET:HG3	1.95	0.48
1:A:121:PRO:HG2	1:A:318:LEU:HD12	1.95	0.47
1:A:13:LEU:HD23	1:A:325:LEU:HD11	1.96	0.47
1:A:240:VAL:HG22	1:A:252:ILE:HG22	1.97	0.47
1:A:219:TRP:HB2	1:A:225:SER:HB3	1.96	0.47
1:A:572:THR:HG22	1:A:583:VAL:HG22	1.96	0.46
1:A:117:VAL:HB	1:A:320:ILE:HG21	1.98	0.46
1:A:429:ILE:HG22	1:A:430:GLU:H	1.80	0.46
1:A:656:VAL:O	1:A:727:PRO:HD2	2.16	0.46
1:A:146:LEU:HD13	1:A:146:LEU:HA	1.81	0.45
1:A:11:GLU:O	1:A:325:LEU:HA	2.17	0.45
1:A:23:TYR:HA	1:A:90:PRO:HA	1.98	0.45
1:A:704:CYS:HB3	1:A:706:THR:O	2.16	0.45
1:A:508:ARG:NH1	1:A:515:PRO:HB3	2.32	0.45
1:A:564:VAL:HG21	1:A:594:LEU:HG	1.99	0.45
1:A:571:PHE:CD1	1:A:602:VAL:HG11	2.52	0.45
1:A:229:GLY:O	1:A:231:VAL:N	2.48	0.45
1:A:453:ARG:HB3	1:A:455:GLU:HG3	1.97	0.45
1:A:55:PHE:HE2	1:A:68:VAL:HG22	1.80	0.45
1:A:83:ARG:HB3	1:A:84:ALA:H	1.55	0.45
1:A:595:LEU:HD22	1:A:595:LEU:HA	1.78	0.45
1:A:600:THR:O	1:A:604:THR:HG23	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:581:VAL:O	1:A:582:ARG:HD3	2.17	0.45
1:A:604:THR:CG2	1:A:640:THR:HG23	2.46	0.45
1:A:13:LEU:CD2	1:A:325:LEU:CG	2.95	0.45
1:A:690:LEU:HD12	1:A:738:PHE:HE1	1.82	0.45
1:A:169:ILE:HD13	1:A:169:ILE:HA	1.74	0.44
1:A:24:ALA:HB1	1:A:64:GLN:OE1	2.17	0.44
1:A:43:LEU:HD12	1:A:43:LEU:HA	1.81	0.44
1:A:145:ARG:O	1:A:149:VAL:O	2.36	0.44
1:A:64:GLN:HB2	1:A:65:PHE:H	1.25	0.44
1:A:655:ASP:HB2	1:A:727:PRO:HG3	1.99	0.43
1:A:523:ARG:HD2	1:A:523:ARG:H	1.83	0.43
1:A:573:MET:O	1:A:581:VAL:HA	2.17	0.43
1:A:54:PRO:HG3	1:A:113:TYR:HD2	1.83	0.43
1:A:358:LYS:H	1:A:358:LYS:HG2	1.64	0.43
1:A:593:GLN:HG3	1:A:630:TRP:CD2	2.52	0.43
1:A:145:ARG:HH12	1:A:148:ASP:N	2.05	0.43
1:A:507:LYS:HG2	1:A:520:GLN:HB3	2.00	0.43
1:A:26:LYS:HA	1:A:26:LYS:HD2	1.42	0.43
1:A:567:ASN:HA	1:A:588:SER:HB3	2.01	0.43
1:A:118:LEU:HD23	1:A:118:LEU:HA	1.84	0.43
1:A:377:ASP:HB3	1:A:380:VAL:HG13	2.00	0.43
1:A:483:CYS:SG	1:A:494:VAL:HG22	2.59	0.43
1:A:759:LYS:O	1:A:763:ILE:HG12	2.18	0.42
1:A:429:ILE:HG22	1:A:430:GLU:N	2.35	0.42
1:A:609:LYS:HB2	1:A:609:LYS:HE2	1.70	0.42
1:A:699:ASN:O	1:A:722:ARG:HA	2.19	0.42
1:A:211:PHE:CD1	1:A:263:TYR:HB3	2.54	0.42
1:A:219:TRP:CB	1:A:225:SER:HB3	2.49	0.42
1:A:228:GLU:HB2	1:A:233:ILE:HG13	2.01	0.42
1:A:728:MET:HE2	1:A:733:ALA:N	2.35	0.42
1:A:360:ARG:O	1:A:364:MET:HG2	2.19	0.42
1:A:376:LEU:HA	1:A:376:LEU:HD23	1.86	0.42
1:A:8:PHE:CE2	1:A:331:ALA:HB2	2.54	0.42
1:A:169:ILE:HG23	1:A:169:ILE:HD12	1.76	0.42
1:A:488:LYS:HE3	1:A:488:LYS:HB3	1.59	0.42
1:A:607:LEU:O	1:A:611:LEU:HG	2.20	0.42
1:A:703:ILE:HG13	1:A:734:LEU:HD22	2.01	0.41
1:A:754:LEU:HD13	1:A:758:ILE:CD1	2.49	0.41
1:A:76:PRO:C	1:A:78:ASP:H	2.23	0.41
1:A:4:GLU:OE1	1:A:304:ARG:NH1	2.52	0.41
1:A:33:GLU:HG2	1:A:593:GLN:NE2	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:616:LYS:HE3	1:A:616:LYS:HB3	1.69	0.41
1:A:412:VAL:O	1:A:416:GLN:HG3	2.21	0.41
1:A:495:GLN:HG3	1:A:538:LYS:O	2.21	0.41
1:A:129:TRP:CZ3	1:A:201:LEU:HD13	2.56	0.41
1:A:338:THR:HG23	1:A:691:GLY:CA	2.51	0.41
1:A:447:LEU:HD23	1:A:447:LEU:HA	1.78	0.41
1:A:13:LEU:CD2	1:A:325:LEU:HD21	2.50	0.41
1:A:744:THR:HA	1:A:752:MET:HE3	2.03	0.41
1:A:690:LEU:O	1:A:704:CYS:O	2.39	0.41
1:A:510:PHE:CE1	1:A:515:PRO:HD3	2.51	0.41
1:A:564:VAL:HG13	1:A:569:ALA:HB2	2.03	0.40
1:A:671:LEU:O	1:A:688:PRO:HD3	2.21	0.40
1:A:372:ARG:O	1:A:376:LEU:HG	2.21	0.40
1:A:448:LEU:HD23	1:A:448:LEU:HA	1.94	0.40
1:A:523:ARG:HD2	1:A:523:ARG:N	2.36	0.40
1:A:149:VAL:HA	1:A:179:THR:HA	2.03	0.40
1:A:496:VAL:O	1:A:538:LYS:HE3	2.22	0.40
1:A:526:ASN:OD1	1:A:529:GLY:N	2.45	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	764/789 (97%)	714 (94%)	40 (5%)	10 (1%)	<b>12</b> 44

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	679	GLN
1	A	33	GLU
1	A	81	VAL

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	77	VAL
1	A	64	GLN
1	A	230	ASN
1	A	73	THR
1	A	245	ASN
1	A	29	SER
1	A	471	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	642/659 (97%)	564 (88%)	78 (12%)	5 20

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LEU
1	A	25	VAL
1	A	26	LYS
1	A	28	LEU
1	A	35	GLU
1	A	56	VAL
1	A	60	ARG
1	A	64	GLN
1	A	70	ASN
1	A	83	ARG
1	A	85	MET
1	A	87	LYS
1	A	89	VAL
1	A	91	THR
1	A	95	LEU
1	A	98	ARG
1	A	112	ARG
1	A	146	LEU
1	A	148	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	195	LEU
1	A	226	LEU
1	A	265	THR
1	A	268	ASN
1	A	270	ARG
1	A	284	THR
1	A	287	ARG
1	A	296	THR
1	A	302	GLU
1	A	303	ARG
1	A	318	LEU
1	A	320	ILE
1	A	324	LYS
1	A	335	PHE
1	A	336	THR
1	A	358	LYS
1	A	359	ASP
1	A	365	GLN
1	A	366	GLU
1	A	372	ARG
1	A	378	LYS
1	A	380	VAL
1	A	384	HIS
1	A	425	ARG
1	A	444	MET
1	A	449	GLU
1	A	458	SER
1	A	463	VAL
1	A	467	ARG
1	A	473	ARG
1	A	481	MET
1	A	487	GLU
1	A	494	VAL
1	A	501	SER
1	A	509	ILE
1	A	516	THR
1	A	521	ARG
1	A	523	ARG
1	A	528	LYS
1	A	541	LEU
1	A	550	LEU
1	A	590	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	595	LEU
1	A	598	GLN
1	A	607	LEU
1	A	616	LYS
1	A	617	GLN
1	A	620	ARG
1	A	625	ARG
1	A	650	ILE
1	A	669	LEU
1	A	676	GLU
1	A	690	LEU
1	A	703	ILE
1	A	712	LEU
1	A	715	THR
1	A	758	ILE
1	A	760	LEU
1	A	766	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	590	GLN
1	A	593	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	766/789 (97%)	-0.04	17 (2%) <span style="border: 1px solid blue; padding: 2px;">62</span> <span style="border: 1px solid gray; padding: 2px;">47</span>	51, 89, 155, 186	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	473	ARG	6.0
1	A	472	PRO	4.0
1	A	284	THR	3.7
1	A	524	GLY	3.7
1	A	474	ALA	3.6
1	A	286	GLY	3.1
1	A	285	HIS	2.7
1	A	680	GLU	2.7
1	A	63	GLU	2.5
1	A	22	LEU	2.3
1	A	28	LEU	2.2
1	A	75	PHE	2.2
1	A	82	VAL	2.2
1	A	288	ARG	2.1
1	A	260	ALA	2.1
1	A	228	GLU	2.0
1	A	55	PHE	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.