



wwPDB EM Validation Summary Report ⓘ

Jul 18, 2024 – 10:38 pm BST

PDB ID : 8R8M
EMDB ID : EMD-19004
Title : 70S Escherichia coli ribosome with Paenilamicin B2 bound with hybrid A/P- and hybrid P/E-tRNA.
Authors : Koller, T.O.; Wilson, D.N.
Deposited on : 2023-11-29
Resolution : 2.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	55	
2	1	46	
3	2	65	
4	3	38	
5	b	120	
6	c	273	
7	d	209	
8	e	201	
























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	f	179	 7% 96%
10	g	177	 7% 94% 5%
11	h	149	 25% 72%
12	i	142	 99%
13	j	123	 98%
14	k	144	 98%
15	l	136	 99%
16	m	127	 91% 7%
17	n	117	 98%
18	o	115	 99%
19	p	118	 97%
20	q	103	 97%
21	r	110	 97%
22	s	100	 92% 7%
23	t	104	 92% 6%
24	u	94	 97%
25	v	85	 92% 8%
26	w	78	 96%
27	x	63	 92% 6%
28	y	59	 98%
29	z	57	 98%
30	X	10	 90% 10%
31	4	70	 9% 60% 9% 31%
32	a	2903	 82% 12% 6%
33	A	1534	 84% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	C	233	
35	I	130	
36	J	103	
37	M	118	
38	N	101	
39	S	92	
40	G	179	
41	B	241	
42	D	206	
43	E	167	
44	F	135	
45	H	130	
46	O	89	
47	P	82	
48	Q	84	
49	R	75	
50	T	87	
51	U	71	
52	K	129	
53	L	124	
54	Z	85	
55	Y	76	
56	5	8	

2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 141380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	51	417	269	76	72	0	0

- Molecule 2 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	46	377	228	90	57	2	0	0

- Molecule 3 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	64	504	323	105	74	2	0	0

- Molecule 4 is a protein called Large ribosomal subunit protein bL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	38	302	185	65	48	4	0	0

- Molecule 5 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	b	119	2549	1135	466	829	119	0	0

- Molecule 6 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	c	271	2082	1288	423	364	7	0	0

- Molecule 7 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	d	209	1566	980	288	294	4	0	0

- Molecule 8 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	e	201	1552	974	283	290	5	0	0

- Molecule 9 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	f	177	1410	899	249	256	6	0	0

- Molecule 10 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	g	176	1323	832	243	246	2	0	0

- Molecule 11 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	h	41	303	194	54	54	1	0	0

- Molecule 12 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	i	142	1129	714	212	199	4	0	0

- Molecule 13 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	j	123	946	593	181	166	6	0	0

- Molecule 14 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 15 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	l	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
l	82	MS6	MET	variant	UNP P0ADY7

- Molecule 16 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	m	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 17 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	n	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 18 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 19 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	p	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 20 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 21 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	r	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 22 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	s	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 23 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	t	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 24 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	u	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 25 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	v	78	Total	C	N	O	S	0	0
			592	365	119	107	1		

- Molecule 26 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	w	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 27 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	x	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 28 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 29 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	z	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 30 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	10	Total	C	N	O	P	0	0
			212	95	35	72	10		

- Molecule 31 is a protein called Large ribosomal subunit protein bL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	4	48	Total	C	N	O	S	0	0
			373	232	66	69	6		

- Molecule 32 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	2738	Total	C	N	O	P	0	0
			58815	26243	10844	18990	2738		

- Molecule 33 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	A	1519	Total	C	N	O	P	0	0
			32608	14548	5986	10555	1519		

- Molecule 34 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	C	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 35 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 36 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	J	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 37 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	M	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 38 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 39 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	S	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	G	153	Total	C	N	O	S	0	0
			1203	750	231	218	4		

- Molecule 41 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	B	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 42 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 43 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	E	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 44 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	F	103	Total	C	N	O	S	0	0
			839	530	151	151	7		

- Molecule 45 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 46 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	P	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 48 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Q	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 49 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	R	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	T	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 51 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	U	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 52 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	K	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	IAS	ASN	variant	UNP P0A7R9

- Molecule 53 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	L	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 54 is a RNA chain called Leucine-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
54	Z	72	Total	C	N	O	P	S	0	0
			1547	693	281	500	72	1		

- Molecule 55 is a RNA chain called Isoleucine-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Y	73	Total	C	N	O	P	0	0
			1564	700	283	509	72		

- Molecule 56 is a protein called Paenilamicin B2.

Mol	Chain	Residues	Atoms				AltConf	Trace
56	5	8	Total	C	N	O	0	0
			71	42	16	13		

- Molecule 57 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
57	3	1	Total	Zn	0
			1	1	
57	4	1	Total	Zn	0
			1	1	

- Molecule 58 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
58	b	5	Total	Mg	0
			5	5	
58	c	1	Total	Mg	0
			1	1	
58	d	1	Total	Mg	0
			1	1	
58	p	1	Total	Mg	0
			1	1	
58	z	1	Total	Mg	0
			1	1	
58	a	207	Total	Mg	0
			207	207	
58	A	91	Total	Mg	0
			91	91	

- Molecule 59 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
59	d	1	Total K 1 1	0
59	5	1	Total K 1 1	0


- Molecule 60 is water.

Mol	Chain	Residues	Atoms	AltConf
60	X	3	Total O 3 3	0
60	a	1	Total O 1 1	0
60	A	19	Total O 19 19	0
60	C	1	Total O 1 1	0
60	Z	2	Total O 2 2	0
60	5	10	Total O 10 10	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein bL33




- Molecule 2: Large ribosomal subunit protein bL34




- Molecule 3: Large ribosomal subunit protein bL35



- Molecule 4: Large ribosomal subunit protein bL36A



- Molecule 5: 5S ribosomal RNA



- Molecule 6: Large ribosomal subunit protein uL2

Chain c:  98%



- Molecule 7: Large ribosomal subunit protein uL3

Chain d:  98%




- Molecule 8: Large ribosomal subunit protein uL4

Chain e:  98%





- Molecule 9: Large ribosomal subunit protein uL5

Chain f:  96% 7%





- Molecule 10: Large ribosomal subunit protein uL6

Chain g:  94% 7% 5%



- Molecule 11: Large ribosomal subunit protein bL9

Chain h:  25% 72%



- Molecule 12: Large ribosomal subunit protein uL13

Chain i:  99%



- Molecule 13: Large ribosomal subunit protein uL14

Chain j: 98%



- Molecule 14: 50S ribosomal protein L15

Chain k: 98%




- Molecule 15: Large ribosomal subunit protein uL16

Chain l: 99%




- Molecule 16: Large ribosomal subunit protein bL17

Chain m: 91% 7%




- Molecule 17: Large ribosomal subunit protein uL18

Chain n: 98%



- Molecule 18: Large ribosomal subunit protein bL19

Chain o: 99%




- Molecule 19: Large ribosomal subunit protein bL20

Chain p: 97%





- Molecule 20: Large ribosomal subunit protein bL21




- Molecule 21: Large ribosomal subunit protein uL22



- Molecule 22: Large ribosomal subunit protein uL23




- Molecule 23: Large ribosomal subunit protein uL24



- Molecule 24: 50S ribosomal protein L25




- Molecule 25: Large ribosomal subunit protein bL27



- Molecule 26: Large ribosomal subunit protein bL28



• Molecule 27: Large ribosomal subunit protein uL29




• Molecule 28: Large ribosomal subunit protein uL30




• Molecule 29: Large ribosomal subunit protein bL32




• Molecule 30: mRNA




• Molecule 31: Large ribosomal subunit protein bL31A






• Molecule 32: 23S ribosomal RNA







• Molecule 33: 16S ribosomal RNA









• Molecule 34: Small ribosomal subunit protein uS3





• Molecule 35: Small ribosomal subunit protein uS9




• Molecule 36: Small ribosomal subunit protein uS10





• Molecule 37: Small ribosomal subunit protein uS13





- Molecule 38: Small ribosomal subunit protein uS14





- Molecule 39: Small ribosomal subunit protein uS19





- Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S2




- Molecule 42: Small ribosomal subunit protein uS4







- Molecule 43: Small ribosomal subunit protein uS5



- Molecule 44: 30S ribosomal protein S6, fully modified isoform





- Molecule 45: Small ribosomal subunit protein uS8




- Molecule 46: Small ribosomal subunit protein uS15




- Molecule 47: 30S ribosomal protein S16




- Molecule 48: Small ribosomal subunit protein uS17




- Molecule 49: Small ribosomal subunit protein bS18





• Molecule 50: 30S ribosomal protein S20




• Molecule 51: Small ribosomal subunit protein bS21



• Molecule 52: Small ribosomal subunit protein uS11





• Molecule 53: Small ribosomal subunit protein uS12




• Molecule 54: Leucine-tRNA




• Molecule 55: Isoleucine-tRNA



- Molecule 56: Paenilamicin B2

Chain 5:  12% 88% 12%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	13681	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	900	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.122	Depositor
Minimum map value	-0.059	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0055	Depositor
Map size (Å)	480.0, 480.0, 480.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8, 0.8, 0.8	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, YFZ, K, 2MG, YFQ, IAS, UR3, MIA, 4D4, MG, 2MA, ORD, 6MZ, MKX, MS6, YF5, 5MC, 5MU, OMU, H2U, ZN, MEQ, OMG, 4OC, DAL, G7M, D2T, SPD, 3TD, PSU, 1MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.39	0/424	0.63	0/565
2	1	0.48	0/380	0.71	0/498
3	2	0.49	0/513	0.66	0/676
4	3	0.43	0/303	0.68	0/397
5	b	0.52	0/2850	0.96	0/4444
6	c	0.43	0/2121	0.67	0/2852
7	d	0.42	0/1576	0.62	0/2119
8	e	0.40	0/1571	0.59	0/2113
9	f	0.36	0/1434	0.58	0/1926
10	g	0.34	0/1343	0.62	0/1816
11	h	0.36	0/306	0.74	0/413
12	i	0.37	0/1152	0.57	0/1551
13	j	0.38	0/955	0.65	0/1279
14	k	0.45	0/1062	0.60	0/1413
15	l	0.37	0/1073	0.61	0/1433
16	m	0.43	0/958	0.64	1/1281 (0.1%)
17	n	0.35	0/902	0.56	0/1209
18	o	0.41	0/929	0.63	0/1242
19	p	0.44	0/960	0.66	0/1278
20	q	0.42	0/829	0.65	0/1107
21	r	0.42	0/864	0.60	0/1156
22	s	0.38	0/744	0.57	0/994
23	t	0.38	0/787	0.64	0/1051
24	u	0.36	0/766	0.60	0/1025
25	v	0.45	0/599	0.58	0/792
26	w	0.44	0/635	0.64	0/848
27	x	0.33	0/502	0.57	0/667
28	y	0.37	0/453	0.59	0/605
29	z	0.46	0/450	0.65	0/599
30	X	0.55	0/236	0.85	0/365
31	4	0.36	0/380	0.60	0/508

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	a	0.60	0/65299	1.00	37/101863 (0.0%)
33	A	0.51	0/36287	0.96	5/56602 (0.0%)
34	C	0.33	0/1651	0.55	0/2225
35	I	0.38	0/1034	0.60	0/1375
36	J	0.34	0/796	0.61	0/1077
37	M	0.35	0/900	0.56	0/1204
38	N	0.35	0/817	0.54	0/1088
39	S	0.35	0/685	0.55	0/922
40	G	0.35	0/1219	0.56	0/1635
41	B	0.35	0/1784	0.56	0/2403
42	D	0.36	0/1665	0.60	0/2227
43	E	0.35	0/1165	0.57	0/1568
44	F	0.34	0/858	0.56	0/1160
45	H	0.35	0/989	0.57	0/1326
46	O	0.36	0/722	0.50	0/964
47	P	0.35	0/653	0.62	0/877
48	Q	0.33	0/650	0.59	0/871
49	R	0.35	0/553	0.56	0/742
50	T	0.34	0/676	0.53	0/895
51	U	0.36	0/597	0.59	0/792
52	K	0.37	0/884	0.57	1/1191 (0.1%)
53	L	0.34	0/960	0.65	0/1286
54	Z	0.58	0/1693	1.01	0/2628
55	Y	0.60	0/1711	0.98	0/2659
56	5	0.52	0/3	1.08	0/2
All	All	0.52	0/152308	0.90	44/227804 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
32	a	0	5
52	K	0	1
56	5	0	1
All	All	0	7

There are no bond length outliers.

The worst 5 of 44 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	a	512	G	O4'-C1'-N9	7.95	114.56	108.20
32	a	2724	U	O5'-P-OP2	-6.90	99.49	105.70
32	a	2848	G	O4'-C1'-N9	6.59	113.47	108.20
32	a	1936	A	O4'-C1'-N9	6.39	113.31	108.20
32	a	204	A	O3'-P-O5'	-6.29	92.06	104.00

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
32	a	249	C	Sidechain
32	a	2595	G	Sidechain
32	a	463	G	Sidechain
32	a	512	G	Sidechain
32	a	980	A	Sidechain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	49/55 (89%)	49 (100%)	0	0	100	100
2	1	44/46 (96%)	44 (100%)	0	0	100	100
3	2	62/65 (95%)	60 (97%)	1 (2%)	1 (2%)	9	13
4	3	36/38 (95%)	36 (100%)	0	0	100	100
6	c	269/273 (98%)	261 (97%)	8 (3%)	0	100	100
7	d	206/209 (99%)	198 (96%)	8 (4%)	0	100	100
8	e	199/201 (99%)	195 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	f	175/179 (98%)	169 (97%)	6 (3%)	0	100	100
10	g	174/177 (98%)	167 (96%)	6 (3%)	1 (1%)	25	36
11	h	39/149 (26%)	35 (90%)	4 (10%)	0	100	100
12	i	140/142 (99%)	136 (97%)	4 (3%)	0	100	100
13	j	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
14	k	142/144 (99%)	136 (96%)	5 (4%)	1 (1%)	22	32
15	l	132/136 (97%)	129 (98%)	3 (2%)	0	100	100
16	m	116/127 (91%)	110 (95%)	6 (5%)	0	100	100
17	n	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
18	o	112/115 (97%)	109 (97%)	3 (3%)	0	100	100
19	p	115/118 (98%)	115 (100%)	0	0	100	100
20	q	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
21	r	108/110 (98%)	107 (99%)	0	1 (1%)	17	25
22	s	91/100 (91%)	90 (99%)	1 (1%)	0	100	100
23	t	100/104 (96%)	92 (92%)	7 (7%)	1 (1%)	15	23
24	u	92/94 (98%)	88 (96%)	3 (3%)	1 (1%)	14	20
25	v	76/85 (89%)	74 (97%)	2 (3%)	0	100	100
26	w	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
27	x	60/63 (95%)	58 (97%)	2 (3%)	0	100	100
28	y	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
29	z	54/57 (95%)	53 (98%)	1 (2%)	0	100	100
31	4	46/70 (66%)	43 (94%)	2 (4%)	1 (2%)	6	7
34	C	204/233 (88%)	195 (96%)	9 (4%)	0	100	100
35	I	125/130 (96%)	116 (93%)	9 (7%)	0	100	100
36	J	96/103 (93%)	88 (92%)	5 (5%)	3 (3%)	4	3
37	M	113/118 (96%)	110 (97%)	3 (3%)	0	100	100
38	N	98/101 (97%)	98 (100%)	0	0	100	100
39	S	82/92 (89%)	79 (96%)	3 (4%)	0	100	100
40	G	151/179 (84%)	142 (94%)	6 (4%)	3 (2%)	7	9
41	B	222/241 (92%)	212 (96%)	10 (4%)	0	100	100
42	D	203/206 (98%)	197 (97%)	4 (2%)	2 (1%)	15	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	E	154/167 (92%)	148 (96%)	6 (4%)	0	100	100
44	F	101/135 (75%)	97 (96%)	3 (3%)	1 (1%)	15	23
45	H	127/130 (98%)	119 (94%)	7 (6%)	1 (1%)	19	29
46	O	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
47	P	79/82 (96%)	69 (87%)	8 (10%)	2 (2%)	5	6
48	Q	77/84 (92%)	72 (94%)	5 (6%)	0	100	100
49	R	64/75 (85%)	61 (95%)	3 (5%)	0	100	100
50	T	84/87 (97%)	82 (98%)	2 (2%)	0	100	100
51	U	68/71 (96%)	67 (98%)	0	1 (2%)	10	14
52	K	113/129 (88%)	109 (96%)	4 (4%)	0	100	100
53	L	120/124 (97%)	116 (97%)	4 (3%)	0	100	100
All	All	5471/5913 (92%)	5269 (96%)	182 (3%)	20 (0%)	38	48

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
40	G	6	VAL
40	G	57	SER
42	D	10	LYS
42	D	98	LEU
24	u	58	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	46/49 (94%)	44 (96%)	2 (4%)	29	46
2	1	38/38 (100%)	36 (95%)	2 (5%)	22	37
3	2	51/52 (98%)	46 (90%)	5 (10%)	8	11
4	3	34/34 (100%)	33 (97%)	1 (3%)	42	62
6	c	216/218 (99%)	213 (99%)	3 (1%)	67	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	d	163/163 (100%)	159 (98%)	4 (2%)	47	67
8	e	165/165 (100%)	161 (98%)	4 (2%)	49	68
9	f	148/150 (99%)	143 (97%)	5 (3%)	37	56
10	g	137/138 (99%)	129 (94%)	8 (6%)	20	32
11	h	32/114 (28%)	28 (88%)	4 (12%)	4	5
12	i	116/116 (100%)	114 (98%)	2 (2%)	60	78
13	j	104/104 (100%)	102 (98%)	2 (2%)	57	75
14	k	103/103 (100%)	101 (98%)	2 (2%)	57	75
15	l	107/107 (100%)	106 (99%)	1 (1%)	78	90
16	m	98/103 (95%)	96 (98%)	2 (2%)	55	74
17	n	86/87 (99%)	85 (99%)	1 (1%)	71	85
18	o	99/100 (99%)	99 (100%)	0	100	100
19	p	89/90 (99%)	86 (97%)	3 (3%)	37	56
20	q	84/84 (100%)	81 (96%)	3 (4%)	35	54
21	r	93/93 (100%)	91 (98%)	2 (2%)	52	71
22	s	80/84 (95%)	79 (99%)	1 (1%)	69	84
23	t	83/85 (98%)	78 (94%)	5 (6%)	19	31
24	u	78/78 (100%)	76 (97%)	2 (3%)	46	66
25	v	59/63 (94%)	59 (100%)	0	100	100
26	w	67/68 (98%)	65 (97%)	2 (3%)	41	61
27	x	54/55 (98%)	50 (93%)	4 (7%)	13	22
28	y	48/49 (98%)	48 (100%)	0	100	100
29	z	47/48 (98%)	47 (100%)	0	100	100
31	4	44/62 (71%)	39 (89%)	5 (11%)	5	7
34	C	170/190 (90%)	165 (97%)	5 (3%)	42	62
35	I	105/107 (98%)	102 (97%)	3 (3%)	42	62
36	J	86/90 (96%)	81 (94%)	5 (6%)	20	32
37	M	93/96 (97%)	90 (97%)	3 (3%)	39	59
38	N	83/84 (99%)	83 (100%)	0	100	100
39	S	72/79 (91%)	69 (96%)	3 (4%)	30	47
40	G	126/147 (86%)	120 (95%)	6 (5%)	25	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	B	186/199 (94%)	180 (97%)	6 (3%)	39	59
42	D	172/173 (99%)	159 (92%)	13 (8%)	13	20
43	E	119/126 (94%)	118 (99%)	1 (1%)	81	91
44	F	90/116 (78%)	88 (98%)	2 (2%)	52	71
45	H	104/105 (99%)	100 (96%)	4 (4%)	33	51
46	O	76/77 (99%)	75 (99%)	1 (1%)	69	84
47	P	65/65 (100%)	63 (97%)	2 (3%)	40	60
48	Q	73/78 (94%)	70 (96%)	3 (4%)	30	48
49	R	57/65 (88%)	56 (98%)	1 (2%)	59	76
50	T	65/66 (98%)	63 (97%)	2 (3%)	40	60
51	U	60/61 (98%)	56 (93%)	4 (7%)	16	26
52	K	89/98 (91%)	86 (97%)	3 (3%)	37	56
53	L	102/103 (99%)	99 (97%)	3 (3%)	42	62
All	All	4562/4825 (94%)	4417 (97%)	145 (3%)	42	59

5 of 145 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
42	D	131	ASN
53	L	51	LYS
43	E	26	LYS
48	Q	65	ARG
19	p	11	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
24	u	49	ASN
50	T	52	ASN
36	J	56	HIS
51	U	64	ASN
43	E	82	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	X	9/10 (90%)	1 (11%)	0
32	a	2729/2903 (94%)	297 (10%)	0
33	A	1515/1534 (98%)	198 (13%)	31 (2%)
5	b	118/120 (98%)	9 (7%)	0
54	Z	68/85 (80%)	16 (23%)	4 (5%)
55	Y	69/76 (90%)	11 (15%)	4 (5%)
All	All	4508/4728 (95%)	532 (11%)	39 (0%)

5 of 532 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	b	25	U
5	b	36	C
5	b	44	G
5	b	56	G
5	b	67	G

5 of 39 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
33	A	1225	A
55	Y	7	U
33	A	1335	U
54	Z	7	G
55	Y	46	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

45 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
33	2MG	A	1516	33	18,26,27	1.11	2 (11%)	16,38,41	0.81	0
32	6MZ	a	2030	32	18,25,26	0.75	0	16,36,39	0.81	1 (6%)
32	2MA	a	2503	58,32	17,25,26	1.14	2 (11%)	17,37,40	0.95	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MU	a	1939	32	19,22,23	0.49	0	28,32,35	0.36	0
15	4D4	l	81	15	9,11,12	0.59	0	8,13,15	0.56	0
32	2MG	a	1835	32	18,26,27	1.04	2 (11%)	16,38,41	0.73	0
32	3TD	a	1915	32	18,22,23	0.96	1 (5%)	22,32,35	0.78	0
32	PSU	a	2504	32	18,21,22	0.96	1 (5%)	22,30,33	0.75	0
33	2MG	A	966	33	18,26,27	1.11	2 (11%)	16,38,41	0.63	0
54	MIA	Z	38	54	24,31,32	0.79	1 (4%)	26,44,47	3.28	2 (7%)
33	G7M	A	527	33	20,26,27	1.11	2 (10%)	17,39,42	0.67	0
32	PSU	a	1911	32	18,21,22	0.92	1 (5%)	22,30,33	0.65	0
56	YFQ	5	6	56	3,6,7	0.74	0	0,6,8	-	-
32	PSU	a	2457	32	18,21,22	1.03	1 (5%)	22,30,33	0.69	0
33	5MC	A	1407	33	18,22,23	0.32	0	26,32,35	0.74	0
53	D2T	L	89	53	7,9,10	0.94	0	6,11,13	1.74	3 (50%)
32	OMU	a	2552	32	19,22,23	0.34	0	26,31,34	0.46	0
33	5MC	A	967	33	18,22,23	0.36	0	26,32,35	0.61	0
32	PSU	a	2604	32	18,21,22	1.02	1 (5%)	22,30,33	0.83	0
33	UR3	A	1498	33	19,22,23	0.34	0	26,32,35	0.71	1 (3%)
32	PSU	a	1917	32	18,21,22	0.93	1 (5%)	22,30,33	0.63	0
32	OMG	a	2251	32,55	18,26,27	1.11	3 (16%)	19,38,41	0.67	0
55	MKX	Y	37	55	27,33,35	0.85	1 (3%)	29,49,54	1.32	4 (13%)
52	IAS	K	119	52	6,7,8	0.87	0	6,8,10	0.95	0
32	PSU	a	2580	58,32	18,21,22	1.04	1 (5%)	22,30,33	0.73	0
32	PSU	a	746	58,32	18,21,22	0.98	1 (5%)	22,30,33	0.60	0
32	5MU	a	747	32	19,22,23	0.35	0	28,32,35	0.40	0
32	PSU	a	955	32	18,21,22	0.90	1 (5%)	22,30,33	0.68	0
32	H2U	a	2449	32	18,21,22	0.73	1 (5%)	21,30,33	0.87	2 (9%)
56	YFZ	5	5	56	11,11,12	0.42	0	9,13,15	0.69	0
32	5MC	a	1962	32	18,22,23	0.43	0	26,32,35	0.73	0
32	PSU	a	2605	32	18,21,22	0.96	1 (5%)	22,30,33	0.91	1 (4%)
7	MEQ	d	150	7	8,9,10	0.54	0	5,10,12	0.85	0
32	6MZ	a	1618	32	18,25,26	0.62	0	16,36,39	0.80	1 (6%)
56	YFQ	5	3	56	3,6,7	0.69	0	0,6,8	-	-
32	2MG	a	2445	32	18,26,27	1.21	3 (16%)	16,38,41	0.75	0
56	YF5	5	1	56	15,17,18	0.48	0	16,21,23	0.88	0
56	DAL	5	2	56	3,4,5	0.57	0	2,4,6	1.06	0
56	ORD	5	4	56	6,7,8	0.51	0	2,7,9	0.29	0
32	G7M	a	2069	32	20,26,27	1.17	3 (15%)	17,39,42	0.60	0
32	OMC	a	2498	58,32	19,22,23	0.47	0	26,31,34	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
33	PSU	A	516	58,33	18,21,22	1.02	1 (5%)	22,30,33	0.77	1 (4%)
32	1MG	a	745	32	18,26,27	1.15	3 (16%)	19,39,42	0.43	0
33	4OC	A	1402	33	20,23,24	0.39	0	26,32,35	0.64	0
33	2MG	A	1207	33	18,26,27	1.02	2 (11%)	16,38,41	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	2MG	A	1516	33	-	0/5/27/28	0/3/3/3
32	6MZ	a	2030	32	-	1/5/27/28	0/3/3/3
32	2MA	a	2503	58,32	-	1/3/25/26	0/3/3/3
32	5MU	a	1939	32	-	0/7/25/26	0/2/2/2
15	4D4	l	81	15	-	3/11/12/14	-
32	2MG	a	1835	32	-	0/5/27/28	0/3/3/3
32	3TD	a	1915	32	-	2/7/25/26	0/2/2/2
32	PSU	a	2504	32	-	0/7/25/26	0/2/2/2
33	2MG	A	966	33	-	0/5/27/28	0/3/3/3
54	MIA	Z	38	54	-	2/11/33/34	0/3/3/3
33	G7M	A	527	33	-	1/3/25/26	0/3/3/3
32	PSU	a	1911	32	-	0/7/25/26	0/2/2/2
56	YFQ	5	6	56	-	0/2/5/7	-
32	PSU	a	2457	32	-	0/7/25/26	0/2/2/2
33	5MC	A	1407	33	-	0/7/25/26	0/2/2/2
53	D2T	L	89	53	-	3/7/12/14	-
32	OMU	a	2552	32	-	0/9/27/28	0/2/2/2
33	5MC	A	967	33	-	0/7/25/26	0/2/2/2
32	PSU	a	2604	32	-	0/7/25/26	0/2/2/2
33	UR3	A	1498	33	-	0/7/25/26	0/2/2/2
32	PSU	a	1917	32	-	0/7/25/26	0/2/2/2
32	OMG	a	2251	32,55	-	0/5/27/28	0/3/3/3
55	MKX	Y	37	55	-	4/10/48/50	0/4/4/4
52	IAS	K	119	52	-	0/7/7/8	-
32	PSU	a	2580	58,32	-	0/7/25/26	0/2/2/2
32	PSU	a	746	58,32	-	1/7/25/26	0/2/2/2
32	5MU	a	747	32	-	0/7/25/26	0/2/2/2
32	PSU	a	955	32	-	0/7/25/26	0/2/2/2
32	H2U	a	2449	32	-	0/7/38/39	0/2/2/2
56	YFZ	5	5	56	-	3/13/13/14	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	a	1962	32	-	2/7/25/26	0/2/2/2
32	PSU	a	2605	32	-	0/7/25/26	0/2/2/2
7	MEQ	d	150	7	-	2/8/9/11	-
32	6MZ	a	1618	32	-	0/5/27/28	0/3/3/3
56	YFQ	5	3	56	-	0/2/5/7	-
32	2MG	a	2445	32	-	0/5/27/28	0/3/3/3
56	YF5	5	1	56	-	4/19/21/23	-
56	DAL	5	2	56	-	0/0/2/4	-
56	ORD	5	4	56	-	2/5/6/8	-
32	G7M	a	2069	32	-	2/3/25/26	0/3/3/3
32	OMC	a	2498	58,32	-	0/9/27/28	0/2/2/2
33	PSU	A	516	58,33	-	0/7/25/26	0/2/2/2
32	1MG	a	745	32	-	0/3/25/26	0/3/3/3
33	4OC	A	1402	33	-	0/9/29/30	0/2/2/2
33	2MG	A	1207	33	-	0/5/27/28	0/3/3/3

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	A	516	PSU	C6-C5	3.96	1.39	1.35
32	a	1915	3TD	C6-C5	3.64	1.39	1.35
32	a	2604	PSU	C6-C5	3.62	1.39	1.35
32	a	1917	PSU	C6-C5	3.59	1.39	1.35
32	a	1911	PSU	C6-C5	3.58	1.39	1.35

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	Z	38	MIA	C11-S10-C2	16.06	114.26	102.27
55	Y	37	MKX	C14-C12-N11	-3.48	109.76	113.75
54	Z	38	MIA	C5-C6-N1	-3.10	118.23	120.81
55	Y	37	MKX	C13-N6-C10	-2.95	108.47	111.28
55	Y	37	MKX	C6-N6-C10	2.86	126.69	123.20

There are no chirality outliers.

5 of 33 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	L	89	D2T	O-C-CA-CB
55	Y	37	MKX	C5-C6-N6-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	Y	37	MKX	C5-C6-N6-C13
55	Y	37	MKX	N1-C6-N6-C10
55	Y	37	MKX	N1-C6-N6-C13

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 311 ligands modelled in this entry, 311 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19004. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 299




Y Index: 345




Z Index: 308


6.3.2 Raw map



X Index: 299



Y Index: 327




Z Index: 308


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0055. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1026 nm^3 ; this corresponds to an approximate mass of 927 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.417 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.417 \AA^{-1}

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.40	-	-
Author-provided FSC curve	2.33	2.71	2.37
Unmasked-calculated*	2.85	3.66	2.91

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.85 differs from the reported value 2.4 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19004 and PDB model 8R8M. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0055 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0055).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (0.0055) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9070	 0.6340
0	 0.9220	 0.6630
1	 0.9660	 0.7440
2	 0.9840	 0.7460
3	 0.9590	 0.6940
4	 0.6600	 0.4360
5	 0.8450	 0.6110
A	 0.8880	 0.5800
B	 0.7300	 0.4900
C	 0.8050	 0.5490
D	 0.5960	 0.4130
E	 0.9050	 0.6350
F	 0.8070	 0.5400
G	 0.5400	 0.3760
H	 0.9080	 0.6370
I	 0.7320	 0.4850
J	 0.6690	 0.4580
K	 0.9070	 0.6280
L	 0.8090	 0.5610
M	 0.7240	 0.4800
N	 0.8270	 0.5580
O	 0.8990	 0.6270
P	 0.7840	 0.5240
Q	 0.8030	 0.5460
R	 0.8720	 0.6070
S	 0.7820	 0.5170
T	 0.7420	 0.4910
U	 0.7140	 0.5150
X	 0.9290	 0.6400
Y	 0.5450	 0.3590
Z	 0.7640	 0.4840
a	 0.9680	 0.6930
b	 0.9550	 0.6490
c	 0.9740	 0.7310
d	 0.9630	 0.7180



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.9260	 0.6840
f	 0.7690	 0.5140
g	 0.8030	 0.5500
h	 0.8470	 0.5870
i	 0.9650	 0.7220
j	 0.9600	 0.7070
k	 0.9530	 0.7080
l	 0.9530	 0.7050
m	 0.9860	 0.7430
n	 0.9180	 0.6390
o	 0.9080	 0.6720
p	 0.9840	 0.7490
q	 0.9330	 0.6940
r	 0.9510	 0.7180
s	 0.9110	 0.6700
t	 0.9020	 0.6430
u	 0.9080	 0.6460
v	 0.9340	 0.7050
w	 0.9480	 0.6970
x	 0.8730	 0.6260
y	 0.9430	 0.7030
z	 0.9390	 0.7070