



# Full wwPDB EM Validation Report (i)

Dec 10, 2022 – 10:40 pm GMT

PDB ID : 6R9T  
EMDB ID : EMD-4772  
Title : Cryo-EM structure of autoinhibited human talin-1  
Authors : Dedden, D.; Schumacher, S.; Zacharias, M.; Biertumpfel, C.; Mizuno, N.  
Deposited on : 2019-04-04  
Resolution : 6.20 Å (reported)  
Based on initial models : 1SJ8, 2L7A, 5IC1, 2L7N, 3DYJ, 2KVP, 2L10, 2LQG, 3IVF, 2JSW

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbit : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**


The reported resolution of this entry is 6.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 16011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Talin-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2185	16011	9855	2859	3219	78	0	0


There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2542	LEU	-	expression tag	UNP Q9Y490
A	2543	VAL	-	expression tag	UNP Q9Y490
A	2544	VAL	-	expression tag	UNP Q9Y490
A	2545	LEU	-	expression tag	UNP Q9Y490
A	2546	PHE	-	expression tag	UNP Q9Y490
A	2547	GLN	-	expression tag	UNP Q9Y490

### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Talin-1





VAL	GLU
LEU	ASN
PHE	GLU
GLN	THR
VAL	VAL
VAL	VAL
LYS	LYS
GLU	GLU
LYS	LYS
ALA	MET
GLN	VAL
TLE	GLY
TLE	GLY
ALA	ALA
ALA	ALA
GLN	GLN
GLU	GLU
GLU	GLU
MET	MET
LEU	ARG
ARG	LYS
LYS	GLU
GLU	ARG
GLU	GLU
LEU	LEU
GLU	GLU
ALA	ALA
ARG	ARG
LYS	LYS
LEU	LEU
GLU	GLU
ALA	TLE
GLN	LYS
GLN	PHE
GLN	LEU
PRO	PRO
SER	SER
GLU	GLU
LEU	LEU
ARG	ARG
ASP	ASP
GLU	GLU
HIS	HIS
LEU	LEU
VAL	VAL

## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	30438	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	76.8	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.089	Depositor
Minimum map value	-0.029	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0232	Depositor
Map size (Å)	237.43999, 237.43999, 237.43999	wwPDB
Map dimensions	224, 224, 224	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.24	0/16192	0.39	0/21946

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	16011	0	16175	200	0
All	All	16011	0	16175	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:PHE:O	1:A:283:HIS:HB2	1.97	0.65
1:A:1998:PHE:HB3	1:A:2004:LEU:HB2	1.80	0.63
1:A:1919:ARG:HB3	1:A:1964:VAL:HG12	1.82	0.61
1:A:608:LEU:HG	1:A:654:GLN:HB3	1.84	0.60
1:A:2020:LEU:HD22	1:A:2129:LEU:HD23	1.85	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:645:GLY:HA3	1:A:722:VAL:HA	1.86	0.58
1:A:2142:GLY:H	1:A:2198:GLN:HB3	1.69	0.58
1:A:329:LEU:HB2	1:A:340:VAL:HB	1.85	0.57
1:A:244:GLN:NE2	1:A:289:MET:O	2.38	0.57
1:A:1246:ALA:O	1:A:1250:ASN:ND2	2.38	0.56
1:A:1937:LEU:HD13	1:A:1946:THR:HB	1.88	0.56
1:A:262:LEU:HD11	1:A:276:GLU:HB2	1.88	0.56
1:A:2034:VAL:HG12	1:A:2114:LEU:HG	1.88	0.56
1:A:2108:ASP:HB3	1:A:2111:VAL:HG23	1.88	0.55
1:A:2075:GLU:O	1:A:2206:ASN:ND2	2.39	0.55
1:A:1654:LYS:HE2	1:A:1656:PRO:HB3	1.88	0.54
1:A:2210:ARG:NH1	1:A:2214:ASP:OD2	2.40	0.54
1:A:1690:ARG:HD2	1:A:1693:ILE:HB	1.88	0.54
1:A:797:ARG:NH1	1:A:1045:CYS:SG	2.81	0.54
1:A:2130:LYS:NZ	1:A:2144:ARG:O	2.40	0.54
1:A:1632:VAL:O	1:A:1636:HIS:ND1	2.39	0.54
1:A:221:ASP:O	1:A:225:ASN:ND2	2.42	0.53
1:A:660:THR:OG1	1:A:665:GLN:NE2	2.41	0.53
1:A:1351:THR:HA	1:A:1361:LYS:HE3	1.90	0.53
1:A:1113:ASN:ND2	1:A:1173:ALA:O	2.42	0.53
1:A:1816:GLU:OE2	1:A:1887:ASN:ND2	2.41	0.53
1:A:2113:GLN:HA	1:A:2116:ASN:HB3	1.90	0.53
1:A:503:MET:HG2	1:A:623:LEU:HD13	1.91	0.53
1:A:2329:ARG:NH1	1:A:2412:ASN:OD1	2.42	0.53
1:A:623:LEU:O	1:A:627:GLN:NE2	2.41	0.53
1:A:1360:GLN:HB3	1:A:1618:ARG:HE	1.73	0.53
1:A:685:LYS:HE2	1:A:765:ARG:HH21	1.73	0.52
1:A:1355:GLN:HG2	1:A:1357:ALA:H	1.74	0.52
1:A:515:ASP:O	1:A:592:LYS:NZ	2.42	0.52
1:A:561:THR:O	1:A:634:ARG:NH1	2.43	0.52
1:A:2149:THR:HA	1:A:2209:ARG:HH11	1.75	0.52
1:A:2228:VAL:HG13	1:A:2290:MET:HB2	1.92	0.52
1:A:1340:ARG:NH1	1:A:1343:THR:OG1	2.43	0.52
1:A:543:ILE:HA	1:A:546:GLN:HE21	1.73	0.51
1:A:1224:LEU:HD21	1:A:1306:LYS:HD3	1.92	0.51
1:A:741:ARG:NH2	1:A:1939:CYS:SG	2.83	0.51
1:A:952:LEU:O	1:A:956:CYS:N	2.41	0.51
1:A:661:ASP:OD2	1:A:663:HIS:ND1	2.43	0.51
1:A:1203:LEU:O	1:A:1206:GLN:NE2	2.43	0.51
1:A:550:ILE:HA	1:A:580:ILE:HG12	1.92	0.50
1:A:2389:TRP:NE1	1:A:2441:ALA:O	2.44	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2407:LEU:HD22	1:A:2431:VAL:HG11	1.93	0.50
1:A:2413:ALA:HB1	1:A:2418:HIS:HB3	1.93	0.50
1:A:1952:GLU:HA	1:A:1955:ARG:HE	1.77	0.50
1:A:702:VAL:HG22	1:A:753:ALA:HB1	1.94	0.50
1:A:1534:ASN:O	1:A:1538:ASN:ND2	2.45	0.49
1:A:852:ASN:O	1:A:856:LEU:N	2.46	0.49
1:A:1693:ILE:O	1:A:1751:LYS:NZ	2.46	0.49
1:A:2179:THR:HG22	1:A:2280:VAL:HG13	1.93	0.49
1:A:1458:GLN:HB3	1:A:1584:ILE:HD12	1.93	0.49
1:A:2282:GLU:OE1	1:A:2285:GLN:NE2	2.44	0.49
1:A:1671:CYS:HB2	1:A:1742:THR:HG21	1.93	0.49
1:A:1788:GLN:HE21	1:A:1792:THR:HG21	1.77	0.49
1:A:367:THR:HA	1:A:378:TYR:O	2.12	0.48
1:A:1682:ALA:O	1:A:1758:GLN:NE2	2.46	0.48
1:A:1001:VAL:HG22	1:A:1027:LEU:HD13	1.96	0.48
1:A:2274:LYS:O	1:A:2278:GLY:N	2.45	0.48
1:A:243:CYS:SG	1:A:283:HIS:NE2	2.84	0.48
1:A:275:GLY:O	1:A:278:LYS:HB3	2.12	0.48
1:A:1558:CYS:O	1:A:1562:THR:OG1	2.31	0.48
1:A:1405:GLU:O	1:A:1409:GLY:N	2.46	0.48
1:A:1474:ILE:HG12	1:A:1498:VAL:HG13	1.95	0.48
1:A:2201:VAL:HG21	1:A:2258:LEU:HD21	1.96	0.48
1:A:1858:VAL:HG12	1:A:1965:LEU:HD22	1.94	0.48
1:A:277:ARG:O	1:A:281:GLN:N	2.44	0.48
1:A:289:MET:SD	1:A:297:ARG:NH1	2.87	0.48
1:A:517:ASP:HA	1:A:596:ALA:HB2	1.96	0.48
1:A:2227:GLU:HB3	1:A:2292:GLY:HA3	1.96	0.48
1:A:1181:SER:HA	1:A:1184:ARG:HE	1.78	0.47
1:A:1824:VAL:HG21	1:A:1932:THR:HA	1.95	0.47
1:A:229:PRO:HD2	1:A:307:THR:HB	1.95	0.47
1:A:953:VAL:HA	1:A:956:CYS:HB2	1.96	0.47
1:A:621:GLU:OE2	1:A:624:ARG:NH2	2.43	0.47
1:A:794:PRO:HA	1:A:912:LYS:HD3	1.96	0.47
1:A:2118:ALA:O	1:A:2122:VAL:N	2.46	0.47
1:A:748:GLU:HA	1:A:751:VAL:HG12	1.97	0.47
1:A:1527:GLN:HA	1:A:1530:LYS:HB3	1.97	0.47
1:A:2101:ALA:HA	1:A:2104:LYS:HD2	1.97	0.47
1:A:913:LEU:HA	1:A:916:ARG:HB2	1.97	0.47
1:A:1672:LEU:HD23	1:A:1675:LEU:HD12	1.97	0.47
1:A:1835:ILE:HG12	1:A:1921:GLN:HG2	1.97	0.47
1:A:272:LYS:HD2	1:A:2288:GLU:HG2	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1455:GLN:HB3	1:A:1587:GLN:HB3	1.97	0.46
1:A:1809:ASP:O	1:A:1813:THR:OG1	2.32	0.46
1:A:2001:ALA:HA	1:A:2443:LYS:HD3	1.97	0.46
1:A:840:ILE:HG23	1:A:856:LEU:HB3	1.95	0.46
1:A:1114:GLU:HG2	1:A:1116:TYR:H	1.80	0.46
1:A:1987:GLY:O	1:A:1991:ASP:N	2.47	0.46
1:A:1723:GLU:HG3	1:A:1726:GLN:H	1.81	0.46
1:A:274:LYS:HD2	1:A:2285:GLN:HB3	1.98	0.46
1:A:2138:GLU:HA	1:A:2141:LYS:HB2	1.97	0.46
1:A:786:LYS:HA	1:A:789:ALA:HB3	1.97	0.46
1:A:1356:GLN:HG2	1:A:1361:LYS:HD3	1.98	0.46
1:A:748:GLU:OE2	1:A:1942:SER:OG	2.34	0.46
1:A:848:SER:O	1:A:1956:ARG:NH2	2.49	0.46
1:A:1450:SER:HA	1:A:1725:SER:HB2	1.97	0.46
1:A:1511:LEU:O	1:A:1515:ARG:NH2	2.48	0.46
1:A:2177:ARG:HD3	1:A:2388:GLN:HB3	1.97	0.46
1:A:1957:VAL:HA	1:A:1960:LYS:HB2	1.96	0.46
1:A:1241:ARG:NH2	1:A:1287:GLU:OE1	2.45	0.46
1:A:1455:GLN:NE2	1:A:1456:ALA:O	2.43	0.46
1:A:2253:HIS:NE2	1:A:2268:GLN:OE1	2.41	0.45
1:A:244:GLN:HG2	1:A:289:MET:HE3	1.98	0.45
1:A:2240:GLY:HA2	1:A:2283:LEU:HD11	1.98	0.45
1:A:1192:VAL:O	1:A:1196:LEU:N	2.46	0.45
1:A:1051:ASP:N	1:A:1051:ASP:OD1	2.48	0.45
1:A:2194:ASN:HA	1:A:2266:LYS:HD3	1.98	0.45
1:A:550:ILE:HG12	1:A:580:ILE:HA	1.99	0.45
1:A:683:VAL:HG22	1:A:706:ALA:HB1	1.98	0.45
1:A:2193:GLY:O	1:A:2266:LYS:NZ	2.48	0.45
1:A:984:LEU:HD23	1:A:987:ILE:HD12	1.98	0.45
1:A:266:LEU:HD13	1:A:270:TYR:HB3	1.98	0.45
1:A:1886:ALA:HA	1:A:1889:LEU:HD12	1.99	0.45
1:A:2160:PHE:O	1:A:2220:LYS:NZ	2.50	0.45
1:A:1261:ARG:NH2	1:A:1378:GLU:O	2.50	0.45
1:A:1540:VAL:HA	1:A:1543:ILE:HB	1.99	0.45
1:A:1826:GLY:O	1:A:1830:SER:N	2.50	0.45
1:A:1947:LYS:NZ	1:A:2334:GLU:OE2	2.45	0.45
1:A:1194:GLN:OE1	1:A:1198:ARG:NH2	2.46	0.45
1:A:272:LYS:HE3	1:A:2296:VAL:HG11	1.98	0.44
1:A:1095:THR:HG23	1:A:1196:LEU:HD22	1.99	0.44
1:A:912:LYS:HE3	1:A:916:ARG:HE	1.83	0.44
1:A:1830:SER:HA	1:A:1833:GLN:HB2	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:HIS:CG	1:A:283:HIS:HB3	2.53	0.44
1:A:1314:LYS:HD3	1:A:1317:LEU:HD12	1.99	0.44
1:A:1832:THR:HA	1:A:1835:ILE:HB	1.99	0.44
1:A:1893:TYR:HA	1:A:1896:LEU:HD12	1.99	0.44
1:A:2062:VAL:HG21	1:A:2084:VAL:HG11	2.00	0.44
1:A:1301:VAL:HG13	1:A:1349:LEU:HD11	2.00	0.44
1:A:2140:THR:HB	1:A:2144:ARG:HD3	1.99	0.44
1:A:2309:LEU:HD22	1:A:2367:GLN:HB3	1.99	0.44
1:A:279:ILE:O	1:A:283:HIS:ND1	2.47	0.43
1:A:582:SER:HB3	1:A:933:ALA:HB1	2.00	0.43
1:A:352:ASN:ND2	1:A:354:THR:OG1	2.51	0.43
1:A:1389:TYR:OH	1:A:1651:MET:O	2.36	0.43
1:A:599:GLU:HA	1:A:603:GLY:HA2	1.99	0.43
1:A:937:HIS:O	1:A:941:THR:OG1	2.33	0.43
1:A:1886:ALA:O	1:A:1890:THR:N	2.52	0.43
1:A:2026:LEU:O	1:A:2030:THR:OG1	2.31	0.43
1:A:2066:ALA:O	1:A:2077:GLN:NE2	2.51	0.43
1:A:489:THR:HG23	1:A:492:GLN:H	1.83	0.43
1:A:2234:LEU:HA	1:A:2237:LEU:HB2	2.00	0.43
1:A:519:LEU:HD12	1:A:520:PRO:HD2	2.01	0.43
1:A:2398:ARG:O	1:A:2402:ALA:N	2.52	0.43
1:A:2342:GLU:HG2	1:A:2415:VAL:HA	1.99	0.43
1:A:2443:LYS:HD2	1:A:2448:GLN:HG3	2.01	0.43
1:A:632:GLU:OE1	1:A:636:ASN:ND2	2.52	0.42
1:A:1921:GLN:O	1:A:1925:HIS:ND1	2.47	0.42
1:A:1799:ALA:HA	1:A:1802:MET:HB2	2.01	0.42
1:A:278:LYS:O	1:A:281:GLN:HB3	2.19	0.42
1:A:2127:SER:O	1:A:2131:THR:N	2.49	0.42
1:A:2277:ALA:HA	1:A:2280:VAL:HB	2.00	0.42
1:A:519:LEU:HD22	1:A:596:ALA:HB1	2.02	0.42
1:A:618:ALA:HB1	1:A:644:VAL:HG22	2.01	0.42
1:A:1322:LEU:HD22	1:A:1335:LEU:HD13	2.02	0.42
1:A:2019:ILE:HG22	1:A:2128:LEU:HD21	2.02	0.42
1:A:683:VAL:O	1:A:687:LYS:N	2.53	0.42
1:A:2166:PRO:HG2	1:A:2221:GLU:HA	2.01	0.42
1:A:291:GLU:HG2	1:A:295:LYS:HE3	2.01	0.42
1:A:318:LYS:HD2	1:A:323:ASN:HA	2.00	0.42
1:A:1947:LYS:HB3	1:A:1947:LYS:HE2	1.87	0.42
1:A:372:ASP:OD1	1:A:372:ASP:N	2.51	0.42
1:A:504:GLN:O	1:A:507:GLN:NE2	2.53	0.42
1:A:1229:PRO:HA	1:A:1230:PRO:HD3	1.94	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1551:THR:HB	1:A:1554:ASN:HB2	2.02	0.41
1:A:2355:ALA:O	1:A:2359:LEU:N	2.52	0.41
1:A:276:GLU:O	1:A:280:PHE:N	2.48	0.41
1:A:1218:ASP:N	1:A:1218:ASP:OD1	2.53	0.41
1:A:1688:ALA:HA	1:A:1689:PRO:HD3	1.94	0.41
1:A:2180:LYS:NZ	1:A:2381:ALA:O	2.53	0.41
1:A:2309:LEU:HD21	1:A:2364:SER:HA	2.02	0.41
1:A:771:ALA:O	1:A:775:THR:OG1	2.31	0.41
1:A:988:ALA:O	1:A:991:GLN:NE2	2.50	0.41
1:A:525:ASP:N	1:A:525:ASP:OD1	2.53	0.41
1:A:1729:HIS:O	1:A:1732:SER:OG	2.36	0.41
1:A:1754:SER:HB3	1:A:1757:GLN:HB2	2.03	0.41
1:A:507:GLN:H	1:A:507:GLN:HG3	1.68	0.41
1:A:2336:ASP:HB2	1:A:2417:GLY:HA3	2.02	0.41
1:A:1099:SER:HA	1:A:1102:ILE:HD12	2.02	0.41
1:A:1387:MET:O	1:A:1442:GLN:NE2	2.54	0.41
1:A:1090:ASP:O	1:A:1094:SER:OG	2.35	0.40
1:A:1347:ASN:O	1:A:1351:THR:OG1	2.34	0.40
1:A:2099:LYS:HE2	1:A:2099:LYS:HB3	1.88	0.40
1:A:1800:VAL:O	1:A:1804:THR:OG1	2.35	0.40
1:A:2165:PRO:HA	1:A:2166:PRO:HD3	1.90	0.40
1:A:2196:CYS:SG	1:A:2266:LYS:NZ	2.78	0.40
1:A:1512:ALA:O	1:A:1516:THR:OG1	2.29	0.40
1:A:1901:LYS:HE2	1:A:1901:LYS:HB3	1.88	0.40
1:A:2109:PRO:O	1:A:2113:GLN:N	2.52	0.40
1:A:680:ALA:HA	1:A:683:VAL:HB	2.03	0.40
1:A:1658:GLN:HE22	1:A:1780:LYS:HG2	1.85	0.40
1:A:2345:ILE:HG23	1:A:2470:LEU:HD11	2.04	0.40
1:A:801:ALA:HB3	1:A:836:LEU:HB2	2.03	0.40
1:A:897:LEU:O	1:A:901:THR:OG1	2.34	0.40
1:A:1556:ALA:HA	1:A:1559:ARG:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	2181/2547 (86%)	2150 (99%)	31 (1%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1668/1992 (84%)	1639 (98%)	29 (2%)	60 78

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	216	TYR
1	A	362	SER
1	A	369	ASP
1	A	375	ASP
1	A	380	VAL
1	A	515	ASP
1	A	517	ASP
1	A	522	LEU
1	A	627	GLN
1	A	736	LEU
1	A	778	LEU
1	A	1051	ASP
1	A	1054	LEU
1	A	1223	LEU
1	A	1265	GLN
1	A	1335	LEU
1	A	1405	GLU
1	A	1542	THR
1	A	1562	THR
1	A	1570	ASP
1	A	1600	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1776	LEU
1	A	1905	VAL
1	A	1995	THR
1	A	2137	ASP
1	A	2295	TRP
1	A	2297	ASP
1	A	2347	GLU
1	A	2418	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	218	GLN
1	A	244	GLN
1	A	352	ASN
1	A	390	GLN
1	A	500	ASN
1	A	507	GLN
1	A	510	GLN
1	A	546	GLN
1	A	636	ASN
1	A	665	GLN
1	A	825	GLN
1	A	974	GLN
1	A	1026	ASN
1	A	1065	GLN
1	A	1133	GLN
1	A	1236	GLN
1	A	1239	GLN
1	A	1250	ASN
1	A	1258	GLN
1	A	1265	GLN
1	A	1304	ASN
1	A	1360	GLN
1	A	1466	GLN
1	A	1685	GLN
1	A	1764	GLN
1	A	1909	ASN
1	A	2036	ASN
1	A	2285	GLN
1	A	2388	GLN
1	A	2418	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	2437	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-4772. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

### 6.2 Central slices (i)

#### 6.2.1 Primary map



X Index: 112



Y Index: 112



Z Index: 112


The images above show central slices of the map in three orthogonal directions.

### 6.3 Largest variance slices [\(i\)](#)


#### 6.3.1 Primary map



X Index: 89



Y Index: 102




Z Index: 94


The images above show the largest variance slices of the map in three orthogonal directions.

### 6.4 Orthogonal surface views [\(i\)](#)

#### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0232. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 125 nm<sup>3</sup>; this corresponds to an approximate mass of 113 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.161  $\text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [\(i\)](#)


This section contains information regarding the fit between EMDB map EMD-4772 and PDB model 6R9T. Per-residue inclusion information can be found in section 3 on page 4.

### 9.1 Map-model overlay [\(i\)](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0232 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0232).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 83% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [\(i\)](#)

The table lists the average atom inclusion at the recommended contour level (0.0232) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5957	0.1810
A	0.5957	0.1810

