



# Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 10:53 pm BST

PDB ID : 3RBF  
Title : Crystal structure of Human aromatic L-amino acid decarboxylase (AADC) in the apo form  
Authors : Giardina, G.; Montioli, R.; Gianni, S.; Cellini, B.; Paiardini, A.; Borri Voltattorni, C.; Cutruzzola, F.  
Deposited on : 2011-03-29  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	
1	B	480	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLP	A	481	-	-	X	-

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6972 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aromatic-L-amino-acid decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	443	Total 3474	C 2224	N 600	O 623	S 27	0	0	0
1	B	443	Total 3480	C 2229	N 601	O 624	S 26	0	0	0

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C<sub>8</sub>H<sub>10</sub>NO<sub>6</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 16	C 8	N 1	O 6	P 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	2	Total 2 Cl 2	0	0



R479  
E460

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	175.84Å 175.84Å 74.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.77 – 2.90 47.85 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.1 (28.77-2.90) 99.1 (47.85-2.90)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.10 (at 2.91Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.212 , 0.267 0.209 , 0.262	Depositor DCC
$R_{free}$ test set	1338 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	45.5	Xtrriage
Anisotropy	0.405	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 32.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	6972	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	1/3553 (0.0%)	0.63	0/4805
1	B	0.57	2/3561 (0.1%)	0.63	0/4817
All	All	0.56	3/7114 (0.0%)	0.63	0/9622

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111	CYS	CB-SG	6.85	1.93	1.82
1	B	249	CYS	CB-SG	-6.62	1.71	1.82
1	B	451	CYS	CB-SG	-5.48	1.72	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3474	0	3464	101	0
1	B	3480	0	3466	102	0
2	A	16	0	8	7	0
3	B	2	0	0	0	0
All	All	6972	0	6938	199	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:PHE:CE2	1:A:57:ILE:HD11	1.81	1.14
1:A:302:HIS:ND1	1:A:309:PHE:O	1.87	1.06
1:A:83:ALA:HB3	1:A:302:HIS:O	1.58	1.03
1:B:412:ARG:HD3	1:B:443:LYS:HE2	1.39	1.02
1:B:304:TRP:HB3	1:B:378:ILE:CD1	1.93	0.98
1:B:189:ASP:OD1	1:B:190:GLN:HG2	1.67	0.93
1:A:456:GLU:H	1:A:459:HIS:HD2	1.19	0.89
1:B:239:MET:CE	1:B:261:CYS:SG	2.64	0.85
1:B:456:GLU:H	1:B:459:HIS:HD2	1.25	0.85
1:B:53:PHE:CE2	1:B:57:ILE:HD11	2.12	0.85
1:B:304:TRP:HB3	1:B:378:ILE:HD11	1.57	0.83
1:B:288:LEU:CD1	1:B:291:VAL:HG21	2.10	0.81
1:A:38:LEU:HD11	1:A:63:ILE:HG22	1.62	0.80
1:A:288:LEU:O	1:A:291:VAL:HG23	1.81	0.79
1:B:288:LEU:HD11	1:B:291:VAL:HG21	1.65	0.78
1:B:239:MET:HE2	1:B:261:CYS:SG	2.24	0.77
1:A:101:ILE:HB	1:B:82:THR:HG21	1.66	0.75
2:A:481:PLP:O4A	2:A:481:PLP:O4P	2.05	0.75
1:B:95:CYS:SG	1:B:357:PHE:HB2	2.27	0.74
1:B:412:ARG:CD	1:B:443:LYS:HE2	2.17	0.74
1:B:369:TYR:CB	1:B:374:LEU:CD1	2.66	0.74
1:A:288:LEU:HG	1:A:291:VAL:CG2	2.16	0.73
1:B:307:VAL:HG11	1:B:362:MET:HG2	1.70	0.73
1:A:456:GLU:H	1:A:459:HIS:CD2	2.05	0.73
1:A:38:LEU:HD11	1:A:63:ILE:CG2	2.18	0.73
1:B:432:LYS:HE2	1:B:462:ARG:NH1	2.04	0.73
1:B:412:ARG:HD3	1:B:443:LYS:CE	2.19	0.72
1:A:100:CYS:O	1:A:101:ILE:HG13	1.89	0.72
1:A:83:ALA:CB	1:A:302:HIS:O	2.36	0.71
1:B:218:ARG:O	1:B:219:ALA:HB3	1.89	0.70
1:B:305:LEU:HD22	1:B:374:LEU:HD23	1.73	0.70
1:A:38:LEU:CD1	1:A:63:ILE:CG2	2.70	0.70
1:A:303:LYS:NZ	2:A:481:PLP:C4A	2.56	0.69
1:B:189:ASP:OD1	1:B:190:GLN:N	2.26	0.68
1:B:369:TYR:HB2	1:B:374:LEU:CD1	2.23	0.68
1:B:29:VAL:O	1:B:69:THR:O	2.12	0.68
1:B:28:GLN:NE2	1:B:32:ASP:HB2	2.09	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:GLU:OE2	1:A:393:ARG:NH2	2.27	0.67
1:B:196:GLU:HA	1:B:206:LEU:HD22	1.76	0.66
1:A:398:PHE:CE2	1:A:413:LEU:HD13	2.31	0.66
1:B:272:ALA:HB3	1:B:299:PHE:HB3	1.76	0.66
1:A:79:TYR:HA	1:A:451:CYS:SG	2.36	0.65
1:A:302:HIS:CE1	1:A:309:PHE:O	2.49	0.64
1:A:416:SER:OG	1:A:419:VAL:HG23	1.97	0.64
1:B:134:ASN:OD1	1:B:142:GLY:N	2.30	0.63
1:A:59:ASP:HB3	1:A:63:ILE:HD12	1.81	0.63
1:A:5:GLU:OE2	1:A:9:ARG:NE	2.31	0.63
1:A:99:GLY:HA3	1:B:80:PHE:HZ	1.64	0.63
1:B:71:TRP:HE3	1:B:76:PHE:CZ	2.17	0.63
1:B:71:TRP:CE3	1:B:76:PHE:CZ	2.87	0.63
1:B:307:VAL:HG12	1:B:308:ASN:H	1.62	0.62
1:A:38:LEU:CD1	1:A:63:ILE:HG22	2.29	0.62
1:A:192:HIS:CD2	1:A:194:SER:H	2.17	0.62
1:A:192:HIS:HD2	1:A:194:SER:H	1.47	0.62
1:A:8:ARG:NH2	1:A:9:ARG:HE	1.97	0.62
1:B:302:HIS:HD2	1:B:307:VAL:O	1.81	0.62
1:B:239:MET:HE1	1:B:261:CYS:SG	2.39	0.62
1:B:356:ARG:O	1:B:358:ARG:HG3	1.98	0.62
1:B:387:GLU:OE2	1:B:457:SER:HB2	2.00	0.61
1:A:288:LEU:HG	1:A:291:VAL:HG21	1.83	0.60
1:A:456:GLU:N	1:A:459:HIS:HD2	1.94	0.60
1:A:303:LYS:NZ	2:A:481:PLP:H4A	2.15	0.59
1:B:196:GLU:HA	1:B:206:LEU:CD2	2.31	0.59
1:A:5:GLU:OE2	1:A:9:ARG:CZ	2.50	0.59
1:B:53:PHE:CZ	1:B:57:ILE:HD11	2.38	0.59
1:A:303:LYS:HZ2	2:A:481:PLP:C4A	2.16	0.58
1:A:38:LEU:HD12	1:A:63:ILE:HG23	1.85	0.58
1:B:219:ALA:HA	1:B:222:LEU:HB3	1.85	0.57
1:B:456:GLU:H	1:B:459:HIS:CD2	2.13	0.57
1:B:476:ARG:HH11	1:B:476:ARG:HG3	1.69	0.57
1:A:196:GLU:HA	1:A:206:LEU:HD22	1.86	0.57
1:B:369:TYR:HB3	1:B:374:LEU:CD1	2.35	0.57
1:B:452:SER:OG	1:B:455:VAL:HG23	2.03	0.57
1:B:369:TYR:CB	1:B:374:LEU:HD12	2.35	0.56
1:A:134:ASN:HB3	1:A:140:GLY:O	2.04	0.56
1:A:175:THR:HG23	1:A:178:ALA:H	1.70	0.56
1:B:85:SER:HB2	1:B:87:PRO:HD2	1.87	0.56
1:A:239:MET:HG2	1:A:261:CYS:SG	2.46	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:301:PRO:HD2	1:A:311:CYS:O	2.06	0.56
1:B:69:THR:O	1:B:70:HIS:HB2	2.05	0.56
1:A:294:ALA:O	1:A:317:LYS:HE2	2.05	0.56
1:B:369:TYR:HB3	1:B:374:LEU:HD12	1.87	0.56
1:A:150:GLU:O	1:A:154:VAL:HG23	2.05	0.56
1:A:99:GLY:HA3	1:B:80:PHE:CZ	2.42	0.55
1:B:71:TRP:HB2	1:B:80:PHE:CZ	2.42	0.55
1:A:217:MET:SD	1:A:239:MET:HE1	2.47	0.54
1:A:100:CYS:O	1:A:101:ILE:CG1	2.56	0.54
1:B:456:GLU:N	1:B:459:HIS:HD2	2.02	0.54
1:A:126:LEU:HD22	1:A:279:PHE:HB2	1.91	0.53
1:A:300:ASN:ND2	2:A:481:PLP:O3P	2.41	0.53
1:A:357:PHE:CE1	1:A:360:LEU:HB2	2.44	0.53
1:A:470:LEU:O	1:A:473:ASP:HB2	2.09	0.53
1:A:184:VAL:CG2	1:A:234:LEU:HB3	2.39	0.52
1:B:423:LEU:HD23	1:B:446:LEU:HD11	1.91	0.52
1:B:438:CYS:SG	1:B:447:ARG:HD2	2.50	0.52
1:A:318:LYS:O	1:A:321:ASP:HB2	2.10	0.52
1:B:308:ASN:HB3	1:B:361:LYS:HD2	1.91	0.52
1:A:440:LEU:HD12	1:A:445:VAL:HG21	1.92	0.52
1:A:94:LEU:HD23	1:A:360:LEU:HD21	1.92	0.52
1:B:277:SER:HB2	1:B:304:TRP:HB2	1.92	0.52
1:A:302:HIS:CG	1:A:309:PHE:O	2.63	0.51
1:A:5:GLU:OE2	1:A:9:ARG:NH2	2.43	0.51
1:B:308:ASN:OD1	1:B:310:ASP:HB3	2.10	0.51
1:A:94:LEU:HD21	1:B:60:VAL:HG11	1.92	0.51
1:A:136:LYS:O	1:A:137:ALA:HB3	2.11	0.51
1:A:218:ARG:NH1	1:A:256:GLU:OE2	2.43	0.51
1:A:302:HIS:HB2	1:A:309:PHE:HA	1.93	0.50
1:B:369:TYR:HB2	1:B:374:LEU:HD13	1.93	0.50
1:A:38:LEU:HD12	1:A:63:ILE:CG2	2.41	0.50
1:B:219:ALA:O	1:B:223:GLN:N	2.34	0.50
1:B:108:SER:HB3	1:B:111:CYS:SG	2.52	0.50
1:B:440:LEU:HD22	1:B:445:VAL:HG21	1.92	0.50
1:B:427:ILE:HG21	1:B:435:LEU:HD13	1.94	0.49
2:A:481:PLP:C5A	2:A:481:PLP:O4A	2.60	0.49
1:B:310:ASP:OD1	1:B:310:ASP:O	2.30	0.49
1:A:357:PHE:CD1	1:A:360:LEU:HB2	2.48	0.49
1:A:217:MET:SD	1:A:239:MET:CE	3.01	0.49
1:A:303:LYS:HZ1	2:A:481:PLP:H4A	1.77	0.48
1:A:248:CYS:HB2	1:A:402:VAL:HG21	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:PHE:O	1:A:10:GLY:N	2.41	0.48
1:A:97:ALA:O	1:B:72:HIS:HD2	1.96	0.48
1:B:243:LEU:HD22	1:B:270:VAL:HG11	1.95	0.48
1:B:303:LYS:HE3	1:B:451:CYS:SG	2.54	0.48
1:A:192:HIS:HD2	1:A:194:SER:HB3	1.78	0.47
1:A:53:PHE:CD2	1:A:57:ILE:HD11	2.43	0.47
1:A:33:VAL:HG11	1:A:37:TYR:CG	2.49	0.47
1:B:218:ARG:HG3	1:B:218:ARG:HH11	1.80	0.47
1:B:304:TRP:HB3	1:B:378:ILE:HD12	1.89	0.47
1:A:33:VAL:HG11	1:A:37:TYR:CD2	2.50	0.47
1:B:126:LEU:HD11	1:B:299:PHE:CE2	2.49	0.47
1:B:243:LEU:HD22	1:B:270:VAL:CG1	2.45	0.47
1:A:310:ASP:O	1:A:310:ASP:CG	2.54	0.46
1:A:406:LEU:O	1:A:406:LEU:HG	2.14	0.46
1:A:305:LEU:HD22	1:A:374:LEU:HD22	1.97	0.46
1:B:218:ARG:NH1	1:B:218:ARG:HG3	2.31	0.46
1:B:288:LEU:CD1	1:B:291:VAL:CG2	2.90	0.46
1:A:72:HIS:NE2	1:A:84:SER:HB2	2.31	0.46
1:B:369:TYR:CB	1:B:374:LEU:HD13	2.45	0.46
1:A:79:TYR:CZ	1:A:81:PRO:HA	2.51	0.45
1:B:239:MET:HB3	1:B:239:MET:HE2	1.75	0.45
1:B:452:SER:OG	1:B:455:VAL:CG2	2.65	0.45
1:B:88:ALA:O	1:B:92:ASP:HB2	2.16	0.45
1:A:12:GLU:OE1	1:A:53:PHE:HD2	1.99	0.45
1:A:283:GLU:OE2	1:A:379:ARG:NH2	2.43	0.45
1:A:413:LEU:HD22	1:A:423:LEU:HD22	1.99	0.45
1:A:300:ASN:HB2	1:A:303:LYS:HG3	1.99	0.45
1:B:310:ASP:OD2	1:B:358:ARG:HD3	2.17	0.45
1:B:197:ARG:HE	1:B:201:ILE:HD11	1.80	0.45
1:A:97:ALA:O	1:B:72:HIS:CD2	2.69	0.45
1:B:189:ASP:CG	1:B:190:GLN:HE21	2.20	0.45
1:B:99:GLY:O	1:B:357:PHE:CE2	2.70	0.45
1:A:219:ALA:O	1:A:220:SER:C	2.55	0.44
1:A:82:THR:HA	1:A:309:PHE:HB3	1.99	0.44
1:B:436:VAL:O	1:B:447:ARG:HB2	2.17	0.44
1:A:298:ASN:HB2	1:A:314:MET:HG3	2.00	0.44
1:B:74:PRO:HB3	1:B:455:VAL:HA	1.99	0.44
1:A:465:GLU:O	1:A:468:LYS:HG2	2.17	0.44
1:B:80:PHE:CD2	1:B:83:ALA:HB2	2.53	0.44
1:A:385:SER:HB2	1:A:407:GLY:HA2	1.99	0.44
1:B:308:ASN:HD22	1:B:308:ASN:H	1.66	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:PRO:HB2	1:B:365:VAL:HG22	2.00	0.44
1:B:267:TRP:C	1:B:267:TRP:CD1	2.91	0.43
1:B:307:VAL:HG12	1:B:308:ASN:N	2.31	0.43
1:A:288:LEU:HG	1:A:291:VAL:HG23	2.00	0.43
1:A:134:ASN:HD22	1:A:319:ARG:HH21	1.65	0.43
1:A:52:THR:HG22	1:A:54:GLU:OE1	2.18	0.43
1:B:277:SER:CB	1:B:304:TRP:HB2	2.48	0.43
1:B:28:GLN:HE21	1:B:32:ASP:HB2	1.80	0.43
1:A:85:SER:O	1:A:88:ALA:HB3	2.19	0.43
1:A:392:VAL:HG22	1:A:464:TRP:CZ3	2.54	0.43
1:B:85:SER:CB	1:B:87:PRO:HD2	2.50	0.42
1:A:248:CYS:HB3	1:A:440:LEU:HD21	2.02	0.42
1:A:249:CYS:SG	1:A:406:LEU:CD2	3.08	0.42
1:A:466:HIS:O	1:A:470:LEU:HG	2.20	0.42
1:B:397:ARG:O	1:B:413:LEU:HD12	2.20	0.42
1:B:9:ARG:HD2	1:B:12:GLU:OE1	2.20	0.41
1:A:85:SER:O	1:A:89:MET:HG3	2.20	0.41
1:A:302:HIS:HA	1:A:307:VAL:O	2.20	0.41
1:B:384:LEU:CD2	1:B:457:SER:HB3	2.50	0.41
1:A:149:SER:HA	1:A:194:SER:HB2	2.03	0.41
1:A:174:LEU:HD12	1:A:174:LEU:HA	1.95	0.41
1:A:272:ALA:O	1:A:273:ALA:C	2.59	0.41
1:A:424:LEU:HD22	1:A:437:PRO:HG3	2.03	0.41
1:B:179:ILE:O	1:B:183:LEU:HD13	2.20	0.41
1:B:450:ILE:HG23	1:B:455:VAL:HG11	2.02	0.41
1:B:69:THR:O	1:B:70:HIS:CB	2.67	0.41
1:A:222:LEU:HD22	1:A:257:VAL:HG22	2.03	0.41
1:A:249:CYS:SG	1:A:406:LEU:HD21	2.60	0.41
1:B:357:PHE:CD1	1:B:357:PHE:N	2.88	0.41
1:A:271:ASP:C	1:A:271:ASP:OD1	2.60	0.40
1:B:125:MET:HB3	1:B:280:ILE:HG22	2.03	0.40
1:B:254:LEU:HA	1:B:254:LEU:HD12	1.92	0.40
1:A:185:ALA:CB	1:A:238:PHE:HB3	2.51	0.40
1:B:218:ARG:HA	1:B:218:ARG:HD2	1.78	0.40
1:B:131:ALA:O	1:B:140:GLY:HA3	2.22	0.40
1:B:122:LEU:HD22	1:B:362:MET:HE1	2.02	0.40
1:A:300:ASN:HA	1:A:301:PRO:HD3	1.96	0.40
1:B:466:HIS:CE1	1:B:470:LEU:HD11	2.55	0.40
1:B:60:VAL:O	1:B:65:MET:HG2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/480 (91%)	411 (94%)	26 (6%)	0	100	100
1	B	437/480 (91%)	410 (94%)	26 (6%)	1 (0%)	47	78
All	All	874/960 (91%)	821 (94%)	52 (6%)	1 (0%)	51	82

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	43	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	366/399 (92%)	351 (96%)	15 (4%)	30	64
1	B	366/399 (92%)	350 (96%)	16 (4%)	28	61
All	All	732/798 (92%)	701 (96%)	31 (4%)	30	63

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	PHE
1	A	82	THR
1	A	116	THR
1	A	135	GLU
1	A	167	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	183	LEU
1	A	184	VAL
1	A	257	VAL
1	A	265	ASP
1	A	283	GLU
1	A	298	ASN
1	A	310	ASP
1	A	400	ILE
1	A	418	LYS
1	A	452	SER
1	B	68	VAL
1	B	73	SER
1	B	145	GLN
1	B	175	THR
1	B	183	LEU
1	B	220	SER
1	B	243	LEU
1	B	247	THR
1	B	311	CYS
1	B	316	VAL
1	B	383	GLN
1	B	413	LEU
1	B	426	ARG
1	B	452	SER
1	B	468	LYS
1	B	478	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	19	ASN
1	A	192	HIS
1	A	223	GLN
1	A	375	GLN
1	A	434	HIS
1	A	459	HIS
1	B	28	GLN
1	B	72	HIS
1	B	145	GLN
1	B	386	HIS
1	B	459	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PLP	A	481	-	16,16,16	1.29	2 (12%)	20,23,23	1.37	4 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	481	-	-	4/8/8/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	481	PLP	C2-N1	2.71	1.39	1.33
2	A	481	PLP	C6-N1	2.08	1.38	1.34



All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	481	PLP	O4A-C4A-C4	-3.22	117.90	124.91
2	A	481	PLP	C3-C4-C5	2.74	120.36	118.26
2	A	481	PLP	O3P-P-O4P	2.48	113.32	106.73
2	A	481	PLP	C5-C6-N1	-2.07	120.37	123.82

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	481	PLP	C5A-O4P-P-O1P
2	A	481	PLP	C5A-O4P-P-O3P
2	A	481	PLP	C3-C4-C4A-O4A
2	A	481	PLP	C5A-O4P-P-O2P

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	481	PLP	7	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	443/480 (92%)	-0.14	6 (1%) 75 75	21, 37, 63, 80	5 (1%)
1	B	443/480 (92%)	-0.09	5 (1%) 80 80	20, 39, 63, 86	6 (1%)
All	All	886/960 (92%)	-0.12	11 (1%) 79 79	20, 38, 63, 86	11 (1%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	106	ALA	2.8
1	A	136	LYS	2.4
1	B	135	GLU	2.4
1	A	472	ALA	2.3
1	B	107	ALA	2.3
1	B	192	HIS	2.3
1	B	105	TRP	2.2
1	A	479	ARG	2.0
1	A	172	PRO	2.0
1	A	469	GLU	2.0
1	A	81	PRO	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	CL	B	482	1/1	0.72	0.26	45,45,45,45	0
2	PLP	A	481	16/16	0.82	0.36	37,39,41,44	16
3	CL	B	481	1/1	0.94	0.10	33,33,33,33	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.