

Apr 4, 2024 – 06:16 pm BST

PDB ID 8RBX : EMDB ID : EMD-19038 Title : Structure of Integrator-PP2A bound to a paused RNA polymerase II-DSIF-N ELF-nucleosome complex Authors Fianu, I.; Ochmann, M.; Walshe, J.L.; Cramer, P. : Deposited on 2023-12-05 : 4.10 Å(reported) Resolution : Based on initial models 6SN1, 7PKS, 7OHC, . :

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{f Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	1	8	100%	
2	А	1970	• 59% 11%	29%
2	Y	1970	• 99%	
3	В	1174	81%	13% 5%
4	С	275	• 84%	11% 5%
5	D	142	9%	9% • 11%
6	Е	210	87%	12% •



Chain Length Quality of chain Mol 7F 12748% 13% 39% 5% \mathbf{G} 8 17281% 17% •• i. 9 Η 150••• 72% 26% 11% Ι 10 12577% 16% • 6% i J . 11 6782% 16% 12Κ 11779% 20% . 5% 13L 5864% 16% 21% 28% М 1413552% 13% 33% . 63% \mathbf{S} 1351441% 20% 5%• 33% 80% Ν 1514872% 28% 47% Ο 1610361% 18% 20% 74% U 1031659% 18% 22% 17Р 1765% 24% 12% 84% Q 1813063% 20% 16% . 71% V 18 13068% 13% 18% 60% 19R 12658% 10% 33% 54% W 1261960% 13% 25% • 60% Т 2018562% 24% 13% • Ζ 21108723% 75% 10% 222192 \mathbf{a} 77% 22% • 23 \mathbf{b} 1204 86% 13% 963 24d 83% 15% 5% 251021 е 82% 16% • f 889 2660% 39% • 27964 • 8% g 91%

Continued from previous page...



Mol	Chain	Length	Quality of chain	
28	h	995	7%88%	• 11%
29	i	658	94%	• 5%
30	j	710	94%	6%
31	k	602	89%	• 8%
32	m	706	78%	22%
33	n	518	50% 97%	•
34	0	451	9% 81%	19%
35	р	591	• 95%	• •
36	q	311	• 92%	• 7%
37	r	28	96%	•
38	u	528	7% 34% • 65%	
39	V	613	73%	26%
40	W	583	85%	• 12%
41	x	22	9%	

Continued from previous page...



2 Entry composition (i)

There are 44 unique types of molecules in this entry. The entry contains 129226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called UNK-UNK-UNK-UNK-UNK-UNK-UNK.

Mol	Chain	Residues	A	Aton	ns	AltConf	Trace	
1	1	8	Total 40	C 24	N 8	0 8	0	0

• Molecule 2 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms	AltConf	Trace
2	А	1391	Total C N O S 11008 6931 1972 2036 69	0	0
2	Y	13	Total C N O 95 60 13 22	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	?	-	TYR	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
А	?	-	PRO	deletion	UNP A0A7M4DUC2
А	?	-	THR	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
А	?	-	PRO	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
А	?	-	TYR	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
А	?	-	PRO	deletion	UNP A0A7M4DUC2
А	?	-	THR	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
А	?	-	PRO	deletion	UNP A0A7M4DUC2
А	?	-	SER	deletion	UNP A0A7M4DUC2
Y	?	-	TYR	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2
Y	?	-	PRO	deletion	UNP A0A7M4DUC2
Y	?	-	THR	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2



Chain	Residue	Modelled	Actual	Comment	Reference
Y	?	-	PRO	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2
Y	?	-	TYR	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2
Y	?	-	PRO	deletion	UNP A0A7M4DUC2
Y	?	-	THR	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2
Y	?	-	PRO	deletion	UNP A0A7M4DUC2
Y	?	-	SER	deletion	UNP A0A7M4DUC2

Continued from previous page...

• Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	В	1112	Total 8901	$\begin{array}{c} \mathrm{C} \\ 5634 \end{array}$	N 1560	0 1643	S 64	0	0

• Molecule 4 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms				AltConf	Trace	
4	С	261	Total 2096	C 1314	N 360	0 416	${ m S}{ m 6}$	0	0

• Molecule 5 is a protein called RNA polymerase II subunit D.

Mol	Chain	Residues	Atoms				AltConf	Trace	
5	D	126	Total 977	C 612	N 169	0 192	${S \atop 4}$	0	0

• Molecule 6 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Е	209	Total 1721	C 1089	N 300	0 324	S 8	0	0

• Molecule 7 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

Mol	Chain	Residues		At	AltConf	Trace			
7	F	78	Total 627	C 401	N 106	0 115	${S \atop 5}$	0	0

• Molecule 8 is a protein called DNA-directed RNA polymerase II subunit RPB7.



Mol	Chain	Residues		At	oms	AltConf	Trace		
8	G	171	Total 1316	C 858	N 208	O 242	S 8	0	0

• Molecule 9 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues		At	AltConf	Trace			
9	Н	148	Total 1186	C 750	N 194	O 237	${ m S}{ m 5}$	0	0

• Molecule 10 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues		A	AltConf	Trace			
10	Ι	117	Total 944	$\begin{array}{c} \mathrm{C} \\ 584 \end{array}$	N 166	0 183	S 11	0	0

• Molecule 11 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
11	J	67	Total 533	C 345	N 90	O 92	S 6	0	0

• Molecule 12 is a protein called DNA-directed RNA polymerase II subunit RPB11-a.

Mol	Chain	Residues		At	AltConf	Trace			
12	K	115	Total 917	C 592	N 152	0 171	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 13 is a protein called RNA polymerase II subunit K.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
13	L	46	Total 383	C 238	N 72	O 67	S 6	0	0

• Molecule 14 is a protein called Histone H3.3C.

Mol	Chain	Residues		At	oms	AltConf	Trace		
14	М	90	Total 729	C 458	N 139	0 130	${S \over 2}$	0	0
14	S	91	Total 732	C 460	N 140	O 130	${ m S} { m 2}$	0	0

There are 6 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
М	79	LYS	ASN	conflict	UNP Q6NXT2
М	87	SER	ALA	conflict	UNP Q6NXT2
М	90	MET	GLY	conflict	UNP Q6NXT2
S	79	LYS	ASN	conflict	UNP Q6NXT2
S	87	SER	ALA	conflict	UNP Q6NXT2
S	90	MET	GLY	conflict	UNP Q6NXT2

• Molecule 15 is a DNA chain called non-template DNA.

Mol	Chain	Residues		A	AltConf	Trace			
15	Ν	148	Total 3050	C 1446	N 570	0 887	Р 147	0	0

• Molecule 16 is a protein called Histone H4.

Mol	Chain	Residues		At	oms	AltConf	Trace			
16 O	0	82	Total	С	Ν	0	S	0	0	
	0		647	409	124	113	1	0		
16	II	80	Total	С	Ν	0	S	0	0	
10	U	0 80	634	398	124	111	1		0	

• Molecule 17 is a RNA chain called RNA.

Mol	Chain	Residues		At	\mathbf{oms}		AltConf	Trace	
17	Р	17	Total 370	C 163	N 65	O 125	Р 17	0	0

• Molecule 18 is a protein called Histone H2A type 1.

Mol	Chain	Residues		Ato	ms		AltConf	Trace
18	0	100	Total	С	Ν	Ο	0	0
18 Q	Q	109	839	530	165	144	0	0
10	V	106	Total	С	Ν	Ο	0	0
10	v	100	814	515	158	141	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	87	VAL	ILE	engineered mutation	UNP P02262
V	87	VAL	ILE	engineered mutation	UNP P02262

• Molecule 19 is a protein called Histone H2B type 1-J.



Mol	Chain	Residues		At	oms			AltConf	Trace
10	В	85	Total	С	Ν	0	S	0	0
15	п	00	656	411	119	124	2	0	0
10	W	05	Total	С	Ν	Ο	\mathbf{S}	0	0
19	vv	90	746	467	136	141	2	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	1	SER	ALA	conflict	UNP P06899
R	15	ILE	VAL	conflict	UNP P06899
R	121	SER	ALA	conflict	UNP P06899
W	1	SER	ALA	conflict	UNP P06899
W	15	ILE	VAL	conflict	UNP P06899
W	121	SER	ALA	conflict	UNP P06899

• Molecule 20 is a DNA chain called Template DNA.

Mol	Chain	Residues		A	toms			AltConf	Trace
20	Т	161	Total 3277	$\begin{array}{c} \mathrm{C} \\ 1556 \end{array}$	N 598	O 962	Р 161	0	0

• Molecule 21 is a protein called Transcription elongation factor SPT5.

Mol	Chain	Residues		At	oms			AltConf	Trace
21	Z	274	Total 2167	C 1364	N 390	0 403	S 10	0	0

• Molecule 22 is a protein called Integrator complex subunit 1.

Mol	Chain	Residues		A	toms			AltConf	Trace
	0	1718	Total	C	N	Ō	S	0	0
	a	1/10	11692	7328	2134	2180	50	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled Actu		Comment	Reference	
a	-1	SER	-	expression tag	UNP Q8N201	
a	0	ASN	-	expression tag	UNP Q8N201	

• Molecule 23 is a protein called Integrator complex subunit 2.



Mol	Chain	Residues		А	toms			AltConf	Trace
22	h	1051	Total	С	Ν	Ο	\mathbf{S}	0	0
23	D	1051	7991	5121	1352	1456	62	0	0

• Molecule 24 is a protein called Integrator complex subunit 4.

Mol	Chain	Residues		Α	toms			AltConf	Trace
24	d	820	Total	С	Ν	Ο	S	0	0
24	u	020	6407	4089	1093	1191	34	0	0

• Molecule 25 is a protein called Integrator complex subunit 5.

Mol	Chain	Residues		Α	Atoms				
25	е	856	Total 6260	C 3979	N 1140	0 1115	S 26	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference	
e	-1	SER	-	expression tag	UNP Q6P9B9	
е	0	ASN	-	expression tag	UNP Q6P9B9	

• Molecule 26 is a protein called Integrator complex subunit 6.

Mol	Chain	Residues		At	oms			AltConf	Trace
26	f	544	Total 4137	C 2653	N 701	O 758	S 25	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
f	-1	SER	-	expression tag	UNP Q9UL03
f	0	ASN	-	expression tag	UNP Q9UL03

• Molecule 27 is a protein called Integrator complex subunit 7.

Mol	Chain	Residues		Α	toms			AltConf	Trace
27	g	886	Total 6722	C 4259	N 1166	0 1257	S 40	0	0

There are 2 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference	
g	-1	SER	-	expression tag	UNP Q9NVH2	
g	0	ASN	-	expression tag	UNP Q9NVH2	

• Molecule 28 is a protein called Integrator complex subunit 8.

Mol	Chain	Residues		Α	AltConf	Trace			
28	h	887	Total 6751	С 4334	N 1156	0 1223	S 38	0	0

• Molecule 29 is a protein called Integrator complex subunit 9.

Mol	Chain	Residues		At	oms			AltConf	Trace
29	i	626	Total 4870	C 3137	N 792	0 908	S 33	0	0

• Molecule 30 is a protein called Integrator complex subunit 10.

Mol	Chain	Residues		Ator	ns		AltConf	Trace
30	j	668	Total	C 1076	N	0	0	0
	-		3313	1970	008	009		

• Molecule 31 is a protein called Integrator complex subunit 11.

Mol	Chain	Residues		At	oms			AltConf	Trace
31	k	552	Total 4090	C 2620	N 707	O 735	S 28	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	-1	SER	-	expression tag	UNP Q5TA45
k	0	ASN	-	expression tag	UNP Q5TA45
k	203	GLN	GLU	engineered mutation	UNP Q5TA45

• Molecule 32 is a protein called Integrator complex subunit 13.

Mol	Chain	Residues		Ator	\mathbf{ns}		AltConf	Trace
32	m	552	Total 2864	C 1714	N 578	0 572	0	0

• Molecule 33 is a protein called Integrator complex subunit 14.



Mol	Chain	Residues		Ator	ns		AltConf	Trace
33	n	503	Total 2484	C 1478	N 503	O 503	0	0

• Molecule 34 is a protein called Integrator complex subunit 15.

Mol	Chain	Residues		Ator	AltConf	Trace		
34	О	367	Total 1824	C 1090	N 367	O 367	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
0	-1	SER	-	expression tag	UNP Q96N11
0	0	ASN	-	expression tag	UNP Q96N11

• Molecule 35 is a protein called Serine/threonine-protein phosphatase 2A 65 kDa regulatory subunit A alpha isoform.

Mol	Chain	Residues	Atoms				AltConf	Trace	
35	р	580	Total 4431	C 2821	N 752	0 831	S 27	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
р	-1	SER	-	expression tag	UNP P30153
р	0	ASN	-	expression tag	UNP P30153

• Molecule 36 is a protein called Serine/threonine-protein phosphatase 2A catalytic subunit alpha isoform.

Mol	Chain	Residues	Atoms				AltConf	Trace	
36	q	290	Total 2322	C 1467	N 403	O 437	${ m S}$ 15	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
q	-1	SER	-	expression tag	UNP P67775
q	0	ASN	-	expression tag	UNP P67775
q	88	ASN	ASP	engineered mutation	UNP P67775



• Molecule 37 is a protein called DSS1.

Mol	Chain	Residues	Atoms			AltConf	Trace		
37	r	28	Total 250	C 156	N 41	O 52	S 1	0	0

• Molecule 38 is a protein called Negative elongation factor A.

Mol	Chain	Residues	Atoms				AltConf	Trace	
38	u	183	Total 1395	C 887	N 238	0 264	${ m S}{ m 6}$	0	0

• Molecule 39 is a protein called NELF-B,Negative elongation factor B,Negative elongation factor B,Negative elongation factor B,Negative elongation factor B,

Mol	Chain	Residues		Ator	ns		AltConf	Trace
39	V	451	Total 2070	C 1132	N 466	0 472	0	0

• Molecule 40 is a protein called Negative elongation factor C/D.

Mol	Chain	Residues	Atoms				AltConf	Trace	
40	W	511	Total 3825	C 2446	N 650	0 710	S 19	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
W	8	SER	-	expression tag	UNP Q8IXH7
W	9	ASN	-	expression tag	UNP Q8IXH7

Mol	Chain	Residues	Atoms			AltConf	Trace	
41	x	22	Total 110	C 66	N 22	0 22	0	0

• Molecule 42 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
42	А	2	Total Zn 2 2	0
			α i i	



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
42	В	1	Total Zn 1 1	0
42	С	1	Total Zn 1 1	0
42	Ι	2	Total Zn 2 2	0
42	J	1	Total Zn 1 1	0
42	L	1	Total Zn 1 1	0
42	k	2	Total Zn 2 2	0

• Molecule 43 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Ator	ns	AltConf
43	Р	1	Total 1	Mg 1	0

• Molecule 44 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	AltConf
44	f	1	Total Mn 1 1	0
44	q	1	Total Mn 1 1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UNK-UNK-UNK-UNK-UNK-UNK-UNK-UNK-

Chain 1:

There are no outlier residues recorded for this chain.

• Molecule 2: DNA-directed RNA polymerase subunit



100%

WORLDWIDE PROTEIN DATA BANK

Ch	ain	ı }	7:																	99	9%																				
MET HIS	GLY	GLY PRO	PRO	GLY	ASP	ALA	CYS	LEU	ARG	TLE	LYS	ARG	GLN	PHE	GLY	LEU	SER	PRO	GLU	LEU	LYS	MET	SER	VAL	GLU	GLY	TLE	LYS	TYR	GLU	THR	THR	GLY	GLY	ARG PRO	LYS	LEU	GLY	LEU	ASP	PRO
ARG GLN	GLY VAL	ILE	ARG	GLY	ARG	GLN	THR	ALA	GLY	MET	THR	GLU	PRO	GLY	HIS	GLY	HIS	ILE	GLU	ALA	LYS	VAL	PHE	HIS VAT	GLY	PHE	VAL	LYS	THR	LYS	VAL	LEU	CYS	VAL	CYS	PHE	CYS	LYS	LEU	LEU VAL	ASP
SER	ASN PRO	LYS	LYS	ILE	LEU	LYS	SER I V S	GLY	GLN	LYS	LYS	ARG	THR	HIS	VAL	ASP	TEU	CYS	CLY GLY	LYS	ASN TI F	CYS	GLU	GLY GLY	GLU	GLU	ASP	ASN	LYS	GLY	VAL	GLU GLN	PRO	GLU	GLY ASP	GLU	ASP	THR	TAS	GLU LYS	GLY
HIS GLY	GLY CYS	GLY ARC	TYR	PRO	ARG	ARG	ARG	GLY	LEU	GLU LEU	TYR	ALA	TRP	LYS	VAT	ASN	GLU	ASP	GLN	GLU	LYS LYS	ILE	LEU	LEU SER	PRO	GLU	VAL.	SIH	GLU	PHE	LYS	ARG	SER	ASP	GLU	CYS	PHE	LEU	GLY	MET GLU	PRO
ARG TYR	ALA ARG	PROGLII	TRP	ILE	VAL	VAL	LEU	VAL	PRO	LEU	SER	VAL	PRO	ALA	VAL	MET	GLN	GLY	ALA	ARG	ASN GI M	ASP	ASP	LEU	SIH	TAS	ALA	ASP	TLE	LYS	ILE	ASN	GLN	LEU	ARG ARG	ASN	GLU	ASN	GLY	ALA ALA	ALA
HIS VAL	ILE ALA	GLU	VAL	TEU	LEU	PHE	NAL	ALA	THR	VAL	ASP	ASN	TEU	PRO	CLY GLY	PRO	ARG	ALA	GLN	LYS	SER. GI V	ARG	PRO	LEU I VS	SER	LEU	GLN	ARG	LEU	GLY	LYS	CI A	ARG	VAL	ARG GLY	ASN	LEU	GLY	LYS	ARG VAL	ASP
PHE SER	ALA ARG	THR VAL	ILE	PRO	ASP	ASN	LEU	ILE	ASP	GLN	GLY	VAL	ARG	SER	ILE	ALA	ASN	MET	THK	ALA	GLU TI F	VAL	THR	PRO DHF	ASN	ILE	ASP	LEU	GLN	TEU	VAL	ARG	CLY CLY	ASN	SER GLN	TYR	PRO	ALA	LYS	TYR TLE	ILE
ARG	ASN GLY	ASP ARG	ILE	LEU	ARG	HIS	PRO 1 VS	PRO	SER	LEU	SIH	LEU	THR	GLY	TYR I VS	VAL.	GLU	ARG	NET	CYS	ASP GI V	ASP	ILE	VAL	PHE	ASN	GLN	PRO	THR	HIS	LYS	MET	MET	MET	GLY HIS	ARG	VAL	ARG	LEU	PRO TRP	SER
THR	ARG LEU	ASN LEU	SER	THR	THR	TYR	ASN	ASP	PHE	GLY	ASP	GLU	ASN	LEU	HIS I EII	PRO	GLN	SER	GLU	THR	ARG	GLU	ILE	GLN	LEU	ALA	VAL.	PRO	ARG	ILE	VAL	THR	GLN	SER	ASN ARG	PRO	VAL	GLY	ILE	CAL GI.N	ASP
THR	THR	VAL	-YS	E E	TAS	ASP	VAL	EU	DU	TLY	SLU	VAL 15-1	ASN	EU	LEU	THE	EU	SER	TRP	ASP	YS.	/AL	PRO PRO	3LN	ALA	CLE TH	.YS	PRO	ARG	EU	TRP	THR	TXS	SLN	HE SHE	SER	LEU	ILE	PRO	TIS	TLE



ASN	CYS	ARG	THR	HIS	THR	PRO	ASP	GLU	ASP	SER GIV	PRO	TYR	LYS	ILE	SER	PRO	GLY ASP	THR	TAS	VAL	VAL	GLU	ASN	GL.II	LEU	ILE	GLY	ILE	LEU CYS	LYS	LYS	LEU	GLY THR	SER	ALA	SER	LEU	VAL HTS	ILE	SER	LEU	GLU MET
GLY	SIH	ILE	THR	ARG LEU	PHE	SER	ASN	GLN	THR	VAL	ASN	ASN	TRP	LEU	ILE	GLU	HTS	THR	ILE	GLY	GLY GLY	ASP	SER	ALA ALA	ASP	SER	THR	TYR	GLN	ILE	GLN	THR	ILE	LYS	ALA	GLN	ASP	VAL	GLU	VAL	GLU	LYS ALA
SIH	ASN	GLU	LEU	GLU PRO	THR	GLY	ASN	LEU	ARG	GLN THR	PHE	GLU	ASN CI N	VAL	ASN	ARG	TLE	ASN	ASP	ALA	ARG	LYS	THR	SER	SER	ALA	LYS	SER	LEU SER	GLU	TYR	ASN	PHE	SER	MET	VAL	SER	GLY ALA	LYS	GLY	LYS	ILE ASN
ILE	SER	VAL	ILE	ALA VAL	VAL	GLN	GLN	VAL	GLU	GLY	ARG	ILE	PRO PHF	CLY	PHE	LYS	ARG	THR	LEU	PR0	THE	ILE	LYS	ASP	TYR	GLY	GLU	SER	ARG GLY	PHE	VAL	ASN	SER	TEU	ALA	TEU	THR	PR.O THR	GLU	PHE	PHE	HIS ALA
MET	GLY	ARG	GLU	GLY	ILE	THR	ALA	LYS	THR	ALA	THR	GLY	TYR	GLN	ARG	ARG	TLE	LYS	SER	MET	SER	VAL	MET	L'YS	TYR	ASP	THR	VAL	ARG	SER	I LE A SN	GLN	VAL	GLN	LEU	TYR	GLY	GLU	GLY	LEU	GLY	GLU SER
VAL	GLU	GLN	ASN	LEU ALA	THR	LYS	PRO	ASN	LYS	ALA DHF	GLU	LYS	LYS	ARG	PHE	ASP	THR	ASN	GLU	ARG	ALA LEU	ARG	ARG	1 HIL	GLN	GLU	LEU	VAL	LYS ASP	VAL	LEU	ASN	ALA HTS	ILE	GLN	GLU	LEU	GLU ARG	GLU	PHE	ARG	MET ARG
GLU	ASP	GLU	VAL	ARG	VAL	PHE	PRO	GLY	ASP	SER I VS	VAL	VAL	LEU	CYS	ASN	LEU	ARG	MET	ILE	TRP	ALA	GLN	LYS	PHE	SIH	ILE	PRO	ARG	LEU PRO	SER	ASP	HIS	PRO TLE	LYS	VAL	GLU	GLY	VAL	GLU	LEU	LYS	LYS LEU
VAL	ILE	ASN	GLY	ASP ASP	PRO 1 EII	SER	ARG	ALA	GLN	GLU	ALA	THR	LEU	PHE	ASN	ILE	HLS LEU	ARG	SER	THR	CYS	SER	ARG	MET	ALA	CT II	PHE	ARG	LEU SER	GLY	GLU ALA	PHE	ASP TRP	TEU	LEU CT V	CLU GLU	ILE	GLU SFR	LYS	PHE	GLN	ALA ILE
ALA	SIH	GLY	GLU	MET VAL	GLY	LEU	ALA	GLN	SER	LEU GI V	GLU	PRO	ALA THR	GLN	MET	THR	ASN	THR	PHE	TVD	ALA	GLY	VAL	AL.A	LYS	ASN	THR	LEU	GLY VAL	PRO	ARG	LYS	GLU	ILE	ASN	SER	LYS	LYS	LYS	THR	SER	LEU THR
VAL	PHE	LEU	GLY	GLN SER	ALA	ASP	ALA	ARG	ALA	LYS	ILE	LEU	CYS	LEU	GLU	SIH	THR	LEU	ARG	LYS	THR	ALA	ASN	AT.A	ILE	TYR	ASP	PRO	ASN PRO	GLN	SER	VAL	VAL	GLU	ASP	GLU	TRP	VAL	VAL	TYR	GLU	MET PRO
ASP	PHE	VAL	ALA	ARG ILE	SER	TRP	LEU	ARG	VAL	GLU	ASP	ARG	LYS	MET	THR	ASP	AHG LYS	LEU	THR	MET	GLN	ILE	ALA	U.Y.S	ILE	ASN	GLY	PHE	GLY ASP	ASP	LEU	CYS	TLE	ASN	ASP	ASN	ALA	GLU GLU	TEU	VAL	ARG	ILE ARG
ILE	MET	SER	ASP	GLU	LYS	GLN	GLU GLU	GLU	GLU	VAL	ASP	LYS	MET	ASP	ASP	VAL	LEU	ARG	CYS	ILE	SER	ASN	MET	THR	ASP	MET	LEU	GLN	GLY TLE	GLU	GLN	SER	LYS VAL.	TYR	MET	LEU	PRO	GLN THR	ASP	ASN	LYS	LYS ILE
ILE	ILE	GLU	ASP	GLU	PHE	ALA	LEU	GLU	TRP	ILE	GLU	THR	ASP	VAL	SER	LEU	ARG	VAL	LEU	SER	LYS	ASP	VAL	PRO	VAL	ARG	THR	SER	ASN	ILE	VAL	ILE	PHE THR	VAL	LEU	ILE	GLU	ALA VAL	ARG	LYS	ALA LEU	GLU ARG
GLU	LEU	HIS	VAL	ILE SER	PHE	GLY	SER	VAL	ASN	TYR	HIS	LEU	ALA I FII	LEU	CYS	ASP	MET	THR	CYS	ARG	HIS	LEU	MET	TLF.	THR	ARG	GLY	VAL	ASN ARG	GLN	ASP THR	GLY	PRO LEII	MET	LYS	SER	PHE	GLU	THR	VAL	VAL	LEU MET
GLU	ALA	ALA ALA	HIS	GLU	SER	PRO	MET	GLY	VAL	SER GI II	ASN	ILE	MET I FII	GLY	GLN	LEU	ALA PR.O	ALA	GLY	THR	CYS CYS	PHE	ASP	LEU	LEU	ASP AT A	GLU	LYS	CYS LYS	TYR	GLY MFT	GLU	TLE	THR	ASN TI E	PRO	GLY	LEU CI_V	ALA	ALA	GL I PRO	THR GLY
MET	PHE	GLY	SER	ALA PRO	SER	MET	GLY GLY	GLY	SER	PRO AT A	MET	THR	PRO TRP	ASN	GLN	GLY	THR	PRO	ALA	TYR	ALA	TRP	SER	SER	VAL	GLY	GLY	MET	THR PRO	GLY	AL.A AT.A	GLY	PHE SER	PRO	SER AT A	ALA	SER	ASP ALA	SER	GLY	Phe SER	PRO GLY
																																					19	a	ç,	1		
TYR	SER	ALA	TRP	PRO	THR	GLY	SER	GLY	SER	PRO GIV	PRO	SER	SER	TYR	ILE	PRO	PRO	GLY	GLY	ALA	SER	PRO	SER	SER	PRO	THR	PRO	ALA	TYR GLU	PRO	ARG	PRO	GLY	TYR	THR	GLN	S161	2163		P163	SER	PRO SER
TYR	SER	THR	SER	ASN	TYR	PRO	THR	PRO	SER	TYR	PRO	THR	SER	SER	TYR	SER	THR	SER	PRO	SER	SER	PRO	THR	PRO	SER	TYR	PRO	THR	SER	SER	TYR	PRO	THR	PRO	SER	SER	PRO	THR	PRO	SER	SER	PRO THR
SER	PRO	TYR	SER	THR	SER	SER	TYR	PRO	THR	SER	SER	TYR	SER	THR	SER	PRO	TYR	SER	PRO	THR	PRO	SER	TYR	PRO	THR	SER	SER	TYR	PRO	THR	SER	SER	TYR	PRO	THR	PRO	SER	TYR	PRO	THR	PRO	ASN TYR
SER	PRO	SER	PRO	ASN TYR	THR	THR	SER	SER	TYR	SER	THR	SER	PRO	TYR	SER	PRO	SER	PRO	ASN	TYR	PRO	THR	SER	ASN	TYR	SER	THR	SER	PRO	TYR	DRU	THR	SER	SER	TYR	PRO	THR	SER	SER	TYR	PRO	SER



PRO REAL STATES STATES

• Molecule 3: DNA-directed RNA polymerase subunit beta



• Molecule 4: DNA-directed RNA polymerase II subunit RPB3





PHE GLN TYR

• Molecule 6: DNA-directed RNA polymerase II subunit E



• Molecule 7: DNA-directed RNA polymerases I, II, and III subunit RPABC2

Chain F:	48%	13%	39%	
MET SER ASP ASN GLU ASP PHE ASP GLY ASP	PHE ASP ASP ASP CLU CLU CLU CLU CLU CLU ASP ASP ASN ASN	ALA GLU GLU GLU GLU GLU ASN VAL CLU ILLE LEU	PLEU PRO SER GLU GLU ARG GLN ASN ASN GLN GLN	Y56 M57 E61 R64 T68

V79 M80 L83 L83 B88 M98 1102 1102 1105 1105 1105 1123 1124

• Molecule 8: DNA-directed RNA polymerase II subunit RPB7



• Molecule 9: DNA-directed RNA polymerases I, II, and III subunit RPABC3



• Molecule 10: DNA-directed RNA polymerase II subunit RPB9









• Molecule 15: non-template DNA





















CYS CALLA CA

• Molecule 27: Integrator complex subunit 7







 \bullet Molecule 30: Integrator complex subunit 10



• Molecule 31: Integrator complex subunit 11











HIS PRO GLY HIS PHE ILE SER CLY VAL THR PHE PHC PRO PRO PRO PRO PRO PRO

 \bullet Molecule 35: Serine/threenine-protein phosphatase 2A 65 kDa regulatory subunit A alpha isoform



• Molecule 36: Serine/threonine-protein phosphatase 2A catalytic subunit alpha isoform



ALA ALA CEU VALL CEU VALL CEU CLUYS CLUYS

ALA PRICE CALLAR P

• Molecule 39: NELF-B,Negative elongation factor B,Negative elongation factor B,Negative elongation factor B,Negative elongation factor B



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	80717	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	40.44	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 $(6k \ge 4k)$	Depositor
Maximum map value	0.105	Depositor
Minimum map value	-0.046	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.00453	Depositor
Map size (Å)	525.0, 525.0, 525.0	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles				
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5			
2	А	0.35	0/11205	0.60	0/15122			
2	Y	0.50	0/100	0.49	0/139			
3	В	0.36	1/9076~(0.0%)	0.60	0/12250			
4	С	0.38	0/2139	0.58	0/2906			
5	D	0.28	0/990	0.54	0/1335			
6	Е	0.37	0/1752	0.61	0/2366			
7	F	0.38	0/637	0.67	0/859			
8	G	0.31	0/1347	0.59	0/1833			
9	Н	0.41	0/1207	0.73	0/1628			
10	Ι	0.40	0/967	0.70	0/1309			
11	J	0.42	0/542	0.59	0/730			
12	Κ	0.37	0/936	0.58	0/1267			
13	L	0.44	0/389	0.71	0/517			
14	М	0.30	0/736	0.67	0/989			
14	S	0.44	0/739	0.86	1/993~(0.1%)			
15	Ν	0.59	0/3425	0.96	0/5290			
16	0	0.32	0/654	0.69	0/876			
16	U	0.38	0/641	0.69	0/858			
17	Р	0.46	0/413	1.06	3/644~(0.5%)			
18	Q	0.28	0/849	0.65	1/1143~(0.1%)			
18	V	0.32	0/824	0.67	0/1111			
19	R	0.26	0/665	0.54	0/893			
19	W	0.32	0/757	0.58	0/1015			
20	Т	0.65	1/3672~(0.0%)	0.98	5/5658~(0.1%)			
21	Ζ	0.29	0/2200	0.59	0/2964			
22	a	0.32	0/11854	0.57	0/16192			
23	b	0.43	0/8131	0.63	0/11076			
24	d	0.40	0/6532	0.62	0/8873			
25	е	0.35	0/6398	0.60	0/8718			
26	f	0.37	0/4240	0.61	0/5784			
27	g	0.40	0/6832	0.61	0/9268			
28	h	0.38	0/6870	0.56	0/9334			



Mol Chain		Bo	ond lengths	E	Bond angles
INIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
29	i	0.39	0/4989	0.60	0/6802
30	j	0.24	0/3309	0.38	0/4608
31	k	0.31	0/4179	0.59	0/5679
32	m	0.25	0/2863	0.44	0/3972
33	n	0.24	0/2482	0.46	0/3453
34	0	0.24	0/1821	0.38	0/2538
35	р	0.33	0/4505	0.62	0/6129
36	q	0.44	0/2378	0.61	0/3228
37	r	0.45	0/255	0.71	0/345
38	u	0.32	0/1419	0.63	0/1930
39	V	0.25	0/1952	0.45	0/2522
40	W	0.30	0/3900	0.57	0/5310
All	All	0.37	2/131771~(0.0%)	0.62	10/180456~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
19	R	1	0
19	W	1	0
All	All	2	0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
3	В	953	ASP	C-N	-5.27	1.22	1.34
20	Т	161	DG	C5-C4	-5.07	1.34	1.38

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
20	Т	9	DC	O5'-P-OP2	10.31	123.07	110.70
17	Р	-10	U	N3-C2-O2	-8.96	115.93	122.20
20	Т	9	DC	OP1-P-OP2	-8.50	106.85	119.60
17	Р	-10	U	N1-C2-O2	8.38	128.67	122.80
20	Т	9	DC	O5'-P-OP1	-8.16	98.36	105.70
18	Q	116	LEU	CA-CB-CG	7.65	132.88	115.30
20	Т	8	DT	OP1-P-O3'	7.14	120.91	105.20
17	Р	-10	U	C2-N1-C1'	5.88	124.75	117.70
20	Т	145	DT	O4'-C1'-N1	5.29	111.71	108.00



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
14	S	56	LYS	N-CA-CB	5.22	120.00	110.60

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom	
19	R	66	ILE	CB	
19	W	66	ILE	CB	

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	40	0	12	0	0
2	А	11008	0	11156	130	0
2	Y	95	0	82	0	0
3	В	8901	0	8923	94	0
4	С	2096	0	2040	21	0
5	D	977	0	929	7	0
6	Е	1721	0	1737	15	0
7	F	627	0	657	10	0
8	G	1316	0	1288	16	0
9	Н	1186	0	1147	24	0
10	Ι	944	0	868	16	0
11	J	533	0	553	8	0
12	K	917	0	940	14	0
13	L	383	0	382	6	0
14	М	729	0	763	19	0
14	S	732	0	763	35	0
15	N	3050	0	1664	35	0
16	0	647	0	685	17	0
16	U	634	0	665	19	0
17	Р	370	0	182	2	0
18	Q	839	0	906	20	0
18	V	814	0	875	15	0
19	R	656	0	677	13	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	W	746	0	766	12	0
20	Т	3277	0	1805	45	0
21	Z	2167	0	2180	12	0
22	a	11692	0	10122	0	0
23	b	7991	0	8034	0	0
24	d	6407	0	6432	0	0
25	е	6260	0	6070	0	0
26	f	4137	0	3989	0	0
27	g	6722	0	6685	0	0
28	h	6751	0	6615	0	0
29	i	4870	0	4849	0	0
30	j	3313	0	1464	0	0
31	k	4090	0	3891	0	0
32	m	2864	0	1380	0	0
33	n	2484	0	1104	0	0
34	0	1824	0	802	0	0
35	р	4431	0	4483	0	0
36	q	2322	0	2215	0	0
37	r	250	0	217	0	0
38	u	1395	0	1434	0	0
39	V	2070	0	921	0	0
40	W	3825	0	3650	0	0
41	Х	110	0	24	0	0
42	А	2	0	0	0	0
42	В	1	0	0	0	0
42	С	1	0	0	0	0
42	Ι	2	0	0	0	0
42	J	1	0	0	0	0
42	L	1	0	0	0	0
42	k	2	0	0	0	0
43	Р	1	0	0	0	0
44	f	1	0	0	0	0
44	q	1	0	0	0	0
All	All	129226	0	117026	482	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (482) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.


Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
18:Q:84:GLN:HE21	18:Q:102:ILE:HG22	1.41	0.84
15:N:55:DT:H5'	14:S:83:ARG:HD3	1.64	0.78
20:T:111:DT:H4'	18:V:42:ARG:HA	1.66	0.78
15:N:35:DA:H4'	18:V:16:SER:HA	1.68	0.76
3:B:927:ARG:NH1	3:B:1054:MET:SD	2.64	0.71
14:M:118:THR:HG22	16:O:45:ARG:HB3	1.73	0.71
14:S:65:LEU:HB3	20:T:90:DA:OP2	1.91	0.70
3:B:610:ARG:NH1	10:I:71:ASP:OD2	2.24	0.70
3:B:841:ARG:NH2	17:P:-13:G:N7	2.39	0.69
2:A:1218:ARG:HH12	2:A:1253:GLU:HA	1.56	0.69
2:A:413:TYR:O	2:A:449:HIS:ND1	2.26	0.69
9:H:28:LEU:HD21	9:H:50:VAL:HG11	1.75	0.68
14:M:63:ARG:HH21	20:T:59:DA:H4'	1.59	0.67
3:B:854:ILE:HG13	3:B:866:ILE:HD12	1.76	0.67
18:Q:104:GLN:NE2	14:S:97:GLU:OE2	2.26	0.67
14:S:62:ILE:HB	14:S:66:PRO:HG2	1.77	0.67
21:Z:557:THR:HA	21:Z:571:ARG:HH22	1.60	0.66
3:B:666:ASP:OD1	3:B:667:THR:N	2.30	0.65
16:U:32:PRO:HA	16:U:35:ARG:HB2	1.79	0.65
18:Q:81:ARG:HB2	14:S:58:THR:HG21	1.79	0.65
19:R:84:SER:HB2	18:V:38:ASN:HB2	1.79	0.65
14:S:100:LEU:HD11	16:U:58:LEU:HD11	1.79	0.65
2:A:272:ASN:ND2	20:T:161:DG:N3	2.45	0.65
15:N:74:DG:H3'	14:S:116:ARG:HB2	1.79	0.65
3:B:565:THR:HG21	3:B:580:PRO:HB3	1.77	0.64
3:B:1085:ARG:NH1	20:T:152:DC:OP1	2.29	0.64
4:C:106:ARG:NH1	4:C:158:GLU:OE1	2.31	0.64
3:B:1033:THR:HG22	12:K:44:ASN:HD21	1.63	0.64
2:A:119:VAL:HG21	2:A:147:LEU:HD11	1.80	0.63
2:A:349:ARG:NH1	3:B:1161:GLU:OE2	2.30	0.63
9:H:2:ALA:O	9:H:84:ARG:NH2	2.31	0.63
14:S:64:LYS:O	14:S:68:GLN:HB3	1.97	0.63
19:R:82:LYS:HD2	18:V:36:LYS:HD3	1.81	0.63
21:Z:419:ASN:OD1	21:Z:421:GLN:NE2	2.32	0.63
19:R:53:SER:H	20:T:19:DA:H5"	1.63	0.62
3:B:604:ILE:HD11	3:B:613:ARG:HD3	1.81	0.62
2:A:582:PRO:HD2	9:H:47:ILE:HD12	1.81	0.62
3:B:379:ARG:HE	10:I:67:GLN:HE22	1.46	0.62
14:S:52:ARG:NH2	20:T:9:DC:H5"	2.14	0.62
18:Q:113:ALA:O	18:Q:118:LYS:NZ	2.33	0.62
3:B:89:GLU:OE2	3:B:143:GLN:NE2	2.32	0.62
2:A:388:MET:HA	3:B:1063:ALA:HB2	1.82	0.61



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:B:938:ARG:NH2	3:B:983:GLU:OE2	2.31	0.61
2:A:98:GLY:HA3	2:A:1440:MET:HE3	1.83	0.61
9:H:63:THR:O	9:H:84:ARG:NH1	2.33	0.61
6:E:52:ARG:HA	6:E:54:ARG:HH21	1.65	0.61
15:N:105:DG:H5"	16:O:79:LYS:HG3	1.82	0.61
3:B:812:ARG:NH1	20:T:156:DA:OP1	2.34	0.61
2:A:481:THR:O	2:A:483:ARG:NH1	2.33	0.61
2:A:863:ARG:NH1	2:A:1129:ASN:OD1	2.34	0.61
4:C:70:LEU:O	11:J:6:ARG:NH1	2.34	0.60
3:B:567:ILE:HD11	3:B:577:HIS:HB2	1.82	0.60
5:D:32:LEU:HD12	5:D:36:GLU:HB3	1.83	0.60
3:B:311:ILE:HG23	3:B:316:VAL:HG13	1.82	0.60
2:A:106:VAL:HG23	2:A:236:LEU:HD21	1.84	0.60
15:N:37:DA:N1	20:T:115:DC:N4	2.49	0.60
2:A:564:LEU:HD21	2:A:594:LEU:HD13	1.84	0.60
18:Q:47:ALA:HB1	19:R:91:ILE:HG13	1.83	0.60
14:S:56:LYS:NZ	20:T:9:DC:H2'	2.17	0.60
4:C:175:LYS:NZ	13:L:57:ALA:O	2.35	0.59
9:H:88:PHE:HD2	9:H:144:LEU:HB3	1.65	0.59
4:C:266:GLU:OE1	12:K:17:LYS:NZ	2.35	0.59
2:A:894:ASP:OD1	2:A:1396:ARG:NH2	2.35	0.59
3:B:114:ARG:NH1	3:B:191:GLU:OE2	2.35	0.59
4:C:193:ARG:NH2	4:C:218:ALA:O	2.34	0.59
2:A:360:ASP:OD1	3:B:1062:ARG:NE	2.34	0.59
2:A:1167:ARG:HD2	2:A:1293:LEU:HD12	1.83	0.59
12:K:63:VAL:HG22	12:K:71:ILE:HG22	1.85	0.59
18:Q:81:ARG:HH12	14:S:56:LYS:HA	1.68	0.59
2:A:448:ARG:NH1	2:A:449:HIS:O	2.33	0.59
3:B:283:ASP:N	3:B:283:ASP:OD1	2.32	0.59
3:B:602:SER:OG	3:B:620:ARG:NH1	2.36	0.59
5:D:62:MET:O	5:D:66:ASN:ND2	2.35	0.59
2:A:261:ARG:HH11	2:A:277:THR:HG22	1.69	0.58
6:E:104:ILE:HD11	6:E:127:LEU:HD23	1.85	0.58
14:M:54:TYR:HB3	16:O:40:ARG:HG3	1.85	0.58
2:A:911:PRO:O	2:A:963:ARG:NH2	2.35	0.58
2:A:1424:THR:OG1	2:A:1428:MET:SD	2.59	0.58
18:V:87:VAL:HG22	18:V:93:LEU:HD23	1.85	0.58
3:B:200:MET:SD	3:B:385:ARG:NH2	2.77	0.57
3:B:591:ARG:NH2	3:B:663:GLU:OE1	2.37	0.57
18:Q:84:GLN:NE2	18:Q:103:ALA:O	2.36	0.57
9:H:14:ASP:HB2	9:H:29:HIS:HB2	1.85	0.57



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
8:G:79:PRO:HG2	8:G:150:THR:HG23	1.87	0.57
15:N:45:DG:OP1	19:W:89:ARG:NH1	2.38	0.57
2:A:111:CYS:SG	2:A:188:GLN:NE2	2.77	0.57
15:N:35:DA:H3'	18:V:17:ARG:HG3	1.86	0.57
3:B:198:GLU:OE1	3:B:487:SER:OG	2.22	0.57
5:D:66:ASN:OD1	5:D:70:ARG:NH2	2.38	0.57
2:A:1172:ASN:ND2	2:A:1215:GLU:OE1	2.38	0.57
18:V:80:PRO:HD3	19:W:55:ALA:HB2	1.87	0.56
11:J:9:THR:OG1	11:J:47:ARG:NH2	2.38	0.56
2:A:1189:ASP:HB2	2:A:1192:TRP:HE3	1.71	0.56
15:N:34:DG:H3'	18:V:28:GLY:HA3	1.87	0.56
2:A:148:CYS:O	2:A:151:LYS:N	2.39	0.56
2:A:535:MET:O	2:A:669:TYR:OH	2.20	0.56
3:B:310:VAL:HG13	3:B:311:ILE:HG13	1.88	0.56
10:I:13:GLY:O	10:I:15:ARG:NH1	2.39	0.56
2:A:552:ASP:OD2	9:H:24:ARG:NH2	2.39	0.55
9:H:20:LYS:NZ	9:H:22:PHE:O	2.40	0.55
14:S:52:ARG:NE	20:T:9:DC:OP1	2.39	0.55
2:A:34:MET:O	3:B:1138:ARG:NH2	2.37	0.55
2:A:678:ASN:HA	2:A:681:LEU:HD23	1.88	0.55
2:A:1216:LEU:HD12	2:A:1255:LEU:HB3	1.88	0.55
2:A:827:TYR:OH	2:A:839:HIS:NE2	2.36	0.55
3:B:733:MET:HE2	3:B:1052:LYS:HA	1.88	0.55
14:S:107:THR:HG22	14:S:119:ILE:HD11	1.88	0.55
13:L:25:GLU:OE2	13:L:25:GLU:N	2.39	0.55
4:C:113:ARG:NH1	4:C:114:HIS:O	2.39	0.55
16:O:75:HIS:HB2	19:R:93:THR:HG21	1.88	0.55
2:A:686:THR:OG1	2:A:687:ILE:N	2.40	0.55
4:C:99:VAL:HG21	4:C:127:VAL:HG11	1.88	0.55
10:I:116:ALA:HB3	10:I:119:CYS:HB3	1.89	0.55
18:V:79:ILE:HG22	18:V:81:ARG:H	1.73	0.54
2:A:95:PHE:O	2:A:311:GLN:NE2	2.39	0.54
3:B:579:ASP:N	3:B:579:ASP:OD1	2.40	0.54
4:C:16:ASP:OD1	4:C:16:ASP:N	2.40	0.54
15:N:16:DA:H2"	15:N:17:DT:H5'	1.90	0.54
18:Q:38:ASN:HD21	19:W:84:SER:HA	1.71	0.54
6:E:134:GLU:OE1	6:E:181:ARG:NH2	2.41	0.54
14:S:49:ARG:HE	20:T:8:DT:H4'	1.73	0.54
18:Q:77:ARG:NH1	18:Q:78:ILE:O	2.40	0.54
3:B:228:SER:O	3:B:405:ARG:NE	2.41	0.54
3:B:149:ILE:HG22	3:B:435:ILE:HG21	1.90	0.53



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:B:301:VAL:O	3:B:304:SER:OG	2.27	0.53
15:N:33:DG:OP2	19:W:28:ARG:NH1	2.32	0.53
3:B:430:ASN:HB3	3:B:433:LEU:HB3	1.89	0.53
3:B:124:LEU:HD22	3:B:152:ILE:HD11	1.91	0.53
2:A:1218:ARG:NH1	2:A:1253:GLU:HA	2.22	0.53
18:V:33:LEU:HD11	19:W:67:PHE:HE2	1.74	0.53
12:K:17:LYS:HE3	12:K:20:THR:HG22	1.91	0.52
3:B:955:PRO:HB2	3:B:1028:LEU:HD13	1.90	0.52
2:A:780:ASN:HA	3:B:976:MET:HE1	1.90	0.52
15:N:136:DC:OP1	18:Q:77:ARG:NH2	2.42	0.52
3:B:67:LEU:HD21	3:B:416:ARG:HG2	1.90	0.52
15:N:115:DC:H2"	15:N:116:DG:N7	2.23	0.52
8:G:120:ASP:N	8:G:120:ASP:OD1	2.43	0.52
12:K:51:LEU:HD22	12:K:59:ALA:HB3	1.91	0.52
13:L:13:GLN:O	13:L:29:LYS:NZ	2.41	0.52
18:V:31:HIS:HA	18:V:34:LEU:HD12	1.92	0.52
2:A:1153:ARG:HA	2:A:1156:ASP:HB3	1.91	0.52
14:S:62:ILE:HD12	14:S:66:PRO:HB2	1.92	0.52
2:A:373:LEU:HD22	2:A:377:GLN:HB3	1.92	0.52
10:I:25:TYR:HD2	10:I:40:ARG:HH22	1.58	0.52
2:A:411:SER:OG	2:A:412:GLN:OE1	2.28	0.52
14:S:76:GLN:HE22	14:S:81:ASP:H	1.58	0.51
2:A:1344:MET:CE	6:E:134:GLU:HA	2.41	0.51
3:B:748:ALA:HB3	3:B:811:TYR:HB2	1.93	0.51
3:B:1157:LEU:O	3:B:1161:GLU:HG3	2.09	0.51
6:E:85:LYS:HZ1	6:E:88:LYS:HD3	1.76	0.51
2:A:272:ASN:OD1	20:T:161:DG:H1'	2.10	0.51
3:B:258:ALA:HB2	3:B:269:ILE:HD13	1.93	0.51
8:G:92:VAL:HG13	8:G:97:LEU:HA	1.93	0.51
2:A:1453:GLY:O	2:A:1457:ASN:ND2	2.43	0.51
3:B:1119:CYS:HB2	3:B:1137:CYS:SG	2.50	0.51
4:C:183:ALA:HB3	4:C:232:ASN:HB3	1.91	0.51
7:F:79:VAL:HG21	7:F:83:LEU:HD11	1.92	0.51
15:N:16:DA:H2'	15:N:17:DT:H71	1.93	0.51
2:A:1307:VAL:HG13	2:A:1338:THR:HG22	1.93	0.51
21:Z:602:VAL:HG22	21:Z:643:LEU:HD12	1.92	0.51
8:G:37:THR:OG1	8:G:43:GLY:O	2.26	0.51
9:H:8:ASP:OD1	9:H:9:ILE:N	2.44	0.51
2:A:244:ARG:HB2	2:A:247:TRP:CE2	2.46	0.50
19:R:83:ARG:NH2	20:T:40:DA:OP2	2.44	0.50
2:A:118:LEU:HD23	2:A:148:CYS:HB3	1.93	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:B:225:LEU:HD22	3:B:353:VAL:HG21	1.93	0.50
3:B:225:LEU:HB3	3:B:349:PRO:HB2	1.92	0.50
18:Q:65:LEU:HG	18:Q:86:ALA:HB1	1.91	0.50
3:B:64:PRO:HB2	3:B:85:LEU:HD11	1.93	0.50
6:E:196:PRO:HA	6:E:202:ARG:HA	1.94	0.50
17:P:-11:C:O2'	17:P:-10:U:O2	2.20	0.50
18:Q:115:LEU:HB3	16:U:44:LYS:HZ2	1.75	0.50
2:A:904:GLN:NE2	2:A:981:CYS:O	2.44	0.50
2:A:1482:TYR:HB2	7:F:80:MET:HE1	1.94	0.50
14:M:55:GLN:NE2	18:V:107:VAL:O	2.45	0.50
18:Q:51:LEU:HD21	19:R:70:ILE:HG21	1.94	0.50
2:A:734:ARG:NH2	10:I:107:ALA:O	2.45	0.50
2:A:1030:SER:OG	6:E:162:ARG:NE	2.45	0.50
14:M:63:ARG:HG2	15:N:95:DA:H4'	1.93	0.50
2:A:1150:ASP:HB3	2:A:1153:ARG:HG2	1.93	0.50
18:Q:41:GLU:OE2	18:V:41:GLU:N	2.45	0.49
15:N:98:DG:N1	20:T:54:DG:O6	2.45	0.49
8:G:46:ILE:HB	8:G:75:ILE:HB	1.95	0.49
2:A:1408:ARG:HH22	6:E:172:ARG:HH21	1.59	0.49
3:B:195:ILE:O	3:B:197:GLN:NE2	2.44	0.49
6:E:71:GLN:HB2	6:E:99:ILE:HD12	1.92	0.49
8:G:54:ILE:HG23	8:G:70:VAL:HG22	1.95	0.49
12:K:80:ASP:OD1	12:K:81:TYR:N	2.45	0.49
3:B:577:HIS:CG	3:B:583:LEU:HD12	2.47	0.49
14:S:119:ILE:HD13	16:U:43:VAL:HG13	1.94	0.49
2:A:358:ARG:HA	3:B:1085:ARG:HA	1.94	0.49
2:A:1118:THR:OG1	2:A:1136:THR:OG1	2.31	0.49
4:C:148:ILE:HD13	11:J:16:ASN:HB3	1.94	0.49
4:C:260:GLN:HB2	12:K:91:ILE:HG21	1.95	0.49
3:B:912:ASN:ND2	3:B:914:GLU:OE2	2.45	0.49
18:V:33:LEU:HD11	19:W:67:PHE:CE2	2.47	0.49
16:U:38:ALA:HB1	16:U:43:VAL:HB	1.95	0.49
2:A:299:ALA:HB3	2:A:302:VAL:HG12	1.95	0.48
10:I:83:ASP:N	10:I:83:ASP:OD1	2.46	0.48
12:K:1:MET:SD	12:K:1:MET:N	4.13	0.48
14:S:62:ILE:H	14:S:93:GLN:HE22	1.58	0.48
2:A:1288:ILE:O	2:A:1292:MET:HG3	2.13	0.48
16:O:72:TYR:HE2	16:O:92:ARG:HD3	1.78	0.48
9:H:88:PHE:CD2	9:H:144:LEU:HB3	2.45	0.48
13:L:56:ASP:OD1	21:Z:738:SER:OG	2.23	0.48
2:A:139:LYS:HE3	2:A:143:HIS:CE1	2.48	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
14:M:69:ARG:NH2	16:O:25:ASN:OD1	2.46	0.48
21:Z:465:ALA:HA	21:Z:468:LEU:HD12	1.95	0.48
4:C:7:PRO:HB2	12:K:101:LEU:HD13	1.93	0.48
8:G:106:CYS:SG	8:G:107:PHE:N	2.87	0.48
14:S:101:VAL:HG22	16:U:40:ARG:HG3	1.95	0.48
3:B:794:VAL:HG12	3:B:967:ILE:HG22	1.95	0.48
18:Q:16:SER:O	18:Q:19:SER:OG	2.31	0.48
16:U:69:ALA:HB1	16:U:81:VAL:HG11	1.94	0.48
3:B:114:ARG:NH2	3:B:176:GLU:OE2	2.46	0.48
15:N:31:DC:H2"	15:N:32:DT:C5	2.49	0.48
21:Z:608:SER:OG	21:Z:609:GLY:N	2.47	0.48
2:A:1455:SER:O	2:A:1459:MET:HG3	2.14	0.47
3:B:1142:ASN:HD21	3:B:1145:GLN:HB2	1.79	0.47
4:C:154:ARG:HD3	11:J:64:PRO:HD3	1.95	0.47
10:I:14:ILE:HG13	10:I:15:ARG:H	1.79	0.47
14:M:119:ILE:HD12	16:O:46:ILE:HD12	1.96	0.47
2:A:1178:ASP:O	2:A:1260:ARG:NH1	2.37	0.47
15:N:85:DC:H3'	16:O:35:ARG:HH12	1.78	0.47
16:U:26:ILE:HG13	16:U:55:ARG:HD3	1.96	0.47
7:F:57:MET:HB2	7:F:123:LEU:HB3	1.97	0.47
13:L:17:TYR:HB3	13:L:44:MET:HB3	1.97	0.47
16:O:73:THR:HG21	16:O:81:VAL:HA	1.97	0.47
20:T:37:DT:H2"	20:T:38:DA:C8	2.48	0.47
2:A:450:MET:SD	2:A:474:VAL:HG21	2.55	0.47
14:M:73:GLU:OE1	16:O:25:ASN:ND2	2.40	0.47
20:T:148:DC:H2'	20:T:149:DG:C8	2.50	0.47
9:H:16:ASP:OD1	9:H:27:ARG:N	2.46	0.47
12:K:111:ASP:O	12:K:115:GLY:N	2.48	0.47
2:A:628:VAL:HA	2:A:638:GLY:HA3	1.96	0.47
2:A:788:VAL:HG21	2:A:831:LEU:HD11	1.96	0.47
14:M:61:LEU:HD13	16:O:36:ARG:HD2	1.96	0.47
14:S:76:GLN:HA	14:S:80:THR:HA	1.96	0.47
3:B:677:MET:HB3	3:B:678:THR:HG22	1.97	0.47
10:I:109:ARG:HE	10:I:124:THR:HG21	1.80	0.47
3:B:1112:ASP:OD1	3:B:1112:ASP:N	2.47	0.46
8:G:96:GLY:N	21:Z:510:GLU:OE1	2.48	0.46
14:M:83:ARG:NH2	15:N:104:DA:O4'	2.48	0.46
15:N:44:DA:H5'	19:W:85:THR:HG22	1.97	0.46
19:W:36:ILE:HG13	19:W:40:LYS:HE3	1.97	0.46
2:A:1358:THR:OG1	2:A:1359:SER:N	2.47	0.46
3:B:59:VAL:HG21	3:B:91:ILE:HD13	1.97	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:B:595:ASP:OD1	3:B:595:ASP:N	2.47	0.46
4:C:76:ASP:N	4:C:76:ASP:OD1	2.48	0.46
7:F:56:TYR:HD1	7:F:124:ILE:HB	1.80	0.46
9:H:28:LEU:N	9:H:41:LEU:O	2.47	0.46
3:B:193:VAL:HG21	3:B:470:LEU:HD13	1.98	0.46
3:B:754:PRO:HB2	3:B:773:PRO:HG2	1.97	0.46
4:C:48:ASP:OD1	4:C:175:LYS:NZ	2.35	0.46
15:N:14:DA:H2"	15:N:15:DT:H5'	1.97	0.46
3:B:449:ALA:HB1	20:T:158:DC:H5"	1.97	0.46
6:E:73:PHE:O	6:E:103:LEU:N	2.45	0.46
11:J:66:GLU:N	11:J:66:GLU:OE1	2.49	0.46
14:M:100:LEU:HD11	16:O:37:LEU:HD13	1.97	0.46
8:G:21:ASN:OD1	8:G:21:ASN:N	2.46	0.46
15:N:65:DA:H2'	16:U:32:PRO:HG2	1.98	0.46
2:A:467:MET:SD	2:A:467:MET:N	2.88	0.46
3:B:1029:TYR:HA	3:B:1036:LYS:HA	1.98	0.46
2:A:557:ARG:O	2:A:561:MET:HG2	2.15	0.46
2:A:364:ARG:NH1	2:A:502:ASN:OD1	2.45	0.46
9:H:96:VAL:HB	9:H:116:VAL:HG22	1.96	0.46
11:J:65:LEU:HD12	11:J:65:LEU:HA	1.82	0.46
3:B:187:ILE:HG13	3:B:448:LEU:HB3	1.98	0.46
4:C:103:LEU:HB3	4:C:161:LEU:HG	1.98	0.46
20:T:35:DC:H2"	20:T:36:DG:N7	2.31	0.46
2:A:98:GLY:HA3	2:A:1440:MET:CE	2.45	0.46
14:S:56:LYS:HZ3	20:T:9:DC:H2'	1.81	0.46
2:A:479:TRP:H	2:A:483:ARG:HH22	1.64	0.45
2:A:1157:ILE:O	2:A:1161:LEU:HB2	2.16	0.45
14:S:67:PHE:O	14:S:71:VAL:HG22	2.16	0.45
2:A:1026:ASP:O	2:A:1031:ARG:NH2	2.49	0.45
2:A:1141:VAL:HB	2:A:1336:LEU:HB2	1.98	0.45
3:B:331:THR:OG1	3:B:333:GLU:OE2	2.32	0.45
16:U:58:LEU:HD23	16:U:58:LEU:HA	1.83	0.45
2:A:674:THR:O	2:A:678:ASN:ND2	2.45	0.45
2:A:1231:ILE:HD12	2:A:1231:ILE:H	1.80	0.45
20:T:138:DA:H1'	20:T:139:DC:H5'	1.98	0.45
16:O:71:THR:HG23	19:R:96:ARG:HD3	1.99	0.45
16:U:75:HIS:HD1	19:W:89:ARG:HG2	1.81	0.45
2:A:539:GLN:HA	2:A:774:ALA:HB1	1.99	0.45
2:A:1173:THR:HG23	10:I:56:ASN:HB3	1.98	0.45
8:G:6:SER:HA	8:G:73:LYS:HA	1.97	0.45
14:S:56:LYS:HE3	20:T:9:DC:P	2.56	0.45



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:B:330:VAL:H	3:B:334:LYS:NZ	2.15	0.45
18:Q:14:ALA:HA	20:T:31:DT:H5'	1.99	0.45
3:B:393:LEU:HD12	3:B:532:ILE:HG12	1.98	0.45
3:B:1127:ILE:HB	3:B:1136:GLU:HG3	1.98	0.45
14:M:126:LEU:HD11	14:S:110:CYS:HA	1.99	0.45
2:A:364:ARG:HB2	3:B:1084:LEU:HD11	1.99	0.45
2:A:463:THR:OG1	3:B:1090:GLU:OE2	2.29	0.45
2:A:921:ARG:HG3	2:A:956:PHE:CG	2.52	0.45
16:U:44:LYS:HE3	16:U:44:LYS:HB2	1.77	0.45
2:A:367:ILE:HG22	2:A:482:PHE:HB2	1.99	0.45
2:A:937:ASP:OD1	2:A:937:ASP:N	2.49	0.45
2:A:1474:LEU:O	7:F:105:ILE:N	2.42	0.45
4:C:86:ARG:NH2	4:C:172:GLU:OE2	2.39	0.45
16:O:75:HIS:ND1	19:R:77:LEU:HB3	2.32	0.45
16:U:55:ARG:O	16:U:59:LYS:HG2	2.16	0.45
2:A:379:GLY:HA3	2:A:483:ARG:HB2	1.99	0.44
8:G:81:LYS:HG3	8:G:148:VAL:HG13	1.99	0.44
20:T:147:DT:H2'	20:T:148:DC:C6	2.52	0.44
3:B:907:VAL:HG13	3:B:921:ILE:HG12	2.00	0.44
14:M:116:ARG:HH21	20:T:70:DG:H3'	1.81	0.44
15:N:7:DT:H2"	15:N:8:DC:H5'	1.98	0.44
20:T:31:DT:H2"	20:T:32:DG:H8	1.82	0.44
9:H:6:PHE:HB3	9:H:60:ILE:HB	2.00	0.44
14:S:72:ARG:NH2	14:S:73:GLU:OE2	2.46	0.44
20:T:97:DA:H2"	20:T:98:DG:N7	2.33	0.44
2:A:225:PHE:HB3	2:A:245:PRO:HB2	1.99	0.44
6:E:17:ILE:HG21	6:E:74:VAL:HG11	1.98	0.44
9:H:7:GLU:OE1	9:H:8:ASP:N	2.50	0.44
15:N:65:DA:H3'	16:U:32:PRO:HD2	2.00	0.44
18:Q:18:SER:HB3	18:Q:23:LEU:HB2	2.00	0.44
14:S:61:LEU:HD11	16:U:36:ARG:HE	1.81	0.44
2:A:48:GLU:HG2	2:A:53:LYS:HB2	2.00	0.44
3:B:110:PRO:HG2	3:B:163:LEU:HD11	2.00	0.44
3:B:509:VAL:HG11	3:B:524:LYS:HD2	1.99	0.44
3:B:1105:GLU:O	3:B:1110:ALA:N	2.46	0.44
20:T:138:DA:H2"	20:T:139:DC:H2'	2.00	0.44
2:A:484:LEU:HD22	2:A:488:VAL:HG21	1.99	0.44
2:A:733:LEU:HD23	10:I:108:MET:H	1.82	0.44
8:G:89:VAL:HG13	8:G:99:THR:HG22	2.00	0.44
15:N:18:DA:H2'	15:N:19:DT:H71	2.00	0.44
20:T:47:DT:H2"	20:T:48:DA:C8	2.52	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
15:N:71:DG:H2"	15:N:72:DG:C8	2.53	0.44
19:R:87:THR:OG1	19:R:90:GLU:OE1	2.25	0.44
3:B:379:ARG:HE	10:I:67:GLN:NE2	2.12	0.44
15:N:148:DG:OP1	14:S:45:THR:HG21	2.18	0.44
20:T:34:DT:H6	20:T:34:DT:H2'	1.70	0.44
16:U:90:LEU:HD22	16:U:97:LEU:HD12	1.99	0.44
2:A:756:ALA:HB2	2:A:786:ALA:HB2	2.00	0.43
2:A:1016:LEU:HD23	2:A:1045:LEU:HD21	2.00	0.43
3:B:604:ILE:HG21	3:B:668:LEU:HB3	2.00	0.43
14:S:48:LEU:HB2	16:U:44:LYS:NZ	2.33	0.43
2:A:1232:ALA:O	2:A:1236:ASN:ND2	2.51	0.43
2:A:1280:ASP:HB3	2:A:1283:VAL:HG22	1.99	0.43
14:M:118:THR:OG1	20:T:70:DG:O5'	2.32	0.43
15:N:133:DC:H2"	15:N:134:DG:N7	2.34	0.43
2:A:867:SER:OG	2:A:868:MET:N	2.51	0.43
3:B:579:ASP:OD2	3:B:582:GLN:NE2	2.51	0.43
5:D:74:PHE:HB2	5:D:80:ILE:HD11	2.00	0.43
9:H:136:GLU:OE2	9:H:139:SER:HB3	2.18	0.43
20:T:97:DA:H2"	20:T:98:DG:C8	2.53	0.43
2:A:91:ALA:HB3	2:A:290:LEU:HD23	2.01	0.43
2:A:637:MET:HB3	9:H:122:LEU:HD21	2.00	0.43
2:A:100:LEU:O	2:A:104:MET:HG2	2.18	0.43
2:A:1437:ASP:N	2:A:1437:ASP:OD1	2.50	0.43
4:C:34:ILE:HD11	12:K:98:LEU:HD11	2.01	0.43
9:H:130:ASN:OD1	9:H:130:ASN:N	2.51	0.43
7:F:64:ARG:O	7:F:68:THR:HG23	2.18	0.43
14:S:54:TYR:HB3	16:U:40:ARG:HB3	2.01	0.43
20:T:3:DC:H2"	20:T:4:DA:C8	2.53	0.43
2:A:1481:LYS:HA	8:G:20:PRO:HA	2.00	0.43
6:E:9:ARG:HD2	6:E:136:LEU:HD21	2.01	0.43
9:H:12:VAL:HA	9:H:30:CYS:HA	2.01	0.43
19:R:79:HIS:ND1	19:W:68:GLU:OE2	2.49	0.43
2:A:524:MET:HB2	2:A:524:MET:HE3	1.79	0.43
2:A:1218:ARG:NH1	2:A:1255:LEU:HD21	2.33	0.43
3:B:561:ILE:HG22	3:B:576:ILE:HD13	2.00	0.43
5:D:41:LEU:HB3	5:D:65:LEU:HD13	2.01	0.43
8:G:166:ASP:OD2	8:G:167:TYR:HD1	2.02	0.43
13:L:39:CYS:SG	13:L:41:TYR:HB2	2.59	0.43
15:N:12:DG:H2'	15:N:13:DT:H71	2.00	0.43
18:Q:92:GLU:OE1	18:Q:95:LYS:NZ	2.34	0.43
2:A:1135:LYS:HD2	2:A:1135:LYS:HA	1.74	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
6:E:163:TYR:HB2	6:E:165:LEU:HD22	2.00	0.43
2:A:115:SER:O	2:A:115:SER:OG	2.36	0.43
2:A:1375:ARG:NH1	2:A:1379:GLU:OE1	2.51	0.43
3:B:57:ARG:O	3:B:61:ASP:HB3	2.18	0.43
7:F:98:LYS:HB2	7:F:98:LYS:HE2	1.82	0.43
15:N:34:DG:OP1	18:V:32:ARG:HB2	2.19	0.43
18:Q:116:LEU:HD12	18:Q:117:PRO:HD2	2.01	0.43
21:Z:601:LYS:HB2	21:Z:644:VAL:HG23	2.01	0.43
2:A:1082:HIS:O	2:A:1085:GLU:HG3	2.19	0.42
2:A:1128:ILE:HD12	2:A:1414:ILE:HD12	2.00	0.42
2:A:1363:VAL:O	2:A:1367:THR:HG23	2.19	0.42
2:A:1476:ASP:HB3	2:A:1479:LYS:HB2	2.01	0.42
11:J:24:LEU:HD22	11:J:29:TYR:HD2	1.84	0.42
14:M:122:LYS:HA	14:M:122:LYS:HD2	1.86	0.42
19:R:83:ARG:NH1	19:R:90:GLU:OE2	2.52	0.42
14:S:56:LYS:HZ1	20:T:9:DC:H2'	1.82	0.42
2:A:1097:GLU:O	2:A:1100:THR:OG1	2.34	0.42
8:G:110:ARG:HH11	8:G:119:PHE:HB2	1.84	0.42
20:T:66:DG:H2"	20:T:67:DT:C5	2.54	0.42
2:A:719:LYS:HB3	2:A:725:LEU:HB2	2.01	0.42
2:A:962:ASP:HB3	2:A:1043:ILE:HG23	2.01	0.42
3:B:256:ILE:HD11	3:B:373:LEU:HD21	2.01	0.42
20:T:133:DT:H2"	20:T:134:DA:C8	2.54	0.42
4:C:249:LEU:HD13	12:K:102:GLU:HA	2.01	0.42
9:H:96:VAL:HA	9:H:116:VAL:HA	2.01	0.42
20:T:23:DC:H2"	20:T:24:DG:C8	2.55	0.42
21:Z:502:LEU:HD22	21:Z:513:VAL:HG12	2.01	0.42
3:B:161:CYS:SG	3:B:162:LEU:N	2.92	0.42
9:H:103:GLU:HB3	9:H:109:ALA:HB2	2.02	0.42
20:T:123:DA:H5'	19:W:31:LYS:HB2	2.00	0.42
2:A:118:LEU:HG	2:A:151:LYS:HB2	2.00	0.42
3:B:756:LYS:O	3:B:777:ASN:ND2	2.48	0.42
3:B:773:PRO:HG3	11:J:53:VAL:HG21	2.00	0.42
3:B:779:ILE:O	3:B:964:ASP:N	2.44	0.42
7:F:61:GLU:OE2	7:F:106:ILE:HG21	2.19	0.42
9:H:100:GLU:O	9:H:113:SER:N	2.46	0.42
19:W:35:SER:OG	19:W:60:ASN:HB2	2.19	0.42
2:A:676:ILE:HD13	2:A:676:ILE:HA	1.90	0.42
20:T:57:DT:H2"	20:T:58:DA:N7	2.35	0.42
10:I:71:ASP:OD1	10:I:71:ASP:N	2.51	0.42
14:S:66:PRO:O	14:S:69:ARG:N	2.52	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
21:Z:589:SER:O	21:Z:591:GLN:NE2	2.52	0.42
2:A:376:ASP:HB3	2:A:522:PRO:HD3	2.02	0.42
2:A:1141:VAL:HA	2:A:1357:THR:HG23	2.01	0.42
2:A:1484:MET:SD	2:A:1484:MET:N	2.93	0.42
6:E:31:ASP:OD1	6:E:32:GLU:N	2.52	0.42
14:M:68:GLN:O	14:M:72:ARG:HG2	2.20	0.42
15:N:43:DG:H2"	15:N:44:DA:N7	2.35	0.42
2:A:261:ARG:HD2	2:A:277:THR:HG22	2.01	0.41
2:A:356:GLY:O	3:B:1085:ARG:NH2	2.51	0.41
2:A:1077:ASN:HB3	7:F:56:TYR:CE2	2.54	0.41
3:B:677:MET:SD	3:B:700:PRO:HB3	2.60	0.41
14:M:122:LYS:HG3	14:S:113:HIS:NE2	2.35	0.41
2:A:731:ASN:HB2	2:A:735:GLN:HB2	2.01	0.41
3:B:553:LEU:HG	3:B:575:GLY:H	1.85	0.41
3:B:566:LYS:HA	3:B:576:ILE:HG22	2.02	0.41
3:B:688:ALA:O	3:B:690:CYS:N	2.51	0.41
5:D:126:GLU:O	5:D:130:ILE:HG12	2.20	0.41
15:N:28:DT:H2"	15:N:29:DG:N7	2.35	0.41
2:A:457:ILE:HD11	2:A:515:ILE:HD12	2.02	0.41
2:A:1006:PRO:O	2:A:1010:VAL:HG23	2.20	0.41
2:A:1128:ILE:HD13	2:A:1128:ILE:HA	1.92	0.41
2:A:1294:THR:OG1	2:A:1295:ASP:OD1	2.37	0.41
15:N:42:DG:H2"	15:N:43:DG:C8	2.55	0.41
20:T:151:DC:H2'	20:T:152:DC:C6	2.55	0.41
3:B:626:LEU:HG	3:B:698:ILE:HG13	2.02	0.41
2:A:901:VAL:HG22	2:A:978:VAL:HG12	2.01	0.41
2:A:904:GLN:OE1	2:A:1044:HIS:NE2	2.49	0.41
8:G:21:ASN:O	8:G:25:THR:OG1	2.37	0.41
16:O:75:HIS:CE1	19:R:77:LEU:HB3	2.54	0.41
2:A:189:PRO:HB3	2:A:202:TRP:CD2	2.56	0.41
14:M:118:THR:HG1	20:T:70:DG:C5'	2.31	0.41
2:A:139:LYS:HE3	2:A:143:HIS:HE1	1.85	0.41
2:A:1371:ILE:HA	2:A:1374:VAL:HG12	2.03	0.41
18:Q:96:LEU:O	18:Q:99:LYS:NZ	2.54	0.41
14:S:48:LEU:HB2	16:U:44:LYS:HZ3	1.85	0.41
2:A:192:ARG:NH2	2:A:201:GLU:OE2	2.54	0.41
2:A:805:ARG:NH2	3:B:671:GLU:O	2.51	0.41
10:I:25:TYR:HD2	10:I:40:ARG:NH2	2.17	0.41
12:K:42:LEU:HD23	12:K:45:ILE:HD11	2.02	0.41
15:N:141:DG:H2"	15:N:142:DG:C8	2.56	0.41
21:Z:506:LEU:HD21	21:Z:552:ARG:HH21	1.86	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:94:VAL:HG21	2:A:314:VAL:HG21	2.01	0.41
3:B:270:ILE:HD12	3:B:308:ALA:HB2	2.03	0.41
6:E:118:LEU:HA	6:E:118:LEU:HD23	1.90	0.41
9:H:116:VAL:O	9:H:123:MET:N	2.50	0.41
14:M:72:ARG:NH1	20:T:50:DC:OP2	2.54	0.41
15:N:86:DG:P	16:O:39:ARG:HH22	2.44	0.41
16:O:80:THR:HG21	20:T:49:DG:H5"	2.03	0.41
20:T:156:DA:H2'	20:T:157:DC:C6	2.56	0.41
2:A:901:VAL:HA	2:A:980:PRO:HA	2.03	0.41
2:A:1382:LEU:HB3	2:A:1398:LEU:HD22	2.02	0.41
3:B:127:ASP:OD1	3:B:127:ASP:N	2.50	0.41
3:B:526:LEU:HD23	3:B:526:LEU:HA	1.88	0.41
14:S:72:ARG:NH2	14:S:76:GLN:HG3	2.35	0.41
3:B:412:LEU:HD23	3:B:412:LEU:HA	2.08	0.40
4:C:58:VAL:H	4:C:58:VAL:HG22	1.63	0.40
9:H:98:ARG:NH2	9:H:100:GLU:HG3	2.37	0.40
10:I:106:ASP:OD1	10:I:106:ASP:N	2.54	0.40
14:S:66:PRO:HB2	14:S:67:PHE:H	1.69	0.40
3:B:1078:ARG:N	20:T:154:DC:OP1	2.52	0.40
4:C:4:ALA:HB1	12:K:97:GLU:HB2	2.03	0.40
2:A:1050:CYS:SG	2:A:1051:SER:N	2.95	0.40
3:B:305:LEU:HD12	3:B:305:LEU:HA	3.07	0.40
2:A:22:GLN:N	3:B:1170:ARG:O	2.49	0.40
2:A:890:ARG:HD3	2:A:890:ARG:HA	1.97	0.40
3:B:629:GLU:HB2	3:B:634:LEU:HD21	2.03	0.40
5:D:59:GLU:OE1	5:D:59:GLU:N	2.53	0.40
7:F:102:ILE:HB	7:F:120:VAL:HG11	2.03	0.40
10:I:14:ILE:C	10:I:15:ARG:HD3	2.42	0.40
15:N:55:DT:H2"	15:N:56:DG:H8	1.87	0.40
21:Z:721:ILE:HD13	21:Z:721:ILE:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	А	1375/1970~(70%)	1322~(96%)	53~(4%)	0	100 100
2	Y	11/1970~(1%)	11 (100%)	0	0	100 100
3	В	1096/1174~(93%)	1063~(97%)	33 (3%)	0	100 100
4	С	257/275~(94%)	249~(97%)	8 (3%)	0	100 100
5	D	124/142~(87%)	120 (97%)	4 (3%)	0	100 100
6	Ε	207/210~(99%)	201 (97%)	6 (3%)	0	100 100
7	F	76/127~(60%)	73~(96%)	3 (4%)	0	100 100
8	G	169/172~(98%)	158 (94%)	11 (6%)	0	100 100
9	Н	146/150~(97%)	139~(95%)	7 (5%)	0	100 100
10	Ι	115/125~(92%)	111 (96%)	4 (4%)	0	100 100
11	J	65/67~(97%)	64 (98%)	1 (2%)	0	100 100
12	K	113/117~(97%)	109 (96%)	4 (4%)	0	100 100
13	L	44/58~(76%)	40 (91%)	4 (9%)	0	100 100
14	М	88/135~(65%)	83 (94%)	5 (6%)	0	100 100
14	S	89/135~(66%)	77~(86%)	8 (9%)	4 (4%)	2 23
16	Ο	80/103~(78%)	78~(98%)	2(2%)	0	100 100
16	U	78/103~(76%)	77~(99%)	1 (1%)	0	100 100
18	Q	107/130~(82%)	105~(98%)	2 (2%)	0	100 100
18	V	104/130~(80%)	99~(95%)	5 (5%)	0	100 100
19	R	83/126~(66%)	80~(96%)	3(4%)	0	100 100
19	W	93/126~(74%)	85 (91%)	7 (8%)	1 (1%)	14 50
21	Ζ	268/1087~(25%)	248~(92%)	20 (8%)	0	100 100
22	a	1676/2192~(76%)	1612~(96%)	64 (4%)	0	100 100
23	b	1033/1204~(86%)	979~(95%)	54 (5%)	0	100 100
24	d	810/963~(84%)	778~(96%)	32 (4%)	0	100 100
25	е	834/1021~(82%)	799~(96%)	35 (4%)	0	100 100
26	f	$\overline{530/889}~(60\%)$	507~(96%)	23 (4%)	0	100 100
27	g	876/964~(91%)	835~(95%)	41 (5%)	0	100 100
28	h	$865/\overline{995}\;(87\%)$	840 (97%)	25 (3%)	0	100 100
29	i	$618/\overline{658}\ (94\%)$	581 (94%)	37(6%)	0	100 100

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
30	j	660/710~(93%)	627~(95%)	33~(5%)	0	100	100
31	k	540/602~(90%)	488 (90%)	52 (10%)	0	100	100
32	m	538/706~(76%)	505~(94%)	33 (6%)	0	100	100
33	n	499/518~(96%)	448 (90%)	51 (10%)	0	100	100
34	0	361/451~(80%)	337~(93%)	24 (7%)	0	100	100
35	р	578/591~(98%)	554 (96%)	24 (4%)	0	100	100
36	q	288/311 (93%)	275~(96%)	13 (4%)	0	100	100
37	r	26/28~(93%)	24 (92%)	2 (8%)	0	100	100
38	u	181/528~(34%)	174 (96%)	7 (4%)	0	100	100
39	v	400/613~(65%)	371 (93%)	29 (7%)	0	100	100
40	W	501/583~(86%)	479 (96%)	22 (4%)	0	100	100
All	All	16602/23159~(72%)	15805 (95%)	792 (5%)	5(0%)	100	100

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
14	S	64	LYS
14	S	66	PRO
14	S	67	PHE
19	W	86	ILE
14	S	116	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
2	А	1223/1749~(70%)	1197~(98%)	26~(2%)	53	72
2	Y	13/1749~(1%)	12 (92%)	1 (8%)	13	40
3	В	978/1027~(95%)	963~(98%)	15 (2%)	65	79
4	С	238/252~(94%)	236~(99%)	2 (1%)	81	88



α \cdot \cdot \cdot	C		
Continued	from	previous	page
		1	1 0

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
5	D	101/126~(80%)	98~(97%)	3~(3%)	41	64
6	Ε	191/192~(100%)	187~(98%)	4(2%)	53	72
7	F	68/111~(61%)	66~(97%)	2(3%)	42	64
8	G	141/153~(92%)	136 (96%)	5(4%)	36	61
9	Н	129/131~(98%)	123~(95%)	6~(5%)	26	53
10	Ι	104/112~(93%)	98 (94%)	6~(6%)	20	48
11	J	56/56~(100%)	53~(95%)	3~(5%)	22	50
12	Κ	103/106~(97%)	99~(96%)	4 (4%)	32	58
13	L	42/55~(76%)	42 (100%)	0	100	100
14	М	77/113~(68%)	70 (91%)	7 (9%)	9	33
14	\mathbf{S}	76/113~(67%)	68~(90%)	8 (10%)	7	27
16	Ο	66/79~(84%)	63~(96%)	3~(4%)	27	54
16	U	64/79~(81%)	61~(95%)	3~(5%)	26	53
18	Q	85/99~(86%)	85 (100%)	0	100	100
18	V	83/99~(84%)	81 (98%)	2(2%)	49	69
19	R	71/107~(66%)	71 (100%)	0	100	100
19	W	81/107~(76%)	73~(90%)	8 (10%)	8	29
21	Ζ	240/940~(26%)	237~(99%)	3~(1%)	69	81
22	a	955/1909~(50%)	924 (97%)	31 (3%)	39	62
23	b	870/1072~(81%)	849 (98%)	21 (2%)	49	69
24	d	703/845~(83%)	683~(97%)	20 (3%)	43	65
25	е	617/814~(76%)	598~(97%)	19 (3%)	40	63
26	f	438/798~(55%)	427 (98%)	11 (2%)	47	68
27	g	723/842~(86%)	713 (99%)	10 (1%)	67	80
28	h	701/896~(78%)	689~(98%)	12 (2%)	60	78
29	i	555/600~(92%)	545 (98%)	10 (2%)	59	77
31	k	405/522 (78%)	390 (96%)	15 (4%)	34	59
32	m	32/639~(5%)	32 (100%)	0	100	100
35	р	485/514~(94%)	467 (96%)	18 (4%)	34	59
36	q	251/276~(91%)	247 (98%)	4 (2%)	62	78
37	r	28/28 (100%)	27 (96%)	1 (4%)	35	60



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
38	u	154/451~(34%)	148 (96%)	6~(4%)	32 58
39	v	59/515~(12%)	57~(97%)	2(3%)	37 61
40	W	387/511~(76%)	372~(96%)	15 (4%)	32 58
All	All	11593/18787~(62%)	11287 (97%)	306 (3%)	49 67

All (306) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	А	29	ASP
2	А	115	SER
2	А	194	SER
2	А	203	LYS
2	А	213	LYS
2	А	294	GLU
2	А	329	MET
2	А	334	ARG
2	А	347	GLU
2	А	425	ASP
2	А	458	PHE
2	А	583	ARG
2	А	1156	ASP
2	А	1167	ARG
2	А	1221	MET
2	А	1247	PHE
2	А	1250	ASP
2	А	1284	PHE
2	А	1348	SER
2	А	1350	LYS
2	А	1351	ASP
2	А	1375	ARG
2	А	1384	HIS
2	A	1396	ARG
2	А	1430	CYS
2	А	1437	ASP
3	В	61	ASP
3	В	255	ARG
3	В	298	MET
3	В	320	PHE
3	В	355	ASP
3	В	388	TYR
3	В	409	LYS



Mol	Chain	Res	Type
3	В	453	TRP
3	В	592	ARG
3	В	595	ASP
3	В	793	SER
3	В	808	SER
3	В	919	CYS
3	В	1048	TYR
3	В	1165	MET
4	С	63	PHE
4	С	94	CYS
5	D	44	ARG
5	D	74	PHE
5	D	77	ARG
6	Е	73	PHE
6	Е	133	GLN
6	Е	162	ARG
6	Е	186	LYS
7	F	88	ASP
7	F	112	ASP
8	G	1	MET
8	G	78	ARG
8	G	83	GLU
8	G	111	HIS
8	G	166	ASP
9	Н	11	ASP
9	Н	14	ASP
9	Н	35	PHE
9	Н	37	MET
9	Н	51	ASP
9	Η	81	ARG
10	Ι	29	ASP
10	Ι	33	ARG
10	Ι	39	CYS
10	Ι	54	TYR
10	Ι	62	VAL
10	Ι	83	ASP
11	J	7	CYS
11	J	29	TYR
11	J	58	LYS
12	K	48	SER
12	K	57	LEU
12	К	61	TYR



Mol	Chain	Res	Type
12	K	85	GLU
14	М	63	ARG
14	М	64	LYS
14	М	67	PHE
14	М	84	PHE
14	М	115	LYS
14	М	119	ILE
14	М	120	MET
16	0	47	SER
16	0	84	MET
16	0	100	PHE
14	S	58	THR
14	S	59	GLU
14	S	60	LEU
14	S	64	LYS
14	S	65	LEU
14	S	72	ARG
14	S	115	LYS
14	S	117	VAL
16	U	78	ARG
16	U	79	LYS
16	U	80	THR
18	V	29	ARG
18	V	36	LYS
19	W	28	ARG
19	W	30	ARG
19	W	39	TYR
19	W	51	ILE
19	W	83	ARG
19	W	86	ILE
19	W	87	THR
19	W	110	GLU
2	Y	1628	SER
21	Z	536	TRP
21	Z	582	ARG
21	Ζ	610	ARG
22	a	969	CYS
22	a	1031	ARG
22	a	1052	GLN
22	a	1129	ARG
22	a	1138	GLU
22	a	1141	TYR



Mol	Chain	Res	Type
22	a	1144	SER
22	a	1242	GLN
22	a	1281	MET
22	a	1302	GLN
22	a	1304	PHE
22	a	1452	PHE
22	a	1543	LYS
22	a	1563	PHE
22	a	1622	LEU
22	a	1714	ARG
22	a	1742	GLU
22	a	1746	ARG
22	a	1755	CYS
22	a	1756	SER
22	a	1769	CYS
22	a	1899	PHE
22	a	1905	LEU
22	a	1946	ARG
22	a	1962	PHE
22	a	1990	PHE
22	a	1997	MET
22	a	2088	LEU
22	a	2104	PHE
22	a	2151	CYS
22	a	2171	MET
23	b	76	SER
23	b	96	GLU
23	b	188	LEU
23	b	220	ASP
23	b	256	MET
23	b	341	ARG
23	b	345	LEU
23	b	347	LEU
23	b	350	ILE
23	b	517	MET
23	b	521	PHE
23	b	551	PHE
23	b	575	ASP
23	b	582	CYS
23	b	680	SER
23	b	725	ASP
23	b	726	ASP



Mol	Chain	Res	Type
23	b	729	CYS
23	b	988	CYS
23	b	1062	SER
23	b	1199	MET
24	d	42	ASP
24	d	113	ASP
24	d	149	MET
24	d	156	CYS
24	d	228	LYS
24	d	230	HIS
24	d	239	LYS
24	d	243	ASP
24	d	244	ASP
24	d	282	ASP
24	d	385	ASP
24	d	388	TYR
24	d	399	CYS
24	d	461	ARG
24	d	486	LEU
24	d	707	MET
24	d	764	TYR
24	d	786	ARG
24	d	883	ARG
24	d	889	ARG
25	е	38	PHE
25	е	147	TRP
25	е	149	ILE
25	е	151	LEU
25	е	152	MET
25	е	159	TYR
25	е	180	TRP
25	е	193	TYR
25	е	250	PHE
25	е	393	HIS
25	е	435	CYS
25	e	514	CYS
25	е	527	ARG
25	e	556	SER
25	е	557	CYS
25	e	614	LEU
25	е	746	TRP
25	е	890	GLU



Mol	Chain	Res	Type
25	е	990	SER
26	f	109	ASP
26	f	142	ASP
26	f	146	LEU
26	f	193	ASP
26	f	317	MET
26	f	324	PHE
26	f	347	CYS
26	f	550	ARG
26	f	628	ILE
26	f	629	ASP
26	f	630	GLU
27	g	140	HIS
27	g	181	SER
27	g	235	LEU
27	g	419	LEU
27	g	432	GLU
27	g	470	ASP
27	g	573	GLN
27	g	609	THR
27	g	611	LEU
27	g	809	SER
28	h	101	LYS
28	h	250	CYS
28	h	256	LEU
28	h	392	ASP
28	h	465	PHE
28	h	487	ARG
28	h	493	LYS
28	h	604	SER
28	h	643	ARG
28	h	716	ASP
28	h	776	LEU
28	h	926	ASP
29	i	58	LYS
29	i	140	LEU
29	i	145	GLU
29	i	182	TYR
29	i	220	LEU
29	i	263	LEU
29	i	313	TYR
29	i	415	SER



Mol	Chain	Res	Type
29	i	429	TYR
29	i	625	LEU
31	k	1	MET
31	k	9	LEU
31	k	36	HIS
31	k	37	MET
31	k	49	SER
31	k	62	ASP
31	k	74	CYS
31	k	79	TYR
31	k	80	PHE
31	k	178	ASP
31	k	203	GLN
31	k	261	LEU
31	k	334	LEU
31	k	435	CYS
31	k	489	ASN
35	р	33	LYS
35	р	48	ARG
35	р	54	PHE
35	р	123	ASP
35	р	141	PHE
35	р	169	TYR
35	р	198	LEU
35	р	199	ASP
35	р	208	MET
35	р	245	MET
35	р	323	MET
35	р	375	ASP
35	р	392	ASN
35	р	403	SER
35	р	512	CYS
35	р	520	HIS
35	р	531	ASP
35	p	545	GLN
36	q	186	LEU
36	q	202	ASP
36	q	279	ASP
36	q	280	ASP
37	r	2059	PHE
38	u	43	LEU
38	u	85	ASP



Mol	Chain	Res	Type
38	u	109	GLU
38	u	116	ASN
38	u	156	LEU
38	u	167	ARG
39	V	40	LEU
39	V	41	LEU
40	W	121	SER
40	W	159	PHE
40	W	180	SER
40	W	264	GLU
40	W	299	MET
40	W	337	PHE
40	W	341	LEU
40	W	362	TYR
40	W	388	LYS
40	W	425	MET
40	W	439	ARG
40	W	478	GLU
40	W	485	ASP
40	W	560	ASP
40	W	585	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
3	В	312	GLN
10	Ι	22	ASN
10	Ι	41	ASN
12	Κ	44	ASN
18	Q	84	GLN
22	a	1667	GLN
23	b	450	GLN
24	d	120	ASN
24	d	689	GLN
24	d	900	HIS
26	f	110	ASN
26	f	116	ASN
27	g	707	GLN
40	W	394	HIS



Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
17	Р	16/17~(94%)	4(25%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
17	Р	-16	U
17	Р	-15	G
17	Р	-14	U
17	Р	-11	С

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 13 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-19038. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



4

6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 250



Y Index: 250



Z Index: 250

6.2.2 Raw map



X Index: 250

Y Index: 250

Z Index: 250

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 240



Y Index: 221



Z Index: 230

6.3.2 Raw map



X Index: 244

Y Index: 220



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map







Ζ

6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00453. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



Mask visualisation (i) 6.6

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

$emd_{19038}msk_{1.map}$ (i) 6.6.1



Υ



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 3701 $\rm nm^3;$ this corresponds to an approximate mass of 3343 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.244 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.244 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	4.14	6.75	4.28
Unmasked-calculated*	6.34	8.17	6.68

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.34 differs from the reported value 4.1 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-19038 and PDB model 8RBX. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.00453 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00453).



9.4 Atom inclusion (i)



At the recommended contour level, 86% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.00453) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} ext{-score}$
All	0.8330	0.0370
1	1.0000	0.1450
А	0.9910	0.0430
В	0.9940	0.0130
С	0.9620	0.0280
D	0.8820	0.0530
E	0.9570	0.0570
F	0.9980	0.0880
G	0.9380	0.0570
Н	0.9780	0.0640
Ι	0.8810	0.0390
J	0.9620	0.0310
K	0.9780	0.0280
L	0.9160	0.0240
М	0.5350	0.0490
N	0.2030	0.0260
0	0.3660	0.0120
Р	1.0000	0.0260
Q	0.0000	0.0270
R	0.1090	0.0500
S	0.0740	0.0420
Т	0.3020	0.0350
U	0.0590	-0.0090
V	0.1290	0.0070
W	0.2780	0.0300
Y	0.9680	0.3810
Z	0.9830	0.0240
a	0.8430	0.0360
b	0.8860	0.0940
d	0.9250	0.0240
e	0.8810	0.0130
f	0.9450	0.0270
g	0.8950	0.0990
h	0.8590	0.0010
i	0.9110	-0.0080

Continued on next page...



Continued from previous page...

Chain	Atom inclusion	Q-score
j	0.8610	0.0450
k	0.9750	0.0380
m	0.3720	0.0090
n	0.4800	0.0090
0	0.8850	0.0530
р	0.9320	0.0720
q	0.9130	-0.0130
r	0.8650	0.0140
u	0.7800	0.0340
V	0.9490	0.0730
W	0.9240	0.0540
X	0.9180	0.0330

