



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2022 – 10:08 AM EST

PDB ID : 7REJ  
Title : Tailspike protein 4 (TSP4) from phage CBA120, residues 1-335, obtained in the presence of NaK-Tartrate  
Authors : Chao, K.; Shang, X.; Grenfield, J.; Linden, S.B.; Nelson, D.C.; Herzberg, O.  
Deposited on : 2021-07-13  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.26  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.26


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	 4% 67% 24% • 5%
1	B	341	 4% 57% 15% • 26%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4322 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tailspike protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	324	2402	1511	387	501	3	0	0	0
1	B	252	1879	1182	305	389	3	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	336	HIS	-	expression tag	UNP G3M192
A	337	HIS	-	expression tag	UNP G3M192
A	338	HIS	-	expression tag	UNP G3M192
A	339	HIS	-	expression tag	UNP G3M192
A	340	HIS	-	expression tag	UNP G3M192
A	341	HIS	-	expression tag	UNP G3M192
B	336	HIS	-	expression tag	UNP G3M192
B	337	HIS	-	expression tag	UNP G3M192
B	338	HIS	-	expression tag	UNP G3M192
B	339	HIS	-	expression tag	UNP G3M192
B	340	HIS	-	expression tag	UNP G3M192
B	341	HIS	-	expression tag	UNP G3M192

- Molecule 2 is IMIDAZOLE (three-letter code: IMD) (formula: C<sub>3</sub>H<sub>5</sub>N<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N 5 3 2	0	0
2	B	1	Total C N 5 3 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	17	Total O 17 17	0	0
3	B	14	Total O 14 14	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Tailspike protein



#### • Molecule 1: Tailspike protein



## 4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.03Å 78.03Å 326.87Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.60 27.37 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.7 (20.00-2.60) 98.9 (27.37-2.50)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.35 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.204 , 0.229 0.206 , 0.229	Depositor DCC
$R_{free}$ test set	1256 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.0	Xtrriage
Anisotropy	0.108	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 29.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.099 for -h-k,k,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	4322	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	80.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.85	4/2456 (0.2%)	1.09	5/3367 (0.1%)
1	B	0.87	2/1926 (0.1%)	0.99	5/2639 (0.2%)
All	All	0.86	6/4382 (0.1%)	1.05	10/6006 (0.2%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	155	THR	CB-OG1	8.29	1.59	1.43
1	A	117	ARG	NE-CZ	7.88	1.43	1.33
1	A	117	ARG	CD-NE	6.39	1.57	1.46
1	A	15	GLU	CD-OE2	5.64	1.31	1.25
1	B	64	GLU	CD-OE2	5.50	1.31	1.25
1	A	64	GLU	CD-OE2	5.03	1.31	1.25

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	117	ARG	NE-CZ-NH2	23.37	131.98	120.30
1	A	117	ARG	NE-CZ-NH1	-14.87	112.87	120.30
1	B	219	ARG	NE-CZ-NH2	-9.11	115.74	120.30
1	B	45	THR	CA-CB-OG1	-6.35	95.66	109.00
1	A	105	THR	CA-CB-OG1	-6.13	96.12	109.00
1	B	155	THR	CA-CB-OG1	5.97	121.55	109.00
1	A	117	ARG	CD-NE-CZ	5.44	131.22	123.60
1	A	144	ASN	CB-CA-C	5.34	121.07	110.40
1	B	137	THR	CA-CB-OG1	-5.18	98.12	109.00
1	B	219	ARG	NH1-CZ-NH2	5.04	124.95	119.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2402	0	2276	88	1
1	B	1879	0	1778	34	1
2	A	5	0	5	2	0
2	B	5	0	5	0	0
3	A	17	0	0	2	0
3	B	14	0	0	1	0
All	All	4322	0	4064	122	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:VAL:CG2	1:A:331:ILE:HG23	1.68	1.22
1:A:287:VAL:HG21	1:A:331:ILE:HG23	1.18	1.14
1:A:287:VAL:CG2	1:A:331:ILE:CG2	2.35	1.04
1:A:293:ILE:HD12	1:A:329:VAL:HG22	1.45	0.96
1:A:287:VAL:HG21	1:A:331:ILE:CG2	2.01	0.90
1:A:41:PHE:CD2	1:A:54:VAL:HG23	2.08	0.89
1:A:287:VAL:HG23	1:A:331:ILE:CG2	2.03	0.87
1:A:41:PHE:CE2	1:A:54:VAL:HG21	2.16	0.80
1:A:41:PHE:CE2	1:A:54:VAL:CG2	2.65	0.80
1:A:278:GLU:CD	1:A:321:LEU:HD12	2.03	0.79
1:A:62:GLU:OE2	3:A:501:HOH:O	2.02	0.78
1:A:27:ASN:OD1	1:A:28:SER:N	2.20	0.75
1:A:106:GLY:HA2	1:A:134:TYR:CD1	2.22	0.74
1:A:311:LEU:HD12	1:A:312:THR:N	2.02	0.73
1:A:183:GLY:HA3	1:A:252:ILE:HG23	1.70	0.72
1:B:102:ASN:OD1	1:B:104:THR:HG23	1.94	0.68
1:B:188:ARG:HD2	1:B:188:ARG:N	2.09	0.67
1:A:287:VAL:HG23	1:A:331:ILE:HG21	1.75	0.67
1:B:186:TYR:CD1	1:B:247:ILE:CG2	2.80	0.64
1:A:300:GLN:HA	1:A:300:GLN:OE1	1.98	0.64
1:A:62:GLU:CD	3:A:501:HOH:O	2.37	0.63

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:GLU:OE1	1:A:321:LEU:HD12	1.97	0.63
1:B:14:LEU:C	1:B:14:LEU:HD12	2.19	0.63
1:A:41:PHE:CE2	1:A:54:VAL:HG23	2.32	0.63
1:B:211:VAL:HG12	1:B:248:GLU:HA	1.83	0.60
1:A:284:ASP:N	1:A:284:ASP:OD1	2.34	0.60
1:A:191:PHE:CE1	1:A:244:LEU:HD23	2.36	0.60
1:B:186:TYR:CD1	1:B:247:ILE:HG21	2.37	0.60
1:A:183:GLY:CA	1:A:252:ILE:HG23	2.31	0.59
1:A:27:ASN:OD1	1:A:27:ASN:C	2.40	0.59
1:B:189:GLU:CD	1:B:192:THR:OG1	2.42	0.58
1:A:144:ASN:HB2	1:A:148:SER:C	2.23	0.58
1:A:183:GLY:HA3	1:A:252:ILE:CG2	2.33	0.58
1:A:203:THR:HG22	1:A:231:VAL:HG22	1.86	0.58
1:A:279:THR:HA	1:A:317:LEU:HB2	1.87	0.57
1:A:191:PHE:CZ	1:A:202:VAL:HG11	2.40	0.57
1:B:186:TYR:CD1	1:B:247:ILE:HG22	2.39	0.57
1:A:129:GLY:C	1:A:157:ASP:HB2	2.26	0.56
1:A:274:ALA:HB3	1:A:325:ASP:H	1.70	0.55
1:B:132:ALA:O	1:B:219:ARG:NH1	2.38	0.55
1:A:189:GLU:CD	1:A:245:GLN:HE21	2.10	0.55
1:A:126:ASP:HB2	1:A:131:PHE:CE2	2.42	0.54
1:A:27:ASN:ND2	1:A:31:ILE:HG13	2.23	0.54
1:A:278:GLU:CG	1:A:321:LEU:HD12	2.37	0.54
1:B:160:SER:HB3	1:B:178:VAL:HG22	1.89	0.54
1:A:287:VAL:CG1	1:A:308:PHE:CZ	2.91	0.54
1:B:154:ILE:HG21	1:B:159:VAL:HG11	1.90	0.53
1:A:126:ASP:OD2	1:A:157:ASP:HA	2.09	0.53
1:A:267:TRP:HB2	1:A:331:ILE:HD11	1.90	0.53
1:A:278:GLU:HG2	1:A:321:LEU:HD12	1.91	0.53
1:A:123:THR:OG1	2:A:401:IMD:H4	2.09	0.52
1:A:160:SER:HB3	1:A:178:VAL:HG22	1.92	0.52
1:A:140:PRO:HB2	1:A:143:ASN:O	2.09	0.52
1:B:199:THR:C	1:B:201:ALA:H	2.13	0.52
1:A:41:PHE:CD2	1:A:54:VAL:CG2	2.82	0.52
1:B:126:ASP:HB2	1:B:131:PHE:CE2	2.45	0.51
1:B:141:SER:OG	1:B:142:GLY:N	2.26	0.51
1:A:191:PHE:HB3	1:A:246:VAL:HB	1.92	0.51
1:A:334:THR:N	1:A:335:PRO:HD3	2.26	0.51
1:A:287:VAL:HG12	1:A:308:PHE:CZ	2.47	0.50
1:B:50:LEU:HD23	1:B:51:PRO:HD2	1.92	0.50
1:B:234:PHE:CE2	1:B:238:LEU:HD22	2.47	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:LEU:HB3	1:A:99:TYR:CE1	2.48	0.49
1:A:162:THR:HG23	2:A:401:IMD:H4	1.95	0.49
1:B:154:ILE:CG2	1:B:159:VAL:HG11	2.43	0.49
1:A:154:ILE:CG2	1:A:159:VAL:HG11	2.43	0.49
1:B:253:GLN:O	1:B:253:GLN:CG	2.61	0.48
1:A:266:THR:CG2	1:A:328:VAL:HG12	2.43	0.48
1:A:287:VAL:HG12	1:A:308:PHE:HZ	1.78	0.48
1:B:253:GLN:O	1:B:253:GLN:NE2	2.46	0.48
1:A:27:ASN:OD1	1:A:29:GLY:N	2.33	0.48
1:B:186:TYR:CD1	1:B:249:TYR:HB3	2.49	0.48
1:A:55:ARG:NH2	1:A:72:TRP:CE2	2.82	0.47
1:A:62:GLU:OE1	1:A:81:ARG:NH2	2.46	0.47
1:A:26:ASN:OD1	1:A:26:ASN:C	2.51	0.47
1:B:243:GLU:O	1:B:243:GLU:HG3	2.15	0.47
1:A:144:ASN:O	1:A:171:GLY:HA3	2.14	0.47
1:B:106:GLY:HA2	1:B:134:TYR:CD1	2.49	0.47
1:B:184:ARG:HH21	1:B:219:ARG:HH21	1.62	0.47
1:A:134:TYR:CZ	1:A:218:LYS:HG3	2.50	0.47
1:B:191:PHE:CE1	1:B:193:GLN:HB3	2.50	0.46
1:A:144:ASN:HB2	1:A:148:SER:N	2.30	0.46
1:A:186:TYR:CD1	1:A:249:TYR:HB3	2.51	0.46
1:A:266:THR:CG2	1:A:328:VAL:CG1	2.94	0.46
1:A:106:GLY:HA2	1:A:134:TYR:CE1	2.51	0.45
1:A:41:PHE:CZ	1:A:54:VAL:HG21	2.50	0.45
1:A:55:ARG:NH2	1:A:72:TRP:NE1	2.64	0.45
1:A:293:ILE:CD1	1:A:329:VAL:HG13	2.46	0.45
1:A:154:ILE:HG21	1:A:159:VAL:HG11	1.99	0.45
1:B:78:GLY:N	3:B:504:HOH:O	2.50	0.45
1:A:209:THR:HG23	1:A:210:ILE:H	1.82	0.45
1:A:69:ASN:OD1	1:A:69:ASN:N	2.29	0.44
1:B:106:GLY:HA2	1:B:134:TYR:CG	2.51	0.44
1:B:210:ILE:HG23	1:B:249:TYR:O	2.17	0.44
1:A:144:ASN:CB	1:A:148:SER:C	2.87	0.44
1:A:183:GLY:CA	1:A:252:ILE:CG2	2.96	0.44
1:A:188:ARG:O	1:A:190:ILE:HG23	2.17	0.44
1:B:184:ARG:HG3	1:B:249:TYR:CE1	2.53	0.44
1:A:34:SER:HB3	1:A:35:PRO:HD2	1.99	0.43
1:B:88:ALA:O	1:B:89:PRO:C	2.57	0.43
1:A:279:THR:HG23	1:A:280:GLU:HG2	2.00	0.43
1:A:330:ILE:HD13	1:A:330:ILE:N	2.33	0.42
1:B:14:LEU:HD12	1:B:15:GLU:N	2.33	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:THR:O	1:B:174:ILE:HA	2.19	0.42
1:A:209:THR:CG2	1:A:210:ILE:H	2.31	0.42
1:A:267:TRP:HB3	1:A:329:VAL:HB	2.02	0.42
1:B:140:PRO:HB3	1:B:145:LEU:HB2	2.02	0.42
1:A:144:ASN:HA	1:A:149:THR:HA	2.01	0.42
1:A:66:TYR:HB2	1:A:72:TRP:CZ3	2.56	0.41
1:A:311:LEU:HD12	1:A:311:LEU:C	2.41	0.41
1:A:25:PHE:O	1:A:25:PHE:CD2	2.74	0.41
1:A:209:THR:HG23	1:A:210:ILE:N	2.36	0.41
1:A:156:THR:HG21	1:A:179:GLY:O	2.21	0.41
1:B:126:ASP:HB2	1:B:131:PHE:CD2	2.55	0.41
1:A:208:PRO:CG	1:A:227:LEU:HD11	2.50	0.41
1:A:144:ASN:HB2	1:A:148:SER:CA	2.50	0.41
1:A:277:GLY:HA2	1:A:320:GLU:CB	2.51	0.41
1:B:253:GLN:O	1:B:253:GLN:HG3	2.21	0.40
1:A:97:ARG:HB2	1:A:99:TYR:CE1	2.57	0.40
1:A:186:TYR:HD1	1:A:249:TYR:HB3	1.86	0.40
1:A:189:GLU:OE2	1:A:245:GLN:NE2	2.52	0.40
1:A:191:PHE:CD1	1:A:244:LEU:HD23	2.56	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:LEU:O	1:B:75:LEU:O[2_455]	2.15	0.05
1:A:78:GLY:O	1:A:78:GLY:O[2_355]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	320/341 (94%)	299 (93%)	21 (7%)	0	<b>100</b> <b>100</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	250/341 (73%)	229 (92%)	20 (8%)	1 (0%)	34	57
All	All	570/682 (84%)	528 (93%)	41 (7%)	1 (0%)	47	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	76	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	264/286 (92%)	245 (93%)	19 (7%)	14	29
1	B	207/286 (72%)	195 (94%)	12 (6%)	20	40
All	All	471/572 (82%)	440 (93%)	31 (7%)	16	33

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	SER
1	A	54	VAL
1	A	69	ASN
1	A	105	THR
1	A	117	ARG
1	A	118	ILE
1	A	148	SER
1	A	184	ARG
1	A	187	SER
1	A	252	ILE
1	A	265	ILE
1	A	278	GLU
1	A	280	GLU
1	A	283	LEU
1	A	284	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	288	ASP
1	A	313	SER
1	A	314	LYS
1	A	325	ASP
1	B	4	LYS
1	B	45	THR
1	B	50	LEU
1	B	69	ASN
1	B	84	THR
1	B	141	SER
1	B	184	ARG
1	B	188	ARG
1	B	228	ASP
1	B	232	ILE
1	B	237	SER
1	B	242	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	245	GLN
1	A	303	ASN
1	B	182	GLN
1	B	230	ASN
1	B	245	GLN
1	B	253	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	IMD	B	401	-	3,5,5	0.22	0	4,5,5	0.55	0
2	IMD	A	401	-	3,5,5	0.37	0	4,5,5	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMD	B	401	-	-	-	0/1/1/1
2	IMD	A	401	-	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	IMD	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	324/341 (95%)	-0.23	12 (3%) 41 34	40, 76, 128, 141	0
1	B	252/341 (73%)	-0.18	12 (4%) 30 24	42, 63, 162, 185	0
All	All	576/682 (84%)	-0.21	24 (4%) 36 29	40, 69, 146, 185	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	333	GLY	7.5
1	A	318	ALA	7.2
1	A	317	LEU	4.7
1	B	195	LEU	4.3
1	B	197	SER	4.1
1	A	335	PRO	4.0
1	B	227	LEU	4.0
1	A	319	GLN	3.8
1	B	242	THR	3.7
1	A	275	ILE	3.4
1	B	243	GLU	3.0
1	B	186	TYR	2.9
1	A	279	THR	2.9
1	A	256	ASN	2.9
1	A	204	LEU	2.9
1	A	255	GLY	2.8
1	B	238	LEU	2.5
1	B	234	PHE	2.4
1	A	334	THR	2.3
1	A	287	VAL	2.2
1	B	190	ILE	2.1
1	B	220	LEU	2.1
1	B	231	VAL	2.0
1	B	208	PRO	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	IMD	A	401	5/5	0.96	0.22	59,62,65,66	0
2	IMD	B	401	5/5	0.97	0.13	53,54,57,58	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.