



## wwPDB EM Validation Summary Report ⓘ

Nov 21, 2022 – 11:41 AM EST

PDB ID : 7RH5  
EMDB ID : EMD-24455  
Title : Mycobacterial CIII2CIV2 supercomplex, Inhibitor free  
Authors : Di Trani, J.M.; Yanofsky, D.J.; Rubinstein, J.L.  
Deposited on : 2021-07-16  
Resolution : 3.00 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	566	
1	R	566	
2	E	535	
2	F	535	
3	D	216	
3	G	216	
4	K	341	
4	Q	341	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	S	203	
5	X	203	
6	T	139	
6	Z	139	
7	U	79	
7	a	79	
8	V	145	
8	b	145	
9	J	100	
9	P	100	
10	I	223	
10	O	223	
11	W	159	
11	c	159	
12	M	382	
12	Y	382	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	HEA	L	602	X	-	-	-
14	HEA	L	603	X	-	-	-
14	HEA	R	602	X	-	-	-
14	HEA	R	603	X	-	-	-
15	CDL	S	301	-	-	X	-
15	CDL	T	201	-	-	X	-
15	CDL	X	301	-	-	X	-
15	CDL	X	302	-	-	X	-
15	CDL	Z	202	-	-	X	-
15	CDL	Z	203	-	-	X	-

## 2 Entry composition [i](#)

There are 23 unique types of molecules in this entry. The entry contains 95903 atoms, of which 46941 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	R	552	Total	C	H	N	O	S	0	0
			8716	2937	4346	695	712	26		
1	L	552	Total	C	H	N	O	S	0	0
			8717	2937	4347	695	712	26		

- Molecule 2 is a protein called Cytochrome bc1 complex cytochrome b subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	E	535	Total	C	H	N	O	S	0	0
			8384	2751	4203	711	701	18		
2	F	535	Total	C	H	N	O	S	0	0
			8381	2751	4200	711	701	18		

- Molecule 3 is a protein called Superoxide dismutase [Cu-Zn].

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	D	216	Total	C	H	N	O	S	0	0
			1732	645	640	217	229	1		
3	G	216	Total	C	H	N	O	S	0	0
			1732	645	640	217	229	1		

- Molecule 4 is a protein called Cytochrome aa3 subunit 2.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
4	Q	312	Total	C	H	N	O	S	0	0
			4857	1592	2392	412	451	10		
4	K	312	Total	C	H	N	O	S	0	0
			4857	1592	2392	412	451	10		

- Molecule 5 is a protein called Cytochrome aa3 subunit 3.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
5	S	203	3108	1039	1548	253	260	8	0	0
5	X	203	3108	1039	1548	253	260	8	0	0

- Molecule 6 is a protein called Cytochrome c oxidase polypeptide 4.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
6	T	139	2136	719	1059	167	188	3	0	0
6	Z	139	2135	719	1058	167	188	3	0	0

- Molecule 7 is a protein called Cytochrome c oxidase subunit CtaJ.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
7	U	79	1167	381	576	107	101	2	0	0
7	a	79	1167	381	576	107	101	2	0	0

- Molecule 8 is a protein called Uncharacterized protein MSMEG\_4692/MSMEI\_4575.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
8	V	145	2093	658	1052	176	205	2	0	0
8	b	145	2093	658	1052	176	205	2	0	0

- Molecule 9 is a protein called Putative conserved transmembrane protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
9	P	92	1453	471	717	136	124	5	0	0
9	J	92	1454	471	718	136	124	5	0	0

- Molecule 10 is a protein called Cytochrome bc1 complex cytochrome c subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
10	O	223	3187	1008	1564	289	314	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
10	I	223	3187	1008	1564	289	314	12	0	0

- Molecule 11 is a protein called LpqE protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
11	c	158	2259	708	1110	192	248	1	0	0
11	W	158	2259	708	1110	192	248	1	0	0


- Molecule 12 is a protein called Cytochrome bc1 complex Rieske iron-sulfur subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
12	Y	382	5961	1924	2984	504	538	11	0	0
12	M	382	5961	1924	2984	504	538	11	0	0

- Molecule 13 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		AltConf
13	R	1	Total	Cu	0
			1	1	
13	L	1	Total	Cu	0
			1	1	
13	Q	2	Total	Cu	0
			2	2	
13	K	2	Total	Cu	0
			2	2	

- Molecule 14 is HEME-A (three-letter code: HEA) (formula: C<sub>49</sub>H<sub>56</sub>FeN<sub>4</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	Fe	H	N		O
14	R	1	Total 228	C 98	Fe 2	H 108	N 8	O 12	0
14	R	1	Total 228	C 98	Fe 2	H 108	N 8	O 12	0
14	L	1	Total 228	C 98	Fe 2	H 108	N 8	O 12	0
14	L	1	Total 228	C 98	Fe 2	H 108	N 8	O 12	0

- Molecule 15 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).



Mol	Chain	Residues	Atoms				AltConf
15	R	1	Total 76	C 57	O 17	P 2	0
15	E	1	Total 152	C 114	O 34	P 4	0
15	E	1	Total 152	C 114	O 34	P 4	0
15	F	1	Total 152	C 114	O 34	P 4	0
15	F	1	Total 152	C 114	O 34	P 4	0
15	L	1	Total 76	C 57	O 17	P 2	0
15	S	1	Total 76	C 57	O 17	P 2	0
15	T	1	Total 228	C 171	O 51	P 6	0
15	T	1	Total 228	C 171	O 51	P 6	0
15	T	1	Total 228	C 171	O 51	P 6	0
15	P	1	Total 76	C 57	O 17	P 2	0
15	X	1	Total 152	C 114	O 34	P 4	0
15	X	1	Total 152	C 114	O 34	P 4	0
15	Z	1	Total 152	C 114	O 34	P 4	0
15	Z	1	Total 152	C 114	O 34	P 4	0
15	J	1	Total 76	C 57	O 17	P 2	0


- Molecule 16 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).





Mol	Chain	Residues	Atoms				AltConf
17	E	1	Total	C	H	O	0
			276	112	160	4	
17	E	1	Total	C	H	O	0
			276	112	160	4	
17	F	1	Total	C	H	O	0
			552	224	320	8	
17	F	1	Total	C	H	O	0
			552	224	320	8	
17	F	1	Total	C	H	O	0
			552	224	320	8	
17	F	1	Total	C	H	O	0
			552	224	320	8	
17	Z	1	Total	C	H	O	0
			138	56	80	2	
17	I	1	Total	C	H	O	0
			138	56	80	2	

- Molecule 18 is (2R)-3-(((2-aminoethoxy)(hydroxy)phosphoryl)oxy)-2-(palmitoyloxy)propyl (E)-octadec-9-enoate (three-letter code: 9Y0) (formula: C<sub>39</sub>H<sub>76</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					AltConf	
18	F	1	Total	C	H	N	O	P	0
			123	39	74	1	8	1	
18	S	1	Total	C	H	N	O	P	0
			124	39	75	1	8	1	
18	P	1	Total	C	H	N	O	P	0
			124	39	75	1	8	1	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
18	X	1	Total 124	C 39	H 75	N 1	O 8	P 1	0
18	J	1	Total 248	C 78	H 150	N 2	O 16	P 2	0
18	J	1	Total 248	C 78	H 150	N 2	O 16	P 2	0

- Molecule 19 is PALMITIC ACID (three-letter code: PLM) (formula: C<sub>16</sub>H<sub>32</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			AltConf	
			Total	C	H		O
19	D	1	Total 27	C 10	H 16	O 1	0
19	G	1	Total 27	C 10	H 16	O 1	0
19	c	1	Total 48	C 16	H 31	O 1	0
19	W	1	Total 48	C 16	H 31	O 1	0

- Molecule 20 is (2S)-1-(hexadecanoyloxy)propan-2-yl (10S)-10-methyloctadecanoate (three-letter code: 9XX) (formula: C<sub>38</sub>H<sub>74</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					AltConf	
21	O	1	Total	C	Fe	H	N	O	0
			150	68	2	64	8	8	
21	O	1	Total	C	Fe	H	N	O	0
			150	68	2	64	8	8	
21	I	1	Total	C	Fe	H	N	O	0
			150	68	2	64	8	8	
21	I	1	Total	C	Fe	H	N	O	0
			150	68	2	64	8	8	

- Molecule 22 is (2R)-2-(hexadecanoyloxy)-3-[(S)-hydroxy{[(1R,2R,3R,4R,5R,6S)-2,3,4,5,6-pentahydroxycyclohexyl]oxy}phosphoryl]oxy}propyl (9S)-9-methyloctadecanoate (three-letter code: 9YF) (formula: C<sub>44</sub>H<sub>85</sub>O<sub>13</sub>P).




Mol	Chain	Residues	Atoms					AltConf
22	O	1	Total	C	H	O	P	0
			142	44	84	13	1	
22	c	1	Total	C	H	O	P	0
			142	44	84	13	1	
22	I	1	Total	C	H	O	P	0
			142	44	84	13	1	
22	Y	1	Total	C	H	O	P	0
			284	88	168	26	2	
22	Y	1	Total	C	H	O	P	0
			284	88	168	26	2	
22	W	1	Total	C	H	O	P	0
			142	44	84	13	1	
22	M	1	Total	C	H	O	P	0
			284	88	168	26	2	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	O	P	
22	M	1	284	88	168	26	2	0

- Molecule 23 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
23	Y	1	4	2	2	0
23	M	1	4	2	2	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1




- Molecule 1: Cytochrome c oxidase subunit 1




- Molecule 2: Cytochrome bc1 complex cytochrome b subunit



• Molecule 2: Cytochrome bc1 complex cytochrome b subunit




• Molecule 3: Superoxide dismutase [Cu-Zn]











• Molecule 3: Superoxide dismutase [Cu-Zn]




• Molecule 4: Cytochrome aa3 subunit 2





• Molecule 4: Cytochrome aa3 subunit 2









• Molecule 5: Cytochrome aa3 subunit 3




• Molecule 5: Cytochrome aa3 subunit 3




• Molecule 6: Cytochrome c oxidase polypeptide 4





• Molecule 6: Cytochrome c oxidase polypeptide 4









- Molecule 7: Cytochrome c oxidase subunit CtaJ




- Molecule 7: Cytochrome c oxidase subunit CtaJ




- Molecule 8: Uncharacterized protein MSMEG\_4692/MSMEI\_4575



- Molecule 8: Uncharacterized protein MSMEG\_4692/MSMEI\_4575



- Molecule 9: Putative conserved transmembrane protein









- Molecule 9: Putative conserved transmembrane protein




- Molecule 10: Cytochrome bc1 complex cytochrome c subunit




- Molecule 10: Cytochrome bc1 complex cytochrome c subunit




- Molecule 11: LpqE protein




- Molecule 11: LpqE protein



• Molecule 12: Cytochrome bc1 complex Rieske iron-sulfur subunit



• Molecule 12: Cytochrome bc1 complex Rieske iron-sulfur subunit



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	150885	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43.5	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	5.732	Depositor
Minimum map value	-3.132	Depositor
Average map value	-0.005	Depositor
Map value standard deviation	0.173	Depositor
Recommended contour level	1.1	Depositor
Map size (Å)	339.9, 339.9, 339.9	wwPDB
Map dimensions	330, 330, 330	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 9Y0, 9YF, MQ9, HEM, HEA, FES, HEC, CDL, CU, PLM, 9XX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L	0.28	0/4530	0.46	0/6188
1	R	0.28	0/4530	0.46	0/6188
2	E	0.28	0/4314	0.49	0/5882
2	F	0.28	0/4314	0.50	0/5882
3	D	0.26	0/1099	0.47	0/1519
3	G	0.25	0/1099	0.47	0/1519
4	K	0.27	0/2534	0.50	0/3451
4	Q	0.27	0/2534	0.50	0/3451
5	S	0.28	0/1608	0.46	0/2195
5	X	0.29	0/1608	0.47	0/2195
6	T	0.33	0/1112	0.56	0/1524
6	Z	0.28	0/1112	0.46	0/1524
7	U	0.25	0/613	0.44	0/836
7	a	0.25	0/613	0.44	0/836
8	V	0.28	0/1059	0.52	0/1446
8	b	0.28	0/1059	0.54	0/1446
9	J	0.24	0/757	0.51	0/1027
9	P	0.27	0/757	0.53	0/1027
10	I	0.27	0/1660	0.51	0/2250
10	O	0.35	0/1660	0.60	0/2250
11	W	0.26	0/1166	0.51	0/1599
11	c	0.26	0/1166	0.51	0/1599
12	M	0.30	0/3056	0.54	1/4142 (0.0%)
12	Y	0.28	0/3056	0.51	0/4142
All	All	0.28	0/47016	0.50	1/64118 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	M	214	ALA	CB-CA-C	5.09	117.73	110.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	4370	4347	4346	90	0
1	R	4370	4346	4345	101	0
2	E	4181	4203	4202	80	0
2	F	4181	4200	4199	83	0
3	D	1092	640	640	3	0
3	G	1092	640	640	1	0
4	K	2465	2392	2392	34	0
4	Q	2465	2392	2392	48	0
5	S	1560	1548	1547	62	0
5	X	1560	1548	1547	79	0
6	T	1077	1059	1058	50	0
6	Z	1077	1058	1058	63	0
7	U	591	576	576	7	0
7	a	591	576	576	0	0
8	V	1041	1052	1052	18	0
8	b	1041	1052	1052	0	0
9	J	736	718	717	13	0
9	P	736	717	717	10	0
10	I	1623	1564	1564	40	0
10	O	1623	1564	1564	37	0
11	W	1149	1110	1110	22	0
11	c	1149	1110	1110	0	0
12	M	2977	2984	2984	45	0
12	Y	2977	2984	2984	41	0
13	K	2	0	0	0	0
13	L	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	Q	2	0	0	0	0
13	R	1	0	0	0	0
14	L	120	108	108	7	0
14	R	120	108	108	5	0
15	E	152	0	192	13	0
15	F	152	0	192	21	0
15	J	76	0	96	11	0
15	L	76	0	96	19	0
15	P	76	0	96	10	0
15	R	76	0	96	19	0
15	S	76	0	96	49	0
15	T	228	0	288	49	0
15	X	152	0	192	95	0
15	Z	152	0	192	82	0
16	E	85	57	57	4	0
16	F	85	57	57	5	0
17	E	116	160	160	5	0
17	F	232	320	320	6	0
17	I	58	80	80	0	0
17	Z	58	80	80	5	0
18	F	49	74	0	0	0
18	J	98	150	0	0	0
18	P	49	75	0	0	0
18	S	49	75	0	0	0
18	X	49	75	0	0	0
19	D	11	16	16	0	0
19	G	11	16	16	0	0
19	W	17	31	31	2	0
19	c	17	31	31	0	0
20	D	32	51	0	0	0
20	G	32	51	0	0	0
20	W	42	73	0	0	0
20	c	42	73	0	0	0
21	I	86	64	64	17	0
21	O	86	64	64	14	0
22	I	58	84	0	5	0
22	M	116	168	0	0	0
22	O	58	84	0	0	0
22	W	58	84	0	1	0
22	Y	116	168	0	5	0
22	c	58	84	0	0	0
23	M	4	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	Y	4	0	0	1	0
All	All	48962	46941	47100	929	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 929 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:X:166:LYS:NZ	15:X:301:CDL:H112	1.28	1.48
15:Z:203:CDL:H631	22:I:304:9YF:C23	1.48	1.41
6:Z:120:PHE:CB	15:Z:202:CDL:H612	1.53	1.38
15:Z:203:CDL:C63	22:I:304:9YF:C23	2.03	1.35
6:Z:120:PHE:HB3	15:Z:202:CDL:C61	1.58	1.31

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	550/566 (97%)	516 (94%)	34 (6%)	0	100	100
1	R	550/566 (97%)	518 (94%)	32 (6%)	0	100	100
2	E	533/535 (100%)	490 (92%)	43 (8%)	0	100	100
2	F	533/535 (100%)	489 (92%)	43 (8%)	1 (0%)	47	82
3	D	214/216 (99%)	193 (90%)	20 (9%)	1 (0%)	29	68
3	G	214/216 (99%)	187 (87%)	27 (13%)	0	100	100
4	K	310/341 (91%)	282 (91%)	28 (9%)	0	100	100
4	Q	310/341 (91%)	282 (91%)	28 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	S	201/203 (99%)	193 (96%)	8 (4%)	0	100	100
5	X	201/203 (99%)	192 (96%)	9 (4%)	0	100	100
6	T	137/139 (99%)	129 (94%)	8 (6%)	0	100	100
6	Z	137/139 (99%)	130 (95%)	7 (5%)	0	100	100
7	U	77/79 (98%)	70 (91%)	6 (8%)	1 (1%)	12	45
7	a	77/79 (98%)	70 (91%)	7 (9%)	0	100	100
8	V	143/145 (99%)	139 (97%)	4 (3%)	0	100	100
8	b	143/145 (99%)	138 (96%)	5 (4%)	0	100	100
9	J	88/100 (88%)	85 (97%)	3 (3%)	0	100	100
9	P	88/100 (88%)	84 (96%)	4 (4%)	0	100	100
10	I	221/223 (99%)	199 (90%)	22 (10%)	0	100	100
10	O	221/223 (99%)	199 (90%)	22 (10%)	0	100	100
11	W	154/159 (97%)	137 (89%)	17 (11%)	0	100	100
11	c	154/159 (97%)	135 (88%)	19 (12%)	0	100	100
12	M	380/382 (100%)	344 (90%)	36 (10%)	0	100	100
12	Y	380/382 (100%)	348 (92%)	31 (8%)	1 (0%)	41	76
All	All	6016/6176 (97%)	5549 (92%)	463 (8%)	4 (0%)	54	85

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	135	ARG
12	Y	113	GLU
3	D	27	THR
7	U	70	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	452/465 (97%)	442 (98%)	10 (2%)	52	81
1	R	452/465 (97%)	446 (99%)	6 (1%)	69	89
2	E	429/429 (100%)	425 (99%)	4 (1%)	78	92
2	F	429/429 (100%)	424 (99%)	5 (1%)	71	90
3	D	20/151 (13%)	20 (100%)	0	100	100
3	G	20/151 (13%)	20 (100%)	0	100	100
4	K	260/288 (90%)	256 (98%)	4 (2%)	65	87
4	Q	260/288 (90%)	257 (99%)	3 (1%)	71	90
5	S	155/161 (96%)	153 (99%)	2 (1%)	69	89
5	X	155/161 (96%)	153 (99%)	2 (1%)	69	89
6	T	106/106 (100%)	106 (100%)	0	100	100
6	Z	106/106 (100%)	106 (100%)	0	100	100
7	U	59/59 (100%)	59 (100%)	0	100	100
7	a	59/59 (100%)	58 (98%)	1 (2%)	60	85
8	V	107/107 (100%)	106 (99%)	1 (1%)	78	92
8	b	107/107 (100%)	107 (100%)	0	100	100
9	J	76/83 (92%)	70 (92%)	6 (8%)	12	41
9	P	76/83 (92%)	75 (99%)	1 (1%)	69	89
10	I	163/163 (100%)	160 (98%)	3 (2%)	59	85
10	O	163/163 (100%)	162 (99%)	1 (1%)	86	95
11	W	127/127 (100%)	127 (100%)	0	100	100
11	c	127/127 (100%)	125 (98%)	2 (2%)	62	86
12	M	312/312 (100%)	310 (99%)	2 (1%)	86	95
12	Y	312/312 (100%)	312 (100%)	0	100	100
All	All	4532/4902 (92%)	4479 (99%)	53 (1%)	72	90

5 of 53 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	S	130	THR
4	K	281	HIS
10	I	123	PRO
5	S	189	ASP
10	O	270	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 66 ligands modelled in this entry, 6 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
15	CDL	E	606	-	75,75,99	0.36	0	81,87,111	0.41	0
15	CDL	F	704	-	75,75,99	0.33	0	81,87,111	0.41	0
21	HEC	O	302	10	32,50,50	2.15	3 (9%)	24,82,82	1.74	6 (25%)
15	CDL	J	201	-	75,75,99	0.33	0	81,87,111	0.45	0
18	9Y0	S	302	-	48,48,48	1.14	3 (6%)	51,53,53	0.86	2 (3%)
15	CDL	S	301	-	75,75,99	1.31	7 (9%)	81,87,111	1.96	9 (11%)
14	HEA	R	602	1	57,67,67	1.52	9 (15%)	61,103,103	2.34	22 (36%)
18	9Y0	J	202	-	48,48,48	1.15	3 (6%)	51,53,53	0.89	2 (3%)
21	HEC	O	301	10	32,50,50	2.18	3 (9%)	24,82,82	1.59	5 (20%)
15	CDL	F	705	-	75,75,99	0.37	0	81,87,111	0.45	1 (1%)
14	HEA	L	603	1	57,67,67	1.43	9 (15%)	61,103,103	1.86	12 (19%)
17	MQ9	F	707	-	59,59,59	2.22	19 (32%)	72,75,75	1.79	23 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
17	MQ9	F	709	-	59,59,59	2.39	21 (35%)	72,75,75	1.54	14 (19%)
17	MQ9	Z	201	-	59,59,59	2.33	21 (35%)	72,75,75	1.65	18 (25%)
16	HEM	E	602	2	41,50,50	1.51	4 (9%)	45,82,82	1.33	6 (13%)
15	CDL	X	301	-	75,75,99	0.33	0	81,87,111	0.40	0
23	FES	M	503	12	0,4,4	-	-	-	-	-
16	HEM	F	703	2	41,50,50	1.49	3 (7%)	45,82,82	1.36	5 (11%)
18	9Y0	F	706	2	48,48,48	1.15	3 (6%)	51,53,53	0.86	2 (3%)
18	9Y0	P	202	-	48,48,48	1.17	3 (6%)	51,53,53	0.94	2 (3%)
15	CDL	T	203	-	75,75,99	0.36	0	81,87,111	0.45	0
21	HEC	I	301	-	32,50,50	2.17	3 (9%)	24,82,82	1.49	3 (12%)
15	CDL	L	604	-	75,75,99	0.33	0	81,87,111	0.71	3 (3%)
15	CDL	T	201	-	75,75,99	1.24	8 (10%)	81,87,111	1.81	15 (18%)
19	PLM	c	201	11	16,16,17	0.54	0	15,15,17	0.44	0
22	9YF	M	501	-	58,58,58	1.07	5 (8%)	69,71,71	1.28	8 (11%)
21	HEC	I	302	10	32,50,50	2.25	3 (9%)	24,82,82	1.61	6 (25%)
15	CDL	Z	203	-	75,75,99	1.30	7 (9%)	81,87,111	2.01	9 (11%)
18	9Y0	X	303	-	48,48,48	1.14	3 (6%)	51,53,53	0.89	2 (3%)
20	9XX	W	202	-	41,41,41	1.09	4 (9%)	44,44,44	1.20	3 (6%)
17	MQ9	F	708	-	59,59,59	2.27	21 (35%)	72,75,75	1.50	12 (16%)
15	CDL	R	604	-	75,75,99	0.33	0	81,87,111	0.60	2 (2%)
16	HEM	F	702	2	41,49,50	1.24	2 (4%)	46,81,82	1.29	4 (8%)
17	MQ9	E	603	-	59,59,59	2.40	22 (37%)	72,75,75	1.37	15 (20%)
22	9YF	M	502	-	58,58,58	1.09	6 (10%)	69,71,71	1.32	5 (7%)
15	CDL	Z	202	-	75,75,99	1.24	8 (10%)	81,87,111	1.81	15 (18%)
20	9XX	G	302	3	31,31,41	1.12	3 (9%)	34,34,44	1.49	4 (11%)
22	9YF	c	203	-	58,58,58	1.00	5 (8%)	69,71,71	1.12	3 (4%)
15	CDL	T	202	-	75,75,99	0.32	0	81,87,111	0.40	0
17	MQ9	I	303	-	59,59,59	2.35	21 (35%)	72,75,75	1.46	18 (25%)
22	9YF	Y	502	-	58,58,58	1.07	5 (8%)	69,71,71	1.28	7 (10%)
23	FES	Y	501	12	0,4,4	-	-	-	-	-
19	PLM	G	301	3	10,10,17	0.60	0	9,9,17	0.55	0
22	9YF	O	303	-	58,58,58	1.04	5 (8%)	69,71,71	1.00	3 (4%)
22	9YF	W	203	-	58,58,58	1.01	5 (8%)	69,71,71	1.12	3 (4%)
15	CDL	P	201	-	75,75,99	0.33	0	81,87,111	0.45	0
18	9Y0	J	203	-	48,48,48	1.14	3 (6%)	51,53,53	0.77	2 (3%)
14	HEA	R	603	1	57,67,67	1.42	10 (17%)	61,103,103	1.99	11 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
22	9YF	Y	503	-	58,58,58	1.09	6 (10%)	69,71,71	1.32	5 (7%)
14	HEA	L	602	1	57,67,67	1.52	10 (17%)	61,103,103	2.22	21 (34%)
15	CDL	E	605	-	75,75,99	0.34	0	81,87,111	0.41	0
17	MQ9	E	604	-	59,59,59	2.38	21 (35%)	72,75,75	1.53	16 (22%)
16	HEM	E	601	2	41,49,50	1.26	2 (4%)	46,81,82	1.30	5 (10%)
15	CDL	X	302	-	75,75,99	1.31	7 (9%)	81,87,111	1.96	9 (11%)
20	9XX	c	202	11	41,41,41	0.95	3 (7%)	44,44,44	1.18	4 (9%)
20	9XX	D	302	-	31,31,41	1.10	3 (9%)	34,34,44	1.45	4 (11%)
22	9YF	I	304	-	58,58,58	1.04	5 (8%)	69,71,71	0.99	3 (4%)
19	PLM	W	201	11	16,16,17	0.54	0	15,15,17	0.43	0
17	MQ9	F	701	-	59,59,59	2.41	21 (35%)	72,75,75	1.38	16 (22%)
19	PLM	D	301	3	10,10,17	0.61	0	9,9,17	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CDL	E	606	-	-	39/86/86/110	-
15	CDL	F	704	-	-	50/86/86/110	-
21	HEC	O	302	10	-	2/10/54/54	-
15	CDL	J	201	-	-	49/86/86/110	-
18	9Y0	S	302	-	-	22/52/52/52	-
15	CDL	S	301	-	-	43/86/86/110	-
14	HEA	R	602	1	3/3/16/16	7/32/76/76	-
18	9Y0	J	202	-	-	19/52/52/52	-
21	HEC	O	301	10	-	2/10/54/54	-
15	CDL	F	705	-	-	45/86/86/110	-
14	HEA	L	603	1	3/3/16/16	3/32/76/76	-
17	MQ9	F	707	-	-	16/53/73/73	0/2/2/2
17	MQ9	F	709	-	-	12/53/73/73	0/2/2/2
17	MQ9	Z	201	-	-	12/53/73/73	0/2/2/2
16	HEM	E	602	2	-	2/12/54/54	-
15	CDL	X	301	-	-	46/86/86/110	-
23	FES	M	503	12	-	-	0/1/1/1
16	HEM	F	703	2	-	0/12/54/54	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	9Y0	F	706	2	-	18/52/52/52	-
18	9Y0	P	202	-	-	22/52/52/52	-
15	CDL	T	203	-	-	47/86/86/110	-
21	HEC	I	301	-	-	0/10/54/54	-
15	CDL	L	604	-	-	48/86/86/110	-
15	CDL	T	201	-	-	35/86/86/110	-
19	PLM	c	201	11	-	5/13/14/15	-
22	9YF	M	501	-	-	23/54/78/78	0/1/1/1
21	HEC	I	302	10	-	0/10/54/54	-
15	CDL	Z	203	-	-	39/86/86/110	-
18	9Y0	X	303	-	-	18/52/52/52	-
20	9XX	W	202	-	-	15/43/43/43	-
17	MQ9	F	708	-	-	11/53/73/73	0/2/2/2
15	CDL	R	604	-	-	48/86/86/110	-
16	HEM	F	702	2	-	4/12/52/54	-
17	MQ9	E	603	-	-	6/53/73/73	0/2/2/2
22	9YF	M	502	-	-	28/54/78/78	0/1/1/1
15	CDL	Z	202	-	-	35/86/86/110	-
20	9XX	G	302	3	-	10/33/33/43	-
22	9YF	c	203	-	-	23/54/78/78	0/1/1/1
15	CDL	T	202	-	-	46/86/86/110	-
17	MQ9	I	303	-	-	8/53/73/73	0/2/2/2
22	9YF	Y	502	-	-	23/54/78/78	0/1/1/1
23	FES	Y	501	12	-	-	0/1/1/1
19	PLM	G	301	3	-	2/7/8/15	-
22	9YF	O	303	-	-	26/54/78/78	0/1/1/1
22	9YF	W	203	-	-	23/54/78/78	0/1/1/1
15	CDL	P	201	-	-	49/86/86/110	-
18	9Y0	J	203	-	-	25/52/52/52	-
14	HEA	R	603	1	3/3/16/16	3/32/76/76	-
22	9YF	Y	503	-	-	28/54/78/78	0/1/1/1
14	HEA	L	602	1	3/3/16/16	12/32/76/76	-
15	CDL	E	605	-	-	50/86/86/110	-
17	MQ9	E	604	-	-	10/53/73/73	0/2/2/2
16	HEM	E	601	2	-	3/12/52/54	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	CDL	X	302	-	-	43/86/86/110	-
20	9XX	c	202	11	-	15/43/43/43	-
20	9XX	D	302	-	-	8/33/33/43	-
22	9YF	I	304	-	-	26/54/78/78	0/1/1/1
19	PLM	W	201	11	-	4/13/14/15	-
17	MQ9	F	701	-	-	6/53/73/73	0/2/2/2
19	PLM	D	301	3	-	3/7/8/15	-

The worst 5 of 338 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	F	709	MQ9	C6-C5	8.61	1.50	1.35
17	E	604	MQ9	C6-C5	8.60	1.50	1.35
17	F	701	MQ9	C6-C5	8.43	1.50	1.35
17	F	708	MQ9	C6-C5	8.40	1.50	1.35
17	E	603	MQ9	C6-C5	8.37	1.50	1.35

The worst 5 of 365 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	Z	203	CDL	CB6-CB4-CB3	-9.76	88.70	111.79
15	X	302	CDL	CB6-CB4-CB3	-9.54	89.23	111.79
15	S	301	CDL	CB6-CB4-CB3	-9.52	89.26	111.79
15	T	201	CDL	OB6-CB4-CB6	9.13	141.46	108.40
15	Z	202	CDL	OB6-CB4-CB6	9.13	141.46	108.40

5 of 12 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
14	R	602	HEA	NA
14	R	602	HEA	NB
14	R	602	HEA	ND
14	R	603	HEA	NA
14	R	603	HEA	NB

5 of 1217 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	R	602	HEA	C2D-C3D-CAD-CBD
14	R	602	HEA	C4D-C3D-CAD-CBD

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
14	L	602	HEA	C12-C11-C3B-C2B
14	L	602	HEA	C12-C11-C3B-C4B
14	L	602	HEA	C14-C15-C16-C17

There are no ring outliers.

40 monomers are involved in 403 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	E	606	CDL	3	0
15	F	704	CDL	11	0
21	O	302	HEC	9	0
15	J	201	CDL	11	0
15	S	301	CDL	49	0
14	R	602	HEA	1	0
21	O	301	HEC	5	0
15	F	705	CDL	10	0
14	L	603	HEA	4	0
17	F	707	MQ9	1	0
17	F	709	MQ9	4	0
17	Z	201	MQ9	5	0
16	E	602	HEM	2	0
15	X	301	CDL	41	0
16	F	703	HEM	4	0
15	T	203	CDL	8	0
21	I	301	HEC	5	0
15	L	604	CDL	19	0
15	T	201	CDL	34	0
21	I	302	HEC	12	0
15	Z	203	CDL	46	0
17	F	708	MQ9	1	0
15	R	604	CDL	19	0
16	F	702	HEM	1	0
17	E	603	MQ9	2	0
15	Z	202	CDL	36	0
15	T	202	CDL	9	0
22	Y	502	9YF	2	0
23	Y	501	FES	1	0
22	W	203	9YF	1	0
15	P	201	CDL	10	0
14	R	603	HEA	4	0
22	Y	503	9YF	3	0
14	L	602	HEA	3	0


*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	E	605	CDL	10	0
17	E	604	MQ9	3	0
16	E	601	HEM	2	0
15	X	302	CDL	54	0
22	I	304	9YF	5	0
19	W	201	PLM	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































































































































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24455. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 165



Y Index: 165




Z Index: 165


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 170



Y Index: 182




Z Index: 208


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 155 nm<sup>3</sup>; this corresponds to an approximate mass of 140 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.333 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24455 and PDB model 7RH5. Per-residue inclusion information can be found in section 3 on page 15.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.1).



















































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 56% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5598	 0.5130
D	 0.0785	 0.1670
E	 0.6811	 0.5580
F	 0.6867	 0.5560
G	 0.0847	 0.1590
I	 0.6131	 0.5480
J	 0.4741	 0.5050
K	 0.5027	 0.4900
L	 0.6620	 0.5560
M	 0.6753	 0.5500
O	 0.6400	 0.5460
P	 0.5137	 0.5020
Q	 0.5175	 0.4950
R	 0.6774	 0.5550
S	 0.5915	 0.5140
T	 0.5580	 0.5220
U	 0.4031	 0.4330
V	 0.5342	 0.4920
W	 0.2866	 0.4550
X	 0.5505	 0.5160
Y	 0.6714	 0.5520
Z	 0.5485	 0.5110
a	 0.4065	 0.4380
b	 0.5254	 0.4980
c	 0.2540	 0.4560

