



## Full wwPDB EM Validation Report ⓘ

Jan 18, 2024 – 05:35 pm GMT

PDB ID : 8RJD  
EMDB ID : EMD-19198  
Title : Structure of the rabbit 80S ribosome stalled on a 2-TMD rhodopsin intermediate in complex with Sec61-TRAP, open conformation 2  
Authors : Lewis, A.J.O.; Hegde, R.S.  
Deposited on : 2023-12-20  
Resolution : 2.79 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	476	20% (Upper red bar) 95% (Green segment) 2% (Yellow segment) 3% (Orange segment) 2% (Red segment)
2	2	96	9% (Upper red bar) 32% (Green segment) 67% (Grey segment)
3	3	68	7% (Upper red bar) 91% (Green segment) 6% (Yellow segment)
4	4	66	9% (Upper red bar) 44% (Green segment) 53% (Grey segment)
5	5	286	55% (Upper red bar) 60% (Green segment) 38% (Grey segment)
6	6	183	88% (Upper red bar) 87% (Green segment) 11% (Grey segment)
7	7	185	89% (Upper red bar) 94% (Green segment)
8	8	173	84% (Upper red bar) 85% (Green segment) 13% (Grey segment)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	9	593	 6% 94%
10	A	257	 96%
11	B	229	 10% 25% 74%
12	C	425	 84% 15%
13	D	297	 97%
14	E	291	 76% 23%
15	F	247	 91% 9%
16	G	319	 5% 72% 27%
17	H	192	 96%
18	I	214	 95%
19	J	178	 94%
20	K	3543	 82% 17%
21	L	211	 98%
22	M	218	 62% 37%
23	N	204	 99%
24	O	203	 96%
25	P	184	 10% 96%
26	Q	187	 99%
27	R	196	 76% 21%
28	S	176	 98%
29	T	160	 99%
30	U	128	 74% 5% 20%
31	V	140	 93% 6%
32	W	157	 39% 60%
33	X	156	 75% 24%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Y	145	91% 8%
35	Z	136	96%
36	a	148	99%
37	b	226	46% 54%
38	c	115	84% 15%
39	d	125	85% 14%
40	e	135	93% 5%
41	f	110	98%
42	g	116	97%
43	h	123	98%
44	i	105	93%
45	j	97	89% 11%
46	k	70	96%
47	l	51	96%
48	m	102	50% 49%
49	n	25	96%
50	o	106	97%
51	p	92	97%
52	q	76	11% 89% 11%
53	r	137	88% 9%
54	u	120	93% 7%
55	v	156	83% 16%
56	w	403	96%

## 2 Entry composition [i](#)

There are 58 unique types of molecules in this entry. The entry contains 255550 atoms, of which 108756 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein transport protein Sec61 subunit alpha isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	1	461	7275	2347	3700	576	629	23	0	0

- Molecule 2 is a protein called Protein transport protein Sec61 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	2	32	524	171	273	40	38	2	0	0

- Molecule 3 is a protein called Protein transport protein Sec61 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	3	66	1105	351	571	92	86	5	0	0

- Molecule 4 is a protein called Stress-associated endoplasmic reticulum protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
4	4	31	504	145	260	55	43	1	0	0

- Molecule 5 is a protein called Translocon-associated protein subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	5	178	2813	919	1390	231	269	4	0	0

- Molecule 6 is a protein called Translocon-associated protein subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
6	6	162	2507	813	1244	212	236	2	0	0

- Molecule 7 is a protein called Translocon-associated protein subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	7	179	2942	947	1490	239	263	3	0	0

- Molecule 8 is a protein called Translocon-associated protein subunit delta.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	8	150	2335	755	1149	199	229	3	0	0

- Molecule 9 is a protein called Calnexin.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	9	38	610	206	309	43	50	2	0	0

- Molecule 10 is a protein called Ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	A	248	3892	1189	1994	389	314	6	0	0

- Molecule 11 is a protein called Nascent chain.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
11	B	59	856	283	424	67	80	2	0	0

- Molecule 12 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	C	362	5937	1812	3054	577	480	14	0	0

- Molecule 13 is a protein called Ribosomal\_L18\_c domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	D	293	4816	1512	2425	438	427	14	0	0

- Molecule 14 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	E	223	3754	1154	1963	341	293	3	0	0

- Molecule 15 is a protein called Ribosomal Protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	F	225	3872	1205	1997	358	303	9	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	61	ARG	GLY	conflict	UNP G1TUB1
F	93	ARG	GLY	conflict	UNP G1TUB1
F	131	MET	VAL	conflict	UNP G1TUB1
F	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 16 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
16	G	233	3908	1199	2029	361	315	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 17 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	H	190	3114	954	1598	284	272	6	0	0

- Molecule 18 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	I	205	3380	1056	1716	321	274	13	0	0

- Molecule 19 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	J	170	2763	861	1401	254	241	6	0	0

- Molecule 20 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
20	K	3543	114335	33833	38363	13910	24686	3543	0	0

- Molecule 21 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	L	210	3525	1065	1823	354	279	4	0	0

There are 170 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	1	MET	ARG	conflict	UNP G1TPV0
L	3	PRO	LEU	conflict	UNP G1TPV0
L	4	SER	ALA	conflict	UNP G1TPV0
L	6	ASN	-	insertion	UNP G1TPV0
L	7	GLY	ALA	conflict	UNP G1TPV0
L	9	ILE	ARG	conflict	UNP G1TPV0
L	10	LEU	ARG	conflict	UNP G1TPV0
L	11	LYS	LEU	conflict	UNP G1TPV0
L	12	PRO	ALA	conflict	UNP G1TPV0
L	13	HIS	LYS	conflict	UNP G1TPV0
L	14	PHE	ALA	conflict	UNP G1TPV0
L	15	HIS	LEU	conflict	UNP G1TPV0
L	17	ASP	PHE	conflict	UNP G1TPV0
L	18	TRP	PHE	conflict	UNP G1TPV0
L	19	GLN	SER	conflict	UNP G1TPV0
L	20	ARG	SER	conflict	UNP G1TPV0
L	21	ARG	SER	conflict	UNP G1TPV0
L	23	ALA	ILE	conflict	UNP G1TPV0
L	25	TRP	-	insertion	UNP G1TPV0
L	26	PHE	LEU	conflict	UNP G1TPV0
L	27	ASN	ALA	conflict	UNP G1TPV0
L	28	GLN	PHE	conflict	UNP G1TPV0
L	29	PRO	SER	conflict	UNP G1TPV0
L	30	ALA	PHE	conflict	UNP G1TPV0
L	31	ARG	LEU	conflict	UNP G1TPV0

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	33	ILE	-	insertion	UNP G1TPV0
L	34	ARG	THR	conflict	UNP G1TPV0
L	35	ARG	PHE	conflict	UNP G1TPV0
L	37	LYS	MET	conflict	UNP G1TPV0
L	38	ALA	GLY	conflict	UNP G1TPV0
L	39	ARG	MET	conflict	UNP G1TPV0
L	40	GLN	THR	conflict	UNP G1TPV0
L	41	ALA	GLY	conflict	UNP G1TPV0
L	42	ARG	PRO	conflict	UNP G1TPV0
L	43	ALA	VAL	conflict	UNP G1TPV0
L	44	ARG	SER	conflict	UNP G1TPV0
L	45	ARG	TRP	conflict	UNP G1TPV0
L	46	ILE	VAL	conflict	UNP G1TPV0
L	48	PRO	ASN	conflict	UNP G1TPV0
L	49	ARG	PHE	conflict	UNP G1TPV0
L	50	PRO	SER	conflict	UNP G1TPV0
L	51	ALA	SER	conflict	UNP G1TPV0
L	52	ALA	SER	conflict	UNP G1TPV0
L	53	GLY	ALA	conflict	UNP G1TPV0
L	54	PRO	GLU	conflict	UNP G1TPV0
L	55	ILE	LEU	conflict	UNP G1TPV0
L	56	ARG	SER	conflict	UNP G1TPV0
L	58	ILE	PHE	conflict	UNP G1TPV0
L	59	VAL	LEU	conflict	UNP G1TPV0
L	60	ARG	GLY	conflict	UNP G1TPV0
L	61	CYS	ALA	conflict	UNP G1TPV0
L	62	PRO	GLU	conflict	UNP G1TPV0
L	63	THR	GLY	conflict	UNP G1TPV0
L	64	VAL	PHE	conflict	UNP G1TPV0
L	66	TYR	-	insertion	UNP G1TPV0
L	67	HIS	-	insertion	UNP G1TPV0
L	68	THR	GLY	conflict	UNP G1TPV0
L	70	VAL	-	insertion	UNP G1TPV0
L	71	ARG	-	insertion	UNP G1TPV0
L	72	ALA	-	insertion	UNP G1TPV0
L	73	GLY	-	insertion	UNP G1TPV0
L	75	GLY	-	insertion	UNP G1TPV0
L	76	PHE	THR	conflict	UNP G1TPV0
L	80	GLU	-	insertion	UNP G1TPV0
L	81	LEU	-	insertion	UNP G1TPV0
L	83	VAL	TYR	conflict	UNP G1TPV0
L	84	ALA	SER	conflict	UNP G1TPV0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	85	GLY	PHE	conflict	UNP G1TPV0
L	86	ILE	SER	conflict	UNP G1TPV0
L	87	HIS	ARG	conflict	UNP G1TPV0
L	88	LYS	CYS	conflict	UNP G1TPV0
L	89	LYS	THR	conflict	UNP G1TPV0
L	90	VAL	LEU	conflict	UNP G1TPV0
L	92	ARG	-	insertion	UNP G1TPV0
L	93	THR	-	insertion	UNP G1TPV0
L	94	ILE	CYS	conflict	UNP G1TPV0
L	95	GLY	ARG	conflict	UNP G1TPV0
L	96	ILE	ASP	conflict	UNP G1TPV0
L	100	PRO	LEU	conflict	UNP G1TPV0
L	101	ARG	PHE	conflict	UNP G1TPV0
L	104	ASN	ARG	conflict	UNP G1TPV0
L	105	LYS	GLY	conflict	UNP G1TPV0
L	109	SER	MET	conflict	UNP G1TPV0
L	110	LEU	PRO	conflict	UNP G1TPV0
L	111	GLN	ILE	conflict	UNP G1TPV0
L	112	ALA	VAL	conflict	UNP G1TPV0
L	113	ASN	ARG	conflict	UNP G1TPV0
L	114	VAL	ALA	conflict	UNP G1TPV0
L	115	GLN	THR	conflict	UNP G1TPV0
L	116	ARG	PHE	conflict	UNP G1TPV0
L	?	-	TRP	deletion	UNP G1TPV0
L	?	-	MET	deletion	UNP G1TPV0
L	118	LYS	PRO	conflict	UNP G1TPV0
L	119	GLU	ALA	conflict	UNP G1TPV0
L	120	TYR	THR	conflict	UNP G1TPV0
L	123	LYS	SER	conflict	UNP G1TPV0
L	124	LEU	SER	conflict	UNP G1TPV0
L	125	VAL	ARG	conflict	UNP G1TPV0
L	127	PHE	LYS	conflict	UNP G1TPV0
L	130	LYS	PRO	conflict	UNP G1TPV0
L	131	PRO	ALA	conflict	UNP G1TPV0
L	132	SER	ARG	conflict	UNP G1TPV0
L	133	ALA	THR	conflict	UNP G1TPV0
L	134	PRO	PHE	conflict	UNP G1TPV0
L	135	LYS	VAL	conflict	UNP G1TPV0
L	136	LYS	TRP	conflict	UNP G1TPV0
L	137	GLY	TYR	conflict	UNP G1TPV0
L	138	ASP	ARG	conflict	UNP G1TPV0
L	139	SER	THR	conflict	UNP G1TPV0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	140	SER	VAL	conflict	UNP G1TPV0
L	141	ALA	GLY	conflict	UNP G1TPV0
L	142	GLU	GLN	conflict	UNP G1TPV0
L	143	GLU	ARG	conflict	UNP G1TPV0
L	144	LEU	THR	conflict	UNP G1TPV0
L	145	LYS	MET	conflict	UNP G1TPV0
L	146	LEU	GLY	conflict	UNP G1TPV0
L	147	ALA	ARG	conflict	UNP G1TPV0
L	148	THR	MET	conflict	UNP G1TPV0
L	149	GLN	GLY	conflict	UNP G1TPV0
L	151	THR	ALA	conflict	UNP G1TPV0
L	152	GLY	PRO	conflict	UNP G1TPV0
L	153	PRO	ALA	conflict	UNP G1TPV0
L	154	VAL	ASP	conflict	UNP G1TPV0
L	155	MET	LEU	conflict	UNP G1TPV0
L	156	PRO	ALA	conflict	UNP G1TPV0
L	157	ILE	ARG	conflict	UNP G1TPV0
L	159	ASN	LEU	conflict	UNP G1TPV0
L	161	PHE	GLU	conflict	UNP G1TPV0
L	162	LYS	PRO	conflict	UNP G1TPV0
L	163	LYS	GLY	conflict	UNP G1TPV0
L	164	GLU	GLY	conflict	UNP G1TPV0
L	165	LYS	HIS	conflict	UNP G1TPV0
L	167	ARG	PRO	conflict	UNP G1TPV0
L	168	VAL	LEU	conflict	UNP G1TPV0
L	169	ILE	PRO	conflict	UNP G1TPV0
L	170	THR	VAL	conflict	UNP G1TPV0
L	171	GLU	LEU	conflict	UNP G1TPV0
L	172	GLU	VAL	conflict	UNP G1TPV0
L	174	LYS	VAL	conflict	UNP G1TPV0
L	175	ASN	ARG	conflict	UNP G1TPV0
L	176	PHE	LEU	conflict	UNP G1TPV0
L	177	LYS	GLN	conflict	UNP G1TPV0
L	178	ALA	ASP	conflict	UNP G1TPV0
L	179	PHE	HIS	conflict	UNP G1TPV0
L	181	SER	ILE	conflict	UNP G1TPV0
L	182	LEU	PRO	conflict	UNP G1TPV0
L	183	ARG	ALA	conflict	UNP G1TPV0
L	184	MET	GLY	conflict	UNP G1TPV0
L	185	ALA	ARG	conflict	UNP G1TPV0
L	186	ARG	HIS	conflict	UNP G1TPV0
L	187	ALA	GLY	conflict	UNP G1TPV0

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	188	ASN	CYS	conflict	UNP G1TPV0
L	189	ALA	VAL	conflict	UNP G1TPV0
L	190	ARG	LEU	conflict	UNP G1TPV0
L	192	PHE	ARG	conflict	UNP G1TPV0
L	193	GLY	ALA	conflict	UNP G1TPV0
L	194	ILE	ARG	conflict	UNP G1TPV0
L	195	ARG	THR	conflict	UNP G1TPV0
L	196	ALA	GLU	conflict	UNP G1TPV0
L	199	ALA	LYS	conflict	UNP G1TPV0
L	200	LYS	SER	conflict	UNP G1TPV0
L	202	ALA	PRO	conflict	UNP G1TPV0
L	203	ALA	GLN	conflict	UNP G1TPV0
L	204	GLU	HIS	conflict	UNP G1TPV0
L	205	GLN	PHE	conflict	UNP G1TPV0
L	207	VAL	THR	conflict	UNP G1TPV0
L	208	GLU	GLY	conflict	UNP G1TPV0
L	209	LYS	CYS	conflict	UNP G1TPV0
L	210	LYS	ARG	conflict	UNP G1TPV0
L	211	LYS	HIS	conflict	UNP G1TPV0

- Molecule 22 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	M	138	2349	727	1212	221	182	7	0	0

- Molecule 23 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	N	203	3454	1072	1753	359	266	4	0	0

- Molecule 24 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	O	199	3410	1051	1780	319	255	5	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
O	174	LEU	ILE	conflict	UNP A0A0N8ETI8

Continued on next page...

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
O	194	ASP	GLU	conflict	UNP A0A0N8ETI8

- Molecule 25 is a protein called uL22.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
25	P	181	3012	924	1542	282	254	10	0	0

- Molecule 26 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
26	Q	187	3153	946	1638	315	250	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	134	ARG	CYS	conflict	UNP F6QKI9

- Molecule 27 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
27	R	155	2730	808	1436	278	199	9	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	38	ARG	HIS	conflict	UNP G1TYL6
R	151	ARG	HIS	conflict	UNP G1TYL6

- Molecule 28 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
28	S	176	2972	930	1510	285	236	11	0	0

- Molecule 29 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	T	159	2667	823	1369	252	217	6	0	0

- Molecule 30 is a protein called Large ribosomal subunit protein eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	U	102	1693	534	859	146	152	2	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	18	LEU	VAL	conflict	UNP Q4R5I3
U	62	SER	THR	conflict	UNP Q4R5I3
U	63	LEU	ILE	conflict	UNP Q4R5I3
U	106	THR	SER	conflict	UNP Q4R5I3
U	126	GLU	ASP	conflict	UNP Q4R5I3

- Molecule 31 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	V	131	2019	618	1040	184	172	5	0	0

- Molecule 32 is a protein called Ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	W	63	1070	337	542	103	85	3	0	0

- Molecule 33 is a protein called Large ribosomal subunit protein uL23 N-terminal domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
33	X	118	2008	618	1041	181	167	1	0	0

- Molecule 34 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
34	Y	134	2320	700	1205	226	186	3	0	0

- Molecule 35 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
35	Z	135	2292	714	1185	208	182	3	0	0

- Molecule 36 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
36	a	147	2372	734	1210	239	185	4	0	0

- Molecule 37 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
37	b	104	1771	527	923	189	129	3	0	0

- Molecule 38 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
38	c	98	1557	481	796	134	140	6	0	0

- Molecule 39 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	d	107	1820	560	932	171	155	2	0	0

- Molecule 40 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	e	128	2203	667	1150	216	165	5	0	0

- Molecule 41 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
41	f	109	1789	555	913	174	143	4	0	0

- Molecule 42 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
42	g	114	1910	566	1004	187	147	6	0	0

- Molecule 43 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
43	h	122	2161	640	1148	204	168	1	0	0

- Molecule 44 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
44	i	102	1747	520	917	176	129	5	0	0

- Molecule 45 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
45	j	86	1448	434	743	155	111	5	0	0

- Molecule 46 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
46	k	69	1206	366	637	103	99	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	24	LYS	ASN	conflict	UNP G1U001

- Molecule 47 is a protein called 60S ribosomal protein L39-like.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
47	l	50	928	286	481	96	64	1	0	0

- Molecule 48 is a protein called eL40.



Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
48	m	52	899	266	470	90	67	6	0	0

- Molecule 49 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
49	n	25	529	145	289	64	28	3	0	0

- Molecule 50 is a protein called 60S ribosomal protein L36a-like.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
50	o	104	1778	533	927	174	138	6	0	0

- Molecule 51 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
51	p	91	1470	445	762	136	120	7	0	0

- Molecule 52 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
52	q	76	2439	723	823	291	527	75	0	0

- Molecule 53 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
53	r	124	2046	616	1052	205	167	6	0	0

- Molecule 54 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
54	u	120	3854	1141	1296	456	842	119	0	0

- Molecule 55 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
55	v	156	4997	1480	1683	585	1094	155	0	0

- Molecule 56 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
56	w	394	6487	2020	3315	597	542	13	0	0

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	I	1	Total	Mg	0
			1	1	
57	K	201	Total	Mg	0
			201	201	
57	V	1	Total	Mg	0
			1	1	
57	a	1	Total	Mg	0
			1	1	
57	g	1	Total	Mg	0
			1	1	
57	j	1	Total	Mg	0
			1	1	
57	u	7	Total	Mg	0
			7	7	
57	v	5	Total	Mg	0
			5	5	


- Molecule 58 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
58	g	1	Total	Zn	0
			1	1	
58	j	1	Total	Zn	0
			1	1	
58	m	1	Total	Zn	0
			1	1	
58	o	1	Total	Zn	0
			1	1	
58	p	1	Total	Zn	0
			1	1	


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein transport protein Sec61 subunit alpha isoform 1




- Molecule 2: Protein transport protein Sec61 subunit beta




- Molecule 3: Protein transport protein Sec61 subunit gamma




- Molecule 4: Stress-associated endoplasmic reticulum protein









• Molecule 5: Translocon-associated protein subunit alpha




• Molecule 6: Translocon-associated protein subunit beta





• Molecule 7: Translocon-associated protein subunit gamma







• Molecule 8: Translocon-associated protein subunit delta




• Molecule 9: Calnexin









● Molecule 10: Ribosomal protein L8




● Molecule 11: Nascent chain




● Molecule 12: Large ribosomal subunit protein uL4





● Molecule 13: Ribosomal\_L18\_c domain-containing protein





● Molecule 14: 60S ribosomal protein L6









• Molecule 15: Ribosomal Protein uL30




• Molecule 16: 60S ribosomal protein L7a




• Molecule 17: 60S ribosomal protein L9




• Molecule 18: 60S ribosomal protein L10




• Molecule 19: 60S ribosomal protein L11




• Molecule 20: 28S rRNA











• Molecule 21: 60S ribosomal protein L13



• Molecule 22: 60S ribosomal protein L14




• Molecule 23: Ribosomal protein L15




• Molecule 24: 60S ribosomal protein L13a




• Molecule 25: uL22




• Molecule 26: Ribosomal protein L18




• Molecule 27: Ribosomal protein L19




• Molecule 28: 60S ribosomal protein L18a




• Molecule 29: 60S ribosomal protein L21



• Molecule 30: Large ribosomal subunit protein eL22




• Molecule 31: Ribosomal protein L23






- Molecule 38: Large ribosomal subunit protein eL30

Chain c:  84% 15%




- Molecule 39: 60S ribosomal protein L31

Chain d:  85% 14%



- Molecule 40: Ribosomal protein L32

Chain e:  93% 5%




- Molecule 41: 60S ribosomal protein L35a

Chain f:  98%




- Molecule 42: 60S ribosomal protein L34

Chain g:  97%



- Molecule 43: 60S ribosomal protein L35

Chain h:  98%





- Molecule 44: 60S ribosomal protein L36

Chain i:  93%




- Molecule 45: Ribosomal protein L37

Chain j:  89% 11%



- Molecule 46: Large ribosomal subunit protein eL38

Chain k:  96% ..




- Molecule 47: 60S ribosomal protein L39-like

Chain l:  96% ..



- Molecule 48: eL40

Chain m:  50% . 49%




- Molecule 49: 60S ribosomal protein L41

Chain n:  96% .



- Molecule 50: 60S ribosomal protein L36a-like

Chain o:  97% ..





- Molecule 51: 60S ribosomal protein L37a


Chain p:  97% ..




- Molecule 52: P-site tRNA





- Molecule 53: 60S ribosomal protein L28




- Molecule 54: 5S rRNA



- Molecule 55: 5.8S rRNA



- Molecule 56: Ribosomal protein L3



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	282068	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	54	Depositor
Minimum defocus (nm)	1900	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.218	Depositor
Minimum map value	-0.064	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.0231	Depositor
Map size ( $\text{\AA}$ )	562.7185, 562.7185, 562.7185	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.339806, 1.339806, 1.339806	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1	0.31	1/3651 (0.0%)	0.51	3/4947 (0.1%)
2	2	0.29	0/258	0.42	0/348
3	3	0.26	0/544	0.48	0/728
4	4	0.26	0/245	0.54	0/325
5	5	0.26	0/1457	0.47	0/1980
6	6	0.26	0/1296	0.48	0/1764
7	7	0.90	3/1482 (0.2%)	0.90	6/2001 (0.3%)
8	8	0.24	0/1215	0.46	0/1656
9	9	0.24	0/311	0.39	0/427
10	A	0.35	0/1936	0.61	0/2596
11	B	0.27	0/446	0.48	0/610
12	C	0.32	0/2937	0.55	0/3946
13	D	0.33	0/2437	0.51	0/3264
14	E	0.30	0/1825	0.53	0/2445
15	F	0.34	0/1911	0.55	0/2549
16	G	0.30	0/1910	0.51	0/2569
17	H	0.31	0/1535	0.54	0/2063
18	I	0.33	0/1702	0.55	0/2272
19	J	0.30	0/1385	0.55	0/1852
20	K	0.67	0/84980	0.81	14/132536 (0.0%)
21	L	0.31	0/1733	0.59	0/2316
22	M	0.32	0/1158	0.56	1/1547 (0.1%)
23	N	0.37	0/1746	0.61	0/2338
24	O	0.34	0/1662	0.54	0/2222
25	P	0.39	1/1498 (0.1%)	0.69	3/2003 (0.1%)
26	Q	0.34	0/1539	0.60	0/2054
27	R	0.30	0/1310	0.58	0/1734
28	S	0.36	0/1501	0.55	0/2012
29	T	0.34	0/1326	0.56	0/1770
30	U	0.30	0/848	0.50	0/1138
31	V	0.33	0/993	0.52	0/1332
32	W	0.36	0/541	0.53	0/720



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	X	0.32	0/984	0.50	0/1323
34	Y	0.32	0/1132	0.55	0/1504
35	Z	0.34	0/1130	0.53	0/1507
36	a	0.34	0/1191	0.55	0/1590
37	b	0.28	0/861	0.54	0/1138
38	c	0.33	0/771	0.48	0/1034
39	d	0.34	0/903	0.56	0/1216
40	e	0.34	0/1071	0.57	0/1429
41	f	0.37	0/895	0.58	0/1198
42	g	0.34	0/916	0.59	0/1220
43	h	0.30	0/1021	0.54	0/1348
44	i	0.30	0/841	0.58	0/1112
45	j	0.37	0/720	0.63	0/952
46	k	0.31	0/575	0.50	0/761
47	l	0.31	0/459	0.57	0/608
48	m	0.32	0/435	0.55	0/575
49	n	0.26	0/241	0.75	0/305
50	o	0.33	0/864	0.56	0/1140
51	p	0.34	0/718	0.60	0/953
52	q	0.27	0/1805	0.75	0/2809
53	r	0.33	0/1010	0.58	0/1354
54	u	0.67	0/2858	0.77	0/4455
55	v	0.67	0/3701	0.80	1/5766 (0.0%)
56	w	0.34	0/3240	0.53	0/4339
All	All	0.56	5/157660 (0.0%)	0.72	28/231700 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	7	162	PRO	CG-CD	-27.68	0.59	1.50
7	7	162	PRO	CB-CG	16.64	2.33	1.50
1	1	332	PRO	CG-CD	-8.29	1.23	1.50
7	7	162	PRO	N-CD	5.66	1.55	1.47
25	P	158	PRO	CG-CD	-5.51	1.32	1.50

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	7	162	PRO	CB-CG-CD	-27.28	0.11	106.50
25	P	158	PRO	N-CD-CG	-15.91	79.33	103.20
7	7	161	ASN	C-N-CD	13.51	156.78	128.40
7	7	162	PRO	CA-N-CD	-12.49	94.01	111.50

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	332	PRO	CA-CB-CG	-11.07	82.97	104.00
1	1	332	PRO	N-CD-CG	-11.03	86.65	103.20
7	7	162	PRO	CA-CB-CG	-9.39	86.16	104.00
25	P	158	PRO	CA-N-CD	-7.38	101.16	111.50
20	K	3741	C	N3-C2-O2	-7.38	116.74	121.90
20	K	2023	C	N1-C2-O2	-7.22	114.57	118.90
25	P	158	PRO	CA-CB-CG	-6.54	91.57	104.00
20	K	2708	U	C2-N1-C1'	6.54	125.55	117.70
20	K	1215	C	C2-N1-C1'	6.23	125.65	118.80
20	K	2258	C	C2-N1-C1'	6.23	125.65	118.80
20	K	2023	C	C2-N1-C1'	-6.08	112.11	118.80
7	7	161	ASN	N-CA-CB	-5.97	99.85	110.60
20	K	3741	C	N1-C2-O2	5.59	122.25	118.90
20	K	417	G	O4'-C1'-N9	5.53	112.62	108.20
20	K	2258	C	C6-N1-C2	-5.50	118.10	120.30
20	K	2806	A	O4'-C1'-N9	5.27	112.42	108.20
22	M	105	THR	CA-CB-CG2	5.21	119.70	112.40
55	v	81	C	C2-N1-C1'	5.21	124.53	118.80
1	1	332	PRO	N-CA-CB	-5.20	96.88	102.60
20	K	2023	C	C6-N1-C1'	5.16	126.99	120.80
7	7	162	PRO	N-CA-CB	-5.15	96.94	102.60
20	K	1552	G	O4'-C1'-N9	5.03	112.22	108.20
20	K	2694	G	N3-C4-C5	5.02	131.11	128.60
20	K	2258	C	N3-C2-O2	-5.01	118.39	121.90

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	455/476 (96%)	440 (97%)	15 (3%)	0	100	100
2	2	30/96 (31%)	29 (97%)	1 (3%)	0	100	100
3	3	64/68 (94%)	61 (95%)	3 (5%)	0	100	100
4	4	29/66 (44%)	29 (100%)	0	0	100	100
5	5	174/286 (61%)	171 (98%)	3 (2%)	0	100	100
6	6	160/183 (87%)	158 (99%)	2 (1%)	0	100	100
7	7	177/185 (96%)	174 (98%)	3 (2%)	0	100	100
8	8	148/173 (86%)	146 (99%)	2 (1%)	0	100	100
9	9	34/593 (6%)	34 (100%)	0	0	100	100
10	A	246/257 (96%)	239 (97%)	7 (3%)	0	100	100
11	B	57/229 (25%)	50 (88%)	7 (12%)	0	100	100
12	C	360/425 (85%)	352 (98%)	8 (2%)	0	100	100
13	D	291/297 (98%)	286 (98%)	5 (2%)	0	100	100
14	E	215/291 (74%)	209 (97%)	6 (3%)	0	100	100
15	F	223/247 (90%)	215 (96%)	8 (4%)	0	100	100
16	G	229/319 (72%)	228 (100%)	1 (0%)	0	100	100
17	H	188/192 (98%)	186 (99%)	2 (1%)	0	100	100
18	I	201/214 (94%)	199 (99%)	2 (1%)	0	100	100
19	J	168/178 (94%)	166 (99%)	2 (1%)	0	100	100
21	L	208/211 (99%)	203 (98%)	5 (2%)	0	100	100
22	M	136/218 (62%)	132 (97%)	4 (3%)	0	100	100
23	N	201/204 (98%)	198 (98%)	3 (2%)	0	100	100
24	O	197/203 (97%)	194 (98%)	3 (2%)	0	100	100
25	P	179/184 (97%)	175 (98%)	4 (2%)	0	100	100
26	Q	185/187 (99%)	181 (98%)	4 (2%)	0	100	100
27	R	153/196 (78%)	152 (99%)	1 (1%)	0	100	100
28	S	174/176 (99%)	170 (98%)	4 (2%)	0	100	100
29	T	157/160 (98%)	154 (98%)	3 (2%)	0	100	100
30	U	100/128 (78%)	97 (97%)	3 (3%)	0	100	100
31	V	129/140 (92%)	128 (99%)	1 (1%)	0	100	100
32	W	61/157 (39%)	61 (100%)	0	0	100	100
33	X	116/156 (74%)	113 (97%)	3 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	Y	132/145 (91%)	128 (97%)	4 (3%)	0	100	100
35	Z	133/136 (98%)	131 (98%)	2 (2%)	0	100	100
36	a	145/148 (98%)	138 (95%)	6 (4%)	1 (1%)	22	50
37	b	100/226 (44%)	98 (98%)	2 (2%)	0	100	100
38	c	96/115 (84%)	96 (100%)	0	0	100	100
39	d	105/125 (84%)	105 (100%)	0	0	100	100
40	e	126/135 (93%)	121 (96%)	5 (4%)	0	100	100
41	f	107/110 (97%)	105 (98%)	2 (2%)	0	100	100
42	g	112/116 (97%)	110 (98%)	2 (2%)	0	100	100
43	h	120/123 (98%)	118 (98%)	2 (2%)	0	100	100
44	i	100/105 (95%)	97 (97%)	3 (3%)	0	100	100
45	j	84/97 (87%)	83 (99%)	1 (1%)	0	100	100
46	k	67/70 (96%)	67 (100%)	0	0	100	100
47	l	48/51 (94%)	48 (100%)	0	0	100	100
48	m	50/102 (49%)	50 (100%)	0	0	100	100
49	n	23/25 (92%)	23 (100%)	0	0	100	100
50	o	102/106 (96%)	99 (97%)	3 (3%)	0	100	100
51	p	89/92 (97%)	84 (94%)	5 (6%)	0	100	100
53	r	122/137 (89%)	119 (98%)	3 (2%)	0	100	100
56	w	392/403 (97%)	384 (98%)	8 (2%)	0	100	100
All	All	7698/9662 (80%)	7534 (98%)	163 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
36	a	40	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	388/398 (98%)	381 (98%)	7 (2%)	59	84
2	2	28/74 (38%)	27 (96%)	1 (4%)	35	66
3	3	59/59 (100%)	55 (93%)	4 (7%)	16	39
4	4	26/55 (47%)	24 (92%)	2 (8%)	13	32
5	5	157/249 (63%)	151 (96%)	6 (4%)	33	64
6	6	135/152 (89%)	133 (98%)	2 (2%)	65	87
7	7	161/164 (98%)	157 (98%)	4 (2%)	47	77
8	8	130/146 (89%)	127 (98%)	3 (2%)	50	79
9	9	35/526 (7%)	35 (100%)	0	100	100
10	A	190/199 (96%)	188 (99%)	2 (1%)	73	90
11	B	48/172 (28%)	46 (96%)	2 (4%)	30	60
12	C	302/347 (87%)	297 (98%)	5 (2%)	60	85
13	D	247/250 (99%)	242 (98%)	5 (2%)	55	82
14	E	197/251 (78%)	196 (100%)	1 (0%)	88	95
15	F	196/215 (91%)	195 (100%)	1 (0%)	88	95
16	G	200/272 (74%)	196 (98%)	4 (2%)	55	82
17	H	169/171 (99%)	164 (97%)	5 (3%)	41	72
18	I	175/181 (97%)	174 (99%)	1 (1%)	86	95
19	J	143/149 (96%)	140 (98%)	3 (2%)	53	81
21	L	175/176 (99%)	172 (98%)	3 (2%)	60	85
22	M	117/161 (73%)	115 (98%)	2 (2%)	60	85
23	N	171/172 (99%)	169 (99%)	2 (1%)	71	90
24	O	171/173 (99%)	166 (97%)	5 (3%)	42	73
25	P	160/163 (98%)	157 (98%)	3 (2%)	57	83
26	Q	164/164 (100%)	162 (99%)	2 (1%)	71	90
27	R	138/175 (79%)	132 (96%)	6 (4%)	29	59
28	S	157/157 (100%)	153 (98%)	4 (2%)	47	77
29	T	139/140 (99%)	139 (100%)	0	100	100
30	U	92/114 (81%)	85 (92%)	7 (8%)	13	33
31	V	101/107 (94%)	100 (99%)	1 (1%)	76	91
32	W	55/126 (44%)	54 (98%)	1 (2%)	59	84
33	X	106/134 (79%)	105 (99%)	1 (1%)	78	92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	Y	124/135 (92%)	122 (98%)	2 (2%)	62	86
35	Z	117/118 (99%)	113 (97%)	4 (3%)	37	68
36	a	119/120 (99%)	119 (100%)	0	100	100
37	b	84/172 (49%)	83 (99%)	1 (1%)	71	90
38	c	84/98 (86%)	83 (99%)	1 (1%)	71	90
39	d	98/110 (89%)	97 (99%)	1 (1%)	76	91
40	e	114/121 (94%)	112 (98%)	2 (2%)	59	84
41	f	88/89 (99%)	87 (99%)	1 (1%)	73	90
42	g	98/99 (99%)	97 (99%)	1 (1%)	76	91
43	h	109/110 (99%)	108 (99%)	1 (1%)	78	92
44	i	86/89 (97%)	82 (95%)	4 (5%)	26	56
45	j	73/80 (91%)	73 (100%)	0	100	100
46	k	64/65 (98%)	62 (97%)	2 (3%)	40	71
47	l	47/48 (98%)	46 (98%)	1 (2%)	53	81
48	m	48/90 (53%)	47 (98%)	1 (2%)	53	81
49	n	24/24 (100%)	23 (96%)	1 (4%)	30	60
50	o	92/94 (98%)	91 (99%)	1 (1%)	73	90
51	p	74/75 (99%)	72 (97%)	2 (3%)	44	75
53	r	108/121 (89%)	105 (97%)	3 (3%)	43	74
56	w	342/348 (98%)	336 (98%)	6 (2%)	59	84
All	All	6725/8198 (82%)	6595 (98%)	130 (2%)	59	83

All (130) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	46	CYS
1	1	55	SER
1	1	143	MET
1	1	207	MET
1	1	259	GLN
1	1	332	PRO
1	1	343	HIS
2	2	88	HIS
3	3	1	MET
3	3	13	GLN

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	3	30	ARG
3	3	44	PHE
4	4	20	GLN
4	4	23	ASN
5	5	86	THR
5	5	132	PHE
5	5	158	PHE
5	5	198	GLU
5	5	211	TYR
5	5	234	ARG
6	6	51	SER
6	6	147	PHE
7	7	37	PHE
7	7	53	MET
7	7	109	ASN
7	7	185	LYS
8	8	38	THR
8	8	45	THR
8	8	124	ASP
10	A	111	THR
10	A	208	GLU
11	B	103	PHE
11	B	110	MET
12	C	3	CYS
12	C	69	THR
12	C	95	MET
12	C	122	TYR
12	C	179	ASP
13	D	115	MET
13	D	136	ASP
13	D	235	MET
13	D	259	ARG
13	D	262	LYS
14	E	239	GLU
15	F	35	LYS
16	G	126	ARG
16	G	161	GLN
16	G	173	LYS
16	G	284	ASP
17	H	1	MET
17	H	14	GLU
17	H	21	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
17	H	58	ASP
17	H	177	ASP
18	I	183	ASP
19	J	31	ASP
19	J	118	LYS
19	J	129	ASP
21	L	67	HIS
21	L	155	MET
21	L	163	LYS
22	M	103	LYS
22	M	131	GLN
23	N	20	ARG
23	N	187	SER
24	O	32	LYS
24	O	43	ILE
24	O	49	ARG
24	O	132	THR
24	O	178	ARG
25	P	57	CYS
25	P	104	LEU
25	P	144	CYS
26	Q	130	SER
26	Q	134	ARG
27	R	3	MET
27	R	76	MET
27	R	98	ARG
27	R	119	MET
27	R	148	ASP
27	R	151	ARG
28	S	23	ARG
28	S	77	ASN
28	S	135	SER
28	S	168	THR
30	U	18	LEU
30	U	20	LYS
30	U	25	CYS
30	U	38	ASN
30	U	65	ARG
30	U	69	LYS
30	U	95	ASN
31	V	100	ASP
32	W	63	GLN

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
33	X	85	SER
34	Y	46	SER
34	Y	74	TYR
35	Z	30	ASP
35	Z	34	SER
35	Z	59	LYS
35	Z	92	ASP
37	b	55	LYS
38	c	12	GLU
39	d	98	SER
40	e	53	ILE
40	e	86	GLU
41	f	19	ARG
42	g	73	HIS
43	h	27	GLU
44	i	29	ARG
44	i	32	ARG
44	i	46	GLU
44	i	99	LYS
46	k	29	LYS
46	k	30	ASP
47	l	5	LYS
48	m	57	ARG
49	n	10	MET
50	o	77	CYS
51	p	26	VAL
51	p	92	GLN
53	r	26	SER
53	r	58	LYS
53	r	103	HIS
56	w	216	MET
56	w	289	GLN
56	w	294	LYS
56	w	358	ARG
56	w	362	LYS
56	w	395	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
27	R	75	HIS
36	a	28	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
44	i	20	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
20	K	3521/3543 (99%)	589 (16%)	55 (1%)
52	q	74/76 (97%)	8 (10%)	0
54	u	119/120 (99%)	8 (6%)	0
55	v	155/156 (99%)	26 (16%)	0
All	All	3869/3895 (99%)	631 (16%)	55 (1%)

All (631) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
20	K	5	A
20	K	12	A
20	K	13	U
20	K	25	A
20	K	35	U
20	K	39	A
20	K	42	A
20	K	56	A
20	K	59	A
20	K	64	A
20	K	65	A
20	K	71	C
20	K	73	A
20	K	91	G
20	K	98	A
20	K	109	G
20	K	110	C
20	K	118	C
20	K	119	G
20	K	120	A
20	K	122	U
20	K	126	C
20	K	135	G
20	K	136	C
20	K	157	U
20	K	159	C
20	K	173	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	179	G
20	K	195	C
20	K	197	A
20	K	200	U
20	K	209	U
20	K	210	C
20	K	219	G
20	K	224	U
20	K	233	U
20	K	234	G
20	K	238	C
20	K	246	G
20	K	262	G
20	K	265	C
20	K	266	C
20	K	275	C
20	K	276	C
20	K	280	G
20	K	297	U
20	K	306	A
20	K	309	C
20	K	315	G
20	K	316	U
20	K	325	U
20	K	334	A
20	K	340	C
20	K	387	G
20	K	399	G
20	K	407	A
20	K	409	G
20	K	410	A
20	K	412	G
20	K	414	C
20	K	440	U
20	K	446	C
20	K	449	C
20	K	450	G
20	K	452	A
20	K	453	G
20	K	464	G
20	K	467	U
20	K	472	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	481	G
20	K	481(A)	C
20	K	482	G
20	K	483	G
20	K	485	C
20	K	486	C
20	K	492	U
20	K	493	G
20	K	497	G
20	K	498	C
20	K	499	G
20	K	505	G
20	K	510	U
20	K	642	G
20	K	643	C
20	K	647	G
20	K	658	C
20	K	661	C
20	K	666	G
20	K	672	C
20	K	696	C
20	K	697	G
20	K	704	C
20	K	705	G
20	K	730	G
20	K	731	G
20	K	738	C
20	K	738(A)	C
20	K	750	U
20	K	758	G
20	K	915	A
20	K	917	A
20	K	923	C
20	K	925	C
20	K	926	G
20	K	928	C
20	K	929	A
20	K	932	A
20	K	933	G
20	K	935	A
20	K	935(A)	G
20	K	936	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	938	C
20	K	939	G
20	K	944	A
20	K	945	U
20	K	956	A
20	K	959	G
20	K	960	A
20	K	961	G
20	K	964	A
20	K	965	G
20	K	966	A
20	K	967	C
20	K	968	C
20	K	969	C
20	K	972	C
20	K	978	G
20	K	983	C
20	K	1072	C
20	K	1073	G
20	K	1079	C
20	K	1082	C
20	K	1175	A
20	K	1179	U
20	K	1184	A
20	K	1187	G
20	K	1193	C
20	K	1198	G
20	K	1210	C
20	K	1211	G
20	K	1212	G
20	K	1215	C
20	K	1234	G
20	K	1235	G
20	K	1236	C
20	K	1237	C
20	K	1238	A
20	K	1247	U
20	K	1272	C
20	K	1273	G
20	K	1275	G
20	K	1280	C
20	K	1284	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	1287	G
20	K	1294	A
20	K	1296	G
20	K	1304	C
20	K	1314	C
20	K	1326	A
20	K	1337	A
20	K	1354	A
20	K	1359	G
20	K	1371	A
20	K	1387	A
20	K	1394	G
20	K	1397	A
20	K	1398	A
20	K	1415	G
20	K	1416	G
20	K	1420	A
20	K	1421	G
20	K	1433	A
20	K	1436	C
20	K	1437	C
20	K	1438	U
20	K	1441	C
20	K	1446	C
20	K	1448	G
20	K	1456	C
20	K	1457	G
20	K	1478	C
20	K	1498	G
20	K	1502	G
20	K	1514	U
20	K	1523	A
20	K	1534	A
20	K	1535	C
20	K	1547	A
20	K	1564	A
20	K	1566	C
20	K	1578	U
20	K	1588	U
20	K	1591	U
20	K	1596	U
20	K	1613	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	1624	G
20	K	1625	G
20	K	1631	A
20	K	1633	G
20	K	1634	A
20	K	1638	A
20	K	1640	C
20	K	1641	G
20	K	1642	A
20	K	1654	G
20	K	1661	C
20	K	1676	C
20	K	1677	U
20	K	1680	G
20	K	1721	G
20	K	1731	C
20	K	1734	G
20	K	1742	A
20	K	1750	G
20	K	1755	C
20	K	1756	U
20	K	1757	U
20	K	1761	G
20	K	1764	G
20	K	1765	A
20	K	1766	A
20	K	1769	G
20	K	1772	C
20	K	1776	A
20	K	1781	U
20	K	1787	A
20	K	1804	A
20	K	1805	A
20	K	1834	U
20	K	1835	G
20	K	1836	G
20	K	1837	A
20	K	1842	G
20	K	1847	C
20	K	1855	G
20	K	1869	G
20	K	1882	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	1892	A
20	K	1893	C
20	K	1897	A
20	K	1910	G
20	K	1918	U
20	K	1920	C
20	K	1921	C
20	K	1922	G
20	K	1931	C
20	K	1932	A
20	K	1940	G
20	K	1948	G
20	K	1957	U
20	K	1958	A
20	K	1961	G
20	K	1964	A
20	K	1965	G
20	K	1966	C
20	K	1968	G
20	K	1972	G
20	K	1977	C
20	K	1978	C
20	K	1979	A
20	K	1984	A
20	K	1987	C
20	K	1988	G
20	K	1990	A
20	K	1991	A
20	K	1992	U
20	K	1993	C
20	K	1999	A
20	K	2001	G
20	K	2002	A
20	K	2004	U
20	K	2007	G
20	K	2011	C
20	K	2020	U
20	K	2026	A
20	K	2046	G
20	K	2047	A
20	K	2048	U
20	K	2052	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	2055	G
20	K	2056	G
20	K	2062	C
20	K	2064	G
20	K	2069	A
20	K	2084	U
20	K	2089	G
20	K	2090	U
20	K	2093	G
20	K	2094	C
20	K	2095	A
20	K	2100	G
20	K	2101	A
20	K	2102	G
20	K	2104	A
20	K	2105	A
20	K	2106	G
20	K	2107	A
20	K	2108	G
20	K	2110	G
20	K	2259	G
20	K	2260	C
20	K	2267	U
20	K	2269	C
20	K	2289	C
20	K	2300	A
20	K	2301	G
20	K	2313	A
20	K	2333	G
20	K	2348	G
20	K	2351	C
20	K	2364	G
20	K	2395	A
20	K	2398	U
20	K	2410	C
20	K	2417	A
20	K	2422	C
20	K	2424	G
20	K	2425	U
20	K	2441	C
20	K	2442	G
20	K	2447	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	2469	C
20	K	2475	G
20	K	2476	G
20	K	2483	G
20	K	2486	G
20	K	2488	C
20	K	2490	U
20	K	2491	C
20	K	2493	G
20	K	2503	G
20	K	2504	C
20	K	2505	C
20	K	2506	G
20	K	2512	A
20	K	2513	A
20	K	2530	U
20	K	2544	G
20	K	2545	U
20	K	2546	G
20	K	2554	U
20	K	2560	C
20	K	2564	G
20	K	2566	G
20	K	2583	C
20	K	2587	A
20	K	2588	C
20	K	2611	A
20	K	2618	G
20	K	2620	G
20	K	2627	C
20	K	2640	G
20	K	2653	C
20	K	2662	G
20	K	2663	G
20	K	2669	C
20	K	2673	G
20	K	2674	A
20	K	2686	G
20	K	2687	U
20	K	2694	G
20	K	2695	A
20	K	2696	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	2705	G
20	K	2707	U
20	K	2708	U
20	K	2711	G
20	K	2725	A
20	K	2726	G
20	K	2740	U
20	K	2743	A
20	K	2752	G
20	K	2753	G
20	K	2754	G
20	K	2762	G
20	K	2763	U
20	K	2764	A
20	K	2769	U
20	K	2787	A
20	K	2788	U
20	K	2790	U
20	K	2798	A
20	K	2826	U
20	K	2827	G
20	K	2842	G
20	K	2855	G
20	K	2875	C
20	K	3604	A
20	K	3615	G
20	K	3625	G
20	K	3626	G
20	K	3635	A
20	K	3644	U
20	K	3648	A
20	K	3649	A
20	K	3662	A
20	K	3673	C
20	K	3711	A
20	K	3712	A
20	K	3713	U
20	K	3743	G
20	K	3748	A
20	K	3753	G
20	K	3760	A
20	K	3764	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	3766	A
20	K	3772	U
20	K	3773	U
20	K	3774	A
20	K	3776	G
20	K	3777	G
20	K	3784	A
20	K	3785	A
20	K	3786	U
20	K	3811	G
20	K	3814	U
20	K	3817	A
20	K	3819	G
20	K	3822	U
20	K	3838	U
20	K	3840	U
20	K	3876	A
20	K	3877	A
20	K	3878	C
20	K	3879	G
20	K	3889	G
20	K	3897	G
20	K	3901	A
20	K	3905	A
20	K	3906	A
20	K	3907	G
20	K	3908	A
20	K	3915	U
20	K	3916	G
20	K	3938	G
20	K	3939	G
20	K	3942	A
20	K	3943	A
20	K	3946	G
20	K	4066	U
20	K	4073	A
20	K	4076	G
20	K	4084	G
20	K	4109	G
20	K	4119	C
20	K	4120	U
20	K	4122	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	4127	A
20	K	4128	A
20	K	4148	C
20	K	4161	G
20	K	4162	C
20	K	4163	U
20	K	4170	A
20	K	4171	C
20	K	4183	G
20	K	4184	G
20	K	4191	G
20	K	4201	G
20	K	4203	A
20	K	4225	G
20	K	4229	U
20	K	4233	A
20	K	4251	A
20	K	4254	G
20	K	4265	U
20	K	4266	G
20	K	4268	A
20	K	4271	A
20	K	4273	A
20	K	4280	A
20	K	4281	A
20	K	4291	G
20	K	4304	A
20	K	4305	G
20	K	4314	C
20	K	4318	C
20	K	4319	C
20	K	4329	G
20	K	4330	G
20	K	4339	A
20	K	4349	C
20	K	4355	G
20	K	4360	U
20	K	4373	G
20	K	4376	A
20	K	4377	G
20	K	4378	A
20	K	4379	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	4387	C
20	K	4394	A
20	K	4395	U
20	K	4398	C
20	K	4419	U
20	K	4420	U
20	K	4422	A
20	K	4440	G
20	K	4443	C
20	K	4448	G
20	K	4449	A
20	K	4464	A
20	K	4475	G
20	K	4500	U
20	K	4512	U
20	K	4513	A
20	K	4519	C
20	K	4522	G
20	K	4524	G
20	K	4548	A
20	K	4549	G
20	K	4550	G
20	K	4560	C
20	K	4567	G
20	K	4570	G
20	K	4573	G
20	K	4574	U
20	K	4584	A
20	K	4585	U
20	K	4590	A
20	K	4614	G
20	K	4627	U
20	K	4636	U
20	K	4637	G
20	K	4656	A
20	K	4661	G
20	K	4670	C
20	K	4672	A
20	K	4687	A
20	K	4700	A
20	K	4708	A
20	K	4709	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	4736	C
20	K	4745	G
20	K	4747	C
20	K	4751	G
20	K	4754	G
20	K	4757	C
20	K	4759	C
20	K	4761	G
20	K	4765	G
20	K	4771	C
20	K	4772	C
20	K	4868	G
20	K	4870	G
20	K	4871	C
20	K	4875	G
20	K	4881	U
20	K	4882	U
20	K	4883	C
20	K	4885	U
20	K	4895	C
20	K	4897	G
20	K	4903	G
20	K	4910	A
20	K	4912	G
20	K	4915	G
20	K	4916	G
20	K	4921	C
20	K	4922	C
20	K	4925	U
20	K	4926	C
20	K	4928	C
20	K	4943	A
20	K	4944	C
20	K	4947	U
20	K	4948	C
20	K	4949	G
20	K	4950	U
20	K	4951	G
20	K	4956	A
20	K	4958	C
20	K	4965	U
20	K	4966	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	4967	A
20	K	4976	U
20	K	4985	U
20	K	4988	U
20	K	4990	C
20	K	4993	G
20	K	5014	A
20	K	5017	G
20	K	5041	G
20	K	5047	C
20	K	5050	C
20	K	5054	C
20	K	5055	G
20	K	5061	A
20	K	5062	G
20	K	5069	U
52	q	8	U
52	q	9	A
52	q	20	U
52	q	20(A)	U
52	q	21	A
52	q	58	A
52	q	75	C
52	q	76	A
54	u	7	G
54	u	22	A
54	u	53	U
54	u	54	A
54	u	64	G
54	u	100	A
54	u	110	G
54	u	120	U
55	v	2	G
55	v	3	A
55	v	21	C
55	v	34	U
55	v	35	C
55	v	38	U
55	v	52	A
55	v	59	A
55	v	62	A
55	v	63	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
55	v	81	C
55	v	82	A
55	v	84	A
55	v	85	U
55	v	86	U
55	v	103	A
55	v	105	C
55	v	106	G
55	v	109	C
55	v	110	U
55	v	111	U
55	v	114	G
55	v	124	U
55	v	125	C
55	v	126	C
55	v	153	C

All (55) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	K	12	A
20	K	125	C
20	K	245	C
20	K	265	C
20	K	275	C
20	K	406	C
20	K	480	C
20	K	481(A)	C
20	K	485	C
20	K	504	G
20	K	696	C
20	K	922(B)	C
20	K	959	G
20	K	964	A
20	K	968	C
20	K	1072	C
20	K	1174	G
20	K	1197	C
20	K	1211	G
20	K	1236	C
20	K	1370	G
20	K	1440	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
20	K	1445	U
20	K	1455	G
20	K	1477	C
20	K	1590	C
20	K	1633	G
20	K	1764	G
20	K	1990	A
20	K	1992	U
20	K	2046	G
20	K	2089	G
20	K	2103	A
20	K	2104	A
20	K	2258	C
20	K	2266	C
20	K	2489	C
20	K	2502	A
20	K	2543	A
20	K	2639	U
20	K	2695	A
20	K	3603	G
20	K	3625	G
20	K	3765	G
20	K	3876	A
20	K	3888	G
20	K	3904	G
20	K	4119	C
20	K	4170	A
20	K	4232	U
20	K	4354	U
20	K	4448	G
20	K	4699	U
20	K	4884	G
20	K	4947	U

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 223 ligands modelled in this entry, 223 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
20	K	23
52	q	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	K	2113:G	O3'	2258:C	P	41.92
1	K	1252:C	O3'	1271:G	P	35.44
1	K	1219:G	O3'	1233:G	P	24.79
1	K	4138:C	O3'	4146:G	P	17.60
1	K	990:C	O3'	1064:G	P	17.52
1	K	4101:C	O3'	4107:G	P	17.26
1	K	4777:C	O3'	4859:C	P	16.79
1	K	3948:C	O3'	4065:G	P	16.70
1	K	1406(C):G	O3'	1411:C	P	15.26
1	K	760:G	O3'	904:C	P	14.87
1	K	1364:U	O3'	1368:A	P	14.56
1	K	5022:U	O3'	5028:G	P	14.04
1	K	2901:G	O3'	3597:G	P	13.24
1	K	182:G	O3'	189:G	P	13.19
1	K	523:C	O3'	638:G	P	13.14

*Continued on next page...*

*Continued from previous page...*

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	K	1696:C	O3'	1720:C	P	11.90
1	K	1100:U	O3'	1168:G	P	9.37
1	K	1180:C	O3'	1183:C	P	9.00
1	K	4729:A	O3'	4735:G	P	8.48
1	q	16:C	O3'	18:G	P	7.27
1	K	512:U	O3'	515:C	P	6.48
1	K	500:G	O3'	504:G	P	6.38
1	K	4740:G	O3'	4743:G	P	5.38
1	K	4899:G	O3'	4902:C	P	4.37


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19198. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 220




Y Index: 195




Z Index: 207


### 6.3.2 Raw map



X Index: 220



Y Index: 195




Z Index: 207

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0231. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1884 nm<sup>3</sup>; this corresponds to an approximate mass of 1702 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.359 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.359 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.79	-	-
Author-provided FSC curve	2.77	3.18	2.83
Unmasked-calculated*	3.24	5.87	3.35

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.24 differs from the reported value 2.78574 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19198 and PDB model 8RJD. Per-residue inclusion information can be found in section 3 on page 19.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0231 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0231).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (0.0231) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9120	 0.5730
1	 0.6250	 0.3460
2	 0.5220	 0.2910
3	 0.7260	 0.4160
4	 0.6270	 0.5100
5	 0.1290	 0.1720
6	 0.0440	 0.1240
7	 0.1740	 0.1810
8	 0.0440	 0.1120
9	 0.0640	 0.1450
A	 0.9890	 0.6510
B	 0.5430	 0.3100
C	 0.9670	 0.6340
D	 0.9260	 0.6170
E	 0.9140	 0.5980
F	 0.9710	 0.6390
G	 0.8820	 0.5850
H	 0.9410	 0.6250
I	 0.9650	 0.6350
J	 0.8850	 0.5880
K	 0.9500	 0.5810
L	 0.9200	 0.6140
M	 0.9420	 0.6180
N	 0.9960	 0.6560
O	 0.9750	 0.6460
P	 0.8660	 0.6010
Q	 0.9830	 0.6470
R	 0.9670	 0.6320
S	 0.9840	 0.6420
T	 0.9520	 0.6240
U	 0.8160	 0.5280
V	 0.9740	 0.6390
W	 0.9760	 0.6410
X	 0.9660	 0.6290
Y	 0.9410	 0.6270



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
Z	 0.9400	 0.6140
a	 0.9770	 0.6490
b	 0.8540	 0.5680
c	 0.9490	 0.6230
d	 0.9350	 0.6200
e	 0.9870	 0.6480
f	 0.9860	 0.6520
g	 0.9320	 0.6140
h	 0.9400	 0.6220
i	 0.9380	 0.6060
j	 0.9910	 0.6500
k	 0.8420	 0.5820
l	 0.9770	 0.6300
m	 0.9570	 0.6270
n	 0.9730	 0.6180
o	 0.9520	 0.6360
p	 0.9750	 0.6340
q	 0.6680	 0.4800
r	 0.9740	 0.6360
u	 0.9930	 0.6250
v	 0.9720	 0.6040
w	 0.9680	 0.6400