



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2018 – 03:20 pm GMT

PDB ID : 4RL6  
Title : Crystal Structure of the Q04L03\_STRP2 protein from Streptococcus pneumoniae. Northeast Structural Genomics Consortium Target SpR105  
Authors : Vorobiev, S.; Neely, H.M.; Odukwe, C.D.; Seetharaman, J.; Mao, L.; Xiao, R.; Kohan, E.; Wang, D.; Everett, J.K.; Acton, T.B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2014-10-15  
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	2792 (2.80-2.80)
Clashscore	122126	3209 (2.80-2.80)
Ramachandran outliers	120053	3158 (2.80-2.80)
Sidechain outliers	120020	3160 (2.80-2.80)
RSRZ outliers	108989	2726 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	<p>5% 74% 22% ••</p>
1	B	427	<p>4% 70% 22% • 7%</p>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6511 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Saccharopine dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	414	3255	2089	520	626	10	10	0	0	0
1	B	396	3113	1994	497	602	10	10	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	LEU	-	EXPRESSION TAG	UNP Q04L03
A	421	GLU	-	EXPRESSION TAG	UNP Q04L03
A	422	HIS	-	EXPRESSION TAG	UNP Q04L03
A	423	HIS	-	EXPRESSION TAG	UNP Q04L03
A	424	HIS	-	EXPRESSION TAG	UNP Q04L03
A	425	HIS	-	EXPRESSION TAG	UNP Q04L03
A	426	HIS	-	EXPRESSION TAG	UNP Q04L03
A	427	HIS	-	EXPRESSION TAG	UNP Q04L03
B	420	LEU	-	EXPRESSION TAG	UNP Q04L03
B	421	GLU	-	EXPRESSION TAG	UNP Q04L03
B	422	HIS	-	EXPRESSION TAG	UNP Q04L03
B	423	HIS	-	EXPRESSION TAG	UNP Q04L03
B	424	HIS	-	EXPRESSION TAG	UNP Q04L03
B	425	HIS	-	EXPRESSION TAG	UNP Q04L03
B	426	HIS	-	EXPRESSION TAG	UNP Q04L03
B	427	HIS	-	EXPRESSION TAG	UNP Q04L03

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	48	21	7	17	3	0	0
2	B	1	48	21	7	17	3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	34	Total	O	0	0
			34	34		
3	B	13	Total	O	0	0
			13	13		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Saccharopine dehydrogenase



- Molecule 1: Saccharopine dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.70Å 120.84Å 154.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.08 – 2.79 49.08 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.08-2.79) 99.7 (49.08-2.79)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.179 , 0.204 0.194 , 0.217	Depositor DCC
$R_{free}$ test set	1308 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.7	Xtrriage
Anisotropy	0.168	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 36.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6511	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3322	0.71	1/4494 (0.0%)
1	B	0.44	0/3170	0.71	0/4281
All	All	0.44	0/6492	0.71	1/8775 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	303	PRO	N-CA-C	5.16	125.50	112.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3255	0	3167	80	0
1	B	3113	0	3033	77	0
2	A	48	0	26	4	0
2	B	48	0	26	3	0
3	A	34	0	0	1	0
3	B	13	0	0	1	0
All	All	6511	0	6252	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4:LEU:HB2	1:B:378:MSE:HE1	1.43	0.99
1:A:286:VAL:O	1:B:310:LEU:HD13	1.64	0.95
1:A:93:MSE:HE1	1:A:141:GLN:HG2	1.50	0.91
1:A:295:ASN:CB	1:A:296:PHE:HB2	2.00	0.91
1:B:229:MSE:HE2	1:B:248:LEU:HD21	1.56	0.88
1:B:211:VAL:HA	1:B:229:MSE:HE3	1.56	0.86
1:A:302:VAL:HG23	1:A:303:PRO:HD2	1.60	0.82
1:A:293:THR:C	1:A:294:ILE:HG12	2.01	0.81
1:A:31:MSE:CE	1:A:71:LEU:HD11	2.14	0.77
1:B:291:THR:HA	1:B:302:VAL:HG23	1.65	0.76
1:A:250:HIS:HD2	1:A:252:GLU:OE1	1.71	0.73
1:A:250:HIS:CD2	1:A:252:GLU:OE1	2.46	0.69
1:A:31:MSE:HE3	1:A:71:LEU:HD11	1.74	0.69
1:B:107:ALA:HB2	2:B:501:NDP:O2D	1.93	0.68
1:A:302:VAL:CG2	1:A:303:PRO:HD2	2.22	0.68
1:B:311:LEU:H	1:B:311:LEU:HD12	1.58	0.68
1:A:288:LEU:HD22	1:B:288:LEU:HD11	1.78	0.66
1:A:289:LEU:HA	1:A:304:ILE:HD13	1.78	0.65
1:A:303:PRO:HG2	1:A:304:ILE:H	1.61	0.65
1:A:4:LEU:HD13	1:A:378:MSE:HE2	1.80	0.64
1:B:87:TYR:HB2	1:B:88:GLN:NE2	2.12	0.64
1:B:106:THR:HG22	2:B:501:NDP:H2N	1.82	0.62
1:B:302:VAL:HG13	1:B:305:GLN:HG2	1.82	0.62
1:B:87:TYR:HB2	1:B:88:GLN:HE22	1.64	0.62
1:A:100:GLY:HA2	1:A:153:LEU:HD11	1.81	0.62
1:B:107:ALA:CB	2:B:501:NDP:O2D	2.48	0.61
1:A:4:LEU:HB2	1:A:378:MSE:HE1	1.82	0.61
1:A:303:PRO:HG2	1:A:304:ILE:N	2.16	0.60
1:A:162:ASP:H	2:A:501:NDP:H72N	1.49	0.60
1:A:192:GLY:HA2	1:A:323:GLY:HA3	1.86	0.58
1:B:190:ASN:OD1	1:B:362:ILE:HD11	2.03	0.58
1:A:149:LYS:HA	1:A:385:ALA:HB1	1.85	0.58
1:A:293:THR:O	1:A:294:ILE:HG12	2.03	0.58
1:A:208:LEU:CD2	1:A:290:ARG:HH12	2.17	0.57
1:B:399:MSE:HE3	1:B:409:TRP:CE2	2.41	0.56
1:B:305:GLN:HA	1:B:308:LYS:HG2	1.88	0.56
1:A:86:PRO:HD3	2:A:501:NDP:O3D	2.06	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:PRO:HB2	1:B:304:ILE:HD11	1.88	0.56
1:A:110:GLU:HB2	1:A:136:PHE:HB3	1.89	0.55
1:B:290:ARG:HB2	1:B:303:PRO:HG2	1.88	0.55
1:A:303:PRO:O	1:A:306:PHE:N	2.34	0.54
1:A:90:LEU:HA	1:A:93:MSE:HE3	1.88	0.54
1:A:202:PHE:HE1	1:A:362:ILE:HG21	1.71	0.54
1:B:371:MSE:HE1	1:B:405:TYR:CE2	2.43	0.54
1:B:120:ARG:HB3	1:B:120:ARG:NH1	2.24	0.53
1:B:27:PHE:CE1	1:B:378:MSE:HE3	2.44	0.53
1:A:368:VAL:HB	1:A:369:PRO:HD3	1.90	0.53
1:B:100:GLY:HA2	1:B:153:LEU:HD11	1.90	0.53
1:A:208:LEU:HD21	1:A:290:ARG:HH12	1.73	0.53
1:A:122:ILE:HD12	1:A:140:TRP:CH2	2.43	0.52
1:A:107:ALA:HB2	2:A:501:NDP:O2D	2.09	0.52
1:A:27:PHE:HE1	1:A:378:MSE:HE3	1.75	0.52
1:A:203:ASN:OD1	1:A:205:GLU:HG3	2.10	0.51
1:B:284:GLU:HB2	1:B:289:LEU:HD12	1.92	0.51
1:A:342:ILE:HD13	1:A:413:GLU:HA	1.91	0.51
1:B:250:HIS:HD2	1:B:252:GLU:OE1	1.94	0.51
1:B:289:LEU:HA	1:B:304:ILE:HD13	1.93	0.51
1:B:343:TYR:HB2	1:B:415:PRO:HG3	1.93	0.51
1:A:390:LEU:HD12	1:A:390:LEU:N	2.27	0.50
1:A:161:PHE:CE1	1:A:327:ILE:HB	2.47	0.50
1:B:238:PRO:O	1:B:239:GLN:CB	2.56	0.50
1:A:319:PRO:HG3	1:A:354:TYR:CE1	2.47	0.50
1:A:292:ASP:O	1:A:294:ILE:HG12	2.12	0.50
1:B:379:ASN:C	1:B:379:ASN:OD1	2.50	0.50
1:A:245:MSE:HE2	1:A:269:PHE:HB2	1.94	0.50
1:A:62:ALA:HB3	1:A:88:GLN:HG2	1.94	0.50
1:B:246:TYR:HD1	1:B:272:PHE:HD2	1.59	0.49
1:B:343:TYR:HB3	1:B:412:VAL:HB	1.94	0.49
1:B:149:LYS:HA	1:B:385:ALA:HB1	1.95	0.49
1:A:161:PHE:HB2	1:A:365:THR:O	2.13	0.49
1:B:161:PHE:CE1	1:B:327:ILE:HB	2.48	0.49
1:B:238:PRO:O	1:B:239:GLN:HB2	2.12	0.49
1:B:61:ASP:OD1	1:B:63:ASP:HB2	2.13	0.49
1:A:183:TYR:HB2	1:A:332:THR:HB	1.94	0.48
1:B:350:HIS:O	1:B:353:CYS:SG	2.65	0.48
1:A:251:GLU:HG3	3:A:632:HOH:O	2.13	0.48
1:B:120:ARG:HH12	1:B:124:GLU:CD	2.17	0.48
1:A:2:SER:HB2	1:A:28:THR:OG1	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:MSE:HE2	1:A:269:PHE:CB	2.44	0.48
1:A:172:TYR:CD1	1:A:399:MSE:HG3	2.49	0.48
1:B:229:MSE:HE1	1:B:272:PHE:CE2	2.48	0.48
1:B:322:VAL:HG22	1:B:351:GLN:HE22	1.78	0.47
1:A:202:PHE:CE1	1:A:362:ILE:HG21	2.48	0.47
1:A:107:ALA:CB	2:A:501:NDP:O2D	2.63	0.47
1:B:203:ASN:O	1:B:207:ASN:OD1	2.32	0.46
1:B:182:HIS:CG	1:B:264:LYS:HE2	2.50	0.46
1:B:31:MSE:HE3	1:B:71:LEU:HD11	1.96	0.46
1:A:180:GLU:HG2	1:A:182:HIS:NE2	2.30	0.46
1:B:108:ASN:HB3	1:B:138:TYR:CE1	2.51	0.46
1:A:288:LEU:CD2	1:A:307:LEU:HD13	2.45	0.46
1:B:302:VAL:HG13	1:B:305:GLN:CG	2.45	0.46
1:B:342:ILE:HD13	1:B:413:GLU:HA	1.98	0.46
1:A:44:LYS:O	1:A:48:GLU:HB2	2.17	0.45
1:B:368:VAL:HB	1:B:369:PRO:HD3	1.97	0.45
1:B:246:TYR:HE1	1:B:272:PHE:HB2	1.82	0.45
1:B:27:PHE:CD1	1:B:378:MSE:HE3	2.52	0.45
1:A:319:PRO:HG3	1:A:354:TYR:CZ	2.52	0.45
1:A:19:LYS:NZ	1:A:356:GLU:OE2	2.41	0.45
1:A:185:ASP:OD1	1:A:267:ARG:HD3	2.16	0.45
1:B:209:ARG:CD	1:B:213:ALA:HB2	2.46	0.44
1:A:302:VAL:CG2	1:A:303:PRO:CD	2.95	0.44
1:B:23:ASP:OD2	1:B:375:LYS:HE3	2.18	0.44
1:A:90:LEU:HD23	1:A:93:MSE:CE	2.48	0.44
1:A:15:VAL:HG11	1:A:364:TYR:HA	1.99	0.44
1:B:186:ILE:O	1:B:187:LEU:HD23	2.17	0.44
1:A:291:THR:O	1:A:292:ASP:C	2.55	0.44
1:B:44:LYS:NZ	1:B:48:GLU:OE1	2.45	0.44
1:B:209:ARG:HD2	1:B:213:ALA:HB2	2.00	0.44
1:B:120:ARG:NH1	1:B:124:GLU:OE2	2.42	0.43
1:B:247:LEU:C	1:B:247:LEU:HD23	2.39	0.43
1:B:208:LEU:HD13	1:B:289:LEU:HD13	1.99	0.43
1:B:123:TYR:CZ	1:B:127:CYS:SG	3.10	0.43
1:B:390:LEU:HD12	1:B:390:LEU:N	2.34	0.43
1:A:187:LEU:HB3	1:A:245:MSE:HE1	2.00	0.43
1:A:19:LYS:HG3	1:A:368:VAL:HG22	1.99	0.43
1:A:342:ILE:HA	1:A:342:ILE:HD13	1.87	0.43
1:B:246:TYR:CE1	1:B:272:PHE:HB2	2.52	0.43
1:B:417:MSE:HA	1:B:417:MSE:HE2	2.00	0.42
1:B:371:MSE:HG2	1:B:371:MSE:O	2.08	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:418:VAL:O	1:B:419:ASP:HB2	2.19	0.42
1:A:288:LEU:HD23	1:A:307:LEU:HD13	2.00	0.42
1:B:182:HIS:CD2	1:B:264:LYS:HE2	2.54	0.42
1:B:302:VAL:HG13	1:B:305:GLN:CD	2.40	0.42
1:A:180:GLU:HG2	1:A:182:HIS:CD2	2.55	0.42
1:A:31:MSE:HE2	1:A:71:LEU:HD11	2.00	0.42
1:B:19:LYS:HG3	1:B:368:VAL:HG22	2.02	0.42
1:A:110:GLU:HG3	1:A:135:TYR:HB3	2.02	0.42
1:B:132:PHE:HA	1:B:225:GLU:OE1	2.19	0.42
1:B:15:VAL:HG11	1:B:364:TYR:HA	2.02	0.42
1:B:211:VAL:HA	1:B:229:MSE:CE	2.40	0.42
1:B:252:GLU:OE1	1:B:252:GLU:N	2.51	0.41
1:B:62:ALA:O	1:B:91:THR:HG21	2.20	0.41
1:B:72:ILE:HG21	1:B:99:THR:OG1	2.19	0.41
1:A:34:SER:OG	1:A:35:ARG:N	2.54	0.41
1:B:4:LEU:HD12	1:B:79:ALA:O	2.20	0.41
1:A:4:LEU:HD13	1:A:378:MSE:CE	2.49	0.41
1:A:155:ALA:HB3	1:A:387:VAL:HA	2.02	0.41
1:A:280:MSE:HB3	1:A:280:MSE:HE3	1.92	0.41
1:A:3:ARG:NH1	1:A:29:GLU:OE1	2.54	0.41
1:A:329:CYS:HB2	1:A:331:PHE:CZ	2.56	0.41
1:A:66:GLU:HG2	1:A:67:GLU:N	2.36	0.41
1:A:90:LEU:HD23	1:A:93:MSE:HE1	2.03	0.41
1:A:200:THR:HG23	1:A:207:ASN:HD21	1.85	0.41
1:B:239:GLN:NE2	3:B:613:HOH:O	2.54	0.41
1:B:259:ASN:O	1:B:261:PRO:HD3	2.20	0.41
1:A:4:LEU:HD12	1:A:79:ALA:O	2.21	0.40
1:A:64:LYS:HD2	1:A:67:GLU:OE2	2.21	0.40
1:B:311:LEU:HD12	1:B:311:LEU:N	2.32	0.40
1:A:211:VAL:HG21	1:A:280:MSE:CE	2.52	0.40
1:B:244:ASP:O	1:B:271:THR:HA	2.21	0.40
1:A:343:TYR:HB2	1:A:415:PRO:HG3	2.04	0.40
1:A:65:VAL:O	1:A:69:ILE:HG13	2.21	0.40
1:B:400:GLU:HA	1:B:400:GLU:OE1	2.21	0.40
1:B:245:MSE:HE1	1:B:418:VAL:HG11	2.03	0.40
1:A:160:GLY:O	1:A:164:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	410/427 (96%)	391 (95%)	19 (5%)	0	100	100
1	B	388/427 (91%)	372 (96%)	16 (4%)	0	100	100
All	All	798/854 (93%)	763 (96%)	35 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/352 (99%)	340 (97%)	9 (3%)	49	81
1	B	334/352 (95%)	325 (97%)	9 (3%)	48	81
All	All	683/704 (97%)	665 (97%)	18 (3%)	49	81

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	MSE
1	A	202	PHE
1	A	250	HIS
1	A	279	HIS
1	A	291	THR
1	A	293	THR
1	A	302	VAL
1	A	303	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	346	ASN
1	B	74	SER
1	B	203	ASN
1	B	204	PRO
1	B	205	GLU
1	B	239	GLN
1	B	302	VAL
1	B	311	LEU
1	B	371	MSE
1	B	418	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	250	HIS
1	B	239	GLN
1	B	250	HIS
1	B	360	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NDP	A	501	-	45,52,52	1.95	12 (26%)	54,80,80	2.65	14 (25%)
2	NDP	B	501	-	45,52,52	1.84	12 (26%)	54,80,80	2.72	16 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	501	-	-	0/30/77/77	0/5/5/5
2	NDP	B	501	-	-	0/30/77/77	0/5/5/5

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NDP	O5B-C5B	-4.19	1.28	1.44
2	A	501	NDP	C3B-C4B	-4.09	1.42	1.53
2	B	501	NDP	O5B-C5B	-4.04	1.29	1.44
2	B	501	NDP	O5D-C5D	-3.70	1.30	1.44
2	A	501	NDP	O5D-C5D	-3.56	1.30	1.44
2	B	501	NDP	C3B-C4B	-3.49	1.44	1.53
2	B	501	NDP	C2D-C3D	-3.15	1.45	1.53
2	A	501	NDP	C2D-C3D	-3.11	1.45	1.53
2	B	501	NDP	C8A-N7A	-2.69	1.29	1.34
2	B	501	NDP	C2D-C1D	-2.52	1.45	1.53
2	A	501	NDP	C8A-N7A	-2.47	1.30	1.34
2	B	501	NDP	C7N-C3N	-2.30	1.43	1.48
2	B	501	NDP	C3B-C2B	-2.15	1.48	1.53
2	A	501	NDP	C3B-C2B	-2.15	1.48	1.53
2	B	501	NDP	C5D-C4D	-2.14	1.44	1.51
2	A	501	NDP	C3D-C4D	-2.03	1.47	1.53
2	A	501	NDP	O4D-C4D	2.07	1.49	1.45
2	B	501	NDP	O4D-C1D	2.57	1.48	1.42
2	A	501	NDP	C6N-N1N	2.57	1.44	1.37
2	A	501	NDP	P2B-O2B	2.92	1.64	1.59
2	B	501	NDP	P2B-O2B	3.25	1.65	1.59
2	A	501	NDP	O4D-C1D	4.01	1.51	1.42
2	B	501	NDP	O4B-C1B	4.98	1.48	1.41

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NDP	O4B-C1B	5.86	1.49	1.41

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NDP	C4B-O4B-C1B	-8.68	100.77	109.83
2	B	501	NDP	N3A-C2A-N1A	-8.65	121.46	128.86
2	A	501	NDP	N3A-C2A-N1A	-8.43	121.65	128.86
2	B	501	NDP	C4B-O4B-C1B	-7.70	101.80	109.83
2	B	501	NDP	O4D-C4D-C5D	-6.17	88.82	109.39
2	A	501	NDP	O4B-C1B-C2B	-5.80	96.52	106.60
2	A	501	NDP	C5B-C4B-C3B	-4.87	96.97	115.29
2	B	501	NDP	O4B-C1B-C2B	-4.71	98.41	106.60
2	B	501	NDP	C1D-N1N-C2N	-4.63	113.27	121.10
2	A	501	NDP	C5D-C4D-C3D	-4.08	99.92	115.29
2	B	501	NDP	C5B-C4B-C3B	-3.95	100.41	115.29
2	A	501	NDP	PN-O5D-C5D	-3.83	99.21	121.68
2	B	501	NDP	PN-O5D-C5D	-3.53	100.98	121.68
2	A	501	NDP	C1D-N1N-C2N	-2.99	116.05	121.10
2	A	501	NDP	C2D-C1D-N1N	-2.63	106.65	113.32
2	B	501	NDP	C3N-C2N-N1N	-2.54	119.43	123.09
2	B	501	NDP	C2D-C1D-N1N	-2.54	106.89	113.32
2	A	501	NDP	O4D-C4D-C5D	-2.45	101.23	109.39
2	B	501	NDP	C5D-C4D-C3D	-2.28	106.71	115.29
2	B	501	NDP	O3B-C3B-C4B	-2.26	104.51	111.06
2	B	501	NDP	PN-O3-PA	-2.12	125.51	132.63
2	A	501	NDP	O2B-C2B-C3B	2.16	119.50	111.62
2	B	501	NDP	O2B-C2B-C1B	2.25	118.31	110.08
2	A	501	NDP	O2B-C2B-C1B	2.26	118.35	110.08
2	B	501	NDP	O2N-PN-O5D	2.97	121.52	107.75
2	A	501	NDP	O2N-PN-O5D	3.09	122.09	107.75
2	A	501	NDP	O4D-C1D-N1N	4.68	117.37	108.04
2	B	501	NDP	O4D-C1D-N1N	5.61	119.25	108.04
2	B	501	NDP	C2D-C3D-C4D	6.21	114.53	102.62
2	A	501	NDP	C2D-C3D-C4D	6.24	114.60	102.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NDP	4	0
2	B	501	NDP	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	404/427 (94%)	0.04	21 (5%) 27 18	35, 57, 104, 132	0
1	B	386/427 (90%)	0.02	16 (4%) 37 27	34, 64, 112, 142	0
All	All	790/854 (92%)	0.03	37 (4%) 31 21	34, 60, 108, 142	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	294	ILE	4.6
1	A	317	LEU	4.6
1	B	357	VAL	4.5
1	B	321	THR	4.5
1	A	201	ASN	4.4
1	A	314	PRO	4.3
1	A	202	PHE	4.1
1	A	311	LEU	4.0
1	B	47	LEU	3.8
1	A	315	ALA	3.7
1	A	292	ASP	3.6
1	B	322	VAL	3.4
1	A	313	ASP	3.4
1	B	354	TYR	3.2
1	A	293	THR	3.1
1	B	298	GLY	2.9
1	A	289	LEU	2.8
1	B	8	GLY	2.8
1	B	359	SER	2.7
1	A	194	HIS	2.7
1	B	204	PRO	2.7
1	A	312	PRO	2.6
1	B	209	ARG	2.6
1	A	306	PHE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	306	PHE	2.6
1	A	290	ARG	2.5
1	A	318	GLY	2.5
1	B	211	VAL	2.5
1	A	316	SER	2.4
1	A	195	GLY	2.4
1	B	210	GLU	2.3
1	B	118	GLU	2.2
1	A	198	PHE	2.2
1	A	200	THR	2.1
1	B	115	GLU	2.1
1	A	307	LEU	2.0
1	B	308	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NDP	B	501	48/48	0.92	0.16	61,90,101,114	0
2	NDP	A	501	48/48	0.94	0.19	52,67,113,124	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.