

# Full wwPDB X-ray Structure Validation Report (i)

#### May 16, 2020 - 06:15 am BST

PDB ID	:	4RLV
$\operatorname{Title}$	:	Crystal Structure of AnkB 24 Ankyrin Repeats in Complex with AnkR Au-
		toinhibition Segment
Authors	:	Wei, Z.; Wang, C.; Zhang, M.
Deposited on	:	2014-10-18
Resolution	:	3.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
$\operatorname{CCP4}$	:	7.0.044  (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries},{ m resolution\ range}({ m \AA}))$
$R_{free}$	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
_		010	11%				
	A	910	72%	19%	• 8%		



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6305 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Ankyrin-1, Ankyrin-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	А	838	Total 6260	C 3905	N 1156	O 1176	S 7	Se 16	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1571	GLY	-	EXPRESSION TAG	UNP D3YTV8
А	1572	PRO	-	EXPRESSION TAG	UNP D3YTV8
A	1573	GLY	-	EXPRESSION TAG	UNP D3YTV8
А	1574	SER	-	EXPRESSION TAG	UNP D3YTV8
А	1575	GLU	-	EXPRESSION TAG	UNP D3YTV8
А	1576	PHE	-	EXPRESSION TAG	UNP D3YTV8
А	1625	GLY	-	LINKER	UNP D3YTV8
А	1626	SER	-	LINKER	UNP D3YTV8
А	1627	LEU	-	LINKER	UNP D3YTV8
А	1628	VAL	-	LINKER	UNP D3YTV8
А	1629	PRO	-	LINKER	UNP D3YTV8
A	1630	ARG	-	LINKER	UNP D3YTV8
А	2024	GLY	-	LINKER	UNP Q01484
А	2025	SER	-	LINKER	UNP Q01484
А	2026	GLY	-	LINKER	UNP Q01484
А	2027	SER	-	LINKER	UNP Q01484

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{c cc} Total & O & S \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Ankyrin-1, Ankyrin-2



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants	179.69Å 179.69Å 304.86Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	38.59 - 3.49	Depositor
Resolution (A)	42.73 - 3.49	EDS
% Data completeness	94.5 (38.59-3.49)	Depositor
(in resolution range)	74.4(42.73-3.49)	EDS
$R_{merge}$	0.12	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.34 (at 3.48 \text{\AA})$	Xtriage
Refinement program	PHENIX	Depositor
D D.	0.220 , $0.253$	Depositor
$n, n_{free}$	0.221 , $0.256$	DCC
$R_{free}$ test set	1394 reflections $(6.01\%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	100.4	Xtriage
Anisotropy	0.613	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31 , $65.8$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6305	wwPDB-VP
Average B, all atoms $(Å^2)$	113.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.56	0/6341	0.78	8/8585~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	А	2252	LEU	CB-CG-CD2	-8.97	95.75	111.00
1	А	2394	ARG	NE-CZ-NH1	-6.94	116.83	120.30
1	А	2182	LEU	CB-CG-CD2	-6.28	100.33	111.00
1	А	2116	LEU	CB-CG-CD2	-6.05	100.72	111.00
1	А	2333	LEU	CB-CG-CD2	-5.63	101.42	111.00
1	А	2183	LEU	CB-CG-CD2	-5.60	101.48	111.00
1	А	2300	LEU	CB-CG-CD2	-5.58	101.52	111.00
1	А	1609	VAL	CB-CA-C	-5.20	101.52	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	1607	MSE	Peptide



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6260	0	6385	104	0
2	А	45	0	0	3	0
All	All	6305	0	6385	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:2583:LEU:HD13	1:A:2618:LYS:HG3	1.66	0.78
1:A:2649:LEU:HD13	1:A:2684:LYS:HG3	1.67	0.76
1:A:2048:VAL:HG13	1:A:2086:ARG:HH21	1.57	0.70
1:A:2757:LYS:HG2	1:A:2763:THR:HG22	1.76	0.67
1:A:2721:GLN:O	1:A:2730:THR:OG1	2.07	0.67
1:A:2369:LEU:HD11	1:A:2381:THR:HG23	1.78	0.66
1:A:2046:LYS:HE2	1:A:2050:TYR:HE2	1.62	0.64
1:A:2798:LEU:HD21	1:A:2814:LYS:HE2	1.81	0.63
1:A:2035:PHE:HE1	1:A:2047:VAL:HG13	1.64	0.63
1:A:2253:LEU:HA	1:A:2257:ALA:HB3	1.81	0.62
1:A:2637:ALA:HA	1:A:2677:MSE:HE2	1.81	0.62
1:A:2050:TYR:HD1	1:A:2055:ILE:HG13	1.66	0.61
1:A:2800:ILE:HG23	1:A:2803:ARG:HH21	1.66	0.61
1:A:2253:LEU:HD23	1:A:2257:ALA:HB3	1.83	0.60
1:A:2507:LEU:HB3	1:A:2509:LYS:HE2	1.85	0.57
1:A:2241:ALA:O	1:A:2278:ASN:ND2	2.37	0.57
1:A:2791:THR:H	1:A:2795:ASN:H	1.50	0.57
1:A:2601:HIS:HD2	1:A:2635:ILE:HD11	1.69	0.56
1:A:2050:TYR:CD1	1:A:2055:ILE:HG13	2.40	0.56
1:A:2138:ALA:HB1	1:A:2170:ALA:HB2	1.87	0.55
1:A:2481:ARG:NH2	2:A:2907:SO4:O4	2.35	0.55
1:A:2189:GLY:HA2	1:A:2192:ARG:HB2	1.90	0.54
1:A:2427:ILE:HD12	1:A:2431:GLY:HA2	1.88	0.54
1:A:2330:LYS:HG2	1:A:2331:ASN:N	2.23	0.53
1:A:2270:LEU:HD11	1:A:2282:VAL:HG13	1.91	0.53



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:2703:ALA:HB2	1:A:2743:MSE:HE2	1.90	0.53
1:A:1607:MSE:HE2	1:A:2267:ILE:HD12	1.91	0.52
1:A:2682:LEU:HD23	1:A:2686:ALA:HB3	1.93	0.51
1:A:2723:ALA:O	1:A:2730:THR:OG1	2.28	0.50
1:A:2567:LEU:HD23	1:A:2599:PRO:HG2	1.93	0.50
1:A:2724:HIS:HB3	1:A:2728:GLY:HA2	1.93	0.50
1:A:2465:GLU:OE2	1:A:2473:ARG:NH2	2.45	0.50
1:A:2061:ASN:HD21	1:A:2065:LEU:HD12	1.76	0.50
1:A:2328:ARG:HB3	1:A:2332:GLY:HA2	1.94	0.50
1:A:2329:THR:HG21	1:A:2338:MSE:CE	2.42	0.49
1:A:2193:LEU:HB3	1:A:2194:PRO:HD3	1.94	0.49
1:A:2640:ASN:HB2	1:A:2674:HIS:CE1	2.48	0.48
1:A:2141:ASN:HB2	1:A:2175:HIS:CD2	2.48	0.48
1:A:2769:ALA:HA	1:A:2777:ILE:HD11	1.94	0.48
1:A:1585:VAL:HG21	1:A:2470:MSE:HE1	1.95	0.48
1:A:2144:ASP:OD1	1:A:2144:ASP:N	2.45	0.48
1:A:2514:GLN:HG2	1:A:2548:VAL:HG11	1.95	0.48
1:A:1596:THR:O	1:A:1600:THR:HG23	2.14	0.48
1:A:2212:LEU:HD23	1:A:2225:MSE:HE2	1.96	0.48
1:A:2329:THR:HG21	1:A:2338:MSE:HE2	1.95	0.48
1:A:2343:ASP:OD2	1:A:2377:HIS:HB3	2.14	0.47
1:A:2508:GLY:HA2	1:A:2545:VAL:HG21	1.96	0.47
1:A:1599:ASP:OD2	1:A:2330:LYS:NZ	2.48	0.47
1:A:2232:SER:HB2	1:A:2264:ARG:HH21	1.78	0.47
1:A:1625:GLY:O	1:A:1627:LEU:HG	2.14	0.46
1:A:2766:HIS:NE2	1:A:2795:ASN:O	2.47	0.46
1:A:2691:SER:HB2	1:A:2695:GLY:HA2	1.97	0.46
1:A:2084:LEU:HD13	1:A:2119:GLU:HG2	1.97	0.46
1:A:2787:PRO:HG3	1:A:2816:VAL:O	2.15	0.46
1:A:1597:GLU:O	1:A:1600:THR:OG1	2.32	0.46
1:A:2303:LEU:HD11	1:A:2315:VAL:HG13	1.97	0.46
1:A:2798:LEU:HD11	1:A:2814:LYS:HE3	1.98	0.46
1:A:1588:ILE:HD11	1:A:2437:VAL:HG13	1.96	0.45
1:A:2295:LYS:HE2	1:A:2295:LYS:HB3	1.73	0.45
1:A:2385:LEU:HD13	1:A:2420:TYR:CG	2.51	0.45
1:A:2572:LYS:HG3	1:A:2606:TYR:CE2	2.51	0.45
1:A:2167:LEU:HD23	1:A:2191:VAL:HG12	1.99	0.45
1:A:2079:LEU:O	1:A:2083:LEU:HG	2.17	0.45
1:A:2202:LYS:HE3	2:A:2909:SO4:O3	2.17	0.44
1:A:2411:ILE:HG12	1:A:2446:ILE:HD11	1.99	0.44
1:A:2336:LEU:HD11	1:A:2348:VAL:HG13	1.99	0.44

Continued from previous page...



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:2550:LEU:HD13	1:A:2585:ARG:HG3	2.00	0.44
1:A:2316:GLU:HB2	1:A:2350:HIS:CD2	2.52	0.44
1:A:2697:THR:O	1:A:2700:HIS:HB2	2.18	0.43
1:A:2690:MSE:HB3	1:A:2690:MSE:HE2	1.96	0.43
1:A:2262:THR:HG22	1:A:2268:THR:HG22	2.00	0.43
1:A:2770:GLN:HG2	1:A:2771:GLN:NE2	2.33	0.43
1:A:2134:LEU:HD21	1:A:2156:GLN:HB3	2.00	0.43
1:A:2427:ILE:HG22	1:A:2433:THR:HG22	2.00	0.43
1:A:2507:LEU:HB2	1:A:2509:LYS:HG2	2.00	0.43
1:A:1601:MSE:O	1:A:1605:SER:N	2.52	0.43
1:A:2162:ASP:N	1:A:2162:ASP:OD2	2.49	0.43
1:A:2083:LEU:HA	1:A:2083:LEU:HD23	1.74	0.42
1:A:2277:GLY:HA2	1:A:2314:VAL:HG21	2.01	0.42
1:A:2343:ASP:HB2	1:A:2377:HIS:CD2	2.55	0.42
1:A:2495:ARG:O	1:A:2498:GLN:HG2	2.20	0.42
1:A:2676:ASP:OD1	1:A:2676:ASP:N	2.51	0.42
1:A:2732:LEU:HD22	1:A:2752:ALA:HB1	2.01	0.42
1:A:2188:LYS:O	1:A:2192:ARG:HG3	2.20	0.41
1:A:2357:PRO:HB2	1:A:2360:ASP:HB2	2.03	0.41
1:A:2145:VAL:O	1:A:2149:LEU:HG	2.20	0.41
1:A:2754:VAL:HA	1:A:2764:PRO:HG2	2.02	0.41
1:A:2300:LEU:HA	1:A:2300:LEU:HD23	1.76	0.41
1:A:1597:GLU:HG3	1:A:1598:HIS:N	2.30	0.41
1:A:2310:GLY:HA2	1:A:2347:CYS:SG	2.60	0.41
1:A:2343:ASP:HA	1:A:2380:VAL:HG21	2.02	0.41
1:A:2129:ASN:HB2	1:A:2131:PHE:CE2	2.55	0.41
1:A:2402:LEU:HA	1:A:2402:LEU:HD12	1.73	0.41
1:A:2692:THR:HG23	1:A:2696:LEU:O	2.21	0.41
1:A:2746:PHE:HA	1:A:2749:LYS:HD2	2.02	0.41
1:A:2227:ASN:HB3	1:A:2261:PHE:CE1	2.56	0.41
1:A:2673:GLY:HA2	1:A:2710:VAL:HG21	2.03	0.41
1:A:2601:HIS:CD2	1:A:2635:ILE:HD11	2.53	0.41
1:A:2688:ILE:H	1:A:2688:ILE:HG13	1.62	0.41
1:A:2244:GLY:HA2	1:A:2281:MSE:HG3	2.03	0.40
1:A:2436:HIS:HD2	1:A:2470:MSE:HG3	1.86	0.40
1:A:2529:ASN:OD1	1:A:2529:ASN:N	2.51	0.40
1:A:1594:ALA:HB2	2:A:2908:SO4:O1	2.21	0.40
1:A:2378:TYR:CE1	1:A:2416:LEU:HD22	2.56	0.40

Continued from previous page...

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	А	834/910~(92%)	791~(95%)	42~(5%)	1 (0%)	51	84

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	1610	TRP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric		Percentiles	
1	А	660/706~(94%)	644~(98%)	16~(2%)	49 76	

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1597	GLU
1	А	1601	MSE
1	А	1611	SER
1	А	1614	LEU
1	А	1616	PRO
1	А	1622	GLU
1	А	1628	VAL
1	А	2162	ASP
1	А	2172	GLN
1	А	2261	PHE



Continued from previous page...

Mol	Chain	Res	Type
1	А	2330	LYS
1	А	2470	MSE
1	А	2595	ASN
1	А	2641	GLN
1	А	2684	LYS
1	А	2730	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Tune Chain I		Dec	Bond lengths				Bond angles		
	туре	Ullain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	2906	-	4,4,4	0.18	0	$^{6,6,6}$	0.35	0
2	SO4	А	2902	-	4,4,4	0.25	0	$6,\!6,\!6$	0.24	0
2	SO4	А	2905	-	4,4,4	0.16	0	$6,\!6,\!6$	0.39	0
2	SO4	А	2907	-	4,4,4	0.19	0	$6,\!6,\!6$	0.19	0
2	SO4	A	2908	-	4,4,4	0.18	0	$6,\!6,\!6$	0.20	0



Mal	Mol Tune Chain B		Type	Chain Dag		B	ond leng	$\mathbf{gths}$	В	Bond ang	gles
	Type	Chain	TIES	LIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
2	SO4	А	2903	-	4,4,4	0.11	0	$^{6,6,6}$	0.28	0	
2	SO4	А	2909	-	4,4,4	0.14	0	$^{6,6,6}$	0.15	0	
2	SO4	А	2904	-	4,4,4	0.13	0	$^{6,6,6}$	0.26	0	
2	SO4	А	2901	-	4,4,4	0.08	0	$^{6,6,6}$	0.54	0	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	2907	SO4	1	0
2	А	2908	SO4	1	0
2	А	2909	SO4	1	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	822/910~(90%)	0.85	103 (12%) 3 5	28, 108, 225, 265	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	2769	ALA	19.6
1	А	2816	VAL	14.3
1	А	2812	THR	13.2
1	А	2770	GLN	12.0
1	А	2755	ASN	10.6
1	А	2784	GLY	10.0
1	А	2776	ILE	7.9
1	А	2768	ALA	7.7
1	А	2802	LYS	7.4
1	А	2736	CYS	6.9
1	А	2783	HIS	6.9
1	А	2790	THR	6.7
1	А	2788	ASN	6.0
1	А	2792	ALA	6.0
1	А	2815	VAL	5.7
1	А	2813	LEU	5.5
1	А	2761	GLY	5.2
1	А	2775	HIS	4.8
1	А	2785	ALA	4.7
1	А	2781	LEU	4.6
1	А	2757	LYS	4.6
1	А	2773	HIS	4.5
1	А	2791	THR	4.5
1	А	2786	LYS	4.2
1	А	2782	GLN	4.1
1	А	2751	GLY	3.9
1	А	2075	GLY	3.9



Mol

1 1

1

1

1

1

1

1

1

1

1

1

1

1

1

1	А	2065	LEU	3.7	
1	А	2766	HIS	3.5	
1	А	2073	LYS	3.3	
1	А	2765	LEU	3.3	
1	А	2597	LEU	3.2	
1	А	2086	ARG	3.2	
1	А	2759	LYS	3.1	
1	А	2711	ALA	3.1	
1	А	2512	ILE	3.1	
1	А	2595	ASN	3.1	
1	А	2793	ASN	3.1	
1	А	2569	VAL	3.1	
1	А	2811	ASP	3.1	
1	А	2582	LEU	3.0	
1	А	2727	LEU	3.0	
1	А	2054	GLY	3.0	
1	А	2578	VAL	3.0	
1	А	2809	VAL	3.0	
1	А	2189	GLY	3.0	
1	А	2717	HIS	3.0	
1	А	2660	LYS	2.9	
1	А	2600	LEU	2.9	
1	А	2798	LEU	2.9	
1	A	2040	ARG	2.9	
1	A	2806	TYR	2.9	
1	A	1589	ASP	2.8	
1	A	2789	ALA	2.7	

Continued from previous page...

 $\mathbf{Res}$ 

2779

2710

2767

2794

2516

2072

Type

VAL

VAL

GLN

GLY

LEU

ALA

RSRZ

3.9

3.8

3.8

3.7

3.7

3.7

Chain

А

А

А

А

А

А

VAL Continued on next page...

ALA

ALA

LEU

LEU

ALA

 $\operatorname{GLN}$ 

LEU

ILE

2.7

2.7

2.6

2.6

2.6

2.6

2.62.6

2.5

2100

2587

2714

2699

2797

2704

2615

2055

2611

А

А

А

А

А

А

А

А

А



Mol	Chain	Res	Type	RSRZ
1	А	2105	SER	2.5
1	А	2090	VAL	2.5
1	А	2635	ILE	2.5
1	А	2800	ILE	2.5
1	А	2044	LEU	2.5
1	А	2117	VAL	2.4
1	А	2624	ALA	2.4
1	А	2152	ASN	2.4
1	А	1627	LEU	2.4
1	А	2772	GLY	2.3
1	А	2778	ASN	2.3
1	А	2068	LEU	2.3
1	А	2063	ASN	2.3
1	А	2630	TYR	2.3
1	А	2612	ALA	2.3
1	А	2726	LYS	2.3
1	А	1624	SER	2.2
1	А	2780	LEU	2.2
1	А	1586	ALA	2.2
1	А	1588	ILE	2.2
1	А	2545	VAL	2.1
1	А	2762	TYR	2.1
1	А	2505	SER	2.1
1	А	2801	ALA	2.1
1	А	2734	VAL	2.1
1	А	2531	TYR	2.1
1	А	2670	SER	2.1
1	A	2123	ILE	2.1
1	A	2668	LEU	2.1
1	A	2805	GLY	2.1
1	A	2671	GLN	2.0
1	А	2567	LEU	2.0
1	A	2735	ALA	2.0
1	А	2057	ILE	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	SO4	А	2904	5/5	0.64	0.26	108, 112, 114, 116	5
2	SO4	А	2907	5/5	0.69	0.17	142,143,145,148	0
2	SO4	А	2908	5/5	0.74	0.38	140, 143, 146, 150	0
2	SO4	А	2905	5/5	0.81	0.18	121,125,128,130	0
2	SO4	А	2901	5/5	0.85	0.12	92,112,116,116	0
2	SO4	А	2903	5/5	0.90	0.19	100, 101, 110, 113	0
2	SO4	А	2909	5/5	0.91	0.13	137, 138, 140, 142	0
2	SO4	А	2902	5/5	0.93	0.12	$93,\!100,\!102,\!104$	0
2	SO4	А	2906	5/5	0.96	0.09	116, 117, 126, 133	0

#### 6.5 Other polymers (i)

There are no such residues in this entry.

