



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 10, 2024 – 09:47 pm GMT

PDB ID : 8RMI  
Title : Crystal structure of ferrioxamine transporter FoxA  
Authors : Josts, I.; Tidow, H.; Mislin, G.  
Deposited on : 2024-01-06  
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7106 (2.50-2.46)
Clashscore	180529	7991 (2.50-2.46)
Ramachandran outliers	177936	7888 (2.50-2.46)
Sidechain outliers	177891	7890 (2.50-2.46)
RSRZ outliers	164620	7106 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	820	

## 2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 5519 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferrioxamine receptor FoxA.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	677	5325	3345	910	1059	11	0	0	0

- Molecule 2 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	20	14	6	0	0
2	A	1	20	14	6	0	0

- Molecule 3 is [1-[2-[2-[2-[2-[2-(dipyridin-2-ylamino)ethanoylamino]ethoxy]ethoxy]ethoxy]ethyl]-1,2,3-triazol-4-yl]methyl {N}-[5-[[4-[5-[[4-[5-[ethanoyl(oxidanyl)amino]pentylamino]-4-oxidanylidene-butanoyl]-oxidanyl-amino]pentylamino]-4-oxidanylidene-butanoyl]-oxidanyl-amino]pentyl]carbamate (three-letter code: A1H1Z) (formula: C<sub>49</sub>H<sub>77</sub>N<sub>13</sub>O<sub>14</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	76	49	13	14	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	6	3	3	0	0

- Molecule 5 is AMMONIUM ION (three-letter code: NH4) (formula:  $H_4N$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total N 1 1	0	0

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Fe 1 1	0	0

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0

- Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Na 1 1	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	39	Total O 39 39	0	0



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.52Å 93.52Å 177.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	80.99 – 2.48 80.99 – 2.48	Depositor EDS
% Data completeness (in resolution range)	50.4 (80.99-2.48) 50.4 (80.99-2.48)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.45 (at 2.48Å)	Xtrriage
Refinement program	REFMAC 5.8.0419	Depositor
R, $R_{free}$	0.219 , 0.268 0.234 , 0.278	Depositor DCC
$R_{free}$ test set	1719 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.4	Xtrriage
Anisotropy	0.144	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 43.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.043 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	5519	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NH4, NA, GOL, SO4, FE, BOG, A1H1Z

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/5451	0.99	15/7397 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	301	MET	CG-SD-CE	11.92	119.27	100.20
1	A	240	MET	CG-SD-CE	9.06	114.70	100.20
1	A	221	MET	CG-SD-CE	-6.61	89.62	100.20
1	A	410	ARG	NE-CZ-NH1	6.57	123.59	120.30
1	A	402	LYS	N-CA-C	-6.14	94.42	111.00
1	A	431	ARG	NE-CZ-NH2	6.09	123.34	120.30
1	A	552	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	A	810	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	585	ARG	CG-CD-NE	5.40	123.14	111.80
1	A	431	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	A	431	ARG	NH1-CZ-NH2	-5.31	113.56	119.40
1	A	497	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	A	552	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	A	504	ARG	NE-CZ-NH2	5.02	122.81	120.30
1	A	464	GLU	OE1-CD-OE2	-5.01	117.29	123.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	SER	Peptide
1	A	389	ARG	Sidechain
1	A	463	ARG	Sidechain
1	A	496	ARG	Sidechain
1	A	585	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5325	0	5038	51	0
2	A	40	0	56	0	0
3	A	76	0	0	1	0
4	A	6	0	8	0	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	A	30	0	0	0	0
8	A	1	0	0	0	0
9	A	39	0	0	6	0
All	All	5519	0	5102	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:GLU:CG	1:A:442:VAL:O	1.77	1.33
1:A:399:GLU:OE2	1:A:441:GLN:CG	2.02	1.07
1:A:399:GLU:OE2	1:A:441:GLN:HG3	1.54	1.07
1:A:399:GLU:HG2	1:A:442:VAL:O	0.89	1.05
1:A:399:GLU:OE2	1:A:441:GLN:HG2	1.82	0.78
1:A:400:PRO:HD3	1:A:442:VAL:HB	1.73	0.69
1:A:395:PHE:O	9:A:1001:HOH:O	2.09	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:683:LEU:O	1:A:685:ASP:N	2.27	0.67
1:A:153:SER:OG	1:A:160:THR:HG21	1.95	0.67
1:A:336:ASP:N	9:A:1001:HOH:O	2.28	0.64
1:A:221:MET:HE1	1:A:279:VAL:HG23	1.79	0.64
1:A:331:SER:OG	1:A:332:ASP:O	2.17	0.60
1:A:152:GLY:CA	1:A:161:HIS:HB2	2.35	0.57
1:A:387:ASN:O	1:A:389:ARG:N	2.37	0.57
1:A:153:SER:OG	1:A:160:THR:CG2	2.53	0.56
1:A:397:ASP:HB2	9:A:1001:HOH:O	2.05	0.55
1:A:399:GLU:CD	1:A:441:GLN:HG3	2.26	0.55
1:A:555:LEU:HD23	1:A:586:ILE:HG13	1.89	0.55
1:A:297:SER:O	1:A:298:ILE:HD13	2.05	0.55
1:A:387:ASN:C	1:A:389:ARG:H	2.11	0.54
1:A:199:MET:HE1	1:A:259:ILE:HG21	1.89	0.53
1:A:165:ALA:O	1:A:585:ARG:NH2	2.41	0.52
1:A:684:SER:O	1:A:685:ASP:HB3	2.10	0.52
1:A:684:SER:C	1:A:686:ASN:H	2.13	0.51
1:A:389:ARG:NE	1:A:389:ARG:HA	2.24	0.51
1:A:767:ARG:O	1:A:768:ILE:HD12	2.11	0.51
1:A:739:GLY:HA3	9:A:1002:HOH:O	2.10	0.50
1:A:723:TRP:CE2	9:A:1002:HOH:O	2.66	0.49
1:A:221:MET:CE	1:A:279:VAL:HG23	2.43	0.48
1:A:161:HIS:CD2	1:A:171:PRO:HA	2.49	0.48
1:A:436:ASP:OD1	1:A:463:ARG:NH2	2.47	0.47
1:A:387:ASN:C	1:A:389:ARG:N	2.68	0.47
1:A:421:ASP:HB3	1:A:423:VAL:H	1.79	0.47
1:A:355:ASP:O	1:A:419:ARG:NH1	2.49	0.46
1:A:199:MET:CE	1:A:259:ILE:HG21	2.47	0.45
1:A:738:ILE:HG22	1:A:768:ILE:HG13	1.98	0.45
1:A:233:TYR:CZ	1:A:238:LYS:HD3	2.53	0.44
1:A:421:ASP:HB2	1:A:424:TRP:H	1.82	0.44
1:A:781:ASP:OD1	1:A:817:ASN:HB2	2.17	0.44
1:A:400:PRO:HD3	1:A:442:VAL:CB	2.46	0.43
1:A:512:ASP:OD1	1:A:514:PHE:O	2.36	0.43
3:A:903:A1H1Z:O07	3:A:903:A1H1Z:N06	2.51	0.43
1:A:684:SER:C	1:A:686:ASN:N	2.72	0.42
1:A:193:LYS:HE3	1:A:813:THR:HG21	2.01	0.42
1:A:210:VAL:HG12	1:A:210:VAL:O	2.19	0.42
1:A:600:VAL:HG22	1:A:629:LEU:HD23	2.02	0.42
1:A:794:TYR:CZ	1:A:807:GLY:HA3	2.55	0.42
1:A:686:ASN:HB3	1:A:727:ALA:O	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:MET:HB3	1:A:205:ILE:HG21	2.03	0.41
1:A:152:GLY:HA2	1:A:161:HIS:HB2	2.02	0.41
1:A:511:LEU:HD12	9:A:1019:HOH:O	2.20	0.40
1:A:586:ILE:HG22	1:A:602:TYR:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	675/820 (82%)	650 (96%)	22 (3%)	3 (0%)	30 47

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	387	ASN
1	A	684	SER
1	A	388	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	566/667 (85%)	545 (96%)	21 (4%)	29 52

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	LEU
1	A	356	ASP
1	A	389	ARG
1	A	403	ASP
1	A	404	ASP
1	A	438	ASP
1	A	514	PHE
1	A	557	LEU
1	A	576	ASP
1	A	577	ASP
1	A	617	THR
1	A	629	LEU
1	A	660	GLN
1	A	671	ARG
1	A	748	THR
1	A	767	ARG
1	A	768	ILE
1	A	774	LYS
1	A	777	LEU
1	A	778	LYS
1	A	785	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 1 is modelled with single atom and 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	SO4	A	911	-	4,4,4	0.32	0	6,6,6	0.11	0
7	SO4	A	909	-	4,4,4	0.30	0	6,6,6	0.13	0
7	SO4	A	912	-	4,4,4	0.46	0	6,6,6	0.41	0
2	BOG	A	901	-	20,20,20	0.58	0	25,25,25	1.17	2 (8%)
7	SO4	A	908	-	4,4,4	0.39	0	6,6,6	0.13	0
7	SO4	A	910	-	4,4,4	0.27	0	6,6,6	0.24	0
7	SO4	A	907	-	4,4,4	0.37	0	6,6,6	0.18	0
4	GOL	A	904	-	5,5,5	0.20	0	5,5,5	0.51	0
2	BOG	A	902	-	20,20,20	0.68	0	25,25,25	0.88	1 (4%)
3	A1H1Z	A	903	6	77,78,78	2.42	17 (22%)	78,95,95	3.16	34 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BOG	A	902	-	-	4/11/31/31	0/1/1/1
2	BOG	A	901	-	-	9/11/31/31	0/1/1/1
4	GOL	A	904	-	-	2/4/4/4	-
3	A1H1Z	A	903	6	-	47/79/81/81	0/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	903	A1H1Z	C05-N01	7.59	1.45	1.34
3	A	903	A1H1Z	C17-N04	6.29	1.47	1.33
3	A	903	A1H1Z	C40-N11	6.11	1.53	1.40
3	A	903	A1H1Z	C25-N06	5.99	1.47	1.34

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	903	A1H1Z	C08-N02	5.98	1.47	1.33
3	A	903	A1H1Z	C41-N11	5.43	1.51	1.40
3	A	903	A1H1Z	C29-C28	5.28	1.44	1.36
3	A	903	A1H1Z	C38-N10	4.51	1.43	1.33
3	A	903	A1H1Z	C14-N03	4.40	1.40	1.34
3	A	903	A1H1Z	C07-C08	4.37	1.59	1.51
3	A	903	A1H1Z	O01-C25	3.92	1.42	1.35
3	A	903	A1H1Z	O08-N01	-3.77	1.37	1.40
3	A	903	A1H1Z	O09-N03	-3.65	1.37	1.40
3	A	903	A1H1Z	O07-C14	-3.31	1.15	1.23
3	A	903	A1H1Z	O14-C38	-2.69	1.17	1.23
3	A	903	A1H1Z	C46-C40	2.33	1.44	1.39
3	A	903	A1H1Z	C13-N03	-2.15	1.43	1.46

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	903	A1H1Z	C06-C07-C08	13.45	136.15	112.56
3	A	903	A1H1Z	C42-N12-C41	8.47	128.06	116.86
3	A	903	A1H1Z	O01-C25-N06	7.16	121.75	110.61
3	A	903	A1H1Z	C16-C17-N04	6.75	127.79	116.42
3	A	903	A1H1Z	O06-C08-N02	-6.18	111.34	123.01
3	A	903	A1H1Z	N07-N08-N09	5.52	111.47	107.31
3	A	903	A1H1Z	C07-C08-N02	5.17	125.13	116.42
3	A	903	A1H1Z	C49-N13-C40	4.79	123.19	116.86
3	A	903	A1H1Z	C21-C22-N05	4.78	120.98	111.06
3	A	903	A1H1Z	C15-C16-C17	4.35	120.18	112.56
3	A	903	A1H1Z	C45-C41-N12	-4.34	115.45	123.41
3	A	903	A1H1Z	O02-C25-N06	-4.27	118.41	124.96
3	A	903	A1H1Z	O09-N03-C13	4.10	123.84	113.59
3	A	903	A1H1Z	C10-C09-N02	-3.80	101.34	112.21
3	A	903	A1H1Z	C03-C04-N01	3.71	118.77	111.06
3	A	903	A1H1Z	O04-C17-C16	-3.66	115.32	122.02
3	A	903	A1H1Z	C46-C40-N13	-3.57	116.85	123.41
3	A	903	A1H1Z	C43-C42-N12	-3.50	117.71	123.43
3	A	903	A1H1Z	C29-C28-N07	-3.39	106.30	111.34
3	A	903	A1H1Z	O04-C17-N04	-3.25	116.89	123.01
3	A	903	A1H1Z	C47-C46-C40	2.94	121.65	117.66
2	A	901	BOG	C1'-O1-C1	2.88	118.62	113.84
3	A	903	A1H1Z	O05-C23-C26	-2.77	111.15	122.03
3	A	903	A1H1Z	C39-C38-N10	2.77	121.83	115.52
3	A	903	A1H1Z	C07-C06-C05	2.69	121.70	111.92

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	903	A1H1Z	N12-C41-N11	2.59	121.78	116.15
3	A	903	A1H1Z	C30-N09-C29	-2.54	123.85	129.82
2	A	901	BOG	C1-O5-C5	2.53	118.65	113.69
3	A	903	A1H1Z	O14-C38-N10	-2.44	118.41	123.01
3	A	903	A1H1Z	O08-N01-C04	2.40	119.59	113.59
3	A	903	A1H1Z	C38-C39-N11	-2.38	105.08	112.34
2	A	902	BOG	O1-C1-C2	2.32	111.93	108.30
3	A	903	A1H1Z	O01-C25-O02	-2.30	119.84	124.25
3	A	903	A1H1Z	C27-C28-C29	-2.28	124.15	128.45
3	A	903	A1H1Z	C37-N10-C38	2.21	126.93	122.84
3	A	903	A1H1Z	C27-O01-C25	2.09	120.59	115.93
3	A	903	A1H1Z	C18-N04-C17	2.01	126.56	122.84

There are no chirality outliers.

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	BOG	O5-C1-O1-C1'
2	A	902	BOG	C2'-C1'-O1-C1
3	A	903	A1H1Z	C11-C12-C13-N03
3	A	903	A1H1Z	C12-C13-N03-C14
3	A	903	A1H1Z	C12-C13-N03-O09
3	A	903	A1H1Z	C14-C15-C16-C17
3	A	903	A1H1Z	C03-C04-N01-C05
3	A	903	A1H1Z	C03-C04-N01-O08
3	A	903	A1H1Z	N01-C05-C06-C07
3	A	903	A1H1Z	C05-C06-C07-C08
3	A	903	A1H1Z	C31-C30-N09-C29
4	A	904	GOL	O1-C1-C2-C3
3	A	903	A1H1Z	O02-C25-O01-C27
2	A	901	BOG	C4-C5-C6-O6
3	A	903	A1H1Z	N06-C25-O01-C27
3	A	903	A1H1Z	C16-C17-N04-C18
3	A	903	A1H1Z	C07-C08-N02-C09
2	A	901	BOG	O5-C5-C6-O6
3	A	903	A1H1Z	O13-C36-C37-N10
3	A	903	A1H1Z	N02-C09-C10-C11
3	A	903	A1H1Z	C18-C19-C20-C21
3	A	903	A1H1Z	O04-C17-N04-C18
3	A	903	A1H1Z	O06-C08-N02-C09
3	A	903	A1H1Z	O14-C38-N10-C37
2	A	901	BOG	C2-C1-O1-C1'

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	A	901	BOG	C2'-C3'-C4'-C5'
3	A	903	A1H1Z	C39-C38-N10-C37
3	A	903	A1H1Z	O03-C05-C06-C07
4	A	904	GOL	O1-C1-C2-O2
2	A	902	BOG	C2'-C3'-C4'-C5'
3	A	903	A1H1Z	O01-C25-N06-C24
3	A	903	A1H1Z	O02-C25-N06-C24
2	A	902	BOG	C1'-C2'-C3'-C4'
3	A	903	A1H1Z	C24-C01-C02-C03
2	A	901	BOG	C4'-C5'-C6'-C7'
3	A	903	A1H1Z	C09-C10-C11-C12
3	A	903	A1H1Z	O14-C38-C39-N11
3	A	903	A1H1Z	C02-C03-C04-N01
2	A	901	BOG	C1'-C2'-C3'-C4'
3	A	903	A1H1Z	N10-C38-C39-N11
2	A	901	BOG	C2'-C1'-O1-C1
3	A	903	A1H1Z	C38-C39-N11-C40
3	A	903	A1H1Z	O07-C14-C15-C16
3	A	903	A1H1Z	C01-C02-C03-C04
2	A	902	BOG	C3'-C4'-C5'-C6'
3	A	903	A1H1Z	C37-C36-O13-C35
3	A	903	A1H1Z	N03-C14-C15-C16
3	A	903	A1H1Z	O12-C34-C35-O13
3	A	903	A1H1Z	C31-C30-N09-N08
2	A	901	BOG	O1-C1'-C2'-C3'
3	A	903	A1H1Z	C35-C34-O12-C33
3	A	903	A1H1Z	C28-C27-O01-C25
3	A	903	A1H1Z	C19-C20-C21-C22
3	A	903	A1H1Z	C45-C41-N11-C39
3	A	903	A1H1Z	N12-C41-N11-C39
3	A	903	A1H1Z	N12-C41-N11-C40
3	A	903	A1H1Z	C45-C41-N11-C40
3	A	903	A1H1Z	C21-C22-N05-O10
3	A	903	A1H1Z	C26-C23-N05-O10
3	A	903	A1H1Z	O03-C05-N01-O08
3	A	903	A1H1Z	O07-C14-N03-O09
3	A	903	A1H1Z	O05-C23-N05-O10


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	903	A1H1Z	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	677/820 (82%)	0.92	99 (14%) <b>7</b> <b>7</b>	38, 82, 147, 234	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	445	TYR	5.3
1	A	223	GLY	5.1
1	A	775	LEU	4.9
1	A	412	PHE	4.9
1	A	733	LEU	4.7
1	A	752	LYS	4.5
1	A	400	PRO	4.5
1	A	730	ALA	4.4
1	A	275	PRO	4.4
1	A	756	LEU	4.3
1	A	353	PHE	4.3
1	A	224	PHE	4.1
1	A	780	LEU	4.0
1	A	650	THR	4.0
1	A	663	PHE	4.0
1	A	614	ALA	3.9
1	A	755	THR	3.8
1	A	801	LEU	3.8
1	A	806	PHE	3.8
1	A	753	GLU	3.7
1	A	714	GLN	3.7
1	A	732	PRO	3.6
1	A	421	ASP	3.6
1	A	777	LEU	3.5
1	A	789	LEU	3.5
1	A	144	VAL	3.5
1	A	399	GLU	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	298	ILE	3.4
1	A	772	LEU	3.3
1	A	396	PHE	3.3
1	A	784	LEU	3.3
1	A	820	PHE	3.3
1	A	398	GLY	3.2
1	A	736	LEU	3.2
1	A	745	VAL	3.2
1	A	404	ASP	3.2
1	A	403	ASP	3.2
1	A	795	VAL	3.2
1	A	424	TRP	3.2
1	A	206	PHE	3.2
1	A	391	ILE	3.1
1	A	738	ILE	3.1
1	A	713	ASN	3.1
1	A	456	ASN	3.0
1	A	401	SER	3.0
1	A	689	LEU	3.0
1	A	759	PRO	3.0
1	A	455	LEU	2.9
1	A	519	GLY	2.9
1	A	754	ASN	2.9
1	A	683	LEU	2.9
1	A	802	ASP	2.9
1	A	629	LEU	2.8
1	A	294	ILE	2.8
1	A	479	PHE	2.8
1	A	700	TYR	2.8
1	A	304	LYS	2.8
1	A	731	GLY	2.7
1	A	200	ARG	2.7
1	A	469	TYR	2.7
1	A	799	TYR	2.7
1	A	483	ALA	2.6
1	A	728	PHE	2.6
1	A	383	LEU	2.6
1	A	764	VAL	2.6
1	A	761	TYR	2.6
1	A	782	VAL	2.6
1	A	790	LEU	2.5
1	A	542	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	712	PRO	2.5
1	A	774	LYS	2.4
1	A	183	THR	2.4
1	A	748	THR	2.4
1	A	209	GLN	2.4
1	A	420	ILE	2.4
1	A	447	TRP	2.4
1	A	522	ALA	2.3
1	A	392	SER	2.3
1	A	220	VAL	2.3
1	A	274	LEU	2.2
1	A	687	LEU	2.2
1	A	145	PHE	2.2
1	A	458	TYR	2.2
1	A	523	ILE	2.2
1	A	792	LYS	2.2
1	A	763	LEU	2.1
1	A	442	VAL	2.1
1	A	314	LEU	2.1
1	A	525	TYR	2.1
1	A	706	GLY	2.1
1	A	582	PHE	2.1
1	A	803	PHE	2.1
1	A	505	SER	2.1
1	A	625	LYS	2.1
1	A	768	ILE	2.1
1	A	517	VAL	2.1
1	A	513	ALA	2.1
1	A	361	LEU	2.0
1	A	496	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BOG	A	901	20/20	0.45	0.24	124,155,172,178	0
7	SO4	A	909	5/5	0.57	0.15	94,112,134,151	0
7	SO4	A	908	5/5	0.66	0.11	116,125,129,134	0
7	SO4	A	910	5/5	0.77	0.10	67,85,97,102	0
2	BOG	A	902	20/20	0.82	0.19	87,144,165,182	0
8	NA	A	913	1/1	0.82	0.09	55,55,55,55	0
7	SO4	A	912	5/5	0.83	0.16	83,101,107,134	0
7	SO4	A	907	5/5	0.85	0.11	77,77,90,99	0
4	GOL	A	904	6/6	0.85	0.14	76,87,89,91	0
3	A1H1Z	A	903	76/76	0.87	0.19	51,112,187,222	0
7	SO4	A	911	5/5	0.89	0.14	113,114,135,138	0
5	NH4	A	905	1/1	0.93	0.17	56,56,56,56	0
6	FE	A	906	1/1	0.99	0.04	50,50,50,50	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around BOG A 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BOG A 902:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.