



wwPDB EM Validation Summary Report ⓘ

Oct 12, 2024 – 09:32 pm BST

PDB ID : 8RT8
EMDB ID : EMD-19482
Title : Conformation-C of the full-length outer membrane core complex (TrwH/VirB7, TrwF/VirB9, TrwE/VirB10CTD) from the fully-assembled R388 type IV secretion system determined by cryo-EM.
Authors : Mace, K.; Waksman, G.
Deposited on : 2024-01-25
Resolution : 3.05 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	395	10%	56%	44%
1	D	395	9%	56%	44%
1	G	395	10%	56%	44%
1	J	395	10%	56%	44%
1	M	395	9%	56%	44%
1	P	395	10%	56%	44%
1	S	395	9%	56%	44%
1	V	395	9%	56%	44%
1	Y	395	9%	56%	44%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	b	395	9% 56% 44%
1	e	395	9% 56% 44%
1	h	395	9% 56% 44%
1	k	395	10% 56% 44%
1	n	395	9% 56% 44%
1	u	395	5% 5% 95%
1	y	395	5% 5% 95%
2	B	266	43% 92% 8%
2	E	266	48% 92% 8%
2	H	266	49% 92% 8%
2	K	266	42% 92% 8%
2	N	266	43% 92% 8%
2	Q	266	45% 92% 8%
2	T	266	47% 92% 8%
2	W	266	48% 92% 8%
2	Z	266	47% 92% 8%
2	c	266	45% 92% 8%
2	f	266	46% 92% 8%
2	i	266	45% 92% 8%
2	l	266	44% 92% 8%
2	o	266	45% 92% 8%
2	v	266	39% 40% 59%
2	z	266	39% 41% 59%
3	C	47	17% 57% 40%
3	F	47	17% 57% 40%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	47	
3	L	47	
3	O	47	
3	R	47	
3	U	47	
3	X	47	
3	a	47	
3	d	47	
3	g	47	
3	j	47	
3	m	47	
3	p	47	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 55802 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TrwE protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	221	1670	1038	306	319	7	0	0
1	D	221	1670	1038	306	319	7	0	0
1	G	221	1670	1038	306	319	7	0	0
1	J	221	1670	1038	306	319	7	0	0
1	M	221	1670	1038	306	319	7	0	0
1	P	221	1670	1038	306	319	7	0	0
1	S	221	1670	1038	306	319	7	0	0
1	V	221	1670	1038	306	319	7	0	0
1	Y	221	1670	1038	306	319	7	0	0
1	b	221	1670	1038	306	319	7	0	0
1	e	221	1670	1038	306	319	7	0	0
1	h	221	1670	1038	306	319	7	0	0
1	k	221	1670	1038	306	319	7	0	0
1	n	221	1670	1038	306	319	7	0	0
1	u	19	149	92	29	27	1	0	0
1	y	19	149	92	29	27	1	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	335	ASP	ASN	conflict	UNP O50337
D	335	ASP	ASN	conflict	UNP O50337
G	335	ASP	ASN	conflict	UNP O50337
J	335	ASP	ASN	conflict	UNP O50337
M	335	ASP	ASN	conflict	UNP O50337
P	335	ASP	ASN	conflict	UNP O50337
S	335	ASP	ASN	conflict	UNP O50337
V	335	ASP	ASN	conflict	UNP O50337
Y	335	ASP	ASN	conflict	UNP O50337
b	335	ASP	ASN	conflict	UNP O50337
e	335	ASP	ASN	conflict	UNP O50337
h	335	ASP	ASN	conflict	UNP O50337
k	335	ASP	ASN	conflict	UNP O50337
n	335	ASP	ASN	conflict	UNP O50337
u	335	ASP	ASN	conflict	UNP O50337
y	335	ASP	ASN	conflict	UNP O50337

- Molecule 2 is a protein called TrwF protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	246	1955	1226	356	367	6	0	0
2	E	246	1955	1226	356	367	6	0	0
2	H	246	1955	1226	356	367	6	0	0
2	K	246	1955	1226	356	367	6	0	0
2	N	246	1955	1226	356	367	6	0	0
2	Q	246	1955	1226	356	367	6	0	0
2	T	246	1955	1226	356	367	6	0	0
2	W	246	1955	1226	356	367	6	0	0
2	Z	246	1955	1226	356	367	6	0	0
2	c	246	1955	1226	356	367	6	0	0
2	f	246	1955	1226	356	367	6	0	0
2	i	246	1955	1226	356	367	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	l	246	Total	C	N	O	S	0	0
			1955	1226	356	367	6		
2	o	246	Total	C	N	O	S	0	0
			1955	1226	356	367	6		
2	v	108	Total	C	N	O	S	0	0
			886	560	161	162	3		
2	z	108	Total	C	N	O	S	0	0
			886	560	161	162	3		

There are 304 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	71	ASP	ILE	conflict	UNP O50336
B	72	SER	PRO	conflict	UNP O50336
B	73	GLU	LYS	conflict	UNP O50336
B	74	ALA	PRO	conflict	UNP O50336
B	75	TYR	MET	conflict	UNP O50336
B	76	ALA	PRO	conflict	UNP O50336
B	77	PHE	LEU	conflict	UNP O50336
B	78	ALA	PRO	conflict	UNP O50336
B	79	ARG	GLY	conflict	UNP O50336
B	80	LYS	ARG	conflict	UNP O50336
B	81	GLY	ALA	conflict	UNP O50336
B	82	ARG	GLY	conflict	UNP O50336
B	83	HIS	ILE	conflict	UNP O50336
B	84	ILE	PHE	conflict	UNP O50336
B	85	PHE	LEU	conflict	UNP O50336
B	86	ILE	SER	conflict	UNP O50336
B	87	LYS	SER	conflict	UNP O50336
B	88	PRO	ARG	conflict	UNP O50336
B	89	GLN	THR	conflict	UNP O50336
E	71	ASP	ILE	conflict	UNP O50336
E	72	SER	PRO	conflict	UNP O50336
E	73	GLU	LYS	conflict	UNP O50336
E	74	ALA	PRO	conflict	UNP O50336
E	75	TYR	MET	conflict	UNP O50336
E	76	ALA	PRO	conflict	UNP O50336
E	77	PHE	LEU	conflict	UNP O50336
E	78	ALA	PRO	conflict	UNP O50336
E	79	ARG	GLY	conflict	UNP O50336
E	80	LYS	ARG	conflict	UNP O50336
E	81	GLY	ALA	conflict	UNP O50336
E	82	ARG	GLY	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	83	HIS	ILE	conflict	UNP O50336
E	84	ILE	PHE	conflict	UNP O50336
E	85	PHE	LEU	conflict	UNP O50336
E	86	ILE	SER	conflict	UNP O50336
E	87	LYS	SER	conflict	UNP O50336
E	88	PRO	ARG	conflict	UNP O50336
E	89	GLN	THR	conflict	UNP O50336
H	71	ASP	ILE	conflict	UNP O50336
H	72	SER	PRO	conflict	UNP O50336
H	73	GLU	LYS	conflict	UNP O50336
H	74	ALA	PRO	conflict	UNP O50336
H	75	TYR	MET	conflict	UNP O50336
H	76	ALA	PRO	conflict	UNP O50336
H	77	PHE	LEU	conflict	UNP O50336
H	78	ALA	PRO	conflict	UNP O50336
H	79	ARG	GLY	conflict	UNP O50336
H	80	LYS	ARG	conflict	UNP O50336
H	81	GLY	ALA	conflict	UNP O50336
H	82	ARG	GLY	conflict	UNP O50336
H	83	HIS	ILE	conflict	UNP O50336
H	84	ILE	PHE	conflict	UNP O50336
H	85	PHE	LEU	conflict	UNP O50336
H	86	ILE	SER	conflict	UNP O50336
H	87	LYS	SER	conflict	UNP O50336
H	88	PRO	ARG	conflict	UNP O50336
H	89	GLN	THR	conflict	UNP O50336
K	71	ASP	ILE	conflict	UNP O50336
K	72	SER	PRO	conflict	UNP O50336
K	73	GLU	LYS	conflict	UNP O50336
K	74	ALA	PRO	conflict	UNP O50336
K	75	TYR	MET	conflict	UNP O50336
K	76	ALA	PRO	conflict	UNP O50336
K	77	PHE	LEU	conflict	UNP O50336
K	78	ALA	PRO	conflict	UNP O50336
K	79	ARG	GLY	conflict	UNP O50336
K	80	LYS	ARG	conflict	UNP O50336
K	81	GLY	ALA	conflict	UNP O50336
K	82	ARG	GLY	conflict	UNP O50336
K	83	HIS	ILE	conflict	UNP O50336
K	84	ILE	PHE	conflict	UNP O50336
K	85	PHE	LEU	conflict	UNP O50336
K	86	ILE	SER	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	87	LYS	SER	conflict	UNP O50336
K	88	PRO	ARG	conflict	UNP O50336
K	89	GLN	THR	conflict	UNP O50336
N	71	ASP	ILE	conflict	UNP O50336
N	72	SER	PRO	conflict	UNP O50336
N	73	GLU	LYS	conflict	UNP O50336
N	74	ALA	PRO	conflict	UNP O50336
N	75	TYR	MET	conflict	UNP O50336
N	76	ALA	PRO	conflict	UNP O50336
N	77	PHE	LEU	conflict	UNP O50336
N	78	ALA	PRO	conflict	UNP O50336
N	79	ARG	GLY	conflict	UNP O50336
N	80	LYS	ARG	conflict	UNP O50336
N	81	GLY	ALA	conflict	UNP O50336
N	82	ARG	GLY	conflict	UNP O50336
N	83	HIS	ILE	conflict	UNP O50336
N	84	ILE	PHE	conflict	UNP O50336
N	85	PHE	LEU	conflict	UNP O50336
N	86	ILE	SER	conflict	UNP O50336
N	87	LYS	SER	conflict	UNP O50336
N	88	PRO	ARG	conflict	UNP O50336
N	89	GLN	THR	conflict	UNP O50336
Q	71	ASP	ILE	conflict	UNP O50336
Q	72	SER	PRO	conflict	UNP O50336
Q	73	GLU	LYS	conflict	UNP O50336
Q	74	ALA	PRO	conflict	UNP O50336
Q	75	TYR	MET	conflict	UNP O50336
Q	76	ALA	PRO	conflict	UNP O50336
Q	77	PHE	LEU	conflict	UNP O50336
Q	78	ALA	PRO	conflict	UNP O50336
Q	79	ARG	GLY	conflict	UNP O50336
Q	80	LYS	ARG	conflict	UNP O50336
Q	81	GLY	ALA	conflict	UNP O50336
Q	82	ARG	GLY	conflict	UNP O50336
Q	83	HIS	ILE	conflict	UNP O50336
Q	84	ILE	PHE	conflict	UNP O50336
Q	85	PHE	LEU	conflict	UNP O50336
Q	86	ILE	SER	conflict	UNP O50336
Q	87	LYS	SER	conflict	UNP O50336
Q	88	PRO	ARG	conflict	UNP O50336
Q	89	GLN	THR	conflict	UNP O50336
T	71	ASP	ILE	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	72	SER	PRO	conflict	UNP O50336
T	73	GLU	LYS	conflict	UNP O50336
T	74	ALA	PRO	conflict	UNP O50336
T	75	TYR	MET	conflict	UNP O50336
T	76	ALA	PRO	conflict	UNP O50336
T	77	PHE	LEU	conflict	UNP O50336
T	78	ALA	PRO	conflict	UNP O50336
T	79	ARG	GLY	conflict	UNP O50336
T	80	LYS	ARG	conflict	UNP O50336
T	81	GLY	ALA	conflict	UNP O50336
T	82	ARG	GLY	conflict	UNP O50336
T	83	HIS	ILE	conflict	UNP O50336
T	84	ILE	PHE	conflict	UNP O50336
T	85	PHE	LEU	conflict	UNP O50336
T	86	ILE	SER	conflict	UNP O50336
T	87	LYS	SER	conflict	UNP O50336
T	88	PRO	ARG	conflict	UNP O50336
T	89	GLN	THR	conflict	UNP O50336
W	71	ASP	ILE	conflict	UNP O50336
W	72	SER	PRO	conflict	UNP O50336
W	73	GLU	LYS	conflict	UNP O50336
W	74	ALA	PRO	conflict	UNP O50336
W	75	TYR	MET	conflict	UNP O50336
W	76	ALA	PRO	conflict	UNP O50336
W	77	PHE	LEU	conflict	UNP O50336
W	78	ALA	PRO	conflict	UNP O50336
W	79	ARG	GLY	conflict	UNP O50336
W	80	LYS	ARG	conflict	UNP O50336
W	81	GLY	ALA	conflict	UNP O50336
W	82	ARG	GLY	conflict	UNP O50336
W	83	HIS	ILE	conflict	UNP O50336
W	84	ILE	PHE	conflict	UNP O50336
W	85	PHE	LEU	conflict	UNP O50336
W	86	ILE	SER	conflict	UNP O50336
W	87	LYS	SER	conflict	UNP O50336
W	88	PRO	ARG	conflict	UNP O50336
W	89	GLN	THR	conflict	UNP O50336
Z	71	ASP	ILE	conflict	UNP O50336
Z	72	SER	PRO	conflict	UNP O50336
Z	73	GLU	LYS	conflict	UNP O50336
Z	74	ALA	PRO	conflict	UNP O50336
Z	75	TYR	MET	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	76	ALA	PRO	conflict	UNP O50336
Z	77	PHE	LEU	conflict	UNP O50336
Z	78	ALA	PRO	conflict	UNP O50336
Z	79	ARG	GLY	conflict	UNP O50336
Z	80	LYS	ARG	conflict	UNP O50336
Z	81	GLY	ALA	conflict	UNP O50336
Z	82	ARG	GLY	conflict	UNP O50336
Z	83	HIS	ILE	conflict	UNP O50336
Z	84	ILE	PHE	conflict	UNP O50336
Z	85	PHE	LEU	conflict	UNP O50336
Z	86	ILE	SER	conflict	UNP O50336
Z	87	LYS	SER	conflict	UNP O50336
Z	88	PRO	ARG	conflict	UNP O50336
Z	89	GLN	THR	conflict	UNP O50336
c	71	ASP	ILE	conflict	UNP O50336
c	72	SER	PRO	conflict	UNP O50336
c	73	GLU	LYS	conflict	UNP O50336
c	74	ALA	PRO	conflict	UNP O50336
c	75	TYR	MET	conflict	UNP O50336
c	76	ALA	PRO	conflict	UNP O50336
c	77	PHE	LEU	conflict	UNP O50336
c	78	ALA	PRO	conflict	UNP O50336
c	79	ARG	GLY	conflict	UNP O50336
c	80	LYS	ARG	conflict	UNP O50336
c	81	GLY	ALA	conflict	UNP O50336
c	82	ARG	GLY	conflict	UNP O50336
c	83	HIS	ILE	conflict	UNP O50336
c	84	ILE	PHE	conflict	UNP O50336
c	85	PHE	LEU	conflict	UNP O50336
c	86	ILE	SER	conflict	UNP O50336
c	87	LYS	SER	conflict	UNP O50336
c	88	PRO	ARG	conflict	UNP O50336
c	89	GLN	THR	conflict	UNP O50336
f	71	ASP	ILE	conflict	UNP O50336
f	72	SER	PRO	conflict	UNP O50336
f	73	GLU	LYS	conflict	UNP O50336
f	74	ALA	PRO	conflict	UNP O50336
f	75	TYR	MET	conflict	UNP O50336
f	76	ALA	PRO	conflict	UNP O50336
f	77	PHE	LEU	conflict	UNP O50336
f	78	ALA	PRO	conflict	UNP O50336
f	79	ARG	GLY	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
f	80	LYS	ARG	conflict	UNP O50336
f	81	GLY	ALA	conflict	UNP O50336
f	82	ARG	GLY	conflict	UNP O50336
f	83	HIS	ILE	conflict	UNP O50336
f	84	ILE	PHE	conflict	UNP O50336
f	85	PHE	LEU	conflict	UNP O50336
f	86	ILE	SER	conflict	UNP O50336
f	87	LYS	SER	conflict	UNP O50336
f	88	PRO	ARG	conflict	UNP O50336
f	89	GLN	THR	conflict	UNP O50336
i	71	ASP	ILE	conflict	UNP O50336
i	72	SER	PRO	conflict	UNP O50336
i	73	GLU	LYS	conflict	UNP O50336
i	74	ALA	PRO	conflict	UNP O50336
i	75	TYR	MET	conflict	UNP O50336
i	76	ALA	PRO	conflict	UNP O50336
i	77	PHE	LEU	conflict	UNP O50336
i	78	ALA	PRO	conflict	UNP O50336
i	79	ARG	GLY	conflict	UNP O50336
i	80	LYS	ARG	conflict	UNP O50336
i	81	GLY	ALA	conflict	UNP O50336
i	82	ARG	GLY	conflict	UNP O50336
i	83	HIS	ILE	conflict	UNP O50336
i	84	ILE	PHE	conflict	UNP O50336
i	85	PHE	LEU	conflict	UNP O50336
i	86	ILE	SER	conflict	UNP O50336
i	87	LYS	SER	conflict	UNP O50336
i	88	PRO	ARG	conflict	UNP O50336
i	89	GLN	THR	conflict	UNP O50336
l	71	ASP	ILE	conflict	UNP O50336
l	72	SER	PRO	conflict	UNP O50336
l	73	GLU	LYS	conflict	UNP O50336
l	74	ALA	PRO	conflict	UNP O50336
l	75	TYR	MET	conflict	UNP O50336
l	76	ALA	PRO	conflict	UNP O50336
l	77	PHE	LEU	conflict	UNP O50336
l	78	ALA	PRO	conflict	UNP O50336
l	79	ARG	GLY	conflict	UNP O50336
l	80	LYS	ARG	conflict	UNP O50336
l	81	GLY	ALA	conflict	UNP O50336
l	82	ARG	GLY	conflict	UNP O50336
l	83	HIS	ILE	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
l	84	ILE	PHE	conflict	UNP O50336
l	85	PHE	LEU	conflict	UNP O50336
l	86	ILE	SER	conflict	UNP O50336
l	87	LYS	SER	conflict	UNP O50336
l	88	PRO	ARG	conflict	UNP O50336
l	89	GLN	THR	conflict	UNP O50336
o	71	ASP	ILE	conflict	UNP O50336
o	72	SER	PRO	conflict	UNP O50336
o	73	GLU	LYS	conflict	UNP O50336
o	74	ALA	PRO	conflict	UNP O50336
o	75	TYR	MET	conflict	UNP O50336
o	76	ALA	PRO	conflict	UNP O50336
o	77	PHE	LEU	conflict	UNP O50336
o	78	ALA	PRO	conflict	UNP O50336
o	79	ARG	GLY	conflict	UNP O50336
o	80	LYS	ARG	conflict	UNP O50336
o	81	GLY	ALA	conflict	UNP O50336
o	82	ARG	GLY	conflict	UNP O50336
o	83	HIS	ILE	conflict	UNP O50336
o	84	ILE	PHE	conflict	UNP O50336
o	85	PHE	LEU	conflict	UNP O50336
o	86	ILE	SER	conflict	UNP O50336
o	87	LYS	SER	conflict	UNP O50336
o	88	PRO	ARG	conflict	UNP O50336
o	89	GLN	THR	conflict	UNP O50336
v	71	ASP	ILE	conflict	UNP O50336
v	72	SER	PRO	conflict	UNP O50336
v	73	GLU	LYS	conflict	UNP O50336
v	74	ALA	PRO	conflict	UNP O50336
v	75	TYR	MET	conflict	UNP O50336
v	76	ALA	PRO	conflict	UNP O50336
v	77	PHE	LEU	conflict	UNP O50336
v	78	ALA	PRO	conflict	UNP O50336
v	79	ARG	GLY	conflict	UNP O50336
v	80	LYS	ARG	conflict	UNP O50336
v	81	GLY	ALA	conflict	UNP O50336
v	82	ARG	GLY	conflict	UNP O50336
v	83	HIS	ILE	conflict	UNP O50336
v	84	ILE	PHE	conflict	UNP O50336
v	85	PHE	LEU	conflict	UNP O50336
v	86	ILE	SER	conflict	UNP O50336
v	87	LYS	SER	conflict	UNP O50336

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
v	88	PRO	ARG	conflict	UNP O50336
v	89	GLN	THR	conflict	UNP O50336
z	71	ASP	ILE	conflict	UNP O50336
z	72	SER	PRO	conflict	UNP O50336
z	73	GLU	LYS	conflict	UNP O50336
z	74	ALA	PRO	conflict	UNP O50336
z	75	TYR	MET	conflict	UNP O50336
z	76	ALA	PRO	conflict	UNP O50336
z	77	PHE	LEU	conflict	UNP O50336
z	78	ALA	PRO	conflict	UNP O50336
z	79	ARG	GLY	conflict	UNP O50336
z	80	LYS	ARG	conflict	UNP O50336
z	81	GLY	ALA	conflict	UNP O50336
z	82	ARG	GLY	conflict	UNP O50336
z	83	HIS	ILE	conflict	UNP O50336
z	84	ILE	PHE	conflict	UNP O50336
z	85	PHE	LEU	conflict	UNP O50336
z	86	ILE	SER	conflict	UNP O50336
z	87	LYS	SER	conflict	UNP O50336
z	88	PRO	ARG	conflict	UNP O50336
z	89	GLN	THR	conflict	UNP O50336


- Molecule 3 is a protein called TrwH protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	F	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	I	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	L	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	O	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	R	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	U	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	X	28	Total	C	N	O	S	0	0
			213	133	38	41	1		
3	a	28	Total	C	N	O	S	0	0
			213	133	38	41	1		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
3	d	28	Total 213	C 133	N 38	O 41	S 1	0	0
3	g	28	Total 213	C 133	N 38	O 41	S 1	0	0
3	j	28	Total 213	C 133	N 38	O 41	S 1	0	0
3	m	28	Total 213	C 133	N 38	O 41	S 1	0	0
3	p	28	Total 213	C 133	N 38	O 41	S 1	0	0




• Molecule 1: TrwE protein




• Molecule 1: TrwE protein




• Molecule 1: TrwE protein







• Molecule 1: TrwE protein




• Molecule 1: TrwE protein




• Molecule 1: TrwE protein







• Molecule 1: TrwE protein




• Molecule 1: TrwE protein





• Molecule 1: TrwE protein








• Molecule 1: TrwE protein




• Molecule 1: TrwE protein



• Molecule 1: TrwE protein







• Molecule 1: TrwE protein




• Molecule 2: TrwF protein




• Molecule 2: TrwF protein



• Molecule 2: TrwF protein



• Molecule 2: TrwF protein




• Molecule 2: TrwF protein






• Molecule 2: TrwF protein




• Molecule 2: TrwF protein







• Molecule 2: TrwF protein












• Molecule 2: TrwF protein




• Molecule 2: TrwF protein







• Molecule 2: TrwF protein













• Molecule 2: TrwF protein




• Molecule 2: TrwF protein



• Molecule 2: TrwF protein



• Molecule 2: TrwF protein



MET	LYS	LYS	LYS	ALA	ALA	ILE	VAL	ALA	LEU	ALA	ALA	L21	D22	V23	P24	S25	S26	S27	R28	Y29	D30	H31	R32	I33	R34	Y35	V36	T37	Y38	N39	P40	A41	D42	V43	V44	Q45	V46	D47	T48	V49	L50	G51	V52	A53	T54	H55	I56	M57	L58	E59	E60																			
G61	E62	Q63	Y64	L65	T66	H67	A68	F69	G70	D71	S72	E73	A74	Y75	A76	F77	A78	R79	K80	G81	R82	H83	I84	F85	I86	K87	P88	Q89	A90	E91	L92	A93	N94	T95	N96	L97	I98	V99	V100	T101	D102	R103	R104	S105	Y106	K107	F108	R109	L110	Q111	M112	R113	N114	D115	R116	N117	G118	A119	M120											
Y121	E122	L123	A124	F125	R126	Y127	P128	ASP	THR	GLN	ALA	ARG	GLN	THR	ALA	VAL	ASP	ALA	ALA	GLU	GLY	ASN	ASN	ALA	ALA	VAL	VAL	THR	THR	ALA	PHE	GLU	GLN	SER	ASN	ASN	VAL	GLY	ASN	ILE	ALA	TYR	A90	ALA	ALA	HIS	HIS	VAL	VAL	ASN	PRO	PRO	LYS	TRP	TRP	GLY	ILE	ILE	ARG	LEU	LEU	ILE	ILE	PHE	ASN	ASN	GLY	ARG	ARG	THR
TYR	PHE	LYS	PHE	ALA	ASN	ALA	ASN	ASP	PRO	PRO	ILE	TYR	PHE	VAL	VAL	ASP	ALA	ALA	GLU	GLY	ASN	ASN	GLU	GLU	SER	ASN	VAL	ASN	ILE	ILE	ALA	ALA	TYR	TYR	ASN	MET	MET	LYS	TRP	GLY	ILE	ILE	ARG	LEU	LEU	GLY	ASN	ASN	PRO	PRO	ARG	ALA	ALA	ALA	LEU	LEU	ILE	ILE	PHE	ASN	ASN	GLU								
ALA	TYR	ASP	PRO	ASN	GLY	VAL	PRO	ASN	ASP	THR	THR	ALA	SER	ALA	VAL	ASP	ALA	VAL	ARG	ARG	VAL	VAL	ASN	ASN	GLU	LYS	GLY	GLY	ASN																																									

• Molecule 2: TrwF protein



MET	LYS	LYS	LYS	ALA	ALA	ILE	VAL	ALA	LEU	ALA	ALA	L21	D22	V23	P24	S25	S26	S27	R28	Y29	D30	H31	R32	I33	R34	Y35	V36	T37	Y38	N39	P40	A41	D42	V43	V44	Q45	V46	D47	T48	V49	L50	G51	V52	A53	T54	H55	I56	M57	L58	E59	E60																											
G61	E62	Q63	Y64	L65	T66	H67	A68	F69	G70	D71	S72	E73	A74	Y75	A76	F77	A78	R79	K80	G81	R82	H83	I84	F85	I86	K87	P88	Q89	A90	E91	L92	A93	N94	T95	N96	L97	I98	V99	V100	T101	D102	R103	R104	S105	Y106	K107	F108	R109	L110	Q111	M112	R113	N114	D115	R116	N117	G118	A119	M120																			
Y121	E122	L123	A124	F125	R126	Y127	P128	ASP	THR	GLN	ALA	ARG	GLN	THR	ALA	VAL	ASP	ALA	ALA	GLU	GLY	ASN	ASN	ALA	ALA	VAL	VAL	THR	THR	ALA	PHE	GLU	GLN	SER	ASN	ASN	VAL	GLY	ASN	ILE	ALA	TYR	A90	ALA	ALA	HIS	HIS	VAL	VAL	ASN	PRO	PRO	LYS	TRP	TRP	GLY	ILE	ILE	ARG	LEU	LEU	GLY	ASN	ASN	PRO	PRO	ARG	ALA	ALA	ALA	LEU	LEU	ILE	ILE	PHE	ASN	ASN	GLU
TYR	PHE	LYS	PHE	ALA	ASN	ALA	ASN	ASP	PRO	PRO	ILE	TYR	PHE	VAL	VAL	ASP	ALA	ALA	GLU	GLY	ASN	ASN	GLU	GLU	SER	ASN	VAL	ASN	ILE	ILE	ALA	ALA	TYR	TYR	ASN	MET	MET	LYS	TRP	GLY	ILE	ILE	ARG	LEU	LEU	GLY	ASN	ASN	PRO	PRO	ARG	ALA	ALA	ALA	LEU	LEU	ILE	ILE	PHE	ASN	ASN	GLU																
ALA	TYR	ASP	PRO	ASN	GLY	VAL	PRO	ASN	ASP	THR	THR	ALA	SER	ALA	VAL	ASP	ALA	VAL	ARG	ARG	VAL	VAL	ASN	ASN	GLU	LYS	GLY	GLY	ASN																																																	


• Molecule 3: TrwH protein




MET	LYS	THR	ILE	ILE	PHE	ALA	ALA	ILE	LEU	LEU	THR	THR	THR	GLY	GLY	LEU	LEU	LEU	SER	ALA	C17	A18	D28	F29	N30	K36	E41	I42	Q43	R44	GLY	ALA	LEU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

• Molecule 3: TrwH protein







• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein




• Molecule 3: TrwH protein



• Molecule 3: TrwH protein



• Molecule 3: TrwH protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	530296	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	57.5	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3300	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.097	Depositor
Minimum map value	-0.271	Depositor
Average map value	0.024	Depositor
Map value standard deviation	0.071	Depositor
Recommended contour level	0.4	Depositor
Map size (\AA)	320.1, 320.1, 320.1	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.067, 1.067, 1.067	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1696	0.52	0/2290
1	D	0.40	0/1696	0.53	0/2290
1	G	0.38	0/1696	0.53	0/2290
1	J	0.40	0/1696	0.54	0/2290
1	M	0.39	0/1696	0.50	0/2290
1	P	0.39	0/1696	0.51	0/2290
1	S	0.41	0/1696	0.54	0/2290
1	V	0.39	0/1696	0.53	0/2290
1	Y	0.40	0/1696	0.53	0/2290
1	b	0.39	0/1696	0.53	0/2290
1	e	0.37	0/1696	0.52	0/2290
1	h	0.38	0/1696	0.51	0/2290
1	k	0.40	0/1696	0.53	0/2290
1	n	0.40	0/1696	0.52	0/2290
1	u	0.25	0/150	0.59	0/199
1	y	0.26	0/150	0.43	0/199
2	B	0.36	0/1999	0.47	0/2712
2	E	0.35	0/1999	0.49	0/2712
2	H	0.35	0/1999	0.48	0/2712
2	K	0.36	0/1999	0.49	0/2712
2	N	0.36	0/1999	0.50	0/2712
2	Q	0.35	0/1999	0.49	0/2712
2	T	0.35	0/1999	0.48	0/2712
2	W	0.35	0/1999	0.47	0/2712
2	Z	0.36	0/1999	0.48	0/2712
2	c	0.37	0/1999	0.48	0/2712
2	f	0.36	0/1999	0.49	0/2712
2	i	0.35	0/1999	0.48	0/2712
2	l	0.35	0/1999	0.49	0/2712
2	o	0.35	0/1999	0.51	0/2712
2	v	0.34	0/906	0.49	0/1226
2	z	0.33	0/906	0.51	0/1226
3	C	0.32	0/218	0.75	1/297 (0.3%)
3	F	0.31	0/218	0.99	1/297 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	I	0.32	0/218	0.66	1/297 (0.3%)
3	L	0.34	0/218	0.69	1/297 (0.3%)
3	O	0.34	0/218	0.84	1/297 (0.3%)
3	R	0.31	0/218	0.49	0/297
3	U	0.32	0/218	0.63	1/297 (0.3%)
3	X	0.35	0/218	0.51	0/297
3	a	0.32	0/218	0.76	1/297 (0.3%)
3	d	0.32	0/218	0.71	1/297 (0.3%)
3	g	0.34	0/218	0.74	1/297 (0.3%)
3	j	0.31	0/218	0.45	0/297
3	m	0.34	0/218	0.75	1/297 (0.3%)
3	p	0.31	0/218	0.84	1/297 (0.3%)
All	All	0.37	0/56894	0.52	11/77036 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1
3	F	0	1
3	I	0	1
3	L	0	1
3	O	0	1
3	R	0	1
3	U	0	1
3	X	0	1
3	a	0	1
3	d	0	1
3	g	0	1
3	m	0	1
3	p	0	1
All	All	0	13

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	43	GLN	O-C-N	-15.04	98.64	122.70
3	p	43	GLN	O-C-N	-11.75	103.90	122.70
3	O	43	GLN	O-C-N	-11.29	104.63	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	a	43	GLN	O-C-N	-10.33	106.18	122.70
3	m	43	GLN	O-C-N	-10.12	106.50	122.70

There are no chirality outliers.

5 of 13 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	43	GLN	Mainchain
3	F	43	GLN	Mainchain
3	I	43	GLN	Mainchain
3	L	43	GLN	Mainchain
3	O	43	GLN	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/395 (54%)	205 (95%)	10 (5%)	0	100	100
1	D	215/395 (54%)	211 (98%)	4 (2%)	0	100	100
1	G	215/395 (54%)	206 (96%)	9 (4%)	0	100	100
1	J	215/395 (54%)	202 (94%)	13 (6%)	0	100	100
1	M	215/395 (54%)	209 (97%)	6 (3%)	0	100	100
1	P	215/395 (54%)	210 (98%)	5 (2%)	0	100	100
1	S	215/395 (54%)	205 (95%)	10 (5%)	0	100	100
1	V	215/395 (54%)	209 (97%)	6 (3%)	0	100	100
1	Y	215/395 (54%)	205 (95%)	10 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	b	215/395 (54%)	207 (96%)	8 (4%)	0	100	100
1	e	215/395 (54%)	212 (99%)	3 (1%)	0	100	100
1	h	215/395 (54%)	209 (97%)	6 (3%)	0	100	100
1	k	215/395 (54%)	210 (98%)	5 (2%)	0	100	100
1	n	215/395 (54%)	207 (96%)	8 (4%)	0	100	100
1	u	17/395 (4%)	17 (100%)	0	0	100	100
1	y	17/395 (4%)	16 (94%)	1 (6%)	0	100	100
2	B	244/266 (92%)	235 (96%)	9 (4%)	0	100	100
2	E	244/266 (92%)	232 (95%)	12 (5%)	0	100	100
2	H	244/266 (92%)	234 (96%)	10 (4%)	0	100	100
2	K	244/266 (92%)	236 (97%)	8 (3%)	0	100	100
2	N	244/266 (92%)	233 (96%)	11 (4%)	0	100	100
2	Q	244/266 (92%)	234 (96%)	10 (4%)	0	100	100
2	T	244/266 (92%)	237 (97%)	7 (3%)	0	100	100
2	W	244/266 (92%)	237 (97%)	7 (3%)	0	100	100
2	Z	244/266 (92%)	233 (96%)	11 (4%)	0	100	100
2	c	244/266 (92%)	236 (97%)	8 (3%)	0	100	100
2	f	244/266 (92%)	230 (94%)	14 (6%)	0	100	100
2	i	244/266 (92%)	230 (94%)	14 (6%)	0	100	100
2	l	244/266 (92%)	235 (96%)	9 (4%)	0	100	100
2	o	244/266 (92%)	233 (96%)	11 (4%)	0	100	100
2	v	106/266 (40%)	105 (99%)	1 (1%)	0	100	100
2	z	106/266 (40%)	101 (95%)	5 (5%)	0	100	100
3	C	26/47 (55%)	26 (100%)	0	0	100	100
3	F	26/47 (55%)	24 (92%)	2 (8%)	0	100	100
3	I	26/47 (55%)	25 (96%)	1 (4%)	0	100	100
3	L	26/47 (55%)	23 (88%)	3 (12%)	0	100	100
3	O	26/47 (55%)	26 (100%)	0	0	100	100
3	R	26/47 (55%)	25 (96%)	1 (4%)	0	100	100
3	U	26/47 (55%)	26 (100%)	0	0	100	100
3	X	26/47 (55%)	24 (92%)	2 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	a	26/47 (55%)	24 (92%)	2 (8%)	0	100	100
3	d	26/47 (55%)	25 (96%)	1 (4%)	0	100	100
3	g	26/47 (55%)	26 (100%)	0	0	100	100
3	j	26/47 (55%)	25 (96%)	1 (4%)	0	100	100
3	m	26/47 (55%)	26 (100%)	0	0	100	100
3	p	26/47 (55%)	26 (100%)	0	0	100	100
All	All	7036/11234 (63%)	6772 (96%)	264 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	176/318 (55%)	176 (100%)	0	100	100
1	D	176/318 (55%)	176 (100%)	0	100	100
1	G	176/318 (55%)	176 (100%)	0	100	100
1	J	176/318 (55%)	176 (100%)	0	100	100
1	M	176/318 (55%)	175 (99%)	1 (1%)	84	90
1	P	176/318 (55%)	176 (100%)	0	100	100
1	S	176/318 (55%)	176 (100%)	0	100	100
1	V	176/318 (55%)	176 (100%)	0	100	100
1	Y	176/318 (55%)	176 (100%)	0	100	100
1	b	176/318 (55%)	175 (99%)	1 (1%)	84	90
1	e	176/318 (55%)	176 (100%)	0	100	100
1	h	176/318 (55%)	176 (100%)	0	100	100
1	k	176/318 (55%)	175 (99%)	1 (1%)	84	90
1	n	176/318 (55%)	176 (100%)	0	100	100
1	u	15/318 (5%)	15 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	y	15/318 (5%)	15 (100%)	0	100	100
2	B	202/216 (94%)	202 (100%)	0	100	100
2	E	202/216 (94%)	201 (100%)	1 (0%)	86	91
2	H	202/216 (94%)	201 (100%)	1 (0%)	86	91
2	K	202/216 (94%)	202 (100%)	0	100	100
2	N	202/216 (94%)	202 (100%)	0	100	100
2	Q	202/216 (94%)	202 (100%)	0	100	100
2	T	202/216 (94%)	202 (100%)	0	100	100
2	W	202/216 (94%)	201 (100%)	1 (0%)	86	91
2	Z	202/216 (94%)	202 (100%)	0	100	100
2	c	202/216 (94%)	201 (100%)	1 (0%)	86	91
2	f	202/216 (94%)	202 (100%)	0	100	100
2	i	202/216 (94%)	202 (100%)	0	100	100
2	l	202/216 (94%)	202 (100%)	0	100	100
2	o	202/216 (94%)	202 (100%)	0	100	100
2	v	93/216 (43%)	92 (99%)	1 (1%)	70	83
2	z	93/216 (43%)	93 (100%)	0	100	100
3	C	25/40 (62%)	25 (100%)	0	100	100
3	F	25/40 (62%)	25 (100%)	0	100	100
3	I	25/40 (62%)	25 (100%)	0	100	100
3	L	25/40 (62%)	25 (100%)	0	100	100
3	O	25/40 (62%)	25 (100%)	0	100	100
3	R	25/40 (62%)	25 (100%)	0	100	100
3	U	25/40 (62%)	25 (100%)	0	100	100
3	X	25/40 (62%)	25 (100%)	0	100	100
3	a	25/40 (62%)	25 (100%)	0	100	100
3	d	25/40 (62%)	25 (100%)	0	100	100
3	g	25/40 (62%)	25 (100%)	0	100	100
3	j	25/40 (62%)	25 (100%)	0	100	100
3	m	25/40 (62%)	25 (100%)	0	100	100
3	p	25/40 (62%)	25 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5858/9104 (64%)	5850 (100%)	8 (0%)	92 96

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	v	103	ARG
1	k	263	GLN
1	b	262	ARG
2	W	126	ARG
2	c	249	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
2	i	31	HIS
1	n	258	GLN
2	z	31	HIS
1	n	357	ASN
1	P	225	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19482. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131




Y Index: 187




Z Index: 132


6.3.2 Raw map



X Index: 131



Y Index: 187




Z Index: 132


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19482_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 210 nm³; this corresponds to an approximate mass of 189 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.328 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.328 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.05	-	-
Author-provided FSC curve	3.05	3.35	3.08
Unmasked-calculated*	3.60	4.05	3.64

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.60 differs from the reported value 3.05 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19482 and PDB model 8RT8. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 50% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

























The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5020	 0.4350
A	 0.6240	 0.4720
B	 0.4280	 0.4020
C	 0.5690	 0.4500
D	 0.6220	 0.4800
E	 0.3980	 0.3900
F	 0.5740	 0.4440
G	 0.6240	 0.4840
H	 0.4060	 0.3950
I	 0.5500	 0.4520
J	 0.6260	 0.4760
K	 0.4420	 0.4010
L	 0.5500	 0.4410
M	 0.6180	 0.4810
N	 0.4400	 0.3960
O	 0.5740	 0.4430
P	 0.6210	 0.4720
Q	 0.4310	 0.3940
R	 0.5310	 0.4530
S	 0.6210	 0.4700
T	 0.3980	 0.3970
U	 0.5640	 0.4410
V	 0.6130	 0.4730
W	 0.3890	 0.4000
X	 0.5640	 0.4550
Y	 0.6280	 0.4810
Z	 0.4220	 0.4160
a	 0.6020	 0.4600
b	 0.6270	 0.4820
c	 0.4340	 0.4230
d	 0.5830	 0.4690
e	 0.6250	 0.4850
f	 0.4420	 0.4200
g	 0.5920	 0.4540
h	 0.6170	 0.4840



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.4410	 0.4240
j	 0.5690	 0.4680
k	 0.6210	 0.4720
l	 0.4420	 0.4130
m	 0.5540	 0.4490
n	 0.6170	 0.4710
o	 0.4230	 0.4030
p	 0.5310	 0.4410
u	 0.0560	 0.3050
v	 0.0840	 0.3410
y	 0.0490	 0.3080
z	 0.0850	 0.2890