



Full wwPDB X-ray Structure Validation Report i

Jan 14, 2024 – 12:14 am GMT

PDB ID : 6RUX
Title : P46, an immunodominant surface protein from *Mycoplasma hyopneumoniae*
Authors : Guasch, A.; Gonzalez-Gonzalez, L.; Fita, I.
Deposited on : 2019-05-29
Resolution : 2.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	387	76% 19% ..
1	B	387	70% 24% ...
1	C	387	69% 25% . 6%
2	D	2	100%
2	E	2	50% 50%
2	F	2	50% 50%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8771 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 46 kDa surface antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	373	Total	C	N	O	S	0	0	0
		2886	1821	485	574	6				
1	B	373	Total	C	N	O	S	0	0	0
		2886	1821	485	574	6				
1	C	365	Total	C	N	O	S	0	0	0
		2832	1789	474	563	6				

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	32	MET	-	initiating methionine	UNP P0C0J8
A	417	LEU	-	expression tag	UNP P0C0J8
A	418	GLU	-	expression tag	UNP P0C0J8
B	32	MET	-	initiating methionine	UNP P0C0J8
B	417	LEU	-	expression tag	UNP P0C0J8
B	418	GLU	-	expression tag	UNP P0C0J8
C	32	MET	-	initiating methionine	UNP P0C0J8
C	417	LEU	-	expression tag	UNP P0C0J8
C	418	GLU	-	expression tag	UNP P0C0J8

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	D	2	Total	C	O	0	0	0
		23	12	11				
2	E	2	Total	C	O	0	0	0
		23	12	11				

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	F	2	Total C O 23 12 11	0	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	1	Total Na 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	38	Total O 38 38	0	0
4	B	44	Total O 44 44	0	0
4	C	13	Total O 13 13	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 46 kDa surface antigen



- Molecule 1: 46 kDa surface antigen



- Molecule 1: 46 kDa surface antigen





- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain D: 100%



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain E: 50%



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain F: 50%

4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	136.18Å 136.18Å 139.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	60.00 – 2.50 68.09 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (60.00-2.50) 100.0 (68.09-2.50)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.93 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R , R_{free}	0.209 , 0.268 0.539 , 0.523	Depositor DCC
R_{free} test set	2650 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	58.0	Xtriage
Anisotropy	0.357	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 65.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
F_o, F_c correlation	0.60	EDS
Total number of atoms	8771	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2937	0.60	1/3976 (0.0%)
1	B	0.50	0/2937	0.63	1/3976 (0.0%)
1	C	0.36	0/2880	0.52	0/3895
All	All	0.45	0/8754	0.59	2/11847 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	400	LEU	CA-CB-CG	-6.15	101.15	115.30
1	B	400	LEU	CA-CB-CG	-6.05	101.39	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2886	0	2875	48	0
1	B	2886	0	2875	68	0
1	C	2832	0	2816	63	0
2	D	23	0	21	1	0
2	E	23	0	21	1	0
2	F	23	0	21	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	38	0	0	2	0
4	B	44	0	0	3	0
4	C	13	0	0	0	0
All	All	8771	0	8629	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:ARG:NH1	1:C:102:GLN:OE1	2.14	0.81
1:B:72:LYS:NZ	4:B:622:HOH:O	2.12	0.80
1:A:151:TRP:HE1	1:A:364:ALA:HB1	1.45	0.79
1:A:340:TYR:HB3	1:A:405:ILE:HG23	1.66	0.77
1:B:381:SER:O	1:B:403:PRO:HD2	1.86	0.75
1:A:381:SER:O	1:A:403:PRO:HD2	1.88	0.74
1:B:194:MET:HG3	1:B:195:PRO:HD2	1.68	0.73
1:B:323:ASN:O	1:B:324:ASP:HB2	1.86	0.72
1:B:340:TYR:HB3	1:B:405:ILE:HG23	1.71	0.72
1:A:151:TRP:HE1	1:A:364:ALA:CB	2.03	0.71
1:B:399:ILE:HG12	1:B:400:LEU:N	2.05	0.69
1:B:390:LYS:HG2	1:B:396:ILE:HG23	1.74	0.69
1:C:81:THR:OG1	1:C:355:ARG:NH2	2.24	0.69
1:B:382:PHE:HA	1:B:403:PRO:HD2	1.77	0.66
1:A:194:MET:HG3	1:A:195:PRO:HD2	1.78	0.66
1:C:82:GLU:HG2	1:C:83:ALA:H	1.61	0.66
1:A:160:VAL:HG22	1:A:404:VAL:HG21	1.78	0.65
1:C:372:GLU:HG3	1:C:376:LYS:HD3	1.77	0.65
1:B:326:ALA:O	1:B:330:ILE:HG13	1.96	0.64
1:A:294:ASN:HD22	2:D:1:GLC:H61	1.63	0.64
1:B:319:GLY:H	1:B:337:MET:CE	2.11	0.64
1:C:241:GLU:OE1	1:C:282:LYS:NZ	2.31	0.64
1:A:159:LYS:HD2	1:A:403:PRO:HG3	1.78	0.63
1:B:175:LYS:NZ	1:B:177:ASP:O	2.31	0.63
1:B:319:GLY:H	1:B:337:MET:HE2	1.62	0.63
1:B:345:VAL:HG13	1:B:380:ILE:HD13	1.80	0.63
1:A:382:PHE:HA	1:A:403:PRO:HD2	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:403:PRO:HD3	4:B:601:HOH:O	2.00	0.62
1:C:137:VAL:HG23	1:C:354:LEU:HD13	1.83	0.61
1:C:317:VAL:CG2	1:C:335:GLN:HA	2.30	0.61
1:A:241:GLU:OE1	1:A:282:LYS:NZ	2.35	0.60
1:A:384:TYR:HE1	1:A:398:THR:HG22	1.65	0.60
1:B:340:TYR:HB3	1:B:405:ILE:CG2	2.32	0.60
1:C:302:ILE:HD11	1:C:317:VAL:HG21	1.82	0.59
1:B:160:VAL:HG22	1:B:404:VAL:HG21	1.83	0.59
1:B:275:LYS:HG2	1:B:286:ILE:HD13	1.84	0.59
1:C:290:PHE:HB3	1:C:317:VAL:HG12	1.85	0.59
1:C:360:LYS:HE2	1:C:368:GLU:HG3	1.84	0.59
1:C:369:VAL:HG12	1:C:373:LEU:HD11	1.84	0.58
1:B:92:GLN:O	1:B:96:ASN:ND2	2.34	0.58
1:B:341:LYS:HG2	1:B:404:VAL:HG11	1.85	0.57
1:A:157:ASN:ND2	1:A:212:ASN:OD1	2.37	0.57
1:A:361:LYS:HG2	1:A:362:ASN:H	1.69	0.57
1:A:106:SER:HB3	1:A:107:PRO:HD3	1.86	0.57
1:B:167:SER:HB3	1:B:179:ALA:HB2	1.87	0.57
1:C:48:HIS:HB3	1:C:83:ALA:HB2	1.87	0.56
1:B:410:ASN:O	1:B:410:ASN:ND2	2.38	0.56
1:C:160:VAL:HG22	1:C:404:VAL:HG21	1.88	0.55
1:C:242:GLY:O	1:C:244:ASN:N	2.39	0.55
1:B:74:ILE:HG12	1:B:347:GLY:HA3	1.88	0.55
1:B:237:ASP:OD1	1:B:239:SER:OG	2.20	0.55
1:B:62:PRO:HG2	1:B:90:LYS:HG3	1.89	0.55
1:C:124:THR:O	1:C:127:ASN:ND2	2.39	0.55
1:B:60:THR:HG21	1:B:117:GLU:HB2	1.90	0.54
1:B:154:SER:O	1:B:401:VAL:HA	2.07	0.54
1:A:56:ARG:NH1	1:A:102:GLN:OE1	2.40	0.53
1:A:74:ILE:HG12	1:A:347:GLY:HA3	1.90	0.53
1:C:330:ILE:HA	1:C:335:GLN:O	2.09	0.53
1:A:391:VAL:HG12	1:A:392:GLN:HG2	1.89	0.53
1:B:43:ALA:N	4:B:622:HOH:O	2.40	0.53
1:C:340:TYR:HB3	1:C:405:ILE:HG23	1.91	0.53
1:B:194:MET:SD	1:B:232:GLN:NE2	2.69	0.53
1:C:151:TRP:CZ2	1:C:369:VAL:HG21	2.43	0.53
1:B:139:TYR:CZ	1:B:346:LEU:HD23	2.44	0.52
1:A:322:TYR:OH	1:A:327:LYS:HE3	2.10	0.52
1:A:240:PRO:HB2	1:A:245:ALA:HB1	1.91	0.51
1:B:114:ILE:HD12	1:B:136:ILE:HG23	1.91	0.51
1:B:415:ASP:OD1	1:B:415:ASP:N	2.35	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:LYS:HA	1:B:404:VAL:HG12	1.92	0.51
1:C:321:ASP:O	1:C:338:THR:OG1	2.28	0.50
1:A:234:LYS:NZ	1:A:234:LYS:HB3	2.26	0.50
1:B:384:TYR:HE1	1:B:398:THR:HG22	1.76	0.50
1:A:326:ALA:O	1:A:330:ILE:HG13	2.11	0.50
1:A:98:TRP:O	1:A:102:GLN:HG2	2.12	0.50
1:C:331:LYS:HG2	1:C:411:VAL:HG21	1.92	0.50
1:C:142:LEU:HD13	1:C:389:TYR:HB3	1.92	0.50
1:A:236:ILE:HD12	1:A:238:LEU:HD21	1.94	0.50
1:A:336:ASN:O	1:A:408:LYS:HD3	2.12	0.50
1:B:386:ASN:O	1:B:396:ILE:HG21	2.12	0.50
1:C:243:GLU:HG3	1:C:244:ASN:OD1	2.11	0.50
1:B:143:ILE:HB	1:B:149:TYR:CZ	2.47	0.49
1:B:108:ALA:HB1	1:B:134:ILE:HD11	1.94	0.49
1:B:390:LYS:HB3	1:B:393:GLY:O	2.12	0.49
1:C:66:ARG:NH1	1:C:343:ASP:OD2	2.45	0.49
1:B:157:ASN:ND2	1:B:212:ASN:OD1	2.45	0.49
1:A:403:PRO:HD3	4:A:611:HOH:O	2.12	0.49
1:B:294:ASN:HA	1:B:320:GLN:HB3	1.93	0.49
1:C:381:SER:O	1:C:403:PRO:HD2	2.12	0.49
1:B:126:VAL:HG13	1:B:136:ILE:HD13	1.96	0.48
1:A:306:LYS:NZ	1:A:312:THR:OG1	2.46	0.48
1:C:45:THR:HG21	1:C:83:ALA:HA	1.94	0.48
1:B:106:SER:HB2	1:B:107:PRO:HD3	1.96	0.48
1:B:321:ASP:OD1	2:E:2:GLC:O3	2.29	0.48
1:C:89:THR:HG21	1:C:95:GLN:HA	1.95	0.48
1:A:341:LYS:HG2	1:A:404:VAL:HG11	1.96	0.47
1:A:320:GLN:HA	1:A:339:ILE:H	1.79	0.47
1:C:342:PRO:HB2	1:C:345:VAL:HG12	1.95	0.47
1:B:92:GLN:HG3	1:B:96:ASN:HD21	1.79	0.47
1:C:382:PHE:CD2	1:C:400:LEU:HD11	2.50	0.47
1:C:354:LEU:HA	1:C:357:LEU:HB2	1.97	0.46
1:C:57:ILE:HG23	1:C:113:ILE:HB	1.97	0.46
1:C:53:ASP:HB3	1:C:107:PRO:HB2	1.97	0.46
1:B:124:THR:O	1:B:128:THR:HG23	2.16	0.46
1:B:349:VAL:O	1:B:353:VAL:HG23	2.16	0.46
1:B:261:GLN:O	1:B:265:THR:HG23	2.16	0.46
1:C:317:VAL:HG23	1:C:335:GLN:HA	1.97	0.46
1:C:190:LEU:HD22	1:C:227:LEU:HD12	1.98	0.45
1:C:408:LYS:HB2	1:C:408:LYS:HE2	1.76	0.45
1:A:92:GLN:NE2	1:A:122:VAL:HG13	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:ARG:NH1	1:A:67:TRP:CZ2	2.85	0.45
1:B:384:TYR:OH	1:B:398:THR:HG23	2.16	0.45
1:C:221:MET:O	1:C:225:LYS:HB2	2.16	0.45
1:B:61:ASP:HB3	1:B:67:TRP:CD1	2.52	0.45
1:B:45:THR:HB	1:B:79:ASP:OD1	2.16	0.45
1:C:116:PRO:HB3	1:C:122:VAL:HG11	1.98	0.45
1:A:148:LYS:HD2	1:A:148:LYS:N	2.32	0.45
1:C:320:GLN:HG2	1:C:321:ASP:N	2.31	0.44
1:B:123:GLY:O	1:B:127:ASN:ND2	2.50	0.44
1:A:194:MET:HG3	1:A:195:PRO:CD	2.46	0.44
1:B:229:LYS:N	1:B:229:LYS:HD3	2.32	0.44
1:C:53:ASP:HA	1:C:109:PRO:HA	1.99	0.44
1:C:218:ASN:O	1:C:222:LYS:HG2	2.17	0.44
1:C:108:ALA:HB1	1:C:134:ILE:HD11	2.00	0.44
1:C:410:ASN:O	1:C:410:ASN:ND2	2.51	0.44
1:A:52:ASN:ND2	4:A:605:HOH:O	2.35	0.44
1:A:391:VAL:O	1:A:395:ASN:HB3	2.18	0.44
1:B:390:LYS:HG2	1:B:396:ILE:HA	2.00	0.43
1:C:184:ASP:HA	1:C:187:ASN:HB2	1.99	0.43
1:B:151:TRP:HA	1:B:398:THR:O	2.17	0.43
1:C:175:LYS:C	1:C:177:ASP:H	2.21	0.43
1:A:234:LYS:HB3	1:A:234:LYS:HZ3	1.81	0.43
1:A:389:TYR:HD2	1:A:399:ILE:HD13	1.82	0.43
1:B:199:ILE:HD12	1:B:288:LYS:HD2	1.99	0.43
1:A:194:MET:O	1:A:196:GLN:NE2	2.50	0.43
1:A:154:SER:O	1:A:401:VAL:HA	2.18	0.43
1:C:52:ASN:HB2	1:C:107:PRO:HD2	2.00	0.43
1:C:382:PHE:HB2	1:C:400:LEU:HD11	2.01	0.43
1:C:344:LYS:O	1:C:348:LYS:HD3	2.19	0.43
1:A:294:ASN:HA	1:A:320:GLN:HB3	1.99	0.42
1:B:240:PRO:HB2	1:B:245:ALA:HB1	2.00	0.42
1:A:45:THR:HG22	1:A:79:ASP:HB2	2.01	0.42
1:B:185:GLN:O	1:B:188:GLU:HG3	2.19	0.42
1:B:61:ASP:HB3	1:B:67:TRP:HD1	1.84	0.42
1:B:319:GLY:N	1:B:337:MET:HE2	2.33	0.42
1:C:175:LYS:NZ	1:C:177:ASP:HB3	2.34	0.42
1:A:53:ASP:HA	1:A:109:PRO:HA	2.02	0.42
1:B:56:ARG:NE	1:B:102:GLN:OE1	2.52	0.42
1:C:415:ASP:OD2	1:C:415:ASP:N	2.52	0.42
1:A:340:TYR:CZ	1:A:342:PRO:HB3	2.54	0.42
1:B:389:TYR:CE1	1:B:399:ILE:HD12	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:244:ASN:HB3	1:C:247:TYR:CD2	2.54	0.42
1:B:404:VAL:H	1:B:404:VAL:HG22	1.52	0.41
1:A:389:TYR:HB2	1:A:399:ILE:HD11	2.01	0.41
1:C:52:ASN:HB3	1:C:105:LEU:HB3	2.02	0.41
1:C:150:ASP:O	1:C:398:THR:OG1	2.37	0.41
1:A:78:VAL:HG11	1:A:84:ALA:HB2	2.01	0.41
1:B:92:GLN:NE2	1:B:122:VAL:HG13	2.36	0.41
1:C:154:SER:OG	1:C:155:PHE:N	2.53	0.41
1:C:322:TYR:CZ	1:C:327:LYS:HD3	2.55	0.41
1:B:198:THR:HG22	1:B:285:SER:HB3	2.02	0.41
1:C:152:TYR:CZ	1:C:154:SER:HB2	2.55	0.41
1:C:156:ASP:OD2	1:C:159:LYS:HB2	2.20	0.41
1:C:98:TRP:O	1:C:102:GLN:HG2	2.20	0.41
1:C:408:LYS:O	1:C:411:VAL:HG13	2.21	0.41
1:B:160:VAL:HG11	1:B:320:GLN:OE1	2.20	0.41
1:B:306:LYS:HZ3	1:B:312:THR:HG21	1.85	0.41
1:B:382:PHE:HA	1:B:403:PRO:CD	2.47	0.41
1:C:372:GLU:O	1:C:376:LYS:HG2	2.20	0.41
1:C:394:LYS:HB3	1:C:394:LYS:HE2	1.89	0.41
1:C:194:MET:HG3	1:C:195:PRO:HD2	2.02	0.41
1:B:164:GLN:HG2	1:B:337:MET:HE1	2.02	0.40
1:C:52:ASN:HA	1:C:56:ARG:NH2	2.36	0.40
1:A:194:MET:HE3	1:A:194:MET:HB2	1.88	0.40
1:C:59:LEU:HA	1:C:115:ALA:HB3	2.02	0.40
1:A:142:LEU:HD12	1:A:144:THR:HG22	2.03	0.40
1:A:191:LYS:HB2	1:A:191:LYS:HE3	1.66	0.40
1:B:60:THR:HG23	1:B:95:GLN:NE2	2.36	0.40
1:A:147:ASP:OD1	1:A:148:LYS:NZ	2.34	0.40
1:C:172:LEU:HD23	1:C:172:LEU:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	371/387 (96%)	351 (95%)	17 (5%)	3 (1%)	19 35
1	B	371/387 (96%)	346 (93%)	23 (6%)	2 (0%)	29 48
1	C	357/387 (92%)	326 (91%)	27 (8%)	4 (1%)	14 26
All	All	1099/1161 (95%)	1023 (93%)	67 (6%)	9 (1%)	19 35

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	324	ASP
1	A	321	ASP
1	A	393	GLY
1	B	321	ASP
1	C	90	LYS
1	C	243	GLU
1	A	410	ASN
1	C	106	SER
1	C	242	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	315/327 (96%)	302 (96%)	13 (4%)	30 55
1	B	315/327 (96%)	298 (95%)	17 (5%)	22 42
1	C	310/327 (95%)	305 (98%)	5 (2%)	62 84
All	All	940/981 (96%)	905 (96%)	35 (4%)	34 60

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	THR
1	A	76	SER
1	A	101	GLN
1	A	106	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	122	VAL
1	A	124	THR
1	A	194	MET
1	A	214	GLN
1	A	262	SER
1	A	397	ASN
1	A	398	THR
1	A	403	PRO
1	A	407	THR
1	B	69	SER
1	B	148	LYS
1	B	158	GLU
1	B	194	MET
1	B	209	ASP
1	B	233	ASN
1	B	239	SER
1	B	281	SER
1	B	324	ASP
1	B	337	MET
1	B	398	THR
1	B	399	ILE
1	B	400	LEU
1	B	403	PRO
1	B	404	VAL
1	B	407	THR
1	B	415	ASP
1	C	127	ASN
1	C	142	LEU
1	C	167	SER
1	C	209	ASP
1	C	407	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	B	71	GLN
1	C	157	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GLC	D	1	2	12,12,12	0.62	0	17,17,17	0.61	0
2	GLC	D	2	2	11,11,12	0.74	0	15,15,17	1.35	2 (13%)
2	GLC	E	1	2	12,12,12	0.47	0	17,17,17	0.53	0
2	GLC	E	2	2	11,11,12	0.80	0	15,15,17	1.25	2 (13%)
2	GLC	F	1	2	12,12,12	0.57	0	17,17,17	0.57	0
2	GLC	F	2	2	11,11,12	0.72	0	15,15,17	1.58	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	D	1	2	-	2/2/22/22	0/1/1/1
2	GLC	D	2	2	-	0/2/19/22	0/1/1/1
2	GLC	E	1	2	-	0/2/22/22	0/1/1/1
2	GLC	E	2	2	-	0/2/19/22	0/1/1/1
2	GLC	F	1	2	-	0/2/22/22	0/1/1/1
2	GLC	F	2	2	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	2	GLC	C1-C2-C3	3.96	114.54	109.67
2	D	2	GLC	C1-C2-C3	3.75	114.28	109.67
2	E	2	GLC	C1-C2-C3	2.99	113.34	109.67
2	F	2	GLC	C1-O5-C5	2.64	115.77	112.19
2	F	2	GLC	O5-C1-C2	2.37	114.44	110.77
2	D	2	GLC	C2-C3-C4	2.20	114.70	110.89
2	E	2	GLC	C1-O5-C5	2.07	114.99	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	2	GLC	O5-C5-C6-O6
2	D	1	GLC	O5-C5-C6-O6
2	D	1	GLC	C4-C5-C6-O6
2	F	2	GLC	C4-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	GLC	1	0
2	E	2	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [\(i\)](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)


Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







6.4 Ligands [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.