



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 08:33 PM EDT

PDB ID : 5RW1
Title : PanDDA analysis group deposition of ground-state model of DHTKD1
Authors : Bezerra, G.A.; Foster, W.R.; Bailey, H.J.; Shrestha, L.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Burgess-Brown, N.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Yue, W.W.
Deposited on : 2020-10-27
Resolution : 1.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4009 (1.54-1.50)
Clashscore	141614	4249 (1.54-1.50)
Ramachandran outliers	138981	4148 (1.54-1.50)
Sidechain outliers	138945	4146 (1.54-1.50)
RSRZ outliers	127900	3943 (1.54-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	898	
1	B	898	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable 2-oxoglutarate dehydrogenase E1 component DHKTD1, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	867	6777	4318	1172	1247	40	0	5	0
1	B	865	6763	4309	1170	1245	39	0	2	0

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q96HY7
A	2	HIS	-	expression tag	UNP Q96HY7
A	3	HIS	-	expression tag	UNP Q96HY7
A	4	HIS	-	expression tag	UNP Q96HY7
A	5	HIS	-	expression tag	UNP Q96HY7
A	6	HIS	-	expression tag	UNP Q96HY7
A	7	HIS	-	expression tag	UNP Q96HY7
A	8	SER	-	expression tag	UNP Q96HY7
A	9	SER	-	expression tag	UNP Q96HY7
A	10	GLY	-	expression tag	UNP Q96HY7
A	11	VAL	-	expression tag	UNP Q96HY7
A	12	ASP	-	expression tag	UNP Q96HY7
A	13	LEU	-	expression tag	UNP Q96HY7
A	14	GLY	-	expression tag	UNP Q96HY7
A	15	THR	-	expression tag	UNP Q96HY7
A	16	GLU	-	expression tag	UNP Q96HY7
A	17	ASN	-	expression tag	UNP Q96HY7
A	18	LEU	-	expression tag	UNP Q96HY7
A	19	TYR	-	expression tag	UNP Q96HY7
A	20	PHE	-	expression tag	UNP Q96HY7
A	21	GLN	-	expression tag	UNP Q96HY7
A	22	SER	-	expression tag	UNP Q96HY7
A	23	MET	-	expression tag	UNP Q96HY7
B	1	MET	-	initiating methionine	UNP Q96HY7

Continued on next page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
2	B	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1014	Total	O	0	0
			1014	1014		
4	B	797	Total	O	0	0
			797	797		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.14Å 147.34Å 87.64Å 90.00° 102.78° 90.00°	Depositor
Resolution (Å)	64.48 – 1.52 64.39 – 1.52	Depositor EDS
% Data completeness (in resolution range)	68.5 (64.48-1.52) 68.5 (64.39-1.52)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.64 (at 1.52Å)	Xtrriage
Refinement program	REFMAC 5.8.0266	Depositor
R, R_{free}	0.164 , 0.190 0.175 , 0.172	Depositor DCC
R_{free} test set	10181 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	14.2	Xtrriage
Anisotropy	0.082	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15406	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	1/6961 (0.0%)	0.85	3/9441 (0.0%)
1	B	0.72	1/6935 (0.0%)	0.83	3/9403 (0.0%)
All	All	0.73	2/13896 (0.0%)	0.84	6/18844 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	354	GLU	CD-OE2	6.55	1.32	1.25
1	A	354	GLU	CD-OE1	5.02	1.31	1.25

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	396	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	B	691	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	205	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	355	ARG	CG-CD-NE	-5.72	99.80	111.80
1	B	432	ARG	NE-CZ-NH1	-5.67	117.47	120.30
1	A	705	GLY	C-N-CA	5.23	134.78	121.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	705	GLY	Mainchain,Peptide
1	B	77	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6777	0	6631	81	0
1	B	6763	0	6625	54	0
2	A	26	0	16	2	0
2	B	26	0	16	1	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	1014	0	0	30	1
4	B	797	0	0	21	0
All	All	15406	0	13288	133	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:471:LEU:HD12	1:A:474:MET:CE	1.97	0.93
1:A:535:VAL:HG12	1:A:539:MET:HE2	1.48	0.93
1:B:451:MET:SD	4:B:1035:HOH:O	2.28	0.90
1:A:768[A]:ASN:OD1	4:A:1001:HOH:O	1.88	0.90
1:A:354:GLU:OE2	4:A:1002:HOH:O	1.89	0.88
1:A:535:VAL:HG12	1:A:539:MET:CE	2.05	0.87
1:A:717:HIS:NE2	4:A:1003:HOH:O	2.11	0.84
1:A:498:ILE:HD12	4:A:1909:HOH:O	1.81	0.80
1:B:547:LYS:NZ	4:B:1003:HOH:O	2.18	0.77
1:A:303:ARG:NH2	4:A:1005:HOH:O	2.18	0.76
1:B:86:ASN:O	4:B:1002:HOH:O	2.04	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:PHE:C	1:B:254:ALA:N	2.40	0.76
1:A:303:ARG:CZ	4:A:1005:HOH:O	2.34	0.74
1:A:287:ARG:NH2	4:A:1004:HOH:O	2.17	0.74
1:B:83:GLY:N	4:B:1005:HOH:O	2.20	0.74
1:A:536:GLN:HA	1:A:539:MET:HE3	1.73	0.70
1:A:287:ARG:NE	4:A:1004:HOH:O	2.24	0.69
1:A:334:ARG:NH2	4:A:1011:HOH:O	2.26	0.68
1:B:486:ALA:N	4:B:1010:HOH:O	2.27	0.67
1:A:474:MET:O	1:A:474:MET:HG2	1.94	0.67
1:A:368:LEU:HD12	1:A:369:VAL:HG13	1.77	0.64
1:A:76:GLN:O	1:A:77:GLY:O	2.16	0.64
1:A:768[A]:ASN:OD1	1:A:770:VAL:O	2.16	0.64
1:A:565:GLY:HA2	1:A:607:LYS:HG3	1.79	0.64
1:A:834:HIS:ND1	4:A:1014:HOH:O	2.31	0.63
1:B:471:LEU:O	1:B:474:MET:HG2	2.00	0.62
1:B:895:LYS:NZ	4:B:1001:HOH:O	1.61	0.62
1:B:832:TYR:HB3	1:B:835:VAL:HG23	1.82	0.62
1:A:717:HIS:CE1	4:A:1003:HOH:O	2.51	0.61
1:A:474:MET:O	1:A:474:MET:CG	2.49	0.60
1:A:287:ARG:CZ	4:A:1004:HOH:O	2.49	0.60
1:A:478:ARG:HD3	1:A:479:PRO:HD2	1.83	0.59
1:A:768[B]:ASN:ND2	4:A:1018:HOH:O	2.36	0.59
1:B:80:HIS:O	1:B:81:THR:OG1	2.12	0.59
1:A:471:LEU:HD12	1:A:474:MET:HE1	1.83	0.58
1:B:251:TYR:CE2	1:B:257:PRO:HB3	2.38	0.58
1:B:334:ARG:NH2	4:B:1014:HOH:O	2.37	0.58
1:A:498:ILE:HD11	4:A:1084:HOH:O	2.03	0.58
1:A:507:LEU:HD21	1:A:762:ALA:HB2	1.87	0.56
1:A:832:TYR:HA	1:A:834:HIS:CE1	2.40	0.56
1:A:548:LEU:HD11	1:A:758:LEU:HD13	1.87	0.56
1:B:803:GLY:O	1:B:806:LYS:HG2	2.06	0.56
1:A:64:ASN:CB	4:A:1772:HOH:O	2.54	0.55
1:A:249:ASP:OD1	1:A:259[B]:HIS:ND1	2.39	0.54
1:B:64:ASN:HA	4:B:1065:HOH:O	2.07	0.54
1:B:550:TRP:CE2	1:B:745:PRO:HG3	2.43	0.54
1:A:790:LYS:HG2	4:A:1003:HOH:O	2.08	0.54
1:B:526:MET:SD	1:B:535:VAL:HG21	2.48	0.54
1:A:532:LYS:NZ	4:A:1025:HOH:O	2.42	0.53
1:B:521:PRO:HD3	1:B:596:TYR:CZ	2.44	0.53
1:B:368:LEU:HD12	1:B:369:VAL:HG13	1.91	0.52
1:A:471:LEU:HD12	1:A:474:MET:HE3	1.86	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:536:GLN:HG2	1:A:539:MET:HE3	1.92	0.52
1:A:289:ASP:OD2	4:A:1006:HOH:O	2.19	0.52
1:A:496:ALA:O	4:A:1007:HOH:O	2.19	0.52
1:B:173:GLY:O	1:B:408:CYS:HB2	2.09	0.52
1:A:536:GLN:CG	1:A:539:MET:HE3	2.40	0.52
1:A:790:LYS:HE3	1:A:843:GLU:CD	2.31	0.51
1:A:334:ARG:CZ	4:A:1011:HOH:O	2.58	0.51
1:A:469:ASP:OD1	4:A:1008:HOH:O	2.19	0.51
1:B:832:TYR:HB3	1:B:835:VAL:CG2	2.40	0.51
1:A:231:PRO:HB3	1:A:478:ARG:NH2	2.26	0.51
1:B:768:ASN:OD1	4:B:1004:HOH:O	2.19	0.51
1:A:476[A]:HIS:CE1	4:A:1057:HOH:O	2.64	0.51
1:B:460:LYS:NZ	4:B:1012:HOH:O	2.32	0.50
1:A:536:GLN:HA	1:A:539:MET:CE	2.41	0.50
1:A:108:GLN:HB2	1:A:383:GLU:HG3	1.93	0.50
1:A:197:ILE:HD12	1:A:197:ILE:N	2.27	0.50
1:A:471:LEU:CD1	1:A:474:MET:HE1	2.41	0.50
1:A:565:GLY:CA	1:A:607:LYS:HG3	2.42	0.50
2:A:901:TPP:H6'	1:B:573:GLN:OE1	2.13	0.49
1:B:396:ARG:HD3	4:B:1664:HOH:O	2.12	0.49
1:B:826:GLN:HG2	4:B:1675:HOH:O	2.12	0.49
1:A:790:LYS:HE3	1:A:843:GLU:OE1	2.13	0.48
1:A:259[B]:HIS:CD2	4:A:1004:HOH:O	2.66	0.48
1:A:471:LEU:CD1	1:A:474:MET:CE	2.81	0.48
1:B:493:GLN:NE2	4:B:1029:HOH:O	2.45	0.48
1:B:539:MET:O	1:B:543:MET:HG2	2.14	0.48
1:A:469:ASP:HB3	4:A:1789:HOH:O	2.14	0.48
1:A:768[A]:ASN:CG	1:A:770:VAL:O	2.52	0.48
1:B:81:THR:O	1:B:83:GLY:N	2.48	0.47
1:B:744:SER:HB2	1:B:745:PRO:HD2	1.96	0.47
1:A:744:SER:HB2	1:A:745:PRO:HD2	1.97	0.47
1:A:835:VAL:HA	4:A:1597:HOH:O	2.15	0.47
1:B:81:THR:HG22	4:B:1466:HOH:O	2.14	0.47
1:A:550:TRP:CE2	1:A:745:PRO:HG3	2.49	0.47
1:A:535:VAL:HG12	1:A:539:MET:HE1	1.90	0.46
1:B:274:PRO:HG3	1:B:320:ILE:HD11	1.98	0.46
1:A:790:LYS:HE3	1:A:843:GLU:OE2	2.16	0.46
1:A:177:MET:HE1	1:A:343:VAL:HG21	1.98	0.46
1:B:200:MET:HB2	1:B:309:VAL:HB	1.98	0.46
1:A:536:GLN:NE2	4:A:1019:HOH:O	2.37	0.46
1:B:473:ASN:ND2	4:B:1046:HOH:O	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:488:TRP:CE3	1:B:491:LEU:HD12	2.51	0.45
1:B:476:HIS:C	4:B:1020:HOH:O	2.54	0.45
1:A:33:HIS:HE1	1:B:74:THR:HG22	1.81	0.45
1:B:717:HIS:CE1	1:B:789:GLY:HA3	2.51	0.45
1:B:54:PRO:HB3	1:B:379:ASP:HB2	1.97	0.45
1:A:478:ARG:O	4:A:1009:HOH:O	2.21	0.45
1:A:717:HIS:CE1	1:A:789:GLY:HA3	2.51	0.45
1:A:573:GLN:OE1	2:B:901:TPP:H6'	2.16	0.44
1:A:535:VAL:C	1:A:539:MET:HE2	2.37	0.44
2:A:901:TPP:H2	4:B:1415:HOH:O	2.18	0.44
1:A:485:GLN:O	1:A:488:TRP:HB2	2.18	0.44
1:B:48:LYS:CE	4:B:1080:HOH:O	2.67	0.43
1:B:745:PRO:HB3	1:B:748:LEU:HB2	2.00	0.43
1:A:173:GLY:O	1:A:408:CYS:HB2	2.19	0.43
1:A:547:LYS:HA	1:A:755:VAL:HB	1.99	0.43
1:A:321:VAL:HB	1:A:322:PRO:CD	2.48	0.43
1:A:607:LYS:HG2	4:A:1199:HOH:O	2.19	0.42
1:A:876:VAL:HG11	1:B:665:LYS:HG3	2.00	0.42
1:B:85:LEU:HD12	1:B:85:LEU:HA	1.90	0.42
1:B:102:ASN:HB2	4:B:1019:HOH:O	2.19	0.42
1:B:80:HIS:O	1:B:81:THR:CB	2.66	0.42
1:A:432:ARG:HD3	1:A:432:ARG:HA	1.92	0.42
1:B:429:LYS:HE2	1:B:429:LYS:HB3	1.84	0.41
1:A:54:PRO:HB3	1:A:379:ASP:HB2	2.02	0.41
1:A:822:LEU:HD13	1:A:861:GLN:HB3	2.02	0.41
1:B:895:LYS:HE3	1:B:895:LYS:HB2	1.86	0.41
1:A:33:HIS:O	1:A:37:ARG:HG3	2.21	0.41
1:A:325:PHE:CE1	1:A:371[B]:CYS:SG	3.13	0.41
1:A:747:MET:CE	4:A:1078:HOH:O	2.69	0.41
1:B:524:LEU:HG	1:B:589:CYS:HB2	2.02	0.41
1:A:69:GLN:O	1:A:73:GLN:HG2	2.21	0.41
1:A:451:MET:HE1	4:A:1043:HOH:O	2.21	0.41
1:B:48:LYS:HG2	1:B:62:LEU:HD23	2.02	0.41
1:B:437:ILE:HB	1:B:438:PRO:HD3	2.03	0.41
1:B:488:TRP:HB2	4:B:1010:HOH:O	2.20	0.41
1:B:452:THR:HG22	1:B:454:GLU:OE1	2.20	0.40
1:A:478:ARG:HD3	1:A:479:PRO:CD	2.47	0.40
1:B:334:ARG:CZ	4:B:1014:HOH:O	2.69	0.40
1:A:665:LYS:HG3	1:B:876:VAL:HG11	2.03	0.40
1:B:85:LEU:HG	1:B:100:TYR:CE2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1703:HOH:O	4:A:1751:HOH:O[2_554]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	870/898 (97%)	838 (96%)	26 (3%)	6 (1%)	22	5
1	B	859/898 (96%)	822 (96%)	32 (4%)	5 (1%)	25	7
All	All	1729/1796 (96%)	1660 (96%)	58 (3%)	11 (1%)	25	7

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	254	ALA
1	A	706	VAL
1	B	80	HIS
1	A	77	GLY
1	A	201	PRO
1	B	87	MET
1	B	201	PRO
1	B	256	HIS
1	A	82	ALA
1	A	638	PRO
1	B	638	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	729/776 (94%)	715 (98%)	14 (2%)	57	26
1	B	731/776 (94%)	717 (98%)	14 (2%)	57	26
All	All	1460/1552 (94%)	1432 (98%)	28 (2%)	57	26

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	PHE
1	A	154	GLU
1	A	349	TYR
1	A	451	MET
1	A	474	MET
1	A	476[A]	HIS
1	A	476[B]	HIS
1	A	478	ARG
1	A	482	LEU
1	A	498	ILE
1	A	532	LYS
1	A	607	LYS
1	A	790	LYS
1	A	867	ARG
1	B	62	LEU
1	B	74	THR
1	B	125	PHE
1	B	279	LYS
1	B	296	ASN
1	B	297	SER
1	B	349	TYR
1	B	452	THR
1	B	469	ASP
1	B	491	LEU
1	B	525	GLN
1	B	790	LYS
1	B	805	LYS
1	B	824	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	288	GLN
1	A	472	ASN
1	A	525	GLN
1	A	536	GLN
1	A	605	ASN
1	B	259	HIS
1	B	605	ASN
1	B	827	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TPP	B	901	3	22,27,27	0.56	0	29,40,40	1.19	2 (6%)
2	TPP	A	901	3	22,27,27	0.67	0	29,40,40	0.97	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPP	B	901	3	-	2/16/17/17	0/2/2/2
2	TPP	A	901	3	-	2/16/17/17	0/2/2/2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	TPP	C7'-N3-C2	-3.51	119.00	125.35
2	B	901	TPP	C6-C5-C4	2.96	129.81	127.43
2	A	901	TPP	O3B-PB-O2B	2.37	116.69	107.64
2	A	901	TPP	C7'-N3-C2	-2.02	121.70	125.35

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	901	TPP	PA-O3A-PB-O3B
2	B	901	TPP	PA-O3A-PB-O2B
2	B	901	TPP	PA-O3A-PB-O3B
2	A	901	TPP	PA-O3A-PB-O1B

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	901	TPP	1	0
2	A	901	TPP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	867/898 (96%)	-0.13	30 (3%) 44 48	6, 14, 41, 104	0
1	B	865/898 (96%)	0.04	52 (6%) 21 24	7, 17, 47, 80	0
All	All	1732/1796 (96%)	-0.05	82 (4%) 31 34	6, 16, 45, 104	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	61	LEU	13.4
1	A	483	ASN	12.7
1	A	82	ALA	8.4
1	B	83	GLY	7.8
1	A	83	GLY	7.3
1	A	484	LEU	7.1
1	A	482	LEU	6.8
1	A	62	LEU	6.6
1	A	60	ALA	5.9
1	A	77	GLY	5.7
1	B	488	TRP	5.4
1	B	89	LYS	5.3
1	B	60	ALA	5.2
1	B	57	THR	5.0
1	B	77	GLY	5.0
1	A	81	THR	4.8
1	B	522	ARG	4.6
1	A	57	THR	4.5
1	B	450	LEU	4.4
1	B	58	GLY	4.4
1	A	498	ILE	4.4
1	B	475	ALA	4.4
1	B	62	LEU	4.2
1	A	836	LYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	489	GLN	4.1
1	A	253	GLY	4.0
1	A	84	LEU	3.9
1	B	490	GLY	3.9
1	B	59	GLN	3.9
1	B	56	PHE	3.8
1	B	88	GLY	3.7
1	A	481	ALA	3.7
1	A	489	GLN	3.6
1	B	486	ALA	3.6
1	B	487	HIS	3.6
1	B	64	ASN	3.6
1	A	88	GLY	3.5
1	A	255	HIS	3.5
1	A	254	ALA	3.5
1	B	84	LEU	3.4
1	B	190	TYR	3.4
1	B	61	LEU	3.3
1	B	63	GLU	3.1
1	A	59	GLN	3.1
1	A	56	PHE	3.1
1	B	452	THR	3.1
1	A	834	HIS	3.1
1	B	234	PHE	3.0
1	B	85	LEU	3.0
1	B	79	PHE	3.0
1	B	94	LEU	3.0
1	B	543	MET	3.0
1	B	76	GLN	3.0
1	B	491	LEU	2.9
1	B	78	PRO	2.8
1	A	58	GLY	2.8
1	A	80	HIS	2.8
1	A	476[A]	HIS	2.8
1	B	255	HIS	2.8
1	B	803	GLY	2.8
1	B	232	GLU	2.7
1	B	456	VAL	2.7
1	B	296	ASN	2.7
1	B	80	HIS	2.6
1	B	92	ALA	2.6
1	B	254	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	100	TYR	2.6
1	B	531	LEU	2.6
1	B	779	LYS	2.5
1	B	91	GLU	2.5
1	B	473	ASN	2.3
1	B	804	ALA	2.2
1	B	477	TYR	2.2
1	A	190	TYR	2.2
1	B	86	ASN	2.2
1	B	605	ASN	2.2
1	B	140	GLU	2.2
1	A	605	ASN	2.1
1	B	257	PRO	2.1
1	A	833	LYS	2.1
1	B	29	PRO	2.1
1	A	478	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TPP	A	901	26/26	0.99	0.06	6,8,10,11	0
2	TPP	B	901	26/26	0.99	0.07	8,9,10,12	0
3	MG	A	902	1/1	1.00	0.02	8,8,8,8	0
3	MG	A	903	1/1	1.00	0.07	9,9,9,9	0
3	MG	B	902	1/1	1.00	0.04	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.