



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 07:45 pm BST

PDB ID : 6RYB  
Title : Structure of deubiquitinase for PR-ubiquitination 1 -Dup1  
Authors : Donghyuk, S.; Ivan, D.  
Deposited on : 2019-06-10  
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RSRZ outliers	127900	5855 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">72%      18%      10%</p>
2	B	344	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">8%      70%      19%      9%</p>
3	C	347	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 75%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">7%      75%      14%      10%</p>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Septation initiation protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	309	2486	1578	439	460	9	0	0	0

- Molecule 2 is a protein called Septation initiation protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	312	2508	1591	443	465	9	0	0	0

- Molecule 3 is a protein called Septation initiation protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	312	2498	1584	441	463	10	0	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	55	Total 55	O 55	0	0
4	B	36	Total 36	O 36	0	0
4	C	76	Total 76	O 76	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Septation initiation protein



- Molecule 2: Septation initiation protein



- Molecule 3: Septation initiation protein



LEU  
PRO  
PRO  
GLN  
ILE  
THR  
ILE  
ARG  
GLU  
GLU  
PRO  
PRO  
LYS  
THR  
ASN  
GLU  
SER  
PHE  
LEU  
LEU  
SER  
LEU

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.26Å 87.26Å 612.62Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.59 – 2.31 47.59 – 2.31	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.59-2.31) 99.9 (47.59-2.31)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.57 (at 2.32Å)	Xtrriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, $R_{free}$	0.217 , 0.247 0.217 , 0.217	Depositor DCC
$R_{free}$ test set	3109 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	58.9	Xtrriage
Anisotropy	0.054	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 39.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7659	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/2549	0.57	0/3449
2	B	0.42	0/2571	0.57	0/3477
3	C	0.48	0/2561	0.61	0/3465
All	All	0.45	0/7681	0.58	0/10391

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	59	ASP	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2486	0	2420	41	0
2	B	2508	0	2441	58	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	2498	0	2430	37	0
4	A	55	0	0	3	0
4	B	36	0	0	2	0
4	C	76	0	0	7	0
All	All	7659	0	7291	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:280:ASP:OD2	2:B:282:LYS:NZ	1.56	1.35
3:C:262:VAL:O	3:C:266:LEU:HD12	1.51	1.07
2:B:280:ASP:CG	2:B:282:LYS:NZ	2.16	0.98
2:B:280:ASP:OD1	2:B:282:LYS:HD3	1.67	0.94
3:C:107:GLN:OE1	4:C:401:HOH:O	1.87	0.93
3:C:28:VAL:O	3:C:50:ASN:ND2	2.02	0.91
2:B:93:HIS:O	4:B:401:HOH:O	1.88	0.89
2:B:262:VAL:O	2:B:266:LEU:HD12	1.80	0.80
1:A:20:ARG:HG3	1:A:143:GLN:HE22	1.47	0.79
2:B:111:LYS:NZ	2:B:155:LEU:O	2.16	0.78
2:B:218:ILE:HD12	2:B:223:ARG:HA	1.66	0.78
3:C:57:ILE:HG23	3:C:281:ALA:HB1	1.66	0.76
1:A:149:ARG:O	4:A:401:HOH:O	2.04	0.75
3:C:262:VAL:O	3:C:266:LEU:CD1	2.33	0.74
2:B:57:ILE:HG21	2:B:285:ALA:HB2	1.68	0.74
2:B:280:ASP:OD1	2:B:282:LYS:NZ	2.25	0.70
3:C:63:HIS:ND1	4:C:402:HOH:O	2.24	0.69
1:A:33:GLU:O	1:A:42:THR:HG21	1.93	0.69
2:B:248:SER:HA	2:B:273:GLU:HG3	1.76	0.68
1:A:304:PRO:O	4:A:403:HOH:O	2.12	0.67
1:A:150:LYS:HG2	1:A:151:HIS:CD2	2.28	0.67
2:B:48:GLY:HA2	2:B:51:LEU:HG	1.78	0.65
2:B:20:ARG:HD3	2:B:121:ALA:O	2.00	0.62
1:A:139:TYR:O	1:A:143:GLN:HG3	1.99	0.62
2:B:218:ILE:HD13	2:B:226:GLY:HA3	1.81	0.62
1:A:31:GLU:O	1:A:42:THR:OG1	2.20	0.60
2:B:148:ALA:HA	2:B:152:LEU:HB2	1.83	0.60
2:B:280:ASP:OD1	2:B:282:LYS:CD	2.48	0.59
2:B:106:VAL:HG21	2:B:310:VAL:HG11	1.84	0.59

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:29:GLY:HA3	4:C:422:HOH:O	2.02	0.59
3:C:67:HIS:NE2	4:C:407:HOH:O	2.31	0.59
2:B:234:ARG:HH12	2:B:247:ILE:HG13	1.69	0.58
2:B:203:PHE:HZ	2:B:247:ILE:HD13	1.69	0.57
2:B:282:LYS:HD3	2:B:282:LYS:H	1.69	0.57
1:A:250:SER:O	1:A:253:PRO:HD2	2.05	0.57
2:B:221:PHE:O	2:B:225:ASP:HB2	2.05	0.57
1:A:57:ILE:HD12	1:A:281:ALA:HB1	1.85	0.57
3:C:52:GLN:NE2	3:C:66:ILE:HD11	2.21	0.55
1:A:277:GLN:NE2	4:A:402:HOH:O	2.07	0.55
2:B:248:SER:HA	2:B:273:GLU:CG	2.36	0.55
1:A:145:GLU:OE1	1:A:149:ARG:NH2	2.41	0.54
1:A:20:ARG:HG3	1:A:143:GLN:NE2	2.20	0.54
2:B:234:ARG:NH1	2:B:247:ILE:HG13	2.23	0.53
1:A:249:SER:HA	1:A:252:TRP:CE2	2.44	0.53
2:B:204:ILE:HG22	2:B:261:ARG:NH1	2.24	0.53
2:B:239:ALA:CB	2:B:301:ILE:HD11	2.38	0.53
3:C:236:LEU:HG	3:C:298:LEU:HD22	1.91	0.53
2:B:257:ILE:HG21	2:B:261:ARG:NH2	2.24	0.52
2:B:230:MET:O	2:B:234:ARG:HG3	2.09	0.52
3:C:156:PHE:HB3	3:C:161:ILE:HG13	1.92	0.52
1:A:96:ALA:HB2	1:A:175:ARG:NH2	2.26	0.51
1:A:91:HIS:CD2	2:B:150:LYS:HD2	2.46	0.50
1:A:12:VAL:O	1:A:16:VAL:HG23	2.12	0.50
1:A:87:LYS:O	3:C:2:GLY:HA2	2.11	0.50
1:A:35:ASN:OD1	1:A:37:LYS:HG2	2.11	0.49
2:B:249:SER:HA	2:B:252:TRP:CE2	2.47	0.49
3:C:221:PHE:O	3:C:225:ASP:HB2	2.13	0.49
1:A:21:LEU:O	1:A:64:ARG:HD3	2.13	0.49
3:C:208:ARG:NH2	3:C:260:ASP:HB2	2.27	0.48
2:B:214:VAL:HG23	2:B:215:PRO:HD3	1.95	0.48
2:B:14:GLU:HA	2:B:291:VAL:HG21	1.94	0.48
1:A:282:LYS:O	1:A:286:GLN:HG3	2.14	0.48
3:C:50:ASN:HD22	3:C:53:ARG:HD2	1.78	0.48
2:B:255:LEU:HB3	2:B:257:ILE:HD12	1.97	0.47
3:C:260:ASP:HB3	3:C:264:ARG:HH21	1.80	0.47
1:A:250:SER:OG	1:A:273:GLU:OE2	2.28	0.47
2:B:251:GLU:O	2:B:255:LEU:HD23	2.15	0.46
3:C:164:TYR:OH	3:C:181:GLU:HG2	2.15	0.46
3:C:223:ARG:NH1	3:C:269:VAL:O	2.48	0.46
1:A:204:ILE:HD11	1:A:252:TRP:HB3	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:203:PHE:CE1	2:B:214:VAL:HG21	2.51	0.46
2:B:233:ALA:O	2:B:236:LEU:N	2.47	0.46
1:A:57:ILE:HG21	1:A:285:ALA:HB2	1.98	0.46
1:A:150:LYS:HG2	1:A:151:HIS:NE2	2.30	0.46
3:C:208:ARG:HH21	3:C:261:ARG:HG3	1.81	0.46
1:A:55:ILE:HG23	1:A:65:PRO:HG3	1.98	0.45
3:C:257:ILE:HG13	3:C:262:VAL:HG23	1.98	0.45
2:B:20:ARG:HD2	2:B:143:GLN:OE1	2.16	0.45
1:A:111:LYS:HE2	1:A:155:LEU:O	2.15	0.45
2:B:73:MET:HB2	2:B:73:MET:HE3	1.81	0.45
2:B:20:ARG:NH1	4:B:402:HOH:O	2.14	0.45
3:C:134:HIS:CE1	3:C:172:ILE:HG12	2.52	0.45
3:C:17:TYR:OH	3:C:289:PHE:HA	2.16	0.45
2:B:205:GLY:O	2:B:261:ARG:NH1	2.48	0.45
1:A:208:ARG:NH1	1:A:260:ASP:OD2	2.50	0.45
2:B:166:ARG:HD3	2:B:171:ARG:NH2	2.32	0.44
2:B:17:TYR:HA	2:B:21:LEU:HB2	1.99	0.44
1:A:282:LYS:HE3	1:A:286:GLN:OE1	2.18	0.44
1:A:308:HIS:O	3:C:-1:GLY:N	2.47	0.44
2:B:80:GLN:HA	2:B:109:LEU:HD21	1.99	0.44
1:A:221:PHE:O	1:A:225:ASP:HB2	2.18	0.44
3:C:29:GLY:CA	4:C:422:HOH:O	2.61	0.44
1:A:54:PHE:HA	1:A:65:PRO:HD3	1.99	0.43
2:B:262:VAL:O	2:B:266:LEU:CD1	2.60	0.43
3:C:198:SER:OG	3:C:201:GLU:OE2	2.20	0.43
3:C:252:TRP:N	3:C:253:PRO:HD2	2.33	0.43
1:A:42:THR:OG1	1:A:43:ARG:N	2.51	0.43
2:B:202:VAL:O	2:B:214:VAL:HG22	2.19	0.43
2:B:236:LEU:HD13	2:B:298:LEU:HD22	2.01	0.43
3:C:166:ARG:NE	3:C:174:ASP:OD2	2.48	0.43
2:B:223:ARG:HD2	2:B:268:ILE:O	2.19	0.43
2:B:169:GLU:OE2	3:C:60:GLN:NE2	2.32	0.43
2:B:166:ARG:CD	2:B:171:ARG:NH2	2.82	0.43
1:A:17:TYR:OH	1:A:289:PHE:HA	2.19	0.42
2:B:4:ILE:HA	2:B:4:ILE:HD13	1.91	0.42
3:C:113:ASN:ND2	4:C:419:HOH:O	2.52	0.42
1:A:267:LYS:HA	1:A:267:LYS:HD3	1.84	0.42
2:B:223:ARG:HB3	2:B:223:ARG:HE	1.61	0.42
1:A:14:GLU:HA	1:A:291:VAL:HG21	2.00	0.42
1:A:282:LYS:HZ1	1:A:286:GLN:HG2	1.85	0.42
2:B:57:ILE:HD13	2:B:285:ALA:HB2	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:18:GLN:NE2	4:C:420:HOH:O	2.53	0.42
1:A:218:ILE:HD13	1:A:269:VAL:HA	2.02	0.41
3:C:55:ILE:HG23	3:C:65:PRO:HG3	2.00	0.41
1:A:156:PHE:HB3	1:A:161:ILE:HG13	2.02	0.41
2:B:43:ARG:HG2	3:C:26:THR:HG21	2.02	0.41
3:C:262:VAL:HG13	3:C:266:LEU:HD11	2.02	0.41
2:B:203:PHE:C	2:B:204:ILE:HG13	2.39	0.41
2:B:250:SER:O	2:B:253:PRO:HD2	2.20	0.41
1:A:311:LYS:HA	1:A:311:LYS:HD2	1.80	0.41
1:A:179:THR:HG22	1:A:181:GLU:N	2.36	0.41
3:C:249:SER:HA	3:C:252:TRP:CE2	2.55	0.41
2:B:259:SER:O	2:B:263:GLU:HB2	2.21	0.41
2:B:88:ARG:NH1	2:B:306:TRP:HB2	2.36	0.41
3:C:57:ILE:CG2	3:C:281:ALA:HB1	2.45	0.41
2:B:138:LEU:HD21	3:C:289:PHE:CD1	2.55	0.41
2:B:234:ARG:HA	2:B:237:PHE:CD2	2.56	0.40
2:B:253:PRO:C	2:B:255:LEU:H	2.24	0.40
1:A:262:VAL:HG12	1:A:266:LEU:CD1	2.51	0.40
3:C:236:LEU:HG	3:C:298:LEU:CD2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	307/343 (90%)	297 (97%)	9 (3%)	1 (0%)	41 50
2	B	310/344 (90%)	297 (96%)	12 (4%)	1 (0%)	41 50
3	C	310/347 (89%)	298 (96%)	10 (3%)	2 (1%)	25 30
All	All	927/1034 (90%)	892 (96%)	31 (3%)	4 (0%)	34 41

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
2	B	254	HIS
3	C	206	HIS
3	C	130	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/294 (89%)	257 (98%)	4 (2%)	65	79
2	B	263/294 (90%)	258 (98%)	5 (2%)	57	73
3	C	261/295 (88%)	258 (99%)	3 (1%)	73	85
All	All	785/883 (89%)	773 (98%)	12 (2%)	65	79

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	37	LYS
1	A	165	SER
1	A	305	ASP
2	B	20	ARG
2	B	52	GLN
2	B	166	ARG
2	B	271	SER
2	B	282	LYS
3	C	58	ASP
3	C	175	ARG
3	C	260	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	143	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	52	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	309/343 (90%)	0.15	5 (1%) 72 78	45, 58, 81, 98	0
2	B	312/344 (90%)	0.47	26 (8%) 11 15	44, 68, 105, 116	0
3	C	312/347 (89%)	0.50	25 (8%) 12 16	40, 55, 90, 110	0
All	All	933/1034 (90%)	0.38	56 (6%) 21 28	40, 59, 94, 116	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	208	ARG	5.9
2	B	59	ASP	4.9
3	C	206	HIS	4.9
3	C	256	GLY	4.8
2	B	261	ARG	4.6
3	C	252	TRP	4.5
3	C	266	LEU	4.3
3	C	253	PRO	4.1
2	B	209	GLY	4.0
2	B	205	GLY	4.0
3	C	262	VAL	3.9
2	B	254	HIS	3.8
2	B	262	VAL	3.8
3	C	257	ILE	3.7
2	B	259	SER	3.7
2	B	60	GLN	3.6
2	B	263	GLU	3.6
2	B	256	GLY	3.6
3	C	40	TYR	3.5
1	A	287	ALA	3.5
2	B	257	ILE	3.3
2	B	272	LEU	3.2
2	B	252	TRP	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	C	246	TYR	3.1
2	B	260	ASP	3.1
2	B	265	ALA	3.1
2	B	206	HIS	3.0
3	C	261	ARG	3.0
2	B	253	PRO	2.9
2	B	282	LYS	2.8
3	C	255	LEU	2.8
3	C	268	ILE	2.8
2	B	258	GLU	2.7
3	C	264	ARG	2.6
2	B	267	LYS	2.6
3	C	267	LYS	2.6
3	C	260	ASP	2.6
3	C	250	SER	2.6
1	A	37	LYS	2.5
3	C	205	GLY	2.5
2	B	266	LEU	2.5
3	C	176	PHE	2.4
3	C	265	ALA	2.4
1	A	276	GLY	2.4
3	C	263	GLU	2.4
2	B	250	SER	2.4
2	B	255	LEU	2.3
3	C	207	SER	2.3
3	C	258	GLU	2.3
3	C	18	GLN	2.2
1	A	278	GLU	2.2
3	C	272	LEU	2.2
2	B	271	SER	2.1
2	B	313	LYS	2.1
3	C	204	ILE	2.1
1	A	281	ALA	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.