



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2022 – 03:42 PM EDT

PDB ID : 7S25
Title : ROCK1 IN COMPLEX WITH LIGAND G4998
Authors : Ganichkin, O.; Harris, S.F.; Steinbacher, S.
Deposited on : 2021-09-03
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2096 (2.36-2.32)
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">7% 85% 8% • 6%</p>
1	B	396	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">10% 82% 13% • •</p>
1	C	396	<div style="display: flex; align-items: center;"> <div style="width: 12%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">12% 82% 8% • 9%</p>
1	D	396	<div style="display: flex; align-items: center;"> <div style="width: 33%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 59%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 35%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">33% 59% 6% 35%</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11472 atoms, of which 54 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Rho-associated protein kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	373	Total 3061	C 1965	N 502	O 578	S 16	0	1	0
1	B	379	Total 3088	C 1978	N 508	O 586	S 16	0	0	0
1	C	361	Total 2944	C 1890	N 486	O 552	S 16	0	0	0
1	D	257	Total 2122	C 1370	N 352	O 386	S 14	0	0	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total 3 Cl 3	0	0

- Molecule 3 is 2-[3-(methoxymethyl)phenyl]-N-[4-(1H-pyrazol-4-yl)phenyl]acetamide (three-letter code: 86G) (formula: C₁₉H₁₉N₃O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	18	0
			42	19	18	3	2		
3	B	1	Total	C	H	N	O	18	0
			42	19	18	3	2		
3	C	1	Total	C	H	N	O	18	0
			42	19	18	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	88	Total	O	0	0
			88	88		
4	B	17	Total	O	0	0
			17	17		
4	C	23	Total	O	0	0
			23	23		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Rho-associated protein kinase 1




- Molecule 1: Rho-associated protein kinase 1




- Molecule 1: Rho-associated protein kinase 1





● Molecule 1: Rho-associated protein kinase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.03Å 100.95Å 176.22Å 90.00° 90.84° 90.00°	Depositor
Resolution (Å)	176.20 – 2.34 176.20 – 2.34	Depositor EDS
% Data completeness (in resolution range)	98.3 (176.20-2.34) 98.3 (176.20-2.34)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.34Å)	Xtrriage
Refinement program	BUSTER 2.11.8 (16-JUL-2021)	Depositor
R, R_{free}	0.239 , 0.271 0.232 , 0.260	Depositor DCC
R_{free} test set	1238 reflections (1.49%)	wwPDB-VP
Wilson B-factor (Å ²)	70.4	Xtrriage
Anisotropy	0.174	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 65.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.019 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11472	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 86G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3138	0.60	0/4240
1	B	0.38	0/3162	0.57	1/4276 (0.0%)
1	C	0.39	0/3015	0.56	0/4076
1	D	0.29	0/2171	0.51	0/2929
All	All	0.41	0/11486	0.57	1/15521 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	47	ARG	CB-CG-CD	-5.13	98.25	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3061	0	2964	15	0
1	B	3088	0	2983	39	0
1	C	2944	0	2854	18	0
1	D	2122	0	2079	16	0
2	A	3	0	0	0	0
3	A	24	18	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	24	18	0	0	0
3	C	24	18	0	0	0
4	A	88	0	0	0	0
4	B	17	0	0	0	0
4	C	23	0	0	0	0
All	All	11418	54	10880	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:343:TRP:HB3	1:C:351:THR:HG21	1.55	0.87
1:B:173:LYS:HD3	1:B:176:ARG:HH12	1.41	0.84
1:B:95:HIS:CD2	1:B:98:THR:HG22	2.12	0.83
1:A:343:TRP:HB3	1:A:351:THR:HG21	1.59	0.83
1:A:66:ILE:HD11	1:B:25:VAL:HG21	1.64	0.79
1:B:343:TRP:HB3	1:B:351:THR:HG21	1.65	0.76
1:A:187:ASP:HB2	1:A:329:VAL:HG11	1.67	0.76
1:D:165:MET:CE	1:D:271:MET:HG3	2.17	0.75
1:C:30:LEU:HB3	1:D:30:LEU:HB3	1.70	0.73
1:B:360:SER:HB2	1:D:134:PRO:HB3	1.70	0.73
1:B:200:LYS:NZ	1:B:219:THR:H	1.85	0.73
1:B:79:VAL:HG11	1:B:363:ILE:HD12	1.71	0.72
1:B:165:MET:HE1	1:B:270:GLU:HG2	1.72	0.72
1:B:9:THR:HA	1:B:12:GLU:HG2	1.70	0.72
1:D:95:HIS:ND1	1:D:98:THR:HG22	2.06	0.70
1:A:30:LEU:HB3	1:B:30:LEU:HB3	1.78	0.66
1:D:161:LEU:HD23	1:D:267:PHE:CZ	2.31	0.65
1:B:241:ILE:CG2	1:B:245:VAL:HG23	2.28	0.64
1:C:389:GLY:HA3	1:C:392:LEU:HD22	1.79	0.63
1:A:238:PRO:O	1:A:241:ILE:HG22	1.99	0.63
1:D:165:MET:HE3	1:D:271:MET:HG3	1.81	0.63
1:C:104:MET:CE	1:C:152:VAL:HG22	2.31	0.61
1:B:200:LYS:NZ	1:B:219:THR:N	2.50	0.58
1:A:207:ASP:OD2	1:A:349:ARG:NH2	2.35	0.58
1:B:200:LYS:HZ1	1:B:219:THR:N	2.03	0.56
1:D:165:MET:HE2	1:D:271:MET:HG3	1.88	0.56
1:C:104:MET:HE2	1:C:152:VAL:HG22	1.87	0.55
1:B:238:PRO:HA	1:B:241:ILE:HG12	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:MET:HB3	1:B:212:LEU:HD11	1.88	0.55
1:B:95:HIS:HD2	1:B:98:THR:HG22	1.68	0.55
1:B:189:ILE:HA	1:B:192:MET:CE	2.37	0.54
1:B:261:TRP:CD1	1:B:325:GLY:HA3	2.43	0.54
1:B:107:LEU:HB2	1:B:149:LEU:HB2	1.89	0.54
1:A:140:PHE:O	1:A:401:SER:HB2	2.07	0.53
1:C:25:VAL:HG11	1:D:66:ILE:HD11	1.90	0.53
1:B:245:VAL:HG12	1:B:255:TYR:CG	2.45	0.52
1:C:187:ASP:HB2	1:C:329:VAL:HG11	1.93	0.51
1:B:266:VAL:HG13	1:B:277:PRO:HD2	1.92	0.50
1:D:109:LYS:NZ	1:D:394:PHE:CG	2.80	0.50
1:A:62:THR:HG21	1:B:24:GLU:HB2	1.94	0.50
1:A:25:VAL:HG21	1:B:66:ILE:HD11	1.94	0.49
1:D:161:LEU:HD23	1:D:267:PHE:CE1	2.47	0.49
1:B:241:ILE:HG23	1:B:245:VAL:CG2	2.43	0.49
1:C:252:ASP:O	1:C:253:GLY:O	2.31	0.49
1:C:266:VAL:HG13	1:C:277:PRO:HD2	1.95	0.49
1:A:324:LEU:HG	1:A:332:ILE:HG12	1.95	0.48
1:B:189:ILE:HA	1:B:192:MET:HE3	1.95	0.48
1:A:79:VAL:HG12	1:A:80:LYS:HD2	1.95	0.47
1:B:98:THR:HG23	1:B:100:LYS:H	1.79	0.47
1:B:135:TRP:HB3	1:B:185:ALA:HA	1.96	0.47
1:B:363:ILE:HG22	1:B:363:ILE:O	2.14	0.47
1:B:241:ILE:HG23	1:B:245:VAL:HG23	1.96	0.47
1:A:18:LEU:HA	1:A:26:ASN:HA	1.96	0.47
1:B:241:ILE:CG2	1:B:245:VAL:CG2	2.93	0.47
1:C:104:MET:HE1	1:C:152:VAL:HG22	1.98	0.45
1:A:266:VAL:HG13	1:A:277:PRO:HD2	1.99	0.45
1:A:241:ILE:HG21	1:A:246:LEU:HD21	1.98	0.44
1:B:186:LEU:HD21	1:B:199:VAL:HG21	2.00	0.44
1:C:26:ASN:ND2	1:C:29:CYS:SG	2.90	0.44
1:B:241:ILE:HG22	1:B:245:VAL:HG23	1.97	0.44
1:B:360:SER:CB	1:D:134:PRO:HB3	2.44	0.44
1:A:135:TRP:HB3	1:A:185:ALA:HB2	2.00	0.43
1:C:66:ILE:HD11	1:D:25:VAL:HG21	2.01	0.43
1:D:98:THR:HG23	1:D:100:LYS:H	1.83	0.43
1:C:176:ARG:HG2	1:C:343:TRP:HZ2	1.84	0.42
1:B:346:GLU:CD	1:B:346:GLU:H	2.23	0.42
1:C:254:TYR:CE2	1:C:320:ARG:NH2	2.88	0.42
1:C:38:VAL:HG11	1:C:63:ILE:HG21	2.02	0.42
1:D:161:LEU:HD23	1:D:267:PHE:HZ	1.80	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:ILE:O	1:B:363:ILE:CG2	2.68	0.41
1:B:131:ALA:HA	1:B:192:MET:SD	2.59	0.41
1:B:189:ILE:HA	1:B:192:MET:HE2	2.03	0.41
1:D:38:VAL:HG11	1:D:63:ILE:HG21	2.03	0.41
1:C:346:GLU:CD	1:C:346:GLU:H	2.24	0.41
1:B:63:ILE:HD12	1:B:63:ILE:HA	1.99	0.40
1:D:47:ARG:O	1:D:53:ASP:HB2	2.21	0.40
1:C:195:ILE:HD12	1:C:257:ARG:HA	2.02	0.40
1:B:95:HIS:HD2	1:B:98:THR:CG2	2.35	0.40
1:C:135:TRP:HB3	1:C:185:ALA:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/396 (93%)	359 (98%)	9 (2%)	0	100	100
1	B	373/396 (94%)	365 (98%)	8 (2%)	0	100	100
1	C	353/396 (89%)	342 (97%)	8 (2%)	3 (1%)	19	20
1	D	247/396 (62%)	241 (98%)	5 (2%)	1 (0%)	34	38
All	All	1341/1584 (85%)	1307 (98%)	30 (2%)	4 (0%)	41	47

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	253	GLY
1	D	355	VAL
1	C	116	SER
1	C	252	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/352 (95%)	323 (96%)	12 (4%)	35	44
1	B	337/352 (96%)	324 (96%)	13 (4%)	32	41
1	C	322/352 (92%)	312 (97%)	10 (3%)	40	49
1	D	231/352 (66%)	225 (97%)	6 (3%)	46	56
All	All	1225/1408 (87%)	1184 (97%)	41 (3%)	38	46

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ASP
1	A	99	ARG
1	A	114	LYS
1	A	125	ARG
1	A	198	ASP
1	A	237	THR
1	A	303	ASN
1	A	320	ARG
1	A	346	GLU
1	A	349	ARG
1	A	381	PHE
1	A	401	SER
1	B	68	ASP
1	B	173	LYS
1	B	208	LYS
1	B	248	SER
1	B	283	LEU
1	B	284	VAL
1	B	302	ASP
1	B	320	ARG
1	B	340	ASN
1	B	346	GLU
1	B	370	ASP
1	B	379	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	401	SER
1	C	18	LEU
1	C	68	ASP
1	C	99	ARG
1	C	198	ASP
1	C	241	ILE
1	C	329	VAL
1	C	346	GLU
1	C	365	THR
1	C	392	LEU
1	C	401	SER
1	D	13	LYS
1	D	25	VAL
1	D	34	LEU
1	D	68	ASP
1	D	202	ASP
1	D	361	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	26	ASN
1	D	91	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	86G	C	501	-	24,26,26	0.55	0	30,34,34	0.98	1 (3%)
3	86G	A	504	-	24,26,26	0.65	0	30,34,34	0.94	0
3	86G	B	501	-	24,26,26	0.48	0	30,34,34	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	86G	C	501	-	-	0/15/15/15	0/3/3/3
3	86G	A	504	-	-	0/15/15/15	0/3/3/3
3	86G	B	501	-	-	0/15/15/15	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	86G	C15-C2-N3	2.31	119.55	114.77

There are no chirality outliers.


There are no torsion outliers.



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	373/396 (94%)	0.81	29 (7%) 13 19	49, 63, 103, 130	0
1	B	379/396 (95%)	0.87	39 (10%) 6 11	61, 89, 114, 126	0
1	C	361/396 (91%)	0.97	49 (13%) 3 4	55, 86, 143, 153	0
1	D	257/396 (64%)	2.34	132 (51%) 0 0	113, 142, 171, 175	0
All	All	1370/1584 (86%)	1.15	249 (18%) 1 2	49, 88, 157, 175	0

All (249) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	19	ARG	12.9
1	D	264	VAL	10.3
1	D	267	PHE	9.1
1	D	113	ILE	8.2
1	D	168	TYR	8.2
1	D	363	ILE	8.0
1	D	261	TRP	7.8
1	C	14	MET	7.2
1	D	169	ASP	7.1
1	D	199	VAL	6.8
1	D	101	VAL	6.7
1	D	197	ARG	6.3
1	D	353	ALA	6.3
1	D	99	ARG	6.3
1	D	269	TYR	6.2
1	C	402	ASN	6.1
1	D	204	MET	5.9
1	A	7	PHE	5.8
1	D	122	TRP	5.8
1	D	104	MET	5.8
1	D	268	LEU	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	11	PHE	5.7
1	D	155	TYR	5.6
1	C	43	PHE	5.4
1	D	164	LEU	5.4
1	D	110	PHE	5.4
1	D	121	PHE	5.3
1	D	368	PHE	5.3
1	D	82	ILE	5.2
1	D	79	VAL	5.1
1	D	208	LYS	5.1
1	D	183	VAL	5.1
1	D	214	LEU	5.0
1	D	397	PHE	5.0
1	D	177	PHE	4.9
1	D	271	MET	4.8
1	D	212	LEU	4.7
1	D	173	LYS	4.7
1	B	326	ARG	4.7
1	D	12	GLU	4.7
1	D	11	PHE	4.7
1	B	348	LEU	4.6
1	D	149	LEU	4.6
1	A	197	ARG	4.6
1	C	237	THR	4.5
1	D	194	PHE	4.5
1	D	262	TRP	4.5
1	D	387	PHE	4.4
1	A	14	MET	4.4
1	D	388	VAL	4.3
1	C	388	VAL	4.3
1	D	130	PHE	4.3
1	D	265	GLY	4.3
1	D	140	PHE	4.3
1	D	80	LYS	4.2
1	A	218	GLY	4.2
1	D	16	ASN	4.2
1	C	34	LEU	4.2
1	A	9	THR	4.1
1	D	37	LEU	4.1
1	D	18	LEU	4.1
1	D	78	VAL	4.1
1	D	107	LEU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	103	ALA	4.0
1	D	172	GLU	4.0
1	D	127	ILE	4.0
1	D	84	ARG	3.9
1	D	24	GLU	3.9
1	D	87	PHE	3.8
1	D	102	TYR	3.8
1	A	400	TYR	3.8
1	D	27	SER	3.8
1	C	389	GLY	3.7
1	D	206	LEU	3.7
1	D	124	GLU	3.6
1	A	13	LYS	3.6
1	D	25	VAL	3.6
1	B	18	LEU	3.6
1	B	11	PHE	3.6
1	D	112	MET	3.6
1	C	381	PHE	3.6
1	D	184	LEU	3.6
1	D	125	ARG	3.6
1	D	186	LEU	3.5
1	C	40	ASP	3.5
1	D	356	VAL	3.5
1	B	219	THR	3.5
1	D	180	ALA	3.5
1	D	34	LEU	3.5
1	D	69	LEU	3.5
1	C	302	ASP	3.5
1	D	179	THR	3.4
1	D	106	LEU	3.4
1	C	252	ASP	3.4
1	D	55	PHE	3.4
1	B	343	TRP	3.3
1	D	128	MET	3.3
1	C	246	LEU	3.3
1	D	31	LEU	3.3
1	D	392	LEU	3.3
1	D	178	TYR	3.3
1	B	359	LEU	3.3
1	C	120	PHE	3.3
1	D	205	LEU	3.2
1	D	153	MET	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	303	ASN	3.2
1	D	115	ARG	3.2
1	D	86	ALA	3.1
1	C	384	PRO	3.1
1	C	69	LEU	3.1
1	D	46	LEU	3.1
1	C	115	ARG	3.1
1	C	73	ALA	3.0
1	B	85	GLY	3.0
1	D	213	LYS	3.0
1	D	89	GLU	3.0
1	B	338	PHE	3.0
1	D	92	LEU	2.9
1	D	209	SER	2.9
1	D	100	LYS	2.9
1	C	25	VAL	2.9
1	D	151	MET	2.9
1	D	345	TRP	2.9
1	B	254	TYR	2.9
1	D	93	VAL	2.9
1	C	55	PHE	2.8
1	B	69	LEU	2.8
1	B	305	ILE	2.8
1	C	395	VAL	2.8
1	D	41	LEU	2.8
1	B	232	ASP	2.8
1	D	150	TYR	2.8
1	B	175	ALA	2.8
1	B	240	TYR	2.8
1	D	400	TYR	2.8
1	D	43	PHE	2.7
1	D	352	VAL	2.7
1	B	371	LEU	2.7
1	C	392	LEU	2.7
1	D	114	LYS	2.7
1	A	16	ASN	2.7
1	D	175	ALA	2.7
1	D	203	ASN	2.7
1	A	8	GLU	2.7
1	D	50	LYS	2.7
1	D	358	ASP	2.6
1	B	208	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	25	VAL	2.6
1	C	15	ASP	2.6
1	B	86	ALA	2.6
1	C	287	TYR	2.6
1	D	17	LEU	2.6
1	D	94	ARG	2.6
1	C	114	LYS	2.6
1	A	217	PHE	2.6
1	D	182	VAL	2.6
1	B	25	VAL	2.6
1	D	123	GLU	2.6
1	D	152	VAL	2.6
1	A	257	ARG	2.6
1	D	30	LEU	2.6
1	C	342	GLN	2.6
1	D	105	LYS	2.6
1	D	137	VAL	2.5
1	A	302	ASP	2.5
1	A	241	ILE	2.5
1	B	347	THR	2.5
1	C	30	LEU	2.5
1	C	329	VAL	2.5
1	D	76	TYR	2.5
1	D	185	ALA	2.5
1	D	21	PRO	2.5
1	D	161	LEU	2.5
1	B	197	ARG	2.5
1	A	237	THR	2.5
1	B	332	ILE	2.5
1	C	113	ILE	2.5
1	D	88	GLY	2.5
1	C	283	LEU	2.5
1	B	137	VAL	2.4
1	D	189	ILE	2.4
1	C	257	ARG	2.4
1	D	156	MET	2.4
1	A	31	LEU	2.4
1	D	64	ASN	2.4
1	C	80	LYS	2.4
1	B	287	TYR	2.4
1	A	17	LEU	2.4
1	D	157	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	170	VAL	2.4
1	D	81	VAL	2.3
1	B	161	LEU	2.3
1	C	37	LEU	2.3
1	D	59	TYR	2.3
1	B	81	VAL	2.3
1	A	336	LEU	2.3
1	C	254	TYR	2.3
1	B	324	LEU	2.3
1	B	155	TYR	2.3
1	A	196	HIS	2.3
1	B	101	VAL	2.3
1	C	27	SER	2.3
1	A	186	LEU	2.2
1	C	31	LEU	2.2
1	D	148	TYR	2.2
1	D	138	GLN	2.2
1	D	263	SER	2.2
1	C	194	PHE	2.2
1	B	66	ILE	2.2
1	B	234	ALA	2.2
1	C	41	LEU	2.2
1	D	362	ASP	2.2
1	C	372	GLU	2.2
1	A	66	ILE	2.2
1	B	65	LYS	2.2
1	D	174	TRP	2.2
1	B	183	VAL	2.2
1	D	395	VAL	2.2
1	B	82	ILE	2.2
1	C	345	TRP	2.2
1	C	339	LYS	2.1
1	D	210	GLY	2.2
1	D	141	TYR	2.1
1	A	283	LEU	2.1
1	B	272	LEU	2.1
1	B	312	LEU	2.1
1	C	118	SER	2.1
1	D	390	ASN	2.1
1	D	15	ASP	2.1
1	C	44	PRO	2.1
1	C	66	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	18	LEU	2.1
1	C	301	ASP	2.1
1	D	158	GLY	2.1
1	C	18	LEU	2.1
1	A	50	LYS	2.1
1	B	162	VAL	2.1
1	B	170	VAL	2.1
1	C	116	SER	2.1
1	A	65	LYS	2.0
1	A	173	LYS	2.0
1	C	36	ALA	2.0
1	A	255	TYR	2.0
1	B	102	TYR	2.0
1	C	65	LYS	2.0
1	D	396	GLY	2.0
1	D	135	TRP	2.0
1	C	92	LEU	2.0
1	D	58	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	A	502	1/1	0.69	0.26	100,100,100,100	0
2	CL	A	501	1/1	0.81	0.28	109,109,109,109	0
2	CL	A	503	1/1	0.86	0.17	106,106,106,106	0
3	86G	B	501	24/24	0.94	0.23	86,89,93,93	18
3	86G	C	501	24/24	0.94	0.25	65,76,88,88	18

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	86G	A	504	24/24	0.97	0.21	48,58,70,70	18

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 86G C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 86G A 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.