



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 26, 2021 – 10:12 AM EDT

PDB ID : 7S6B  
Title : Crystal structure of modular polyketide synthase apo-Lsd14 from the Lasalocid biosynthesis pathway, trapped in the transacylation step  
Authors : Bagde, S.R.; Mathews, I.I.; Kim, C.-Y.  
Deposited on : 2021-09-13  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	944	 4% 91% 5%
1	B	944	 8% 88% 7%
2	C	544	 23% 87% 6% 6%
2	D	544	 17% 91% 6%
3	E	179	 14% 46% 52%

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 42675 atoms, of which 20630 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyketide synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	893	13061	4128	6437	1209	1267	20	6437	0	0
1	B	879	12832	4059	6313	1192	1249	19	6313	4	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP B6ZK67
A	-18	GLY	-	expression tag	UNP B6ZK67
A	-17	SER	-	expression tag	UNP B6ZK67
A	-16	SER	-	expression tag	UNP B6ZK67
A	-15	HIS	-	expression tag	UNP B6ZK67
A	-14	HIS	-	expression tag	UNP B6ZK67
A	-13	HIS	-	expression tag	UNP B6ZK67
A	-12	HIS	-	expression tag	UNP B6ZK67
A	-11	HIS	-	expression tag	UNP B6ZK67
A	-10	HIS	-	expression tag	UNP B6ZK67
A	-9	SER	-	expression tag	UNP B6ZK67
A	-8	SER	-	expression tag	UNP B6ZK67
A	-7	GLY	-	expression tag	UNP B6ZK67
A	-6	LEU	-	expression tag	UNP B6ZK67
A	-5	VAL	-	expression tag	UNP B6ZK67
A	-4	PRO	-	expression tag	UNP B6ZK67
A	-3	ARG	-	expression tag	UNP B6ZK67
A	-2	GLY	-	expression tag	UNP B6ZK67
A	-1	SER	-	expression tag	UNP B6ZK67
A	0	HIS	-	expression tag	UNP B6ZK67
B	-19	MET	-	initiating methionine	UNP B6ZK67
B	-18	GLY	-	expression tag	UNP B6ZK67
B	-17	SER	-	expression tag	UNP B6ZK67
B	-16	SER	-	expression tag	UNP B6ZK67
B	-15	HIS	-	expression tag	UNP B6ZK67

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP B6ZK67
B	-13	HIS	-	expression tag	UNP B6ZK67
B	-12	HIS	-	expression tag	UNP B6ZK67
B	-11	HIS	-	expression tag	UNP B6ZK67
B	-10	HIS	-	expression tag	UNP B6ZK67
B	-9	SER	-	expression tag	UNP B6ZK67
B	-8	SER	-	expression tag	UNP B6ZK67
B	-7	GLY	-	expression tag	UNP B6ZK67
B	-6	LEU	-	expression tag	UNP B6ZK67
B	-5	VAL	-	expression tag	UNP B6ZK67
B	-4	PRO	-	expression tag	UNP B6ZK67
B	-3	ARG	-	expression tag	UNP B6ZK67
B	-2	GLY	-	expression tag	UNP B6ZK67
B	-1	SER	-	expression tag	UNP B6ZK67
B	0	HIS	-	expression tag	UNP B6ZK67

- Molecule 2 is a protein called Polyketide synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	C	510	7269	2319	3578	663	706	3	3578	0	0
2	D	514	7426	2355	3676	677	715	3	3676	0	0

- Molecule 3 is a protein called Polyketide synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
3	E	86	1256	391	626	121	115	3	626	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	433	Total 435	O 435	0	2
4	B	287	Total 287	O 287	0	0
4	C	40	Total 40	O 40	0	0
4	D	56	Total 56	O 56	0	0

Continued on next page...


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	E	13	Total	O	0	0
			13	13		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polyketide synthase



- Molecule 1: Polyketide synthase



- Molecule 2: Polyketide synthase



GLU  
LEU  
ILE  
ASP  
ARG  
GLU  
LEU  
GLY  
SER  
ALA



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.74Å 92.85Å 107.45Å 99.63° 94.93° 106.07°	Depositor
Resolution (Å)	39.20 – 2.35 39.21 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.1 (39.20-2.35) 98.1 (39.21-2.35)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.56 (at 2.34Å)	Xtrriage
Refinement program	BUSTER 2.10.4	Depositor
R, $R_{free}$	0.206 , 0.241 0.200 , 0.235	Depositor DCC
$R_{free}$ test set	6501 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	49.2	Xtrriage
Anisotropy	0.487	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 51.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	42675	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/6775	0.59	0/9260
1	B	0.39	0/6681	0.56	0/9135
2	C	0.33	0/3769	0.48	0/5162
2	D	0.34	0/3829	0.49	0/5242
3	E	0.38	0/639	0.55	0/868
All	All	0.38	0/21693	0.54	0/29667

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6624	6437	6433	19	0
1	B	6519	6313	6288	24	0
2	C	3691	3578	3576	16	0
2	D	3750	3676	3673	11	0
3	E	630	626	625	0	0
4	A	435	0	0	1	0
4	B	287	0	0	1	0
4	C	40	0	0	0	0
4	D	56	0	0	1	0
4	E	13	0	0	0	0
All	All	22045	20630	20595	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1105:THR:HG21	2:C:1126:TRP:HE1	1.51	0.74
1:B:186:THR:HG22	1:B:205:THR:HG21	1.75	0.69
1:B:181:ILE:O	1:B:185:MET:HG3	1.95	0.66
2:C:1105:THR:HG21	2:C:1126:TRP:NE1	2.14	0.63
2:C:1227:HIS:NE2	2:C:1256:THR:OG1	2.31	0.62
1:A:830:HIS:CG	1:A:883:ILE:HD11	2.36	0.61
1:B:878:ALA:HB1	1:B:883:ILE:HG12	1.83	0.60
1:B:648:ILE:N	1:B:648:ILE:HD13	2.20	0.56
1:A:508:PRO:HB2	1:A:513:ILE:HD11	1.88	0.54
1:A:203:ALA:O	1:B:455:THR:HG21	2.07	0.53
2:C:1238:ALA:HB1	2:C:1239:PRO:CD	2.37	0.53
2:D:1194:VAL:O	2:D:1414:GLU:O	2.27	0.53
1:A:482:LEU:HD11	1:A:887:TRP:CE2	2.45	0.52
1:A:119:ARG:NH2	2:C:1451:ALA:O	2.43	0.51
1:B:732:THR:OG1	1:B:734:HIS:CE1	2.65	0.50
1:B:743:CYS:O	1:B:746:GLN:O	2.29	0.50
1:A:648:ILE:HD13	1:A:648:ILE:N	2.27	0.50
2:D:1102:TRP:CE2	2:D:1141:ALA:HB1	2.46	0.50
1:B:482:LEU:HD11	1:B:887:TRP:CE2	2.48	0.49
2:D:1102:TRP:NE1	2:D:1141:ALA:HB1	2.29	0.47
1:A:605:VAL:HG11	1:A:607:TRP:CE2	2.49	0.47
2:C:1072:LEU:HD23	2:C:1075:LEU:HD12	1.96	0.47
2:C:1412:ALA:O	2:C:1415:ARG:O	2.32	0.47
1:A:605:VAL:HG11	1:A:607:TRP:CD2	2.50	0.46
1:B:732:THR:HG1	1:B:734:HIS:CE1	2.33	0.46
1:A:475:PRO:HB3	4:A:1881:HOH:O	2.15	0.46
1:B:648:ILE:HD11	1:B:885:VAL:HG22	1.98	0.46
1:B:131:MET:HB3	1:B:193:ILE:HD11	1.98	0.46
1:B:641:ARG:NH2	1:B:665:HIS:HE1	2.13	0.46
1:A:607:TRP:CE2	1:A:627:VAL:HG23	2.50	0.45
1:A:686:LEU:HD21	1:A:810:LEU:HD11	1.98	0.45
2:C:956:TRP:CE2	2:D:959:VAL:HG13	2.51	0.45
2:D:1423:ILE:HG13	4:D:1720:HOH:O	2.17	0.45
1:B:685:ALA:O	1:B:688:PRO:HD2	2.17	0.44
1:A:605:VAL:CG1	1:A:607:TRP:CE2	2.99	0.44
1:A:605:VAL:CG1	1:A:607:TRP:CD2	3.00	0.44
1:B:605:VAL:CG1	1:B:607:TRP:CE2	3.00	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1197:TRP:O	2:C:1199:PRO:HD3	2.17	0.44
2:C:1338:GLY:O	2:C:1342:GLY:HA2	2.18	0.44
1:A:186:THR:HG22	1:A:205:THR:HG21	2.00	0.44
1:B:605:VAL:HG13	1:B:607:TRP:CE2	2.53	0.44
1:A:280:LEU:HD11	1:A:395:VAL:HG21	2.00	0.44
2:D:1002:VAL:HG23	2:D:1002:VAL:O	2.18	0.43
1:A:131:MET:HB3	1:A:193:ILE:HD11	1.99	0.43
1:B:651:ASP:O	1:B:786:PRO:HD2	2.18	0.43
2:C:1194:VAL:HG12	2:C:1194:VAL:O	2.18	0.43
1:A:301:GLY:HA3	1:A:332:ALA:HB2	2.00	0.43
2:D:1102:TRP:CG	2:D:1162:LEU:HD22	2.54	0.43
1:A:775:ALA:O	1:A:778:ILE:HG12	2.19	0.43
1:B:43:ILE:O	1:B:142:ALA:HA	2.19	0.42
1:B:76:ASP:O	1:B:909:ARG:NH2	2.53	0.42
1:B:605:VAL:CG1	1:B:607:TRP:CD2	3.02	0.42
1:B:783:THR:HG21	4:B:1715:HOH:O	2.19	0.42
2:C:1102:TRP:CE2	2:C:1141:ALA:HB1	2.55	0.42
2:D:1373:VAL:HG11	2:D:1375:TRP:CE2	2.55	0.42
1:B:225:ARG:NH2	1:B:331:ASN:HD21	2.18	0.42
2:D:1338:GLY:O	2:D:1342:GLY:HA2	2.20	0.41
1:B:605:VAL:HG13	1:B:607:TRP:CD1	2.55	0.41
1:B:221:CYS:O	1:B:225:ARG:HG3	2.21	0.41
2:C:1373:VAL:HG11	2:C:1375:TRP:CE2	2.55	0.41
2:D:1135:GLU:OE1	2:D:1297:ILE:HG12	2.20	0.41
1:A:181:ILE:O	1:A:185:MET:HG3	2.21	0.41
2:D:1158:LEU:O	2:D:1162:LEU:HG	2.21	0.41
1:B:347:THR:HG22	1:B:385:HIS:CD2	2.56	0.41
2:C:1216:VAL:HG11	2:C:1286:ILE:HG21	2.02	0.41
2:C:1102:TRP:NE1	2:C:1141:ALA:HB1	2.37	0.40
2:C:999:THR:HG22	2:C:1027:ARG:HD3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	887/944 (94%)	864 (97%)	22 (2%)	1 (0%)	51	63
1	B	871/944 (92%)	848 (97%)	21 (2%)	2 (0%)	47	56
2	C	502/544 (92%)	470 (94%)	32 (6%)	0	100	100
2	D	508/544 (93%)	488 (96%)	18 (4%)	2 (0%)	34	38
3	E	84/179 (47%)	81 (96%)	3 (4%)	0	100	100
All	All	2852/3155 (90%)	2751 (96%)	96 (3%)	5 (0%)	47	56

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	993	GLY
2	D	1011	GLY
1	A	440	ASP
1	B	346	GLY
1	B	72	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	671/724 (93%)	665 (99%)	6 (1%)	78	87
1	B	661/724 (91%)	651 (98%)	10 (2%)	65	76
2	C	356/388 (92%)	346 (97%)	10 (3%)	43	53
2	D	366/388 (94%)	362 (99%)	4 (1%)	73	84
3	E	61/144 (42%)	58 (95%)	3 (5%)	25	29
All	All	2115/2368 (89%)	2082 (98%)	33 (2%)	62	75

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	395	VAL
1	A	476	VAL
1	A	658	GLN
1	A	764	VAL
1	A	781	GLN
1	A	880	THR
1	B	171	GLU
1	B	455	THR
1	B	476	VAL
1	B	504	ARG
1	B	509	ASP
1	B	603	ASP
1	B	734	HIS
1	B	740	HIS
1	B	849	GLU
1	B	883	ILE
2	C	938	GLU
2	C	940	LEU
2	C	1080	GLN
2	C	1176	SER
2	C	1234	ARG
2	C	1254	ARG
2	C	1260	CYS
2	C	1331	PHE
2	C	1343	LEU
2	C	1416	ASP
2	D	938	GLU
2	D	1104	VAL
2	D	1149	GLU
2	D	1176	SER
3	E	1506	ARG
3	E	1510	LEU
3	E	1514	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	222	GLN
1	A	645	HIS
1	B	226	GLN
1	B	331	ASN
1	B	665	HIS
2	C	973	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	1136	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	893/944 (94%)	0.26	38 (4%) 35 47	37, 53, 81, 117	0
1	B	879/944 (93%)	0.55	77 (8%) 10 15	42, 67, 113, 149	0
2	C	510/544 (93%)	1.30	123 (24%) 0 1	73, 107, 160, 175	0
2	D	514/544 (94%)	0.92	90 (17%) 1 2	53, 96, 134, 146	0
3	E	86/179 (48%)	1.26	25 (29%) 0 0	57, 88, 128, 132	0
All	All	2882/3155 (91%)	0.68	353 (12%) 4 7	37, 73, 130, 175	0

All (353) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	1194	VAL	9.3
2	C	956	TRP	7.9
2	C	1259	ALA	7.4
2	C	1236	VAL	7.4
1	B	11	LEU	6.8
1	A	506	PRO	6.7
2	C	963	LEU	6.4
2	D	1073	PRO	6.2
2	C	1165	ALA	6.1
2	C	947	ILE	6.1
2	D	1093	LEU	5.9
2	C	945	ALA	5.9
2	C	1453	LEU	5.8
2	D	1193	ALA	5.7
3	E	1564	ALA	5.5
1	B	469	PRO	5.4
2	C	1197	TRP	5.3
2	C	946	ALA	5.1
2	C	943	LEU	5.1
2	C	1253	ALA	5.0

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	956	TRP	5.0
2	C	1156	ALA	5.0
2	C	1260	CYS	4.9
1	A	618	GLY	4.9
2	C	1164	GLY	4.8
2	C	1367	GLY	4.8
3	E	1560	ARG	4.8
2	C	1190	GLU	4.8
2	C	942	ALA	4.7
1	B	700	LEU	4.7
1	B	23	SER	4.6
1	B	395	VAL	4.6
2	C	1239	PRO	4.6
2	D	1381	GLY	4.5
2	C	971	ARG	4.5
2	C	993	GLY	4.5
2	C	1204	LEU	4.5
2	C	1435	HIS	4.5
2	C	1166	GLY	4.5
2	D	943	LEU	4.5
2	C	994	ALA	4.5
2	C	990	VAL	4.4
2	C	966	TRP	4.4
2	C	925	THR	4.4
2	C	960	LEU	4.4
1	B	468	ASP	4.3
2	D	1245	VAL	4.3
1	B	216	ALA	4.3
1	B	246	PHE	4.3
2	C	1228	LEU	4.3
2	C	968	ARG	4.3
1	B	215	VAL	4.3
1	B	731	GLY	4.3
2	C	1281	PRO	4.2
1	B	732	THR	4.2
2	D	958	GLY	4.2
1	B	75	LEU	4.1
2	C	1192	PRO	4.1
3	E	1543	ARG	4.1
2	D	1008	LEU	4.1
2	C	959	VAL	4.1
1	B	247	THR	4.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	473	ALA	4.0
1	B	472	PRO	4.0
1	B	73	PHE	4.0
2	C	1270	ARG	4.0
2	C	940	LEU	3.9
2	C	934	ALA	3.9
3	E	1508	ALA	3.9
2	D	1048	ILE	3.9
2	D	1429	ARG	3.9
2	C	1178	VAL	3.9
2	D	1236	VAL	3.9
2	D	1001	LEU	3.9
3	E	1482	ALA	3.9
2	C	1202	THR	3.9
2	D	1074	GLY	3.8
2	C	972	GLU	3.8
1	B	243	PRO	3.8
2	C	1292	LEU	3.8
2	D	997	THR	3.7
2	D	1075	LEU	3.7
2	C	1285	VAL	3.7
2	C	1155	ALA	3.7
3	E	1559	VAL	3.7
1	B	757	TYR	3.7
1	A	119	ARG	3.7
2	C	992	ASP	3.6
2	D	1031	LEU	3.6
2	D	1324	ARG	3.6
2	C	1368	ARG	3.6
1	A	467	GLN	3.5
3	E	1566	LEU	3.5
2	D	1395	HIS	3.5
1	B	693	GLY	3.5
2	D	1053	GLY	3.5
3	E	1567	GLY	3.5
1	B	758	ALA	3.4
2	C	989	ALA	3.4
2	D	1025	GLY	3.4
2	C	1097	LEU	3.4
1	B	158	VAL	3.4
2	C	1191	VAL	3.4
1	B	716	LEU	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	17	ARG	3.4
1	B	734	HIS	3.4
1	B	29	LEU	3.4
2	C	1282	LEU	3.4
1	B	508	PRO	3.4
2	D	1165	ALA	3.4
2	D	1263	ALA	3.4
3	E	1516	THR	3.3
2	C	929	ALA	3.3
2	D	957	ALA	3.3
2	C	1328	LEU	3.3
3	E	1485	ASP	3.3
1	B	213	SER	3.3
3	E	1488	LEU	3.3
2	C	1432	VAL	3.3
2	D	1015	VAL	3.3
2	C	1218	ARG	3.3
2	C	932	TRP	3.2
2	C	1246	ASP	3.2
2	C	1234	ARG	3.2
3	E	1542	LEU	3.2
1	A	206	ILE	3.2
1	A	179	PHE	3.2
2	D	1057	VAL	3.2
2	D	1394	THR	3.2
1	B	234	ALA	3.2
2	C	1237	ASP	3.2
2	D	1243	GLU	3.1
2	D	1456	ALA	3.1
2	C	1223	GLY	3.1
2	D	1055	GLY	3.1
2	C	1198	LYS	3.1
1	A	507	HIS	3.1
2	D	1336	SER	3.1
1	A	205	THR	3.1
1	B	160	ALA	3.1
2	C	948	GLY	3.1
1	A	472	PRO	3.1
2	D	963	LEU	3.0
1	A	388	PRO	3.0
3	E	1563	ARG	3.0
2	C	1151	ASP	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	204	VAL	3.0
1	A	395	VAL	3.0
2	C	1163	ALA	3.0
2	C	1221	ALA	3.0
2	C	1238	ALA	3.0
2	D	1022	ASP	3.0
2	D	940	LEU	3.0
2	C	1195	ARG	3.0
2	D	1260	CYS	2.9
2	C	1150	ALA	2.9
2	D	1335	SER	2.9
2	C	1339	SER	2.9
2	C	996	ALA	2.9
2	D	927	ALA	2.9
3	E	1512	ALA	2.9
2	D	925	THR	2.9
3	E	1513	VAL	2.9
2	D	1428	GLU	2.9
2	C	958	GLY	2.9
2	D	1096	GLY	2.9
2	C	1267	ALA	2.9
2	D	1114	ALA	2.9
1	B	439	SER	2.9
1	B	459	VAL	2.9
2	C	1159	VAL	2.9
2	C	936	GLU	2.9
2	D	944	VAL	2.8
1	B	217	LEU	2.8
2	C	944	VAL	2.8
1	A	22	LEU	2.8
2	C	1326	SER	2.8
2	D	1011	GLY	2.8
1	B	839	VAL	2.8
2	C	1021	VAL	2.8
1	B	206	ILE	2.8
2	C	1251	LEU	2.8
2	D	955	SER	2.8
3	E	1541	GLY	2.8
2	D	1194	VAL	2.8
3	E	1557	ALA	2.8
2	C	1252	GLY	2.8
1	B	18	ALA	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	278	ALA	2.7
2	C	1199	PRO	2.7
2	C	1331	PHE	2.7
2	D	993	GLY	2.7
3	E	1540	THR	2.7
1	B	212	SER	2.7
2	C	1212	LEU	2.7
2	C	1323	THR	2.7
2	D	1454	GLU	2.7
2	C	1327	ASP	2.7
1	A	216	ALA	2.7
1	B	392	VAL	2.7
1	B	27	ARG	2.7
2	C	1043	ARG	2.6
1	B	211	SER	2.6
2	D	1199	PRO	2.6
1	A	391	GLY	2.6
2	C	955	SER	2.6
1	B	16	LYS	2.6
2	D	1098	GLU	2.6
2	C	1248	LEU	2.6
2	D	1089	VAL	2.6
2	D	1139	LEU	2.6
2	C	1193	ALA	2.6
2	C	1200	GLY	2.6
2	D	1224	GLY	2.6
1	A	277	VAL	2.6
2	C	1173	LEU	2.6
2	D	1072	LEU	2.6
1	A	212	SER	2.5
1	A	174	GLU	2.5
2	C	957	ALA	2.5
2	C	995	SER	2.5
2	C	1220	LEU	2.5
1	A	175	GLY	2.5
1	A	449	ALA	2.5
1	A	235	GLY	2.5
1	B	12	ARG	2.5
2	C	1210	GLY	2.5
1	B	279	VAL	2.5
2	C	935	VAL	2.5
2	C	1451	ALA	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	1270	ARG	2.5
1	B	447	VAL	2.5
2	C	1450	GLN	2.5
1	B	235	GLY	2.5
1	B	893	ASP	2.5
2	C	926	SER	2.5
2	D	1016	VAL	2.5
1	B	20	ALA	2.5
1	B	445	ALA	2.5
2	D	1251	LEU	2.5
2	C	1176	SER	2.4
2	C	1299	SER	2.4
2	C	1329	SER	2.4
1	A	279	VAL	2.4
1	A	466	THR	2.4
2	C	1209	THR	2.4
2	C	1250	ASP	2.4
1	B	214	LEU	2.4
1	A	209	ALA	2.4
1	A	390	ALA	2.4
2	D	1030	VAL	2.4
3	E	1515	PRO	2.4
3	E	1539	ALA	2.4
1	B	914	PRO	2.4
1	B	159	GLY	2.4
1	B	394	GLY	2.4
1	B	449	ALA	2.4
2	C	965	GLY	2.4
2	D	1266	ASP	2.4
1	B	913	GLU	2.4
2	D	1248	LEU	2.4
1	B	400	MET	2.4
1	B	570	PRO	2.4
2	C	1420	PRO	2.4
2	D	1192	PRO	2.4
1	A	158	VAL	2.4
2	D	1078	VAL	2.4
1	A	394	GLY	2.4
2	D	1221	ALA	2.4
2	C	1303	GLU	2.4
2	C	1307	GLN	2.4
1	B	396	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	1152	GLU	2.3
2	D	1092	LEU	2.3
3	E	1565	GLU	2.3
2	C	961	PRO	2.3
2	C	1046	LEU	2.3
2	D	1241	ALA	2.3
1	B	730	SER	2.3
3	E	1556	GLU	2.3
2	D	973	GLN	2.3
2	D	1453	LEU	2.3
2	D	1094	ASP	2.3
2	D	1340	THR	2.3
1	A	81	VAL	2.3
1	A	157	PHE	2.3
2	D	1127	GLY	2.3
1	A	211	SER	2.3
1	B	19	THR	2.3
2	D	1070	SER	2.3
1	B	466	THR	2.2
1	B	72	GLY	2.2
1	B	204	VAL	2.2
2	D	1029	VAL	2.2
2	D	966	TRP	2.2
1	B	26	ARG	2.2
1	B	157	PHE	2.2
1	B	617	GLU	2.2
2	D	1076	PRO	2.2
2	D	946	ALA	2.2
1	A	47	CYS	2.2
1	B	457	ALA	2.2
2	D	1256	THR	2.2
2	C	931	PHE	2.2
2	C	1213	GLY	2.2
2	C	1436	ALA	2.2
1	A	219	LEU	2.2
2	D	1271	LEU	2.2
2	D	1393	ARG	2.2
1	B	388	PRO	2.2
2	C	1277	PRO	2.2
2	D	1246	ASP	2.2
1	A	180	ALA	2.2
1	A	280	LEU	2.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	1369	PRO	2.2
2	C	1226	ASP	2.2
1	B	467	GLN	2.2
2	D	1240	GLY	2.2
1	B	399	VAL	2.1
1	B	401	ALA	2.1
2	C	1378	TRP	2.1
1	B	393	ALA	2.1
3	E	1507	THR	2.1
2	C	1235	GLY	2.1
1	A	913	GLU	2.1
1	B	220	ALA	2.1
2	C	1280	ALA	2.1
2	D	935	VAL	2.1
2	C	930	ARG	2.1
2	C	1351	PRO	2.1
2	D	1010	GLY	2.1
2	C	1015	VAL	2.1
2	D	1432	VAL	2.1
1	A	617	GLU	2.1
1	B	832	ILE	2.1
2	D	1222	ARG	2.1
2	D	1002	VAL	2.1
2	D	1004	VAL	2.1
2	D	1354	ALA	2.1
2	D	1338	GLY	2.1
1	B	715	ASP	2.0
1	B	280	LEU	2.0
2	D	1019	ARG	2.0
1	A	134	ALA	2.0
1	A	213	SER	2.0
1	B	859	GLY	2.0
2	C	1334	PHE	2.0
1	B	303	ALA	2.0
2	D	1189	SER	2.0
2	C	1144	VAL	2.0
3	E	1561	HIS	2.0
2	D	1375	TRP	2.0
3	E	1489	LEU	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.