



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 4, 2024 – 09:31 pm GMT

PDB ID : 8S87
Title : KOD-H4 DNA polymerase mutant - apo structure
Authors : Gutfreund, C.; Betz, K.
Deposited on : 2024-03-06
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	9242 (1.84-1.80)
Clashscore	180529	1080 (1.82-1.82)
Ramachandran outliers	177936	1073 (1.82-1.82)
Sidechain outliers	177891	1073 (1.82-1.82)
RSRZ outliers	164620	9241 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	774	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 12696 atoms, of which 6284 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	753	12493	3995	6276	1064	1140	18	0	4	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	GLN	VAL	conflict	UNP D0VWU9
A	114	THR	ILE	conflict	UNP D0VWU9
A	141	ALA	ASP	conflict	UNP D0VWU9
A	143	ALA	GLU	conflict	UNP D0VWU9
A	147	HIS	GLU	conflict	UNP D0VWU9
A	383	LYS	SER	conflict	UNP D0VWU9
A	429	GLY	LYS	conflict	UNP D0VWU9
A	445	LEU	PHE	conflict	UNP D0VWU9
A	485	LEU	ALA	conflict	UNP D0VWU9
A	493	VAL	TYR	conflict	UNP D0VWU9
A	496	HIS	TYR	conflict	UNP D0VWU9
A	497	MET	TYR	conflict	UNP D0VWU9
A	499	PHE	TYR	conflict	UNP D0VWU9
A	500	GLU	ALA	conflict	UNP D0VWU9
A	501	ASN	ARG	conflict	UNP D0VWU9
A	521	LEU	ILE	conflict	UNP D0VWU9
A	584	LYS	GLU	conflict	UNP D0VWU9
A	664	LYS	GLU	conflict	UNP D0VWU9
A	726	ARG	LYS	conflict	UNP D0VWU9
A	735	LYS	ASN	conflict	UNP D0VWU9

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	9	Total	Mg	0	0
			9	9		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Na 2 2	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
5	A	1	14	3	8	3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	153	153	153	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.42Å 110.63Å 111.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.40 – 1.82 44.40 – 1.82	Depositor EDS
% Data completeness (in resolution range)	99.4 (44.40-1.82) 99.5 (44.40-1.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 1.79Å)	Xtrriage
Refinement program	PHENIX (dev_4788: ???)	Depositor
R, R_{free}	0.230 , 0.271 0.230 , 0.272	Depositor DCC
R_{free} test set	80712 reflections (2.35%)	wwPDB-VP
Wilson B-factor (Å ²)	41.9	Xtrriage
Anisotropy	0.336	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for -h,l,k	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12696	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL, NA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.79	4/6351 (0.1%)	0.74	1/8561 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	187	GLU	CB-CG	5.58	1.62	1.52
1	A	344	VAL	CB-CG1	-5.20	1.42	1.52
1	A	544	PHE	CD1-CE1	5.20	1.49	1.39
1	A	734	GLU	CB-CG	5.16	1.61	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	343	ASP	CB-CG-OD2	-5.87	113.02	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6217	6276	6283	80	1
2	A	9	0	0	0	0
3	A	25	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	2	0	0	0	0
5	A	6	8	8	0	0
6	A	153	0	0	3	0
All	All	6412	6284	6291	80	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:657:PRO:HA	1:A:660:LEU:HD23	1.65	0.79
1:A:610:ILE:HD12	1:A:615:TRP:CE2	2.26	0.71
1:A:683:ALA:HB2	1:A:699:ILE:CD1	2.21	0.71
1:A:666:ILE:HG23	1:A:673:TYR:OH	1.91	0.70
1:A:668:ARG:HB2	1:A:673:TYR:CE1	2.26	0.70
1:A:7:TYR:OH	1:A:91:GLN:NE2	2.26	0.69
1:A:243:ARG:HE	1:A:243:ARG:H	1.40	0.68
1:A:683:ALA:HB2	1:A:699:ILE:HD11	1.78	0.66
1:A:243:ARG:H	1:A:243:ARG:NE	1.97	0.61
1:A:673:TYR:CD2	1:A:680:VAL:HG11	2.35	0.61
1:A:109:ILE:HG13	1:A:112:TYR:CD2	2.37	0.60
1:A:751:ARG:O	1:A:755:LEU:HD22	2.01	0.59
1:A:153:ALA:HA	1:A:218:TYR:CZ	2.37	0.59
1:A:703:VAL:CG1	1:A:710:ILE:HG23	2.32	0.58
1:A:743[A]:ARG:HD2	6:A:917:HOH:O	2.04	0.57
1:A:673:TYR:CD2	1:A:680:VAL:CG1	2.88	0.56
1:A:246:ASP:N	1:A:246:ASP:OD1	2.39	0.56
1:A:682:VAL:HG13	1:A:716:PRO:HD3	1.88	0.55
1:A:525:ILE:HG23	1:A:536:VAL:HG21	1.87	0.55
1:A:496:HIS:CE1	1:A:502:ALA:HB1	2.42	0.55
1:A:611:VAL:HG13	1:A:612:ARG:N	2.22	0.55
1:A:613:ARG:HE	1:A:613:ARG:H	1.55	0.54
1:A:93:GLN:HB2	1:A:94:PRO:HD3	1.89	0.54
1:A:145:LEU:HB2	1:A:158:LEU:HD21	1.90	0.54
1:A:472:ASP:OD1	1:A:474:ILE:HD12	2.07	0.54
1:A:668:ARG:HB2	1:A:673:TYR:CD1	2.42	0.54
1:A:673:TYR:HD2	1:A:680:VAL:HG11	1.73	0.53
1:A:220:LYS:O	1:A:224:GLU:HG3	2.09	0.52
1:A:269:ASN:O	1:A:270:LEU:HD23	2.10	0.52
1:A:470:THR:HB	1:A:475:GLU:OE2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:LYS:HE2	1:A:242:GLN:OE1	2.10	0.52
1:A:449:ILE:HB	1:A:450:PRO:HD3	1.92	0.52
1:A:36:PRO:HD2	1:A:87:PHE:O	2.10	0.51
1:A:703:VAL:HG13	1:A:710:ILE:HG23	1.93	0.51
1:A:420:PRO:HG3	1:A:506:CYS:HB2	1.93	0.51
1:A:668:ARG:HB2	1:A:673:TYR:HE1	1.76	0.51
1:A:103:HIS:CG	1:A:104:PRO:HD2	2.46	0.51
1:A:159:MET:HG2	1:A:172:THR:HB	1.93	0.50
1:A:752:LYS:HA	1:A:755:LEU:HD23	1.93	0.50
1:A:610:ILE:HG23	1:A:615:TRP:CD1	2.47	0.49
1:A:702:ILE:HD11	1:A:717:PHE:CD1	2.48	0.49
1:A:91:GLN:NE2	3:A:805:SO4:O2	2.46	0.49
1:A:592:LYS:HD2	1:A:606:ARG:HH21	1.77	0.48
1:A:674:LYS:HB2	1:A:676:THR:HB	1.95	0.48
1:A:243:ARG:H	1:A:243:ARG:CD	2.27	0.48
1:A:203:PRO:O	1:A:255:ARG:HD3	2.13	0.47
1:A:341:LEU:HD23	1:A:341:LEU:O	2.15	0.47
1:A:613:ARG:HE	1:A:613:ARG:N	2.12	0.46
1:A:241:ILE:HD12	1:A:241:ILE:C	2.36	0.46
1:A:171:ILE:HG22	1:A:190:MET:HG3	1.97	0.46
1:A:7:TYR:HH	1:A:91:GLN:NE2	2.12	0.45
1:A:327:LEU:N	1:A:328:PRO:HD2	2.32	0.45
1:A:703:VAL:HG11	1:A:710:ILE:HG23	1.99	0.45
1:A:129:MET:HE1	1:A:135:LEU:HD11	1.99	0.45
1:A:683:ALA:HB2	1:A:699:ILE:HD13	1.97	0.45
1:A:496:HIS:NE2	1:A:502:ALA:HB1	2.32	0.45
1:A:524:THR:HG22	1:A:544:PHE:CE2	2.52	0.45
1:A:70:LYS:NZ	1:A:81:GLU:OE1	2.43	0.44
1:A:660:LEU:HD12	1:A:732:TYR:CD1	2.52	0.44
1:A:289:LYS:NZ	6:A:918:HOH:O	2.47	0.43
1:A:610:ILE:HG12	1:A:623:GLN:NE2	2.33	0.43
1:A:89:HIS:CE1	1:A:91:GLN:HG2	2.54	0.43
1:A:660:LEU:HD12	1:A:732:TYR:CG	2.53	0.43
1:A:404:ASP:OD1	1:A:580:GLU:OE2	2.37	0.43
1:A:649:LYS:NZ	1:A:654:GLU:OE1	2.52	0.43
1:A:610:ILE:HG23	1:A:615:TRP:CG	2.54	0.43
1:A:744:ILE:HD12	6:A:957:HOH:O	2.19	0.43
1:A:49:GLU:O	1:A:53:LYS:HD3	2.19	0.42
1:A:380:ARG:O	1:A:381:ARG:C	2.58	0.42
1:A:38:PHE:HB3	1:A:112:TYR:HA	2.00	0.42
1:A:264:ILE:HD13	1:A:278:VAL:HG11	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:GLU:HG2	1:A:320:TYR:OH	2.19	0.42
1:A:653:TYR:HA	1:A:727:TYR:OH	2.19	0.42
1:A:280:GLU:HG3	1:A:285:GLN:C	2.41	0.41
1:A:443:LYS:HB3	1:A:443:LYS:HE2	1.90	0.41
1:A:124:LYS:HA	1:A:124:LYS:HD2	1.98	0.41
1:A:173:TRP:HA	1:A:184:VAL:O	2.21	0.40
1:A:187:GLU:O	1:A:190:MET:HB3	2.21	0.40
1:A:664:LYS:HG2	1:A:679:HIS:CD2	2.55	0.40
1:A:710:ILE:H	1:A:710:ILE:HG13	1.68	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:ASN:OD1	1:A:394:ARG:NH1[4_555]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	753/774 (97%)	728 (97%)	24 (3%)	1 (0%)	48 38

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	390	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	661/673 (98%)	643 (97%)	18 (3%)	40 22

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	ASP
1	A	70	LYS
1	A	108	ASP
1	A	215	ASP
1	A	225	LYS
1	A	243	ARG
1	A	244	MET
1	A	246	ASP
1	A	334	SER
1	A	381	ARG
1	A	390	LYS
1	A	419	SER
1	A	507	LYS
1	A	516	TRP
1	A	591	LYS
1	A	613	ARG
1	A	658	GLU
1	A	673	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	679	HIS

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 11 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	805	-	4,4,4	1.22	0	6,6,6	0.21	0
3	SO4	A	817	-	4,4,4	0.64	0	6,6,6	0.28	0
3	SO4	A	806	-	4,4,4	0.81	0	6,6,6	0.31	0
5	GOL	A	808	-	5,5,5	0.81	0	5,5,5	0.76	0
3	SO4	A	810	-	4,4,4	0.69	0	6,6,6	0.29	0
3	SO4	A	813	-	4,4,4	0.68	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	808	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	808	GOL	O1-C1-C2-O2
5	A	808	GOL	O1-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	805	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	753/774 (97%)	0.29	24 (3%) 50 50	32, 61, 104, 153	4 (0%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	673	TYR	5.4
1	A	743[A]	ARG	4.3
1	A	704	LEU	3.9
1	A	389	VAL	3.8
1	A	431	TYR	2.9
1	A	471	ILE	2.8
1	A	355	TRP	2.8
1	A	611	VAL	2.7
1	A	676	THR	2.5
1	A	710	ILE	2.5
1	A	715	ILE	2.5
1	A	705	LYS	2.5
1	A	610	ILE	2.5
1	A	675	ALA	2.4
1	A	390	LYS	2.4
1	A	614	ASP	2.4
1	A	674	LYS	2.3
1	A	725	HIS	2.3
1	A	59	HIS	2.3
1	A	711	GLY	2.2
1	A	703	VAL	2.2
1	A	680	VAL	2.1
1	A	243	ARG	2.1
1	A	241	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	806	5/5	0.65	0.14	72,91,131,150	0
3	SO4	A	817	5/5	0.68	0.18	87,108,154,166	0
3	SO4	A	813	5/5	0.73	0.09	111,120,146,165	0
2	MG	A	804	1/1	0.78	0.16	83,83,83,83	0
5	GOL	A	808	6/6	0.78	0.17	52,80,96,97	0
3	SO4	A	805	5/5	0.87	0.10	61,63,79,93	0
3	SO4	A	810	5/5	0.90	0.10	91,107,130,136	0
2	MG	A	812	1/1	0.91	0.10	69,69,69,69	0
4	NA	A	809	1/1	0.92	0.16	59,59,59,59	0
2	MG	A	815	1/1	0.93	0.19	59,59,59,59	0
2	MG	A	816	1/1	0.93	0.18	55,55,55,55	0
2	MG	A	801	1/1	0.93	0.10	56,56,56,56	0
2	MG	A	811	1/1	0.94	0.25	54,54,54,54	0
4	NA	A	807	1/1	0.94	0.20	60,60,60,60	0
2	MG	A	803	1/1	0.95	0.08	58,58,58,58	0
2	MG	A	802	1/1	0.96	0.21	46,46,46,46	0
2	MG	A	814	1/1	0.98	0.26	44,44,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.