



Full wwPDB EM Validation Report ⓘ

Oct 15, 2024 – 10:28 am BST

PDB ID : 8S8D
EMDB ID : EMD-19801
Title : Structure of a yeast 48S-AUC preinitiation complex in closed conformation (model py48S-AUC-2)
Authors : Villamayor-Belinchon, L.; Sharma, P.; Llacer, J.L.; Hussain, T.
Deposited on : 2024-03-06
Resolution : 3.45 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1798	
2	A	254	
3	B	255	
4	C	259	
5	E	261	
6	G	236	
7	H	190	
8	I	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	188	 97%
10	L	156	 97%
11	N	151	 97%
12	O	137	 92% 6%
13	V	87	 98%
14	W	130	 98%
15	X	145	 95%
16	Y	135	 99%
17	a	119	 83% 14%
18	b	82	 96%
19	e	63	 92% 5%
20	h	25	 100%
21	D	237	 94%
22	F	227	 89% 9%
23	K	106	 87% 9%
24	M	134	 84% 13%
25	P	142	 80% 18%
26	Q	143	 93% 6%
27	R	136	 93%
28	S	146	 97%
29	T	144	 97%
30	U	117	 90% 9%
31	Z	108	 70% 28%
32	c	67	 94%
33	d	56	 91% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	150	
35	g	326	
36	i	153	
37	3	49	
38	1	75	
39	j	304	
40	k	527	
41	l	285	

2 Entry composition

There are 46 unique types of molecules in this entry. The entry contains 86108 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	2	1798	38190	17073	6722	12597	1798	0	0

- Molecule 2 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	219	1702	1085	299	316	2	0	0

- Molecule 3 is a protein called Small ribosomal subunit protein eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	B	225	1796	1135	330	328	3	0	0

- Molecule 4 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	C	220	1648	1053	291	300	4	0	0

- Molecule 5 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	260	2078	1322	393	359	4	0	0

- Molecule 6 is a protein called Small ribosomal subunit protein eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	G	230	1832	1146	352	330	4	0	0

- Molecule 7 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	H	184	1483	950	270	263	0	0

- Molecule 8 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	I	188	1489	923	300	265	1	0	0

- Molecule 9 is a protein called KLLA0E23673p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	182	1471	929	287	254	1	0	0

- Molecule 10 is a protein called KLLA0A10483p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	L	155	1248	798	237	210	3	0	0

- Molecule 11 is a protein called KLLA0F18040p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	N	151	1195	761	224	207	3	0	0

- Molecule 12 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	O	129	955	585	191	176	3	0	0

- Molecule 13 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	V	87	687	424	126	135	2	0	0

- Molecule 14 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	W	129	Total	C	N	O	S	0	0
			1021	651	187	180	3		

- Molecule 15 is a protein called KLLA0B11231p.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	X	144	Total	C	N	O	S	0	0
			1119	708	218	191	2		

- Molecule 16 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Y	134	Total	C	N	O	S	0	0
			1061	665	207	189			

- Molecule 17 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	a	102	Total	C	N	O	S	0	0
			797	492	168	132	5		

- Molecule 18 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	b	81	Total	C	N	O	S	0	0
			609	379	112	113	5		

- Molecule 19 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	e	60	Total	C	N	O	S	0	0
			472	295	96	80	1		

- Molecule 20 is a protein called 40S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	h	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 21 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	D	227	Total	C	N	O	S	0	0
			1774	1126	320	323	5		

- Molecule 22 is a protein called KLLA0D10659p.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	F	206	Total	C	N	O	S	0	0
			1609	1008	298	300	3		

- Molecule 23 is a protein called KLLA0B08173p.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	K	96	Total	C	N	O	S	0	0
			809	533	129	146	1		

- Molecule 24 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	M	117	Total	C	N	O	0	0
			885	553	161	171		

- Molecule 25 is a protein called KLLA0F07843p.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	P	117	Total	C	N	O	S	0	0
			923	592	165	161	5		

- Molecule 26 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	Q	141	Total	C	N	O	0	0
			1105	709	204	192		

- Molecule 27 is a protein called KLLA0B01474p.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	R	130	Total	C	N	O	S	0	0
			1033	643	194	193	3		

- Molecule 28 is a protein called KLLA0B01562p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	S	145	1189	739	239	209	2	0	0

- Molecule 29 is a protein called KLLA0A07194p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	T	143	1110	693	210	207		0	0

- Molecule 30 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	U	106	845	540	152	152	1	0	0

- Molecule 31 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Z	78	595	376	111	107	1	0	0

- Molecule 32 is a protein called Small ribosomal subunit protein eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	c	64	499	308	99	91	1	0	0

- Molecule 33 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	d	55	461	289	93	78	1	0	0

- Molecule 34 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	f	74	584	374	111	95	4	0	0

- Molecule 35 is a protein called KLLA0E12277p.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	g	320	Total	C	N	O	S	0	0
			2469	1561	432	471	5		

- Molecule 36 is a protein called Eukaryotic translation initiation factor 1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	i	110	Total	C	N	O	S	0	0
			870	534	167	164	5		

- Molecule 37 is a RNA chain called mRNA (5'-R(P*AP*AP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
37	3	26	Total	C	N	O	P	0	0
			536	242	84	184	26		

- Molecule 38 is a RNA chain called Met-tRNAi.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	1	75	Total	C	N	O	P	0	0
			1639	734	298	531	76		

- Molecule 39 is a protein called Eukaryotic translation initiation factor 2 subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	267	Total	C	N	O	S	0	0
			2139	1366	355	407	11		

- Molecule 40 is a protein called Eukaryotic translation initiation factor 2 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	470	Total	C	N	O	S	0	0
			3596	2279	633	666	18		

- Molecule 41 is a protein called Eukaryotic translation initiation factor 2 subunit beta.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	l	23	Total	C	N	O	0	0
			190	124	32	34		


- Molecule 42 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
42	2	112	Total	Mg	0
			112	112	
42	T	1	Total	Mg	0
			1	1	
42	i	1	Total	Mg	0
			1	1	
42	3	1	Total	Mg	0
			1	1	
42	k	1	Total	Mg	0
			1	1	

- Molecule 43 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
43	a	1	Total	Zn	0
			1	1	
43	b	1	Total	Zn	0
			1	1	
43	f	1	Total	Zn	0
			1	1	

- Molecule 44 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
44	k	1	Total	C	N	O	P	0
			32	11	5	13	3	

- Molecule 45 is METHIONINE (three-letter code: MET) (formula: C₅H₁₁NO₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
45	k	1	8	5	1	1	1	0


- Molecule 46 is water.


Mol	Chain	Residues	Atoms		AltConf
			Total	O	
46	2	3	3	3	0

3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 18S ribosomal RNA









• Molecule 2: Small ribosomal subunit protein uS2



• Molecule 3: Small ribosomal subunit protein eS1



• Molecule 4: Small ribosomal subunit protein uS5




• Molecule 5: 40S ribosomal protein S4








- Molecule 6: Small ribosomal subunit protein eS6




- Molecule 7: 40S ribosomal protein S7



- Molecule 8: 40S ribosomal protein S8




- Molecule 9: KLLA0E23673p




- Molecule 10: KLLA0A10483p




- Molecule 11: KLLA0F18040p




- Molecule 12: Small ribosomal subunit protein uS11

Chain O:  92% • 6%



- Molecule 13: 40S ribosomal protein S21

Chain V:  98% •



- Molecule 14: Small ribosomal subunit protein uS8

Chain W:  98% ••



- Molecule 15: KLLA0B11231p

Chain X:  95% ••





- Molecule 16: 40S ribosomal protein S24

Chain Y:  99% ••




- Molecule 17: 40S ribosomal protein S26

Chain a:  5% 83% • 14%




- Molecule 18: 40S ribosomal protein S27


Chain b:  96% ••




- Molecule 19: 40S ribosomal protein S30




- Molecule 20: 40S ribosomal protein L41-A




- Molecule 21: 40S ribosomal protein S3




- Molecule 22: KLLA0D10659p




- Molecule 23: KLLA0B08173p




- Molecule 24: 40S ribosomal protein S12




- Molecule 25: KLLA0F07843p




• Molecule 26: Small ribosomal subunit protein uS9



• Molecule 27: KLLA0B01474p





• Molecule 28: KLLA0B01562p




• Molecule 29: KLLA0A07194p



• Molecule 30: Small ribosomal subunit protein uS10



• Molecule 31: 40S ribosomal protein S25



ALA
SER
GLU

- Molecule 32: Small ribosomal subunit protein eS28

Chain c:  94%

MET
ASP
THR
K4
R67

- Molecule 33: Small ribosomal subunit protein uS14

Chain d:  91%

MET
K2
F14
R19
G20
C21
Y55
R56

- Molecule 34: Small ribosomal subunit protein eS31

Chain f:  19%
49% 51%

MET
GLN
ILE
PHE
VAL
SER
LYS
THR
LEU
THR
THR
GLY
LYS
THR
ILE
THR
LEU
GLY
VAL
GLU
SER
SER
SER
ASP
THR
ILE
ASP
ASN
VAL
LYS
SER
SER
ILE
GLN
ASP
LYS
GLY
GLU
ILE
PRO
PRO
ASP
GLN
GLN
ARG
LEU
ILE
PHE
ALA
GLY
LYS
GLM
LEU
LEU
ASP
GLY
ARG
THR
SER
ASP
TYR
ASN


ILE
GLN
LYS
GLU
SER
THR
LEU
HIS
VAL
LEU
VAL
ARG
LEU
ARG
GLY
G77
K78
K79
R80
K81
K82
K83
V84
Y85
T86
T87
K90
V98
K99
L100
L103
N104
Y105
Y106
K107
V108
D109
D110
E111
G112
K113
V114
A115
K116
L117
G125
D135
S144
T145
F146
A147
K150

- Molecule 35: KLLA0E12277p

Chain g:  6%
98%

MET
SER
S3
S4
N5
R11
A28
Q53
N94
N161
L162
E163
D164
GLY
V167
D168
D169
L188
N189
GLU
ASP
S192
K244
K290
A291
A325
N326

- Molecule 36: Eukaryotic translation initiation factor 1A

Chain i:  40%
69% 28%

MET
GLY
LYS
LYS
ASN
THR
LYS
G8
G9
K10
K11
G12
G12
R13
R14
G15
K16
N17
D18
S19
D20
G21
P22
K23
R24
E25
L26
I27
Y28
E31
G32
M41
R46
V47
E48
A49
S50
C51
F52
D53
G54
N55
K56
I61
R66
K67
K68
G72
Q73
I77
L78
D83

D86
D87
D90
H93
K94
Y95
N96
L97
D98
E99
A100
R101
K104
M105
Q106
G107
E108
L109
P110
E111
N112
A113
K114
I115
N116
E117

ASP
ILE
ASP
ASP
ILE

- Molecule 37: mRNA (5'-R(P*AP*AP*U)-3')

S121	G122	V123	Q124	T125	V126	R127	F128	K129	D130	E131	L132	E133	R134	N135	I136	T137	I138	K139	L140	Y142	A143	M144	L205	K146	I147	Y148	C150	Q151	E152	P153	C155	P156	E157	P158	D159	C160	Y161	R162	S163	F164	K165	S166	D167	K168	E169	I170	S171	P172	K173	C174	Q175	R176	P177	G178	C179	P180				
G181	R182	Y183	K184	L185	V186	R187	H188	V189	S190	F191	V192	D193	C194	P195	G196	H197	D198	I199	L200	M201	S202	T203	M204	L205	S206	G207	A208	A209	V210	M211	D212	A213	A214	L215	L216	L217	I218	A219	G220	N221	E222	S223	C224	P225	Q226	P227	Q228	T229	S230	E231	H232	L233	A234	A235	I236	F237	I238	M239	K240	
L241	K242	H243	V244	I245	I246	L247	Q248	N249	K250	V251	D252	L253	M254	R255	E256	E257	S258	A259	L260	E261	H262	Q263	K264	S265	L266	L267	K268	F269	I270	R271	G272	T273	T274	A275	D276	G277	A278	P279	I280	V281	L282	I283	S284	S285	A286	Q286	L287	K288	Y289	N290	I291	D292	A293	V294	N295	E296	F297	I298	V299	K300
T301	I302	P303	V304	P305	P306	R307	D308	F309	M310	I311	S312	P313	R314	L315	I316	V317	I318	R319	S320	F321	D322	V323	N324	K325	P326	G327	A328	E329	I330	E331	D332	L333	K334	G335	G336	V337	A338	G339	G340	S341	I342	L343	N344	G345	V346	F347	K348	L349	G350	D351	E352	I353	E354	I355	R356	F357	G358	I359	V360	
T361	K362	D363	D364	K365	G366	K367	I368	Q369	C370	K371	P372	I373	F374	S375	N376	I377	V378	S379	L380	F381	A382	E383	Q384	N385	D386	L387	K388	F389	A390	V391	P392	G393	G394	L395	I396	G397	V398	G399	T400	K401	V402	D403	P404	T405	L406	C407	R408	A409	D410	R411	L412	V413	G414	Q415	V416	V417	G418	A419	K420	
G421	H422	L423	P424	M425	I426	Y427	T428	D429	I430	E431	I432	M433	Y434	F435	L436	L437	R438	R439	L440	L441	G442	V443	K444	T445	D446	G447	Q448	K449	Q450	A451	K452	V453	R454	K455	L456	E457	M458	E460	V461	L462	M463	V464	M465	I466	G467	S468	T469	A470	T471	G472	A473	R474	V475	V476	A477	V478	K479	A480		
D481	M482	A483	R484	L485	Q486	L487	T488	S489	P490	A491	C492	T493	E494	I495	M496	E497	K498	I499	A500	L501	S502	R503	B504	I505	E506	K507	H508	B509	B510	L511	L512	G513	M514	A515	T516	I517	K518	K519	G520	T521	T522	L523	E524	P525	I526	A527														

● Molecule 41: Eukaryotic translation initiation factor 2 subunit beta



MET	SER	ALA	GLU	SER	ASP
SER	ILE	GLU	ASP	ALA	ASP
ASN	GLN	GLU	GLU	ALA	ALA
GLN	GLN	GLU	LEU	LYS	GLY
GLU	ARG	LEU	ARG	LYS	THR
SER	SER	PRO	SER	PRO	THR
V127	HIS	THR	THR	THR	ASP
G128	HIS	GLU	ASP	ASP	ASP
L129	HIS	GLN	GLY	ILE	ILE
P130	SER	ASN	ASP	ALA	ALA
Y131	ARG	ARG	GLN	GLU	GLY
S132	LEU	LEU	TRP	ALA	ALA
E133	PHE	PHE	PHE	LEU	LEU
L134	MET	ALA	VAL	GLY	LEU
L135	VAL	VAL	GLY	LEU	LEU
S136	CYS	LEU	GLY	SER	SER
R137	LYS	THR	THR	LEU	LEU
F138	THR	THR	THR	LYS	LYS
F139	CYS	GLY	SER	LYS	LYS
M140	SER	SER	SER	LYS	LYS
I141	THR	THR	VAL	VAL	VAL
L142	ARG	ARG	ASP	LYS	LYS
R143	SER	GLN	GLN	THR	THR
T144	SER	VAL	VAL	THR	THR
M145	SER	ARG	ARG	LYS	LYS
N146	ILE	ILE	ILE	LEU	LEU
M147	LYS	VAL	VAL	VAL	VAL
P147	ILE	ILE	ILE	ILE	ILE
E148	GLY	LYS	GLY	GLY	GLY
E149	PHE	GLN	GLN	ALA	ALA
L149	ALA	PHE	PHE	ALA	ALA
ALA	GLU	GLY	GLY	GLY	GLY
GLY	GLU	THR	THR	THR	THR
ASP	SER	VAL	VAL	VAL	VAL
ARG	LYS	GLY	GLY	GLY	GLY
SER	GLN	ARG	ARG	ARG	ARG
GLY	LYS	GLN	GLN	ARG	ARG
PRO	LYS	ARG	ARG	ARG	ARG
ALA	ASP	VAL	VAL	ARG	ARG
ASP	LEU	PHE	VAL	ARG	ARG
LEU	GLY	ARG	ARG	ARG	ARG
VAL	LEU	ILE	ILE	ILE	ILE
GLY	LEU	LEU	LEU	LEU	LEU
LEU	THR	THR	THR	THR	THR
VAL	THR	THR	THR	THR	THR
GLY	GLY	THR	THR	THR	THR
LYS	LYS	VAL	VAL	VAL	VAL
THR	THR	CYS	CYS	CYS	CYS
THR	THR	ILE	ILE	ILE	ILE
PHE	PHE	ILE	ILE	ILE	ILE
SER	SER	SER	SER	SER	SER
ASN	ASN	ASN	ASN	ASN	ASN
GLN	GLN	GLN	GLN	GLN	GLN
ASP	ASP	ASP	ASP	ASP	ASP
ILE	ILE	ILE	ILE	ILE	ILE

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	141338	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.670	Depositor
Minimum map value	-0.330	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	402.0, 402.0, 402.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.34, 1.34, 1.34	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, M2G, MG, RIA, 2MG, 7MG, B8N, GCP, 1MG, 1MA, H2U, MA6, PSU, T6A, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.22	0/42410	0.84	31/66079 (0.0%)
2	A	0.27	0/1742	0.54	0/2383
3	B	0.28	0/1820	0.60	0/2448
4	C	0.26	0/1678	0.51	0/2277
5	E	0.26	0/2122	0.58	1/2861 (0.0%)
6	G	0.24	0/1855	0.53	0/2479
7	H	0.30	0/1507	0.58	0/2028
8	I	0.27	0/1515	0.64	1/2029 (0.0%)
9	J	0.27	0/1495	0.59	0/2001
10	L	0.26	0/1276	0.56	0/1718
11	N	0.26	0/1218	0.55	0/1638
12	O	0.28	0/966	0.68	1/1297 (0.1%)
13	V	0.29	0/696	0.61	0/938
14	W	0.26	0/1039	0.53	0/1399
15	X	0.28	0/1137	0.57	0/1516
16	Y	0.27	0/1075	0.58	0/1433
17	a	0.26	0/810	0.62	0/1087
18	b	0.25	0/619	0.54	0/837
19	e	0.27	0/480	0.59	0/640
20	h	0.25	0/234	0.70	0/300
21	D	0.27	0/1800	0.61	3/2421 (0.1%)
22	F	0.26	0/1628	0.60	1/2198 (0.0%)
23	K	0.31	0/831	0.60	0/1123
24	M	0.25	0/891	0.64	1/1201 (0.1%)
25	P	0.29	0/942	0.64	1/1269 (0.1%)
26	Q	0.30	0/1125	0.60	0/1510
27	R	0.25	0/1044	0.55	0/1402
28	S	0.26	0/1208	0.65	1/1624 (0.1%)
29	T	0.28	0/1129	0.60	1/1520 (0.1%)
30	U	0.26	0/857	0.58	0/1158
31	Z	0.32	0/604	0.66	0/815
32	c	0.25	0/501	0.67	0/673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	d	0.25	0/473	0.55	0/629
34	f	0.25	0/597	0.53	0/795
35	g	0.26	0/2523	0.55	0/3434
36	i	0.27	0/880	0.61	0/1170
37	3	0.14	0/595	0.69	0/920
38	1	0.37	1/1529 (0.1%)	0.86	3/2376 (0.1%)
39	j	0.26	0/2171	0.51	1/2924 (0.0%)
40	k	0.26	0/3657	0.50	0/4946
41	l	0.25	0/194	0.48	0/263
All	All	0.25	1/90873 (0.0%)	0.73	46/131759 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	1	1	A	OP3-P	-10.56	1.48	1.61

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	T	35	ASP	CB-CG-OD1	8.28	125.75	118.30
22	F	52	ASP	CB-CG-OD1	7.92	125.42	118.30
8	I	194	LEU	CA-CB-CG	7.19	131.84	115.30
1	2	700	C	C2-N1-C1'	7.04	126.55	118.80
1	2	1471	U	C2-N1-C1'	7.03	126.14	117.70
1	2	700	C	N1-C2-O2	6.53	122.82	118.90
1	2	1471	U	N1-C2-O2	6.43	127.30	122.80
1	2	1256	U	C2-N1-C1'	6.33	125.29	117.70
1	2	1387	C	C2-N1-C1'	6.30	125.73	118.80
21	D	57	ASP	CB-CG-OD1	6.30	123.97	118.30
24	M	32	ASP	CB-CG-OD1	6.21	123.89	118.30
1	2	1273	C	N1-C2-O2	6.18	122.61	118.90
1	2	1273	C	C2-N1-C1'	6.14	125.55	118.80
12	O	51	ASP	CB-CG-OD1	6.07	123.77	118.30
28	S	66	LEU	CA-CB-CG	6.07	129.25	115.30
1	2	958	U	N1-C2-O2	5.92	126.95	122.80
1	2	694	U	C2-N1-C1'	5.92	124.80	117.70
1	2	683	C	C2-N1-C1'	5.86	125.24	118.80
1	2	1161	C	N1-C2-O2	5.60	122.26	118.90
1	2	1471	U	N3-C2-O2	-5.54	118.33	122.20
1	2	582	C	C2-N1-C1'	5.49	124.84	118.80
21	D	14	ASP	CB-CG-OD1	5.49	123.24	118.30
1	2	958	U	N3-C2-O2	-5.48	118.36	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	1	74	C	OP2-P-O3'	5.45	117.20	105.20
1	2	588	C	C2-N1-C1'	5.44	124.79	118.80
1	2	1015	C	N1-C2-O2	5.44	122.16	118.90
1	2	683	C	N1-C2-O2	5.39	122.14	118.90
21	D	113	LEU	CA-CB-CG	5.37	127.66	115.30
1	2	1015	C	C2-N1-C1'	5.32	124.65	118.80
25	P	22	LEU	CA-CB-CG	5.31	127.52	115.30
1	2	694	U	N1-C2-O2	5.27	126.49	122.80
1	2	1362	U	C2-N1-C1'	5.25	124.00	117.70
1	2	958	U	C2-N1-C1'	5.21	123.96	117.70
1	2	184	U	C2-N1-C1'	5.21	123.95	117.70
1	2	662	U	C2-N1-C1'	5.18	123.92	117.70
1	2	1639	C	N1-C2-O2	5.16	122.00	118.90
1	2	933	C	C2-N1-C1'	5.15	124.47	118.80
1	2	222	U	OP2-P-O3'	5.14	116.50	105.20
1	2	700	C	C6-N1-C1'	-5.14	114.64	120.80
5	E	176	ASP	CB-CG-OD1	5.12	122.91	118.30
39	j	205	LEU	CA-CB-CG	5.07	126.95	115.30
38	1	74	C	P-O3'-C3'	5.05	125.76	119.70
1	2	1331	C	N1-C2-O2	5.05	121.93	118.90
1	2	1331	C	C2-N1-C1'	5.05	124.35	118.80
1	2	184	U	N1-C2-O2	5.03	126.32	122.80
38	1	43	G	C3'-C2'-C1'	5.01	105.51	101.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	217/254 (85%)	194 (89%)	23 (11%)	0	100	100
3	B	221/255 (87%)	202 (91%)	17 (8%)	2 (1%)	14	48
4	C	218/259 (84%)	208 (95%)	10 (5%)	0	100	100
5	E	258/261 (99%)	240 (93%)	18 (7%)	0	100	100
6	G	228/236 (97%)	220 (96%)	8 (4%)	0	100	100
7	H	182/190 (96%)	168 (92%)	13 (7%)	1 (0%)	25	59
8	I	184/201 (92%)	164 (89%)	20 (11%)	0	100	100
9	J	180/188 (96%)	173 (96%)	7 (4%)	0	100	100
10	L	153/156 (98%)	141 (92%)	12 (8%)	0	100	100
11	N	149/151 (99%)	145 (97%)	4 (3%)	0	100	100
12	O	127/137 (93%)	115 (91%)	12 (9%)	0	100	100
13	V	85/87 (98%)	78 (92%)	7 (8%)	0	100	100
14	W	127/130 (98%)	121 (95%)	6 (5%)	0	100	100
15	X	142/145 (98%)	133 (94%)	9 (6%)	0	100	100
16	Y	132/135 (98%)	124 (94%)	8 (6%)	0	100	100
17	a	100/119 (84%)	81 (81%)	19 (19%)	0	100	100
18	b	79/82 (96%)	75 (95%)	4 (5%)	0	100	100
19	e	58/63 (92%)	52 (90%)	6 (10%)	0	100	100
20	h	23/25 (92%)	23 (100%)	0	0	100	100
21	D	225/237 (95%)	216 (96%)	9 (4%)	0	100	100
22	F	204/227 (90%)	184 (90%)	20 (10%)	0	100	100
23	K	94/106 (89%)	86 (92%)	8 (8%)	0	100	100
24	M	113/134 (84%)	99 (88%)	14 (12%)	0	100	100
25	P	115/142 (81%)	104 (90%)	11 (10%)	0	100	100
26	Q	139/143 (97%)	122 (88%)	15 (11%)	2 (1%)	9	40
27	R	128/136 (94%)	117 (91%)	11 (9%)	0	100	100
28	S	143/146 (98%)	130 (91%)	13 (9%)	0	100	100
29	T	141/144 (98%)	131 (93%)	10 (7%)	0	100	100
30	U	104/117 (89%)	92 (88%)	12 (12%)	0	100	100
31	Z	76/108 (70%)	69 (91%)	7 (9%)	0	100	100
32	c	62/67 (92%)	57 (92%)	5 (8%)	0	100	100
33	d	53/56 (95%)	51 (96%)	2 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	f	72/150 (48%)	58 (81%)	14 (19%)	0	100	100
35	g	314/326 (96%)	291 (93%)	23 (7%)	0	100	100
36	i	108/153 (71%)	99 (92%)	9 (8%)	0	100	100
39	j	263/304 (86%)	244 (93%)	19 (7%)	0	100	100
40	k	468/527 (89%)	438 (94%)	30 (6%)	0	100	100
41	l	21/285 (7%)	21 (100%)	0	0	100	100
All	All	5706/6582 (87%)	5266 (92%)	435 (8%)	5 (0%)	50	79

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	H	64	VAL
26	Q	41	PRO
26	Q	42	GLU
3	B	221	PRO
3	B	4	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	180/211 (85%)	173 (96%)	7 (4%)	27	58
3	B	202/228 (89%)	196 (97%)	6 (3%)	36	65
4	C	177/203 (87%)	175 (99%)	2 (1%)	70	83
5	E	223/224 (100%)	217 (97%)	6 (3%)	40	67
6	G	192/200 (96%)	190 (99%)	2 (1%)	73	84
7	H	164/170 (96%)	157 (96%)	7 (4%)	25	54
8	I	147/159 (92%)	140 (95%)	7 (5%)	21	51
9	J	153/158 (97%)	153 (100%)	0	100	100
10	L	136/137 (99%)	132 (97%)	4 (3%)	37	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	N	128/128 (100%)	124 (97%)	4 (3%)	35	64
12	O	97/104 (93%)	95 (98%)	2 (2%)	48	72
13	V	73/73 (100%)	71 (97%)	2 (3%)	40	67
14	W	110/111 (99%)	108 (98%)	2 (2%)	54	75
15	X	119/120 (99%)	113 (95%)	6 (5%)	20	50
16	Y	108/109 (99%)	107 (99%)	1 (1%)	75	86
17	a	83/100 (83%)	80 (96%)	3 (4%)	30	60
18	b	71/72 (99%)	69 (97%)	2 (3%)	38	66
19	e	51/55 (93%)	49 (96%)	2 (4%)	27	58
20	h	23/23 (100%)	23 (100%)	0	100	100
21	D	188/196 (96%)	187 (100%)	1 (0%)	86	92
22	F	174/194 (90%)	171 (98%)	3 (2%)	56	75
23	K	88/96 (92%)	84 (96%)	4 (4%)	23	54
24	M	93/109 (85%)	90 (97%)	3 (3%)	34	63
25	P	99/119 (83%)	96 (97%)	3 (3%)	36	65
26	Q	117/119 (98%)	111 (95%)	6 (5%)	20	49
27	R	116/124 (94%)	113 (97%)	3 (3%)	41	68
28	S	127/129 (98%)	124 (98%)	3 (2%)	44	70
29	T	117/118 (99%)	114 (97%)	3 (3%)	41	68
30	U	96/107 (90%)	95 (99%)	1 (1%)	73	84
31	Z	60/88 (68%)	58 (97%)	2 (3%)	33	62
32	c	55/59 (93%)	54 (98%)	1 (2%)	54	75
33	d	47/48 (98%)	43 (92%)	4 (8%)	8	33
34	f	60/133 (45%)	60 (100%)	0	100	100
35	g	264/272 (97%)	262 (99%)	2 (1%)	79	87
36	i	90/130 (69%)	86 (96%)	4 (4%)	24	54
39	j	239/274 (87%)	235 (98%)	4 (2%)	56	75
40	k	393/449 (88%)	390 (99%)	3 (1%)	79	87
41	l	22/246 (9%)	22 (100%)	0	100	100
All	All	4882/5595 (87%)	4767 (98%)	115 (2%)	45	70

All (115) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	15	GLN
2	A	32	HIS
2	A	38	TYR
2	A	72	ASP
2	A	162	CYS
2	A	175	TYR
2	A	208	GLU
3	B	6	ASN
3	B	19	ARG
3	B	24	PHE
3	B	82	ARG
3	B	89	ASP
3	B	202	LYS
4	C	191	LYS
4	C	227	TYR
5	E	79	ASP
5	E	118	GLU
5	E	159	THR
5	E	163	ASP
5	E	176	ASP
5	E	206	ASP
6	G	92	ARG
6	G	210	GLN
7	H	37	ASP
7	H	39	ARG
7	H	66	SER
7	H	67	LEU
7	H	103	SER
7	H	131	PHE
7	H	164	ASN
8	I	6	ASP
8	I	119	GLN
8	I	176	GLN
8	I	179	ARG
8	I	180	CYS
8	I	194	LEU
8	I	195	ARG
10	L	9	SER
10	L	35	TYR
10	L	52	SER
10	L	67	ARG
11	N	11	MET
11	N	35	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	N	83	GLU
11	N	105	ASN
12	O	46	MET
12	O	125	SER
13	V	12	TYR
13	V	80	LYS
14	W	42	GLN
14	W	58	SER
15	X	43	PHE
15	X	46	SER
15	X	61	SER
15	X	87	VAL
15	X	95	PHE
15	X	107	PHE
16	Y	131	ARG
17	a	25	ASN
17	a	33	ASP
17	a	69	ASN
18	b	22	LYS
18	b	36	LYS
19	e	35	TYR
19	e	56	MET
21	D	202	LEU
22	F	65	GLN
22	F	142	SER
22	F	158	ARG
23	K	7	ASP
23	K	9	LYS
23	K	26	ASP
23	K	41	PHE
24	M	22	LYS
24	M	26	ARG
24	M	124	ARG
25	P	25	LEU
25	P	69	GLU
25	P	127	ARG
26	Q	40	GLN
26	Q	57	LEU
26	Q	98	ASP
26	Q	125	GLU
26	Q	132	ARG
26	Q	143	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
27	R	82	ASP
27	R	84	TYR
27	R	116	LYS
28	S	47	CYS
28	S	64	GLU
28	S	111	ASP
29	T	33	TYR
29	T	43	ASN
29	T	49	ASP
30	U	105	GLN
31	Z	84	GLU
31	Z	98	GLN
32	c	67	ARG
33	d	14	PHE
33	d	19	ARG
33	d	21	CYS
33	d	55	TYR
35	g	94	ASN
35	g	188	LEU
36	i	14	ARG
36	i	105	ASN
36	i	109	LEU
36	i	114	LYS
39	j	30	MET
39	j	33	TYR
39	j	132	TRP
39	j	140	HIS
40	k	268	LYS
40	k	310	MET
40	k	462	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
3	B	232	HIS
4	C	64	HIS
6	G	13	GLN
8	I	160	GLN
13	V	29	HIS
15	X	18	HIS
16	Y	22	GLN
19	e	46	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	F	65	GLN
22	F	226	ASN
23	K	81	ASN
24	M	51	GLN
29	T	17	ASN
34	f	133	HIS
40	k	263	GLN
40	k	344	ASN
40	k	465	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1795/1798 (99%)	520 (28%)	30 (1%)
37	3	25/49 (51%)	15 (60%)	0
38	1	71/75 (94%)	28 (39%)	2 (2%)
All	All	1891/1922 (98%)	563 (29%)	32 (1%)

All (563) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	4	C
1	2	25	C
1	2	26	A
1	2	27	U
1	2	34	G
1	2	43	A
1	2	47	A
1	2	57	G
1	2	58	U
1	2	59	C
1	2	60	U
1	2	67	A
1	2	68	A
1	2	69	G
1	2	72	A
1	2	73	U
1	2	74	U
1	2	75	U
1	2	77	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	78	A
1	2	79	C
1	2	80	A
1	2	81	G
1	2	104	A
1	2	114	C
1	2	115	G
1	2	121	U
1	2	127	G
1	2	129	U
1	2	130	C
1	2	132	U
1	2	133	U
1	2	135	A
1	2	136	C
1	2	137	U
1	2	140	A
1	2	146	A
1	2	152	G
1	2	155	A
1	2	160	U
1	2	161	A
1	2	167	A
1	2	169	U
1	2	173	U
1	2	176	U
1	2	177	U
1	2	178	A
1	2	184	U
1	2	185	C
1	2	187	A
1	2	191	U
1	2	192	U
1	2	194	G
1	2	195	G
1	2	216	A
1	2	217	A
1	2	218	A
1	2	220	A
1	2	221	A
1	2	223	C
1	2	225	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	226	U
1	2	227	G
1	2	230	U
1	2	231	U
1	2	232	C
1	2	234	G
1	2	235	A
1	2	237	U
1	2	239	C
1	2	240	U
1	2	248	U
1	2	249	C
1	2	256	A
1	2	259	U
1	2	260	U
1	2	264	A
1	2	271	U
1	2	275	C
1	2	276	U
1	2	278	G
1	2	280	G
1	2	289	G
1	2	298	A
1	2	300	A
1	2	301	U
1	2	307	C
1	2	313	C
1	2	315	A
1	2	319	U
1	2	320	C
1	2	321	G
1	2	332	A
1	2	336	G
1	2	337	C
1	2	349	U
1	2	359	A
1	2	360	C
1	2	382	G
1	2	390	A
1	2	398	A
1	2	399	A
1	2	400	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	401	C
1	2	404	C
1	2	411	A
1	2	415	A
1	2	416	A
1	2	422	G
1	2	423	C
1	2	424	A
1	2	425	G
1	2	436	A
1	2	438	U
1	2	439	U
1	2	440	A
1	2	443	C
1	2	445	A
1	2	447	C
1	2	454	C
1	2	459	A
1	2	463	A
1	2	467	A
1	2	474	A
1	2	476	A
1	2	482	A
1	2	483	C
1	2	487	G
1	2	488	C
1	2	489	C
1	2	490	C
1	2	491	A
1	2	493	U
1	2	494	C
1	2	495	G
1	2	496	G
1	2	499	C
1	2	501	U
1	2	502	G
1	2	504	A
1	2	505	A
1	2	506	U
1	2	507	U
1	2	513	G
1	2	514	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	516	U
1	2	519	A
1	2	527	U
1	2	533	A
1	2	537	A
1	2	540	A
1	2	541	A
1	2	543	A
1	2	554	A
1	2	558	C
1	2	563	G
1	2	564	C
1	2	565	C
1	2	567	G
1	2	577	U
1	2	578	A
1	2	584	A
1	2	593	A
1	2	594	G
1	2	597	U
1	2	605	A
1	2	610	U
1	2	618	A
1	2	619	A
1	2	621	A
1	2	622	A
1	2	623	G
1	2	634	A
1	2	638	U
1	2	641	G
1	2	650	G
1	2	651	U
1	2	652	C
1	2	657	C
1	2	659	G
1	2	661	C
1	2	663	U
1	2	664	U
1	2	671	C
1	2	672	G
1	2	675	C
1	2	676	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	679	U
1	2	680	U
1	2	681	U
1	2	684	A
1	2	685	A
1	2	686	C
1	2	693	U
1	2	694	U
1	2	695	U
1	2	696	C
1	2	697	C
1	2	701	U
1	2	702	G
1	2	704	C
1	2	707	A
1	2	709	C
1	2	710	U
1	2	711	G
1	2	712	U
1	2	714	C
1	2	717	C
1	2	718	U
1	2	721	U
1	2	722	G
1	2	727	C
1	2	729	G
1	2	730	G
1	2	731	C
1	2	732	G
1	2	733	A
1	2	734	A
1	2	736	C
1	2	738	G
1	2	739	G
1	2	741	C
1	2	742	U
1	2	743	U
1	2	755	A
1	2	765	G
1	2	766	PSU
1	2	771	A
1	2	774	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	778	G
1	2	779	A
1	2	780	A
1	2	781	A
1	2	782	G
1	2	783	C
1	2	786	G
1	2	788	A
1	2	789	U
1	2	792	A
1	2	793	U
1	2	794	U
1	2	809	G
1	2	811	A
1	2	812	U
1	2	813	A
1	2	817	C
1	2	819	U
1	2	820	U
1	2	822	G
1	2	826	C
1	2	828	A
1	2	829	U
1	2	830	U
1	2	832	U
1	2	836	G
1	2	837	G
1	2	839	U
1	2	840	U
1	2	862	A
1	2	863	U
1	2	864	A
1	2	875	G
1	2	876	G
1	2	895	U
1	2	897	A
1	2	903	G
1	2	912	G
1	2	913	G
1	2	915	U
1	2	916	U
1	2	917	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	918	A
1	2	919	U
1	2	920	U
1	2	932	A
1	2	934	U
1	2	941	G
1	2	944	U
1	2	950	A
1	2	958	U
1	2	959	U
1	2	965	A
1	2	969	A
1	2	970	A
1	2	972	A
1	2	981	U
1	2	982	A
1	2	985	G
1	2	986	G
1	2	987	A
1	2	991	A
1	2	995	U
1	2	998	PSU
1	2	1003	U
1	2	1011	U
1	2	1015	C
1	2	1025	A
1	2	1026	A
1	2	1027	C
1	2	1030	U
1	2	1031	G
1	2	1038	A
1	2	1039	G
1	2	1041	G
1	2	1042	A
1	2	1049	G
1	2	1050	G
1	2	1051	U
1	2	1052	G
1	2	1055	U
1	2	1056	U
1	2	1057	U
1	2	1058	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1059	U
1	2	1060	U
1	2	1061	A
1	2	1075	A
1	2	1081	C
1	2	1082	G
1	2	1085	A
1	2	1086	A
1	2	1091	A
1	2	1095	C
1	2	1096	U
1	2	1099	G
1	2	1108	G
1	2	1112	A
1	2	1113	G
1	2	1137	A
1	2	1149	G
1	2	1150	A
1	2	1155	C
1	2	1157	C
1	2	1158	C
1	2	1163	G
1	2	1166	G
1	2	1184	U
1	2	1185	U
1	2	1189	C
1	2	1193	A
1	2	1195	A
1	2	1198	G
1	2	1199	G
1	2	1201	A
1	2	1207	A
1	2	1216	A
1	2	1217	G
1	2	1224	U
1	2	1228	G
1	2	1230	U
1	2	1236	G
1	2	1237	A
1	2	1240	G
1	2	1241	A
1	2	1243	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1244	G
1	2	1245	C
1	2	1246	U
1	2	1247	C
1	2	1249	U
1	2	1250	U
1	2	1251	C
1	2	1254	G
1	2	1255	A
1	2	1258	U
1	2	1259	U
1	2	1260	G
1	2	1268	U
1	2	1269	G
1	2	1272	G
1	2	1275	U
1	2	1283	C
1	2	1284	U
1	2	1296	G
1	2	1298	G
1	2	1306	U
1	2	1311	A
1	2	1313	U
1	2	1315	G
1	2	1317	G
1	2	1320	A
1	2	1321	A
1	2	1324	A
1	2	1332	C
1	2	1336	A
1	2	1337	C
1	2	1338	C
1	2	1339	U
1	2	1343	A
1	2	1344	A
1	2	1345	A
1	2	1347	A
1	2	1353	G
1	2	1355	U
1	2	1360	C
1	2	1361	U
1	2	1362	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1363	G
1	2	1366	G
1	2	1370	G
1	2	1380	A
1	2	1386	A
1	2	1388	U
1	2	1389	A
1	2	1396	U
1	2	1397	C
1	2	1398	A
1	2	1400	G
1	2	1401	C
1	2	1408	A
1	2	1409	A
1	2	1410	G
1	2	1411	U
1	2	1413	U
1	2	1425	A
1	2	1426	2MG
1	2	1429	C
1	2	1431	G
1	2	1434	A
1	2	1442	A
1	2	1443	G
1	2	1444	A
1	2	1457	C
1	2	1458	A
1	2	1464	G
1	2	1469	A
1	2	1471	U
1	2	1476	G
1	2	1480	C
1	2	1484	G
1	2	1488	A
1	2	1489	C
1	2	1490	A
1	2	1491	A
1	2	1494	U
1	2	1499	C
1	2	1509	G
1	2	1514	A
1	2	1518	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1519	G
1	2	1521	G
1	2	1522	A
1	2	1523	A
1	2	1535	C
1	2	1538	G
1	2	1540	G
1	2	1552	U
1	2	1553	A
1	2	1555	U
1	2	1557	A
1	2	1558	U
1	2	1565	U
1	2	1566	C
1	2	1571	A
1	2	1572	G
1	2	1573	7MG
1	2	1581	A
1	2	1588	G
1	2	1594	C
1	2	1595	A
1	2	1599	G
1	2	1614	G
1	2	1617	C
1	2	1620	G
1	2	1632	C
1	2	1633	A
1	2	1646	A
1	2	1654	U
1	2	1655	U
1	2	1656	G
1	2	1662	C
1	2	1678	G
1	2	1679	A
1	2	1682	U
1	2	1685	U
1	2	1687	A
1	2	1688	G
1	2	1692	A
1	2	1693	G
1	2	1694	G
1	2	1695	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2	1697	G
1	2	1698	C
1	2	1699	A
1	2	1700	A
1	2	1701	C
1	2	1702	U
1	2	1703	C
1	2	1704	C
1	2	1707	C
1	2	1709	C
1	2	1710	A
1	2	1711	G
1	2	1712	A
1	2	1724	G
1	2	1725	G
1	2	1728	A
1	2	1729	A
1	2	1734	G
1	2	1742	A
1	2	1743	G
1	2	1748	A
1	2	1753	A
1	2	1755	G
1	2	1758	G
1	2	1763	A
1	2	1764	A
1	2	1766	G
1	2	1767	U
1	2	1778	G
1	2	1787	G
1	2	1790	G
1	2	1791	G
1	2	1792	A
1	2	1793	U
1	2	1794	C
1	2	1796	U
1	2	1797	U
1	2	1798	A
37	3	16	U
37	3	18	U
37	3	19	A
37	3	20	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	3	21	C
37	3	22	U
37	3	24	U
37	3	25	A
37	3	26	A
37	3	32	U
37	3	33	C
37	3	35	C
37	3	37	U
37	3	38	C
37	3	40	C
38	1	4	G
38	1	5	C
38	1	8	U
38	1	9	1MG
38	1	10	2MG
38	1	14	A
38	1	15	G
38	1	16	H2U
38	1	19	G
38	1	20	A
38	1	21	A
38	1	22	G
38	1	23	C
38	1	43	G
38	1	44	A
38	1	46	7MG
38	1	47	H2U
38	1	48	5MC
38	1	49	5MC
38	1	50	U
38	1	59	A
38	1	60	A
38	1	61	C
38	1	69	C
38	1	71	C
38	1	74	C
38	1	75	C
38	1	76	A

All (32) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	26	A
1	2	66	U
1	2	74	U
1	2	78	A
1	2	216	A
1	2	217	A
1	2	239	C
1	2	277	U
1	2	279	U
1	2	423	C
1	2	513	G
1	2	637	U
1	2	649	U
1	2	660	A
1	2	670	G
1	2	695	U
1	2	700	C
1	2	781	A
1	2	793	U
1	2	828	A
1	2	1198	G
1	2	1206	C
1	2	1343	A
1	2	1430	U
1	2	1470	C
1	2	1513	A
1	2	1552	U
1	2	1571	A
1	2	1613	C
1	2	1765	G
38	1	43	G
38	1	74	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

23 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	2	998	1	18,21,22	4.29	7 (38%)	22,30,33	1.88	6 (27%)
38	2MG	1	10	38	18,26,27	2.54	7 (38%)	16,38,41	1.37	3 (18%)
1	PSU	2	766	1	18,21,22	4.32	8 (44%)	22,30,33	1.85	6 (27%)
38	1MA	1	58	38	16,25,26	4.38	4 (25%)	18,37,40	1.77	3 (16%)
38	7MG	1	46	38	22,26,27	3.91	10 (45%)	29,39,42	2.07	9 (31%)
1	PSU	2	465	1	18,21,22	4.29	7 (38%)	22,30,33	1.82	5 (22%)
38	5MC	1	48	38	18,22,23	3.59	7 (38%)	26,32,35	1.09	2 (7%)
38	T6A	1	37	38	27,34,35	2.17	7 (25%)	29,49,52	2.20	6 (20%)
1	5MC	2	1006	1	18,22,23	3.55	7 (38%)	26,32,35	1.13	2 (7%)
1	MA6	2	1780	1	18,26,27	1.02	2 (11%)	19,38,41	3.60	2 (10%)
38	1MG	1	9	38	18,26,27	3.01	5 (27%)	19,39,42	1.50	4 (21%)
1	PSU	2	1289	1	18,21,22	4.33	7 (38%)	22,30,33	1.73	5 (22%)
38	H2U	1	16	38	18,21,22	3.07	4 (22%)	21,30,33	2.03	5 (23%)
38	M2G	1	26	38	20,27,28	3.89	8 (40%)	22,40,43	1.46	5 (22%)
1	B8N	2	1190	1	24,29,30	3.00	5 (20%)	29,42,45	1.70	6 (20%)
38	RIA	1	64	38	31,38,39	0.57	0	39,57,60	0.74	1 (2%)
1	PSU	2	120	1	18,21,22	4.32	7 (38%)	22,30,33	1.82	5 (22%)
1	5MC	2	1637	1	18,22,23	3.60	7 (38%)	26,32,35	0.98	1 (3%)
38	5MC	1	49	38	18,22,23	3.64	7 (38%)	26,32,35	1.16	3 (11%)
1	7MG	2	1573	38,1	22,26,27	3.90	10 (45%)	29,39,42	2.07	9 (31%)
1	2MG	2	1570	1	18,26,27	2.55	7 (38%)	16,38,41	1.36	3 (18%)
1	2MG	2	1426	42,1	18,26,27	2.53	7 (38%)	16,38,41	1.35	4 (25%)
38	H2U	1	47	38	18,21,22	3.12	4 (22%)	21,30,33	1.93	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	2	998	1	-	3/7/25/26	0/2/2/2
38	2MG	1	10	38	-	1/5/27/28	0/3/3/3
1	PSU	2	766	1	-	1/7/25/26	0/2/2/2
38	1MA	1	58	38	-	0/3/25/26	0/3/3/3
38	7MG	1	46	38	-	1/7/37/38	0/3/3/3
1	PSU	2	465	1	-	0/7/25/26	0/2/2/2
38	5MC	1	48	38	-	3/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	T6A	1	37	38	-	1/19/41/42	0/3/3/3
1	5MC	2	1006	1	-	0/7/25/26	0/2/2/2
1	MA6	2	1780	1	-	3/7/29/30	0/3/3/3
38	1MG	1	9	38	-	2/3/25/26	0/3/3/3
1	PSU	2	1289	1	-	0/7/25/26	0/2/2/2
38	H2U	1	16	38	-	5/7/38/39	0/2/2/2
38	M2G	1	26	38	-	0/7/29/30	0/3/3/3
1	B8N	2	1190	1	-	5/16/34/35	0/2/2/2
38	RIA	1	64	38	-	4/13/51/52	0/4/4/4
1	PSU	2	120	1	-	0/7/25/26	0/2/2/2
1	5MC	2	1637	1	-	0/7/25/26	0/2/2/2
38	5MC	1	49	38	-	4/7/25/26	0/2/2/2
1	7MG	2	1573	38,1	-	2/7/37/38	0/3/3/3
1	2MG	2	1570	1	-	0/5/27/28	0/3/3/3
1	2MG	2	1426	42,1	-	0/5/27/28	0/3/3/3
38	H2U	1	47	38	-	5/7/38/39	0/2/2/2

All (144) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	1	58	1MA	C2-N3	15.80	1.48	1.29
38	1	26	M2G	C2-N3	13.49	1.47	1.30
1	2	1289	PSU	C6-C5	11.31	1.48	1.35
1	2	120	PSU	C6-C5	11.26	1.48	1.35
1	2	766	PSU	C6-C5	11.24	1.48	1.35
1	2	465	PSU	C6-C5	11.13	1.48	1.35
1	2	998	PSU	C6-C5	11.09	1.48	1.35
38	1	46	7MG	C8-N9	10.12	1.51	1.46
1	2	1573	7MG	C8-N9	9.90	1.51	1.46
38	1	47	H2U	C2-N1	9.82	1.49	1.35
1	2	1289	PSU	C2-N1	9.64	1.49	1.36
1	2	465	PSU	C2-N1	9.61	1.49	1.36
1	2	120	PSU	C2-N1	9.61	1.49	1.36
1	2	998	PSU	C2-N1	9.58	1.49	1.36
38	1	16	H2U	C2-N1	9.57	1.49	1.35
1	2	766	PSU	C2-N1	9.53	1.49	1.36
38	1	49	5MC	C6-C5	9.28	1.49	1.34
1	2	1637	5MC	C6-C5	9.27	1.49	1.34
38	1	48	5MC	C6-C5	9.21	1.49	1.34
38	1	9	1MG	C2-N2	8.91	1.50	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1006	5MC	C6-C5	8.87	1.49	1.34
1	2	1190	B8N	C6-N1	8.27	1.57	1.36
38	1	46	7MG	C5-N7	7.87	1.44	1.35
1	2	1573	7MG	C5-N7	7.75	1.44	1.35
1	2	998	PSU	C2-N3	7.53	1.50	1.37
1	2	766	PSU	C2-N3	7.50	1.50	1.37
1	2	120	PSU	C2-N3	7.45	1.50	1.37
1	2	1289	PSU	C2-N3	7.44	1.50	1.37
1	2	465	PSU	C2-N3	7.33	1.50	1.37
1	2	1190	B8N	C4-N3	-7.12	1.27	1.40
38	1	37	T6A	C10-N11	6.68	1.50	1.35
38	1	48	5MC	C4-N3	6.52	1.45	1.34
1	2	1006	5MC	C4-N3	6.52	1.45	1.34
38	1	26	M2G	C2-N2	6.50	1.47	1.35
38	1	49	5MC	C4-N3	6.45	1.45	1.34
38	1	47	H2U	C2-N3	6.42	1.49	1.38
1	2	1637	5MC	C4-N3	6.37	1.44	1.34
38	1	16	H2U	C2-N3	6.37	1.49	1.38
1	2	1006	5MC	C2-N3	6.19	1.48	1.36
1	2	1637	5MC	C2-N3	6.17	1.48	1.36
38	1	49	5MC	C2-N3	6.14	1.48	1.36
38	1	48	5MC	C2-N3	6.12	1.48	1.36
1	2	1573	7MG	C2-N3	5.99	1.47	1.33
38	1	46	7MG	C2-N3	5.95	1.47	1.33
1	2	1573	7MG	C4-N9	5.87	1.44	1.37
1	2	1190	B8N	C2-N1	5.71	1.56	1.39
1	2	1573	7MG	C4-N3	5.64	1.47	1.34
38	1	9	1MG	C2-N3	5.62	1.44	1.34
38	1	46	7MG	C4-N9	5.60	1.44	1.37
38	1	46	7MG	C4-N3	5.60	1.47	1.34
1	2	1570	2MG	C2-N2	5.56	1.45	1.33
38	1	10	2MG	C2-N2	5.54	1.45	1.33
1	2	1426	2MG	C2-N2	5.50	1.45	1.33
38	1	37	T6A	C10-N6	5.47	1.48	1.37
1	2	1289	PSU	C6-N1	5.42	1.45	1.36
38	1	58	1MA	C2-N1	5.39	1.45	1.35
1	2	1190	B8N	C6-C5	5.36	1.42	1.34
1	2	120	PSU	C6-N1	5.36	1.45	1.36
1	2	465	PSU	C6-N1	5.29	1.45	1.36
1	2	766	PSU	C6-N1	5.22	1.44	1.36
1	2	998	PSU	C6-N1	5.21	1.44	1.36
38	1	26	M2G	C4-N3	5.19	1.50	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1570	2MG	C4-N3	5.14	1.49	1.37
38	1	10	2MG	C4-N3	5.08	1.49	1.37
1	2	1426	2MG	C4-N3	5.07	1.49	1.37
38	1	16	H2U	C4-N3	4.99	1.46	1.37
1	2	1570	2MG	C2-N1	4.97	1.44	1.36
1	2	1573	7MG	C2-N2	4.97	1.46	1.34
38	1	46	7MG	C2-N2	4.92	1.45	1.34
38	1	47	H2U	C4-N3	4.92	1.46	1.37
38	1	10	2MG	C2-N1	4.91	1.44	1.36
38	1	9	1MG	C4-N3	4.91	1.49	1.37
1	2	1426	2MG	C2-N1	4.88	1.44	1.36
38	1	49	5MC	C6-N1	4.77	1.46	1.38
1	2	1637	5MC	C6-N1	4.69	1.46	1.38
38	1	48	5MC	C6-N1	4.67	1.46	1.38
38	1	49	5MC	C2-N1	4.67	1.50	1.40
38	1	37	T6A	C6-N6	4.49	1.44	1.36
1	2	1006	5MC	C6-N1	4.48	1.45	1.38
1	2	1006	5MC	C4-N4	4.41	1.45	1.34
1	2	1637	5MC	C4-N4	4.39	1.45	1.34
38	1	49	5MC	C4-N4	4.38	1.45	1.34
1	2	1006	5MC	C2-N1	4.34	1.49	1.40
38	1	48	5MC	C2-N1	4.34	1.49	1.40
38	1	48	5MC	C4-N4	4.21	1.45	1.34
1	2	1637	5MC	C2-N1	4.18	1.49	1.40
1	2	1190	B8N	C1'-C5	-4.18	1.40	1.50
38	1	26	M2G	C6-N1	4.14	1.44	1.37
38	1	58	1MA	C4-N3	4.10	1.50	1.37
1	2	465	PSU	C4-N3	3.95	1.46	1.38
1	2	1289	PSU	C4-N3	3.94	1.46	1.38
1	2	766	PSU	C4-N3	3.93	1.46	1.38
1	2	120	PSU	C4-N3	3.90	1.46	1.38
1	2	998	PSU	C4-N3	3.89	1.46	1.38
38	1	46	7MG	C2-N1	3.86	1.47	1.37
1	2	1573	7MG	C2-N1	3.81	1.47	1.37
1	2	1570	2MG	C6-N1	3.75	1.43	1.37
38	1	10	2MG	C6-N1	3.69	1.43	1.37
1	2	1426	2MG	C6-N1	3.65	1.43	1.37
38	1	9	1MG	O6-C6	-3.59	1.15	1.22
1	2	1573	7MG	C5-C6	3.56	1.52	1.43
38	1	46	7MG	C5-C6	3.54	1.52	1.43
38	1	26	M2G	C2-N1	3.40	1.45	1.36
1	2	1573	7MG	C6-N1	3.35	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	1	46	7MG	C6-N1	3.33	1.45	1.38
38	1	26	M2G	C5-C6	3.27	1.54	1.47
38	1	10	2MG	C5-C6	3.21	1.53	1.47
1	2	1426	2MG	C5-C6	3.12	1.53	1.47
1	2	1570	2MG	C5-C6	3.11	1.53	1.47
1	2	1637	5MC	O2-C2	-2.77	1.18	1.23
1	2	1006	5MC	O2-C2	-2.74	1.18	1.23
38	1	48	5MC	O2-C2	-2.72	1.18	1.23
38	1	49	5MC	O2-C2	-2.71	1.18	1.23
1	2	1780	MA6	C5-C4	-2.59	1.34	1.40
1	2	1780	MA6	C2-N3	2.59	1.36	1.32
38	1	46	7MG	O6-C6	-2.54	1.18	1.23
1	2	465	PSU	O4-C4	-2.48	1.18	1.23
38	1	47	H2U	O2-C2	-2.46	1.18	1.23
1	2	1573	7MG	O6-C6	-2.46	1.18	1.23
38	1	16	H2U	O2-C2	-2.45	1.18	1.23
38	1	37	T6A	C2-N3	2.44	1.36	1.32
1	2	766	PSU	O4-C4	-2.44	1.19	1.23
1	2	998	PSU	O4-C4	-2.43	1.19	1.23
1	2	120	PSU	O4-C4	-2.42	1.19	1.23
1	2	1289	PSU	O4-C4	-2.41	1.19	1.23
1	2	1426	2MG	C5-C4	-2.39	1.37	1.43
38	1	26	M2G	C5-C4	-2.38	1.37	1.43
1	2	1570	2MG	C5-C4	-2.38	1.37	1.43
38	1	10	2MG	C5-C4	-2.37	1.37	1.43
38	1	37	T6A	ODA-C13	2.35	1.29	1.22
38	1	9	1MG	C5-C6	2.27	1.54	1.47
38	1	37	T6A	C2-N1	2.22	1.38	1.33
1	2	1426	2MG	O6-C6	-2.19	1.18	1.23
1	2	766	PSU	O2-C2	-2.19	1.18	1.23
38	1	58	1MA	CM1-N1	-2.18	1.42	1.46
38	1	10	2MG	O6-C6	-2.16	1.18	1.23
1	2	998	PSU	O2-C2	-2.15	1.18	1.23
1	2	766	PSU	O4'-C1'	-2.13	1.40	1.43
1	2	465	PSU	O2-C2	-2.12	1.18	1.23
1	2	120	PSU	O2-C2	-2.11	1.19	1.23
38	1	37	T6A	C5-C4	-2.08	1.35	1.40
1	2	1570	2MG	O6-C6	-2.06	1.19	1.23
38	1	26	M2G	O6-C6	-2.05	1.19	1.23
1	2	1289	PSU	O2-C2	-2.05	1.19	1.23

All (99) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	1780	MA6	N1-C6-N6	-14.48	101.82	117.06
38	1	16	H2U	C4-N3-C2	-6.90	120.07	125.79
38	1	47	H2U	C4-N3-C2	-6.55	120.36	125.79
38	1	37	T6A	N3-C2-N1	-5.59	119.94	128.68
1	2	1780	MA6	N3-C2-N1	-5.55	120.00	128.68
38	1	58	1MA	N1-C2-N3	-5.22	119.93	126.02
38	1	37	T6A	C12-N11-C10	5.09	130.41	121.94
38	1	46	7MG	C5-C6-N1	5.07	119.92	110.99
1	2	1190	B8N	C5-C4-N3	5.03	125.48	116.17
1	2	1573	7MG	C5-C6-N1	4.95	119.71	110.99
38	1	37	T6A	C2-N1-C6	4.66	120.58	116.59
38	1	46	7MG	C2-N3-C4	4.59	120.49	112.30
1	2	1573	7MG	C2-N3-C4	4.59	120.47	112.30
1	2	120	PSU	C4-N3-C2	-4.55	119.78	126.34
1	2	465	PSU	C4-N3-C2	-4.50	119.86	126.34
1	2	998	PSU	C4-N3-C2	-4.48	119.89	126.34
1	2	1289	PSU	C4-N3-C2	-4.41	119.99	126.34
1	2	766	PSU	C4-N3-C2	-4.39	120.02	126.34
1	2	1573	7MG	C5-C4-N3	-4.28	119.96	128.13
38	1	58	1MA	C5-C6-N1	4.22	120.20	113.90
38	1	9	1MG	C5-C6-N1	4.22	120.25	113.90
38	1	37	T6A	N6-C10-N11	4.20	119.63	113.76
1	2	766	PSU	N1-C2-N3	4.17	119.86	115.13
1	2	465	PSU	N1-C2-N3	4.16	119.84	115.13
1	2	998	PSU	N1-C2-N3	4.16	119.84	115.13
38	1	46	7MG	C5-C4-N3	-4.14	120.23	128.13
1	2	1190	B8N	C4-N3-C2	-4.12	120.25	125.46
1	2	120	PSU	N1-C2-N3	4.09	119.77	115.13
38	1	48	5MC	C5-C6-N1	-3.86	119.36	123.34
1	2	1289	PSU	N1-C2-N3	3.79	119.42	115.13
38	1	37	T6A	O10-C10-N6	-3.60	117.54	123.62
38	1	26	M2G	C5-C6-N1	3.46	120.06	113.95
38	1	10	2MG	C5-C6-N1	3.45	120.04	113.95
1	2	1006	5MC	C5-C6-N1	-3.43	119.81	123.34
38	1	26	M2G	N1-C2-N2	3.34	120.88	118.04
1	2	1570	2MG	C5-C6-N1	3.31	119.80	113.95
1	2	1426	2MG	C5-C6-N1	3.31	119.79	113.95
38	1	16	H2U	N3-C2-N1	3.19	120.03	116.65
38	1	47	H2U	N3-C2-N1	3.18	120.01	116.65
38	1	37	T6A	N6-C6-N1	3.16	122.96	118.72
1	2	998	PSU	C6-C5-C4	3.16	120.41	118.20
1	2	1573	7MG	C5-C4-N9	3.16	110.45	106.35
38	1	46	7MG	C5-C4-N9	3.14	110.42	106.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	1	46	7MG	C4-C5-N7	3.11	109.84	105.53
1	2	1573	7MG	C4-C5-N7	3.10	109.84	105.53
1	2	766	PSU	C6-N1-C2	-3.07	119.55	122.68
1	2	998	PSU	C6-N1-C2	-3.07	119.55	122.68
1	2	766	PSU	C6-C5-C4	3.02	120.31	118.20
1	2	120	PSU	C6-C5-C4	2.94	120.26	118.20
1	2	465	PSU	C6-C5-C4	2.91	120.23	118.20
1	2	465	PSU	C6-N1-C2	-2.88	119.74	122.68
38	1	46	7MG	O6-C6-C5	-2.87	120.51	127.54
1	2	1190	B8N	N3-C2-N1	2.86	120.80	116.76
38	1	16	H2U	C5-C4-N3	2.85	119.85	116.65
1	2	120	PSU	C6-N1-C2	-2.82	119.80	122.68
38	1	58	1MA	C8-N7-C5	2.80	108.32	102.99
38	1	9	1MG	C8-N7-C5	2.79	108.31	102.99
38	1	47	H2U	C5-C6-N1	2.78	120.77	111.61
38	1	46	7MG	C2-N1-C6	-2.77	120.05	125.10
1	2	1573	7MG	N9-C4-N3	2.76	129.59	125.47
1	2	1573	7MG	C2-N1-C6	-2.75	120.08	125.10
1	2	1637	5MC	C5-C6-N1	-2.74	120.52	123.34
1	2	1190	B8N	O4-C4-N3	-2.73	115.34	119.98
1	2	1573	7MG	O6-C6-C5	-2.71	120.88	127.54
38	1	47	H2U	C5-C4-N3	2.69	119.67	116.65
1	2	1289	PSU	C6-N1-C2	-2.64	119.98	122.68
1	2	1570	2MG	C8-N7-C5	2.64	108.01	102.99
1	2	998	PSU	O2-C2-N1	-2.63	119.89	122.79
38	1	16	H2U	C5-C6-N1	2.63	120.27	111.61
38	1	10	2MG	C8-N7-C5	2.62	107.99	102.99
38	1	26	M2G	O6-C6-C5	-2.60	119.29	124.37
38	1	26	M2G	C8-N7-C5	2.60	107.94	102.99
38	1	46	7MG	N9-C4-N3	2.59	129.34	125.47
38	1	26	M2G	C2-N1-C6	-2.51	119.54	123.71
1	2	1426	2MG	C8-N7-C5	2.51	107.77	102.99
1	2	766	PSU	O2-C2-N1	-2.50	120.04	122.79
38	1	49	5MC	O2-C2-N3	-2.48	118.30	122.33
1	2	465	PSU	O2-C2-N1	-2.46	120.08	122.79
1	2	1573	7MG	N9-C8-N7	2.45	106.89	103.38
38	1	16	H2U	O2-C2-N1	-2.42	120.06	123.11
38	1	9	1MG	O6-C6-C5	-2.39	119.96	124.19
38	1	49	5MC	C5-C6-N1	-2.37	120.90	123.34
1	2	120	PSU	O2-C2-N1	-2.37	120.18	122.79
1	2	1570	2MG	O6-C6-C5	-2.36	119.76	124.37
1	2	1426	2MG	CM2-N2-C2	-2.32	118.75	123.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	1	46	7MG	N9-C8-N7	2.29	106.66	103.38
38	1	64	RIA	C5-C6-N6	2.28	123.82	120.35
1	2	1006	5MC	CM5-C5-C6	-2.27	119.82	122.85
1	2	1289	PSU	C6-C5-C4	2.26	119.78	118.20
38	1	10	2MG	O6-C6-C5	-2.25	119.97	124.37
1	2	1426	2MG	O6-C6-C5	-2.18	120.11	124.37
1	2	998	PSU	O4'-C1'-C2'	2.16	108.19	105.14
1	2	1289	PSU	O2-C2-N1	-2.14	120.43	122.79
38	1	48	5MC	C5-C4-N4	-2.11	118.32	121.48
1	2	766	PSU	O4'-C1'-C2'	2.10	108.11	105.14
1	2	1190	B8N	C31-N3-C4	2.08	120.38	117.31
1	2	1190	B8N	O4'-C1'-C2'	2.07	108.06	105.14
38	1	49	5MC	C1'-N1-C2	2.05	122.99	118.42
38	1	9	1MG	CM1-N1-C6	2.03	120.33	117.55

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	2	998	PSU	O4'-C4'-C5'-O5'
1	2	1780	MA6	O4'-C4'-C5'-O5'
38	1	9	1MG	O4'-C4'-C5'-O5'
38	1	9	1MG	C3'-C4'-C5'-O5'
38	1	16	H2U	C4'-C5'-O5'-P
38	1	37	T6A	C14-C12-N11-C10
38	1	47	H2U	C4'-C5'-O5'-P
38	1	47	H2U	C3'-C4'-C5'-O5'
38	1	48	5MC	C4'-C5'-O5'-P
38	1	48	5MC	O4'-C4'-C5'-O5'
38	1	48	5MC	C3'-C4'-C5'-O5'
38	1	49	5MC	O4'-C4'-C5'-O5'
38	1	49	5MC	C3'-C4'-C5'-O5'
38	1	64	RIA	C4A-C5A-O5A-P
1	2	1190	B8N	O4'-C4'-C5'-O5'
1	2	1573	7MG	C3'-C4'-C5'-O5'
1	2	1780	MA6	C3'-C4'-C5'-O5'
1	2	998	PSU	C3'-C4'-C5'-O5'
1	2	1190	B8N	C3'-C4'-C5'-O5'
1	2	1573	7MG	O4'-C4'-C5'-O5'
38	1	47	H2U	O4'-C4'-C5'-O5'
38	1	64	RIA	O4'-C4A-C5A-O5A
38	1	64	RIA	C3A-C4A-C5A-O5A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	2	1190	B8N	N34-C33-C34-O36
38	1	16	H2U	C2'-C1'-N1-C6
1	2	1190	B8N	C31-C32-C33-N34
38	1	64	RIA	C4'-C5'-O5'-P'
38	1	46	7MG	C4'-C5'-O5'-P
38	1	47	H2U	C2'-C1'-N1-C6
1	2	998	PSU	C4'-C5'-O5'-P
1	2	766	PSU	C3'-C4'-C5'-O5'
38	1	16	H2U	O4'-C1'-N1-C2
38	1	49	5MC	C2'-C1'-N1-C6
1	2	1190	B8N	N34-C33-C34-O35
1	2	1780	MA6	C4'-C5'-O5'-P
38	1	10	2MG	O4'-C4'-C5'-O5'
38	1	49	5MC	C2'-C1'-N1-C2
38	1	16	H2U	C2'-C1'-N1-C2
38	1	16	H2U	C3'-C4'-C5'-O5'
38	1	47	H2U	C2'-C1'-N1-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 121 ligands modelled in this entry, 119 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
45	MET	k	603	-	6,7,8	0.47	0	2,7,9	0.22	0
44	GCP	k	601	-	27,34,34	4.76	10 (37%)	34,54,54	1.70	7 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	MET	k	603	-	-	0/5/6/8	-
44	GCP	k	601	-	-	2/15/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	k	601	GCP	O4'-C1'	15.11	1.62	1.41
44	k	601	GCP	C2'-C1'	-14.88	1.31	1.53
44	k	601	GCP	O4'-C4'	-6.30	1.30	1.45
44	k	601	GCP	PB-O3A	6.24	1.65	1.58
44	k	601	GCP	C2-N2	5.82	1.45	1.33
44	k	601	GCP	O2'-C2'	2.95	1.49	1.43
44	k	601	GCP	O3'-C3'	-2.90	1.36	1.43
44	k	601	GCP	C5-C4	-2.63	1.34	1.40
44	k	601	GCP	O6-C6	-2.26	1.18	1.24
44	k	601	GCP	PB-O2B	-2.08	1.51	1.56

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	k	601	GCP	N3-C2-N1	-5.29	120.16	127.22
44	k	601	GCP	C2-N3-C4	4.12	120.06	115.36
44	k	601	GCP	C3'-C2'-C1'	2.97	105.45	100.98
44	k	601	GCP	PB-O3A-PA	-2.71	123.97	132.56
44	k	601	GCP	N2-C2-N3	2.57	121.98	117.79
44	k	601	GCP	C2-N1-C6	2.52	119.93	115.93
44	k	601	GCP	C5-C6-N1	-2.49	120.02	123.43

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
44	k	601	GCP	O4'-C4'-C5'-O5'
44	k	601	GCP	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
38	1	3

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	64:RIA	O3'	65:G	P	9.21
1	1	16:H2U	O3'	18:G	P	3.56
1	1	63:G	O3'	64:RIA	P	3.47


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19801. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 148




Y Index: 166




Z Index: 146


6.3.2 Raw map



X Index: 152



Y Index: 198




Z Index: 146


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19801_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 623 nm^3 ; this corresponds to an approximate mass of 563 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.290 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.290 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.45	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.93	5.46	4.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.93 differs from the reported value 3.45 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19801 and PDB model 8S8D. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary















The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7500	 0.4150
1	 0.5430	 0.2450
2	 0.8700	 0.4250
3	 0.3020	 0.3440
A	 0.8340	 0.4730
B	 0.7880	 0.4590
C	 0.8600	 0.5090
D	 0.7720	 0.4600
E	 0.8590	 0.4940
F	 0.7730	 0.4670
G	 0.7690	 0.4110
H	 0.6970	 0.4230
I	 0.7660	 0.4360
J	 0.8470	 0.4890
K	 0.7640	 0.4310
L	 0.7570	 0.4730
M	 0.3670	 0.2750
N	 0.8450	 0.4840
O	 0.8270	 0.4680
P	 0.8070	 0.4460
Q	 0.8550	 0.4730
R	 0.7290	 0.4400
S	 0.7880	 0.4350
T	 0.8590	 0.4700
U	 0.6980	 0.4350
V	 0.8790	 0.4880
W	 0.8560	 0.5080
X	 0.8090	 0.5000
Y	 0.8400	 0.4710
Z	 0.5660	 0.3660
a	 0.8400	 0.5000
b	 0.8240	 0.4840
c	 0.7520	 0.4890
d	 0.8690	 0.5090
e	 0.6860	 0.4520



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.5010	 0.3390
g	 0.7650	 0.4310
h	 0.1790	 0.4090
i	 0.3800	 0.4070
j	 0.0630	 0.1960
k	 0.0010	 0.1080
l	 0.0050	 0.0760