



wwPDB EM Validation Summary Report ⓘ

Oct 30, 2024 – 09:58 am GMT

PDB ID : 8S8K
EMDB ID : EMD-19808
Title : Structure of a yeast 48S-AUC preinitiation complex in swivelled conformation (model py48S-AUC-swiv-eIF1)
Authors : Villamayor-Belinchon, L.; Sharma, P.; Llacer, J.L.; Hussain, T.
Deposited on : 2024-03-06
Resolution : 4.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1798	
2	A	254	
3	B	255	
4	C	259	
5	E	261	
6	G	236	
7	H	190	
8	I	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	188	 97%
10	L	156	 97%
11	N	151	 100%
12	O	137	 94% 6%
13	V	87	 100%
14	W	130	 98%
15	X	145	 99%
16	Y	135	 99%
17	a	103	 96%
18	b	82	 99%
19	e	63	 95% 5%
20	h	25	 100%
21	D	237	 94%
22	F	227	 89% 9%
23	K	106	 91% 9%
24	M	134	 86% 13%
25	P	142	 80% 18%
26	Q	143	 97%
27	R	136	 96%
28	S	146	 99%
29	T	144	 99%
30	U	117	 91% 9%
31	Z	108	 72% 28%
32	c	67	 94%
33	d	56	 98%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	150	
35	i	153	
36	m	108	
37	3	49	
38	1	75	
39	j	304	
40	k	527	
41	l	270	
42	n	812	
43	g	326	

2 Entry composition

There are 47 unique types of molecules in this entry. The entry contains 87738 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	2	1798	38190	17073	6722	12597	1798	0	0

- Molecule 2 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	219	1702	1085	299	316	2	0	0

- Molecule 3 is a protein called Small ribosomal subunit protein eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	B	229	1809	1143	331	332	3	0	0

- Molecule 4 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	C	220	1648	1053	291	300	4	0	0

- Molecule 5 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	260	2078	1322	393	359	4	0	0

- Molecule 6 is a protein called Small ribosomal subunit protein eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	G	230	1832	1146	352	330	4	0	0

- Molecule 7 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	H	184	1483	950	270	263	0	0

- Molecule 8 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	I	188	1489	923	300	265	1	0	0

- Molecule 9 is a protein called KLLA0E23673p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	182	1471	929	287	254	1	0	0

- Molecule 10 is a protein called KLLA0A10483p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	L	153	1235	791	235	206	3	0	0

- Molecule 11 is a protein called KLLA0F18040p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	N	151	1195	761	224	207	3	0	0

- Molecule 12 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	O	129	955	585	191	176	3	0	0

- Molecule 13 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	V	87	687	424	126	135	2	0	0

- Molecule 14 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	W	129	Total	C	N	O	S	0	0
			1021	651	187	180	3		

- Molecule 15 is a protein called KLLA0B11231p.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	X	144	Total	C	N	O	S	0	0
			1119	708	218	191	2		

- Molecule 16 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Y	134	Total	C	N	O	S	0	0
			1061	665	207	189			

- Molecule 17 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	a	102	Total	C	N	O	S	0	0
			797	492	168	132	5		

- Molecule 18 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	b	81	Total	C	N	O	S	0	0
			609	379	112	113	5		

- Molecule 19 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	e	60	Total	C	N	O	S	0	0
			472	295	96	80	1		

- Molecule 20 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	h	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 21 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	D	227	Total	C	N	O	S	0	0
			1774	1126	320	323	5		

- Molecule 22 is a protein called KLLA0D10659p.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	F	206	Total	C	N	O	S	0	0
			1609	1008	298	300	3		

- Molecule 23 is a protein called KLLA0B08173p.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	K	96	Total	C	N	O	S	0	0
			809	533	129	146	1		

- Molecule 24 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	M	117	Total	C	N	O	0	0
			867	544	152	171		

- Molecule 25 is a protein called KLLA0F07843p.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	P	117	Total	C	N	O	S	0	0
			923	592	165	161	5		

- Molecule 26 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	Q	141	Total	C	N	O	0	0
			1105	709	204	192		

- Molecule 27 is a protein called KLLA0B01474p.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	R	130	Total	C	N	O	S	0	0
			1033	643	194	193	3		

- Molecule 28 is a protein called KLLA0B01562p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	S	145	1189	739	239	209	2	0	0

- Molecule 29 is a protein called KLLA0A07194p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	T	143	1110	693	210	207		0	0

- Molecule 30 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	U	106	845	540	152	152	1	0	0

- Molecule 31 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Z	78	594	376	111	106	1	0	0

- Molecule 32 is a protein called Small ribosomal subunit protein eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	c	64	499	308	99	91	1	0	0

- Molecule 33 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	d	55	461	289	93	78	1	0	0

- Molecule 34 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	f	74	584	374	111	95	4	0	0

- Molecule 35 is a protein called Eukaryotic translation initiation factor 1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	i	96	Total	C	N	O	S	0	0
			769	477	143	144	5		

- Molecule 36 is a protein called Eukaryotic translation initiation factor eIF-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	m	86	Total	C	N	O	S	0	0
			695	439	128	124	4		

- Molecule 37 is a RNA chain called mRNA (5'-R(P*AP*AP*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
37	3	6	Total	C	N	O	P	6	0
			256	116	50	78	12		

- Molecule 38 is a RNA chain called Met-tRNAi.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	1	75	Total	C	N	O	P	0	0
			1639	734	298	531	76		

- Molecule 39 is a protein called Eukaryotic translation initiation factor 2 subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	267	Total	C	N	O	S	0	0
			2139	1366	355	407	11		

- Molecule 40 is a protein called Eukaryotic translation initiation factor 2 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	470	Total	C	N	O	S	0	0
			3596	2279	633	666	18		

- Molecule 41 is a protein called Eukaryotic translation initiation factor 2 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	134	Total	C	N	O	S	0	0
			1083	689	194	193	7		

- Molecule 42 is a protein called Eukaryotic translation initiation factor 3 subunit C.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	n	93	Total	C	N	O	0	0
			464	278	93	93		

- Molecule 43 is a protein called KLLA0E12277p.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	g	320	Total	C	N	O	S	0	0
			2469	1561	432	471	5		


- Molecule 44 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
44	2	94	Total	Mg	0
			94	94	
44	X	1	Total	Mg	0
			1	1	
44	k	1	Total	Mg	0
			1	1	

- Molecule 45 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
45	a	1	Total	Zn	0
			1	1	
45	b	1	Total	Zn	0
			1	1	
45	f	1	Total	Zn	0
			1	1	
45	l	1	Total	Zn	0
			1	1	

- Molecule 46 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
46	k	1	32	11	5	13	3	0

- Molecule 47 is METHIONINE (three-letter code: MET) (formula: C₅H₁₁NO₂S) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
47	k	1	8	5	1	1	1	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 18S ribosomal RNA







- Molecule 2: Small ribosomal subunit protein uS2





- Molecule 3: Small ribosomal subunit protein eS1




THR
VAL


- Molecule 4: Small ribosomal subunit protein uS5




- Molecule 5: 40S ribosomal protein S4



- Molecule 6: Small ribosomal subunit protein eS6





- Molecule 7: 40S ribosomal protein S7




THR
HIS


- Molecule 8: 40S ribosomal protein S8




- Molecule 9: KLLA0E23673p




- Molecule 10: KLLA0A10483p



- Molecule 11: KLLA0F18040p



- Molecule 12: Small ribosomal subunit protein uS11




- Molecule 13: 40S ribosomal protein S21




There are no outlier residues recorded for this chain.


- Molecule 14: Small ribosomal subunit protein uS8




- Molecule 15: KLLA0B11231p




- Molecule 16: 40S ribosomal protein S24




• Molecule 17: 40S ribosomal protein S26




• Molecule 18: 40S ribosomal protein S27




• Molecule 19: 40S ribosomal protein S30




• Molecule 20: 60S ribosomal protein L41-A




• Molecule 21: 40S ribosomal protein S3





• Molecule 22: KLLA0D10659p









• Molecule 23: KLLA0B08173p




• Molecule 24: 40S ribosomal protein S12




• Molecule 25: KLLA0F07843p




• Molecule 26: Small ribosomal subunit protein uS9




• Molecule 27: KLLA0B01474p




• Molecule 28: KLLA0B01562p




• Molecule 29: KLLA0A07194p




• Molecule 30: Small ribosomal subunit protein uS10





• Molecule 31: 40S ribosomal protein S25










- Molecule 32: Small ribosomal subunit protein eS28





- Molecule 33: Small ribosomal subunit protein uS14





- Molecule 34: Small ribosomal subunit protein eS31



- Molecule 35: Eukaryotic translation initiation factor 1A



- Molecule 36: Eukaryotic translation initiation factor eIF-1




MET	SER	ASP	LEU	GLN	ASP	GLN	GLU	PRO	SER	LEU	ILE	LEU	ILE	ASN	GLY	ASN	LEU	LEU	PRO	VAL	GLY	GLU	PRO	PRO	PRO	ILE	VAL	VAL	GLU	THR	GLU	THR	VAL	VAL	ALA	ALA	GLN	GLN	THR	GLU	GLU	ASP	558	559	760																		
E61	E62	E63	K64	K65	K66	K67	K68	K69	F70	E71	G72	G73	G74	L75	P76	E77	Q78	F79	L80	H81	L82	P82	D83	F84	S85	K86	L87	H88	P89	L90	S91	A92	E93	I94	I95	N96	H97	L98	A99	T100	I101	I103	I105	I106	G107	H108	V109	H110	H111	G112	K113	K114	L115	V116	V117	R118	A119	I120					
S121	G122	V123	Q124	L125	V126	R127	F128	K129	D130	E131	L132	E133	R134	L135	I136	T137	Q138	K139	L140	G141	Y142	A143	M144	A145	K146	I147	Y148	C150	Q151	E152	P153	T154	C155	P156	E157	L218	A219	D220	C160	Y161	R162	S163	G164	F165	S166	D167	K168	E169	A170	E231	H232	L233	A234	A235	L236	E237	L238	M239	K240				
L241	K242	H243	V244	I245	I246	L247	Q248	N249	K250	V251	D252	L253	M254	R255	E256	E257	S258	A259	L260	E261	H262	Q263	K264	S265	I266	L267	K268	F269	L270	R271	G272	T273	L274	A275	D276	G277	L278	A279	P279	G340	S341	I342	L343	L344	N344	G345	A285	Q286	L287	K288	Y289	N290	L291	D292	L293	A293	V294	N295	E296	P297	L298	V299	K300
T301	I302	P303	V304	P305	P306	R307	D308	F309	N310	I311	S312	D313	R314	L315	I316	V317	I318	R319	S320	F321	D322	Q323	N324	K325	P326	G327	A328	E329	L330	E331	D332	L333	K334	G335	G336	V337	A338	G339	G340	S341	I342	L343	L344	N344	G345	A285	Q286	L287	K288	Y289	N290	L291	D292	L293	A293	V294	N295	E296	P297	L298	V299	K300	
T361	K362	D363	D364	K365	G366	K367	I368	Q369	C370	K371	P372	I373	F374	S375	N376	I377	V378	S379	L380	F381	A382	E383	Q384	N385	D386	L387	K388	F389	A390	V391	P392	G393	G394	L395	I396	G397	V398	G399	T400	K401	V402	D403	P404	T405	L406	C407	K348	L349	G350	D351	L412	V413	G414	Q415	V416	V417	G418	A419	K420				
G421	H422	L423	P424	N425	I426	Y427	T428	D429	I430	E431	I432	M433	Y434	F435	L436	L437	R438	R439	L440	L441	G442	V443	K444	T445	D446	G447	Q448	K449	Q450	A451	K452	V453	R454	K455	L456	E457	M458	M459	E460	V461	L462	M463	V464	M465	I466	G467	S468	T469	A470	T471	G472	A473	R474	V475	V476	A477	V478	K479	A480				
D481	M482	A483	R484	L485	Q486	L487	T488	S489	P490	A491	C492	T493	E494	I495	N496	E497	K498	I499	A500	L501	S502	R503	R504	I505	E506	K507	H508	M509	R510	L511	I512	G513	M514	A515	T516	I517	K518	K519	G520	T521	L523	E524	P525	I526	A527																		

• Molecule 41: Eukaryotic translation initiation factor 2 subunit beta



MET	SER	ASP	LEU	GLN	ASP	GLN	GLU	PRO	SER	LEU	ILE	LEU	ILE	ASN	GLY	ASN	LEU	LEU	PRO	VAL	GLY	GLU	PRO	PRO	PRO	ILE	VAL	VAL	GLU	THR	GLU	THR	VAL	VAL	ALA	ALA	GLN	GLN	THR	GLU	GLU	ASP	558	559	760														
E182	K183	L184	H185	L186	S187	P188	E189	H190	L191	I192	Q193	Y194	L195	F196	A197	E198	L199	G200	T201	S202	G203	S204	V205	D206	G207	GLN	R209	R210	L211	V212	L213	L214	G215	R216	F217	Q218	S219	K220	M221	E223	N224	L166	R167	D168	G169	K170	K171	T172	I173	F174	S175	Q178	D179	I180	A181	K240	S241		
ASP	ALA	GLU	ALA	GLU	GLU	PRO	THR	ASP	ASP	ILE	ASP	PRO	ALA	ALA	GLU	LEU	LEU	GLY	GLU	LEU	LEU	LEU	SER	THR	SER	VAL	ASP	PHE	GLU	LYS	GLU	LEU	GLY	VAL	ASP	ASN	GLY	GLY	LEU	LYS	ASP	ALA	ALA	GLU	GLU	SER	VAL	ALA	ALA										
SER	SER	ILE	GLN	GLN	V127	G128	L129	P130	Y131	S132	E133	L134	L135	S136	R137	F138	F139	N140	I141	L142	R143	T144	M145	N146	P147	E148	L149	ALA	GLU	LYS	ASP	ARG	SER	GLY	PRO	K157	F158	R159	P160	P162	P163	V164	C165	L166	R167	D168	G169	K170	K171	T172	I173	F174	S175	Q178	D179	I180	A181	K240	S241



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	66217	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.547	Depositor
Minimum map value	-0.320	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.075	Depositor
Map size (Å)	402.0, 402.0, 402.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.34, 1.34, 1.34	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 1MG, MG, 7MG, M2G, 1MA, MA6, RIA, 2MG, GCP, T6A, H2U, PSU, 5MC, ZN, B8N

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	0.49	0/42410	0.88	28/66079 (0.0%)
2	A	0.39	0/1742	0.60	2/2383 (0.1%)
3	B	0.31	0/1833	0.56	1/2467 (0.0%)
4	C	0.37	0/1678	0.59	0/2277
5	E	0.38	0/2122	0.65	2/2861 (0.1%)
6	G	0.32	0/1855	0.60	2/2479 (0.1%)
7	H	0.33	0/1507	0.58	1/2028 (0.0%)
8	I	0.35	0/1515	0.60	0/2029
9	J	0.35	0/1495	0.62	0/2001
10	L	0.38	0/1263	0.58	0/1700
11	N	0.32	0/1218	0.54	0/1638
12	O	0.39	0/966	0.64	0/1297
13	V	0.33	0/696	0.57	0/938
14	W	0.40	0/1039	0.57	0/1399
15	X	0.33	0/1137	0.57	0/1516
16	Y	0.34	0/1075	0.57	0/1433
17	a	0.51	1/810 (0.1%)	0.64	0/1087
18	b	0.31	0/619	0.54	0/837
19	e	0.33	0/480	0.56	0/640
20	h	0.26	0/234	0.72	0/300
21	D	0.30	0/1800	0.58	0/2421
22	F	0.29	0/1628	0.55	0/2198
23	K	0.27	0/831	0.49	0/1123
24	M	0.24	0/873	0.55	1/1180 (0.1%)
25	P	0.33	0/942	0.57	0/1269
26	Q	0.34	0/1125	0.56	0/1510
27	R	0.36	0/1044	0.60	0/1402
28	S	0.29	0/1208	0.60	0/1624
29	T	0.31	0/1129	0.55	1/1520 (0.1%)
30	U	0.28	0/857	0.55	0/1158
31	Z	0.25	0/603	0.52	0/814
32	c	0.28	0/501	0.70	0/673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	d	0.32	0/473	0.62	0/629
34	f	0.24	0/597	0.47	0/795
35	i	0.33	0/778	0.62	1/1038 (0.1%)
36	m	0.40	0/703	0.59	0/938
37	3	0.29	0/286	0.85	0/440
38	1	0.38	1/1529 (0.1%)	0.88	2/2376 (0.1%)
39	j	0.27	0/2171	0.52	0/2924
40	k	0.26	0/3657	0.52	0/4946
41	l	0.25	0/1099	0.52	0/1469
42	n	0.22	0/461	0.32	0/640
43	g	0.32	0/2523	0.57	0/3434
All	All	0.41	2/92512 (0.0%)	0.75	41/133910 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	1	1	A	OP3-P	-10.51	1.48	1.61
17	a	25	ASN	C-N	10.15	1.57	1.34

The worst 5 of 41 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	158	ASP	CB-CG-OD2	-7.86	111.22	118.30
1	2	917	U	C6-N1-C2	7.57	125.54	121.00
1	2	1387	C	C2-N1-C1'	7.51	127.06	118.80
3	B	47	LEU	CA-CB-CG	6.23	129.62	115.30
6	G	29	ASP	CB-CG-OD2	6.19	123.87	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	217/254 (85%)	203 (94%)	14 (6%)	0	100	100
3	B	225/255 (88%)	215 (96%)	9 (4%)	1 (0%)	30	66
4	C	218/259 (84%)	206 (94%)	11 (5%)	1 (0%)	25	61
5	E	258/261 (99%)	245 (95%)	13 (5%)	0	100	100
6	G	228/236 (97%)	223 (98%)	5 (2%)	0	100	100
7	H	182/190 (96%)	174 (96%)	8 (4%)	0	100	100
8	I	184/201 (92%)	172 (94%)	12 (6%)	0	100	100
9	J	180/188 (96%)	176 (98%)	4 (2%)	0	100	100
10	L	151/156 (97%)	141 (93%)	9 (6%)	1 (1%)	19	55
11	N	149/151 (99%)	143 (96%)	6 (4%)	0	100	100
12	O	127/137 (93%)	122 (96%)	5 (4%)	0	100	100
13	V	85/87 (98%)	80 (94%)	5 (6%)	0	100	100
14	W	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
15	X	142/145 (98%)	132 (93%)	10 (7%)	0	100	100
16	Y	132/135 (98%)	128 (97%)	4 (3%)	0	100	100
17	a	100/103 (97%)	91 (91%)	8 (8%)	1 (1%)	13	47
18	b	79/82 (96%)	78 (99%)	1 (1%)	0	100	100
19	e	58/63 (92%)	55 (95%)	3 (5%)	0	100	100
20	h	23/25 (92%)	23 (100%)	0	0	100	100
21	D	225/237 (95%)	218 (97%)	6 (3%)	1 (0%)	30	66
22	F	204/227 (90%)	183 (90%)	18 (9%)	3 (2%)	8	40
23	K	94/106 (89%)	88 (94%)	6 (6%)	0	100	100
24	M	113/134 (84%)	104 (92%)	8 (7%)	1 (1%)	14	49
25	P	115/142 (81%)	106 (92%)	8 (7%)	1 (1%)	14	49
26	Q	139/143 (97%)	122 (88%)	16 (12%)	1 (1%)	19	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	R	128/136 (94%)	122 (95%)	6 (5%)	0	100	100
28	S	143/146 (98%)	134 (94%)	9 (6%)	0	100	100
29	T	141/144 (98%)	133 (94%)	8 (6%)	0	100	100
30	U	104/117 (89%)	99 (95%)	5 (5%)	0	100	100
31	Z	76/108 (70%)	71 (93%)	5 (7%)	0	100	100
32	c	62/67 (92%)	56 (90%)	6 (10%)	0	100	100
33	d	53/56 (95%)	50 (94%)	3 (6%)	0	100	100
34	f	72/150 (48%)	55 (76%)	16 (22%)	1 (1%)	9	40
35	i	94/153 (61%)	84 (89%)	10 (11%)	0	100	100
36	m	84/108 (78%)	76 (90%)	8 (10%)	0	100	100
39	j	263/304 (86%)	246 (94%)	16 (6%)	1 (0%)	30	66
40	k	468/527 (89%)	437 (93%)	30 (6%)	1 (0%)	44	76
41	l	126/270 (47%)	123 (98%)	3 (2%)	0	100	100
42	n	87/812 (11%)	87 (100%)	0	0	100	100
43	g	314/326 (96%)	284 (90%)	30 (10%)	0	100	100
All	All	5970/7471 (80%)	5605 (94%)	351 (6%)	14 (0%)	45	76

5 of 14 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
39	j	55	ARG
3	B	21	VAL
22	F	86	LYS
26	Q	39	VAL
10	L	7	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	180/211 (85%)	180 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	B	201/228 (88%)	201 (100%)	0	100	100
4	C	177/203 (87%)	177 (100%)	0	100	100
5	E	223/224 (100%)	223 (100%)	0	100	100
6	G	192/200 (96%)	190 (99%)	2 (1%)	73	81
7	H	164/170 (96%)	163 (99%)	1 (1%)	84	88
8	I	147/159 (92%)	146 (99%)	1 (1%)	81	86
9	J	153/158 (97%)	153 (100%)	0	100	100
10	L	134/137 (98%)	133 (99%)	1 (1%)	81	86
11	N	128/128 (100%)	128 (100%)	0	100	100
12	O	97/104 (93%)	97 (100%)	0	100	100
13	V	73/73 (100%)	73 (100%)	0	100	100
14	W	110/111 (99%)	108 (98%)	2 (2%)	54	71
15	X	119/120 (99%)	118 (99%)	1 (1%)	79	84
16	Y	108/109 (99%)	108 (100%)	0	100	100
17	a	83/88 (94%)	82 (99%)	1 (1%)	67	78
18	b	71/72 (99%)	71 (100%)	0	100	100
19	e	51/55 (93%)	51 (100%)	0	100	100
20	h	23/23 (100%)	23 (100%)	0	100	100
21	D	188/196 (96%)	184 (98%)	4 (2%)	48	66
22	F	174/194 (90%)	173 (99%)	1 (1%)	84	88
23	K	88/96 (92%)	88 (100%)	0	100	100
24	M	90/109 (83%)	90 (100%)	0	100	100
25	P	99/119 (83%)	97 (98%)	2 (2%)	50	68
26	Q	117/119 (98%)	116 (99%)	1 (1%)	75	83
27	R	116/124 (94%)	116 (100%)	0	100	100
28	S	127/129 (98%)	127 (100%)	0	100	100
29	T	117/118 (99%)	117 (100%)	0	100	100
30	U	96/107 (90%)	96 (100%)	0	100	100
31	Z	59/88 (67%)	59 (100%)	0	100	100
32	c	55/59 (93%)	54 (98%)	1 (2%)	54	71
33	d	47/48 (98%)	47 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	f	60/133 (45%)	57 (95%)	3 (5%)	20	44
35	i	80/130 (62%)	79 (99%)	1 (1%)	65	77
36	m	77/96 (80%)	77 (100%)	0	100	100
39	j	239/274 (87%)	236 (99%)	3 (1%)	65	77
40	k	393/449 (88%)	390 (99%)	3 (1%)	79	84
41	l	125/234 (53%)	124 (99%)	1 (1%)	79	84
43	g	264/272 (97%)	262 (99%)	2 (1%)	79	84
All	All	5045/5667 (89%)	5014 (99%)	31 (1%)	82	88

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
25	P	77	ARG
40	k	348	LYS
32	c	22	ARG
43	g	54	GLN
39	j	233	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
35	i	33	GLN
35	i	37	GLN
40	k	465	ASN
14	W	80	ASN
14	W	42	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1794/1798 (99%)	579 (32%)	29 (1%)
37	3	0/49	-	-
38	1	71/75 (94%)	25 (35%)	4 (5%)
All	All	1865/1922 (97%)	604 (32%)	33 (1%)

5 of 604 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	3	U
1	2	4	C
1	2	17	C
1	2	25	C

5 of 33 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1797	U
38	1	8	U
38	1	74	C
1	2	781	A
1	2	700	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

23 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
38	M2G	1	26	38	20,27,28	3.85	7 (35%)	22,40,43	1.64	5 (22%)
1	PSU	2	998	1	18,21,22	4.31	8 (44%)	22,30,33	1.86	6 (27%)
1	PSU	2	1289	1	18,21,22	4.35	7 (38%)	22,30,33	1.94	5 (22%)
38	2MG	1	10	38	18,26,27	2.51	7 (38%)	16,38,41	1.33	3 (18%)
1	MA6	2	1780	1	18,26,27	1.03	1 (5%)	19,38,41	4.69	3 (15%)
38	7MG	1	46	38	22,26,27	3.91	10 (45%)	29,39,42	2.05	9 (31%)
38	5MC	1	49	38	18,22,23	3.20	7 (38%)	26,32,35	1.16	4 (15%)
1	5MC	2	1637	1	18,22,23	3.05	7 (38%)	26,32,35	0.99	2 (7%)
38	H2U	1	47	38	18,21,22	3.07	5 (27%)	21,30,33	2.05	5 (23%)
1	2MG	2	1426	44,1	18,26,27	2.51	7 (38%)	16,38,41	1.40	3 (18%)
38	T6A	1	37	38	27,34,35	2.39	6 (22%)	29,49,52	2.33	6 (20%)
38	H2U	1	16	38	18,21,22	3.04	5 (27%)	21,30,33	2.00	5 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
38	1MA	1	58	38	16,25,26	4.09	4 (25%)	18,37,40	1.85	4 (22%)
1	5MC	2	1006	1	18,22,23	3.03	7 (38%)	26,32,35	0.98	2 (7%)
1	2MG	2	1570	1	18,26,27	2.51	7 (38%)	16,38,41	1.43	4 (25%)
38	RIA	1	64	38	31,38,39	4.48	17 (54%)	39,57,60	3.82	8 (20%)
1	7MG	2	1573	38,1	22,26,27	3.66	10 (45%)	29,39,42	2.03	10 (34%)
1	PSU	2	465	1	18,21,22	4.35	7 (38%)	22,30,33	1.80	5 (22%)
1	PSU	2	120	1	18,21,22	4.38	7 (38%)	22,30,33	1.81	5 (22%)
1	PSU	2	766	1	18,21,22	4.27	8 (44%)	22,30,33	1.96	6 (27%)
38	1MG	1	9	38	18,26,27	2.79	6 (33%)	19,39,42	1.56	4 (21%)
1	B8N	2	1190	1	24,29,30	3.03	6 (25%)	29,42,45	1.74	6 (20%)
38	5MC	1	48	38	18,22,23	3.19	7 (38%)	26,32,35	1.03	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	M2G	1	26	38	-	2/7/29/30	0/3/3/3
1	PSU	2	998	1	-	1/7/25/26	0/2/2/2
1	PSU	2	1289	1	-	0/7/25/26	0/2/2/2
38	2MG	1	10	38	-	3/5/27/28	0/3/3/3
1	MA6	2	1780	1	-	3/7/29/30	0/3/3/3
38	7MG	1	46	38	-	2/7/37/38	0/3/3/3
38	5MC	1	49	38	-	4/7/25/26	0/2/2/2
1	5MC	2	1637	1	-	0/7/25/26	0/2/2/2
38	H2U	1	47	38	-	1/7/38/39	0/2/2/2
1	2MG	2	1426	44,1	-	1/5/27/28	0/3/3/3
38	T6A	1	37	38	-	5/19/41/42	0/3/3/3
38	H2U	1	16	38	-	7/7/38/39	0/2/2/2
38	1MA	1	58	38	-	2/3/25/26	0/3/3/3
1	5MC	2	1006	1	-	0/7/25/26	0/2/2/2
1	2MG	2	1570	1	-	0/5/27/28	0/3/3/3
38	RIA	1	64	38	-	5/13/51/52	0/4/4/4
1	7MG	2	1573	38,1	-	0/7/37/38	0/3/3/3
1	PSU	2	465	1	-	0/7/25/26	0/2/2/2
1	PSU	2	120	1	-	1/7/25/26	0/2/2/2
1	PSU	2	766	1	-	2/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	1MG	1	9	38	-	3/3/25/26	0/3/3/3
1	B8N	2	1190	1	-	4/16/34/35	0/2/2/2
38	5MC	1	48	38	-	3/7/25/26	0/2/2/2

The worst 5 of 163 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	1	58	1MA	C2-N3	14.89	1.47	1.29
38	1	26	M2G	C2-N3	13.52	1.47	1.30
38	1	64	RIA	C3A-C2A	-12.61	1.24	1.52
38	1	64	RIA	C3'-C2'	-10.63	1.24	1.53
1	2	120	PSU	C6-C5	10.62	1.47	1.35

The worst 5 of 111 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	1	64	RIA	C1A-N9-C4	15.52	153.91	126.64
1	2	1780	MA6	N1-C6-N6	-14.06	102.26	117.06
1	2	1780	MA6	C1'-N9-C4	13.56	150.47	126.64
38	1	64	RIA	C5-C6-N6	12.55	139.43	120.35
38	1	64	RIA	N6-C6-N1	-8.66	100.60	118.57

There are no chirality outliers.

5 of 49 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	2	766	PSU	C3'-C4'-C5'-O5'
1	2	766	PSU	O4'-C4'-C5'-O5'
1	2	1780	MA6	O4'-C4'-C5'-O5'
38	1	9	1MG	O4'-C4'-C5'-O5'
38	1	9	1MG	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 102 ligands modelled in this entry, 100 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
47	MET	k	603	-	6,7,8	0.47	0	2,7,9	0.16	0
46	GCP	k	601	-	27,34,34	2.41	4 (14%)	34,54,54	2.35	7 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	MET	k	603	-	-	3/5/6/8	-
46	GCP	k	601	-	-	4/15/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	k	601	GCP	PB-O3A	10.53	1.70	1.58
46	k	601	GCP	C6-N1	4.35	1.40	1.33
46	k	601	GCP	C8-N7	-2.41	1.30	1.34
46	k	601	GCP	PB-O2B	-2.28	1.51	1.56

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	k	601	GCP	C5-C6-N1	-9.36	110.62	123.43
46	k	601	GCP	C2-N1-C6	6.49	126.25	115.93
46	k	601	GCP	N3-C2-N1	-3.22	122.93	127.22
46	k	601	GCP	O2B-PB-O1B	2.74	119.22	110.07
46	k	601	GCP	C4-C5-C6	-2.39	118.52	120.80

There are no chirality outliers.


5 of 7 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
46	k	601	GCP	C5'-O5'-PA-O3A
47	k	603	MET	O-C-CA-CB
47	k	603	MET	CB-CG-SD-CE
46	k	601	GCP	O4'-C4'-C5'-O5'
46	k	601	GCP	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
38	1	3
1	2	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	64:RIA	O3'	65:G	P	8.59
1	1	63:G	O3'	64:RIA	P	4.32
1	2	1190:B8N	O3'	1191:C	P	3.40
1	1	16:H2U	O3'	18:G	P	3.29


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19808. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 157




Y Index: 166




Z Index: 147


6.3.2 Raw map



X Index: 151



Y Index: 198




Z Index: 146


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.075. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19808_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 654 nm³; this corresponds to an approximate mass of 591 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.250 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	5.12	8.42	5.50

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.12 differs from the reported value 4.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19808 and PDB model 8S8K. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.075 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.075).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



















The table lists the average atom inclusion at the recommended contour level (0.075) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6620	 0.3180
1	 0.4670	 0.1460
2	 0.8210	 0.3410
3	 0.0780	 0.2130
A	 0.7500	 0.3960
B	 0.7210	 0.3770
C	 0.7810	 0.4330
D	 0.5230	 0.2950
E	 0.8140	 0.4440
F	 0.5360	 0.2530
G	 0.7530	 0.3620
H	 0.6030	 0.3550
I	 0.7520	 0.4020
J	 0.8050	 0.4250
K	 0.4520	 0.2250
L	 0.7370	 0.4230
M	 0.1110	 0.1130
N	 0.7860	 0.4160
O	 0.7450	 0.3920
P	 0.3890	 0.1870
Q	 0.6170	 0.2770
R	 0.5210	 0.3110
S	 0.4530	 0.1950
T	 0.5610	 0.2320
U	 0.4810	 0.2990
V	 0.8130	 0.4260
W	 0.7960	 0.4530
X	 0.8000	 0.4530
Y	 0.8080	 0.4160
Z	 0.1500	 0.1930
a	 0.7870	 0.4330
b	 0.7080	 0.4110
c	 0.5260	 0.3150
d	 0.6020	 0.3040
e	 0.6790	 0.3990



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.2250	 0.1520
g	 0.3520	 0.1570
h	 0.1840	 0.2910
i	 0.5530	 0.3620
j	 0.1580	 0.1750
k	 0.0610	 0.1030
l	 0.0990	 0.1340
m	 0.4830	 0.3130
n	 0.0350	 0.2020