



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 21, 2022 – 04:05 PM EDT

PDB ID : 5SB4
Title : Tubulin-todalam-8-complex
Authors : Muehlethaler, T.; Milanos, L.; Ortega, J.A.; Blum, T.B.; Gioia, D.; Prota, A.E.; Cavalli, A.; Steinmetz, M.O.
Deposited on : 2021-07-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	 2% (red), 87% (green), 10% (yellow), . (grey)
1	C	451	 % (red), 89% (green), 9% (yellow), . (grey)
2	B	445	 3% (red), 83% (green), 12% (yellow), 5% (grey)
2	D	445	 5% (red), 85% (green), 11% (yellow), . (grey)
3	E	143	 5% (red), 78% (green), 8% (yellow), 14% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a red segment on the left labeled '23%', a large green segment labeled '80%', a small yellow segment labeled '7%', and a grey segment on the far right labeled '13%'.</p>

2 Entry composition i

There are 12 unique types of molecules in this entry. The entry contains 17804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	437	Total	C	N	O	S	0	0	0
			3416	2163	581	650	22			
1	C	440	Total	C	N	O	S	0	0	0
			3437	2175	584	656	22			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	423	Total	C	N	O	S	0	1	0
			3345	2102	572	644	27			
2	D	425	Total	C	N	O	S	1	0	0
			3337	2095	569	646	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	123	Total	C	N	O	S	0	0	0
			1014	625	183	201	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043

- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	334	Total	C	N	O	S	0	0	0
			2730	1754	467	495	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		
7	E	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
8	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
8	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 9 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
9	B	1	12	6	1	4	1	0	0

- Molecule 10 is N-{4-[2-(2-fluoroanilino)-1,3-thiazol-4-yl]phenyl}acetamide (three-letter code: 4B6) (formula: C₁₇H₁₄FN₃OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	N	O			S
10	C	1	23	17	1	3	1	1	0	0

- Molecule 11 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
11	F	1	31	11	5	12	3	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	49	Total	O	0	0
			49	49		
12	B	69	Total	O	0	0
			69	69		
12	C	138	Total	O	0	0
			138	138		
12	D	35	Total	O	0	0
			35	35		
12	E	16	Total	O	0	0
			16	16		
12	F	23	Total	O	0	0
			23	23		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain




- Molecule 2: Tubulin beta-2B chain







• Molecule 3: Stathmin-4



• Molecule 4: Tubulin-Tyrosine Ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.58Å 157.33Å 180.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.62 – 2.50 49.62 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.62-2.50) 100.0 (49.62-2.50)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.198 , 0.230 0.194 , 0.227	Depositor DCC
R_{free} test set	5171 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	53.3	Xtrriage
Anisotropy	0.109	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17804	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACP, MES, 4B6, GDP, MG, GTP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3494	0.47	0/4743
1	C	0.27	0/3515	0.48	0/4772
2	B	0.26	0/3419	0.47	0/4629
2	D	0.25	0/3410	0.47	0/4618
3	E	0.24	0/1022	0.42	0/1356
4	F	0.24	0/2790	0.47	0/3765
All	All	0.25	0/17650	0.47	0/23883

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	0	3330	24	0
1	C	3437	0	3348	22	0
2	B	3345	0	3227	27	0
2	D	3337	0	3217	27	0
3	E	1014	0	1029	8	0
4	F	2730	0	2705	17	0
5	A	32	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	B	28	0	12	0	0
8	D	28	0	12	3	0
9	B	12	0	12	1	0
10	C	23	0	0	0	0
11	F	31	0	14	3	0
12	A	49	0	0	0	0
12	B	69	0	0	1	0
12	C	138	0	0	1	0
12	D	35	0	0	4	0
12	E	16	0	0	1	0
12	F	23	0	0	0	0
All	All	17804	0	16930	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:10:ASN:HB2	4:F:44:ARG:HH22	1.49	0.77
2:B:270:PRO:HG2	2:B:302:MET:HB2	1.74	0.68
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.78	0.66
2:B:248:LEU:HD11	2:B:352:LYS:HB3	1.81	0.62
2:D:164:ARG:NH2	12:D:606:HOH:O	2.33	0.61
2:D:385:GLN:HB2	2:D:429:VAL:HG13	1.82	0.61
2:B:23:VAL:HG21	2:B:232:SER:HB3	1.83	0.60
4:F:331:GLU:OE2	11:F:401:ACP:O3G	2.19	0.60
2:D:431:GLU:OE1	12:D:601:HOH:O	2.16	0.59
4:F:331:GLU:OE2	4:F:333:ASN:ND2	2.37	0.58
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.87	0.57
1:C:172:TYR:HB3	1:C:205:ASP:HA	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:14:TYR:HB3	4:F:41:LEU:HD13	1.85	0.56
1:A:71:GLU:OE2	1:A:73:THR:OG1	2.23	0.56
1:A:76:ASP:OD1	1:A:79:ARG:NH1	2.34	0.55
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.88	0.55
4:F:16:GLU:OE2	4:F:19:ARG:NH2	2.37	0.55
1:C:209:ILE:HG23	1:C:230:LEU:HD23	1.87	0.55
2:D:172:MET:HB2	2:D:205:ASP:HA	1.89	0.55
1:C:162:GLY:HA2	3:E:94:ILE:HD11	1.89	0.54
2:D:11:GLN:HA	2:D:74:THR:HG21	1.88	0.54
2:B:316:ALA:HB3	2:B:378:ILE:HB	1.88	0.54
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.90	0.53
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.90	0.53
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.90	0.53
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.90	0.53
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.28	0.52
1:C:256:GLN:NE2	12:C:604:HOH:O	2.42	0.52
2:D:213:CYS:HA	2:D:217:LEU:HB2	1.91	0.52
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.93	0.51
2:B:136:GLN:HA	2:B:167:ASN:O	2.10	0.51
2:B:318:ILE:HG13	2:B:354:ALA:HB3	1.91	0.51
2:D:347:ILE:HG22	2:D:350:ASN:HB3	1.93	0.51
8:D:501:GDP:O1A	12:D:602:HOH:O	2.19	0.51
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.93	0.50
4:F:241:THR:HG1	11:F:401:ACP:HO3'	1.55	0.50
2:D:316:ALA:HB3	2:D:378:ILE:HB	1.94	0.50
2:B:205:ASP:OD2	2:B:390:ARG:NH1	2.40	0.50
1:A:34:GLY:HA3	1:A:60:LYS:HG3	1.93	0.50
2:D:213:CYS:HB3	2:D:219:LEU:HD12	1.94	0.49
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.47	0.49
2:B:253[A]:ARG:NH1	9:B:504:MES:O3S	2.45	0.49
1:C:209:ILE:HG22	1:C:227:LEU:HD22	1.95	0.49
1:A:226:ASN:ND2	1:A:367:ASP:OD2	2.45	0.49
2:B:75:MET:HE3	2:B:92:PHE:HD2	1.78	0.49
1:C:172:TYR:CE1	1:C:391:LEU:HD22	2.48	0.48
4:F:348:GLN:NE2	4:F:352:ASP:OD1	2.46	0.48
1:C:210:TYR:CZ	1:C:222:PRO:HD2	2.49	0.48
2:B:70:LEU:HD12	2:B:99:ALA:HB2	1.96	0.48
2:B:304:ALA:N	12:B:607:HOH:O	2.45	0.48
3:E:44:ASP:N	12:E:302:HOH:O	2.47	0.48
2:D:154:ILE:HG23	2:D:166:MET:HG2	1.96	0.48
2:D:294:GLN:NE2	12:D:612:HOH:O	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.95	0.47
1:C:178:SER:OG	2:D:352:LYS:NZ	2.48	0.47
4:F:128:ARG:HH12	4:F:170:LEU:HB3	1.80	0.47
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.96	0.47
2:D:143:GLY:HA3	8:D:501:GDP:O3A	2.15	0.46
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.33	0.46
2:D:12:CYS:HB2	8:D:501:GDP:C8	2.51	0.46
2:B:31:ASP:OD1	2:B:35:SER:N	2.47	0.46
1:C:1:MET:HE3	1:C:131:GLY:HA3	1.98	0.46
1:A:351:PHE:HE1	3:E:24:LEU:HD11	1.80	0.46
1:C:320:ARG:HA	1:C:356:ASN:O	2.16	0.45
2:D:46:LEU:HA	2:D:49:ILE:HB	1.97	0.45
2:B:16:ILE:HD13	2:B:231:VAL:HG11	1.98	0.45
4:F:14:TYR:HA	4:F:17:VAL:HB	1.99	0.45
2:D:136:GLN:HA	2:D:167:ASN:O	2.17	0.45
1:C:248:LEU:HD13	1:C:355:ILE:HD12	1.99	0.45
4:F:200:ASP:OD1	4:F:222:ARG:HB2	2.16	0.45
1:A:381:THR:HG22	1:A:383:ALA:H	1.82	0.44
2:D:397:ALA:O	2:D:401:ARG:NH1	2.50	0.44
11:F:401:ACP:O3G	11:F:401:ACP:O1B	2.34	0.44
1:C:140:SER:HA	1:C:171:ILE:HB	2.00	0.44
1:A:357:TYR:OH	3:E:18:GLN:NE2	2.50	0.44
1:C:166:LYS:HE2	1:C:197:HIS:O	2.18	0.44
1:A:119:LEU:HD11	1:A:156:ARG:HB3	2.00	0.44
4:F:189:PRO:HG2	4:F:191:LEU:HD21	1.98	0.43
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.53	0.43
3:E:58:GLU:HG2	3:E:62:LYS:HE3	2.00	0.43
2:D:1:MET:HB3	2:D:1:MET:HE3	1.88	0.43
2:B:48:ARG:HH22	2:B:250:ALA:HB1	1.82	0.43
2:B:56:ALA:HB3	2:B:60:LYS:HB2	2.01	0.43
2:B:141:LEU:HD12	2:B:172:MET:SD	2.58	0.43
1:A:22:GLU:HG3	1:A:83:TYR:CE1	2.54	0.43
1:A:15:GLN:NE2	5:A:501:GTP:O6	2.52	0.42
2:D:291:LEU:HG	2:D:375:ALA:HB2	2.01	0.42
1:C:147:SER:HB2	1:C:190:THR:HB	2.02	0.42
4:F:200:ASP:OD2	4:F:222:ARG:NH2	2.53	0.42
2:B:46:LEU:HA	2:B:49:ILE:HB	2.01	0.42
2:D:315:VAL:HB	2:D:351:VAL:HG22	2.02	0.42
1:A:210:TYR:CZ	1:A:222:PRO:HD2	2.55	0.42
3:E:140:LYS:HE2	3:E:140:LYS:HB3	1.88	0.42
1:C:430:LYS:HE2	1:C:434:GLU:OE2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:298:SER:HB3	2:D:307:PRO:HD2	2.02	0.42
4:F:220:VAL:HG11	4:F:339:ALA:HB2	2.01	0.42
4:F:217:ARG:HG3	4:F:218:GLU:HG2	2.02	0.41
1:A:176:GLN:NE2	4:F:56:PRO:HB3	2.35	0.41
2:B:15:GLN:O	2:B:19:LYS:HG2	2.20	0.41
2:D:191:VAL:O	2:D:195:VAL:HG23	2.20	0.41
2:B:103:TRP:CE3	2:B:189:LEU:HD13	2.55	0.41
1:A:278:ALA:HA	1:A:369:ALA:HB2	2.02	0.41
1:C:93:ILE:HG22	1:C:114:ILE:HD11	2.03	0.41
3:E:92:ASN:O	3:E:96:MET:HG2	2.19	0.41
2:B:26:ASP:OD1	2:B:369:ARG:NH2	2.54	0.41
2:B:69:ASP:O	2:B:94:PHE:HA	2.21	0.41
2:B:163:ASP:C	2:B:164:ARG:HE	2.24	0.41
1:A:2:ARG:CB	1:A:133:GLN:HG3	2.50	0.41
2:B:249:ASN:HB3	2:B:255:LEU:HB2	2.03	0.41
1:A:214:ARG:HG2	1:A:219:ILE:O	2.21	0.41
1:A:274:PRO:HB3	1:A:286:LEU:HD12	2.01	0.41
2:D:171:VAL:HA	2:D:204:ILE:O	2.21	0.41
1:A:2:ARG:HB3	1:A:133:GLN:HG3	2.03	0.40
4:F:340:GLN:HA	4:F:343:TYR:HD2	1.86	0.40
1:A:298:PRO:HA	1:A:301:GLN:CD	2.42	0.40
1:C:335:ILE:HG23	1:C:339:ARG:HG3	2.02	0.40
4:F:2:TYR:CE1	4:F:359:PHE:HB3	2.57	0.40
1:A:69:ASP:O	1:A:94:THR:HA	2.21	0.40
1:C:214:ARG:HG2	1:C:219:ILE:O	2.21	0.40
2:D:147:SER:HB2	2:D:190:SER:OG	2.22	0.40
1:C:8:HIS:HB3	1:C:13:GLY:O	2.22	0.40
3:E:72:LEU:O	3:E:76:ARG:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	435/451 (96%)	419 (96%)	16 (4%)	0	100	100
1	C	438/451 (97%)	428 (98%)	10 (2%)	0	100	100
2	B	420/445 (94%)	408 (97%)	12 (3%)	0	100	100
2	D	421/445 (95%)	414 (98%)	7 (2%)	0	100	100
3	E	119/143 (83%)	119 (100%)	0	0	100	100
4	F	322/384 (84%)	311 (97%)	11 (3%)	0	100	100
All	All	2155/2319 (93%)	2099 (97%)	56 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/379 (97%)	367 (100%)	1 (0%)	92	97
1	C	371/379 (98%)	369 (100%)	2 (0%)	88	96
2	B	368/383 (96%)	365 (99%)	3 (1%)	81	93
2	D	367/383 (96%)	365 (100%)	2 (0%)	88	96
3	E	110/127 (87%)	110 (100%)	0	100	100
4	F	298/342 (87%)	298 (100%)	0	100	100
All	All	1882/1993 (94%)	1874 (100%)	8 (0%)	91	97

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	193	THR
2	B	48	ARG
2	B	50	ASN
2	B	139	HIS
1	C	71	GLU
1	C	381	THR
2	D	39	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	139	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	294	GLN
1	C	85	GLN
1	C	285	GLN
4	F	348	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 9 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	GDP	B	501	6	24,30,30	1.16	2 (8%)	31,47,47	1.87	7 (22%)
5	GTP	A	501	6	26,34,34	0.98	1 (3%)	33,54,54	1.73	7 (21%)
5	GTP	C	501	6	26,34,34	0.98	1 (3%)	33,54,54	1.72	6 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	ACP	F	401	6	27,33,33	1.42	5 (18%)	32,52,52	1.38	4 (12%)
9	MES	B	504	-	12,12,12	2.17	1 (8%)	14,16,16	2.02	4 (28%)
10	4B6	C	504	-	22,25,25	1.39	3 (13%)	28,34,34	1.03	2 (7%)
8	GDP	D	501	-	24,30,30	1.18	2 (8%)	31,47,47	1.95	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GDP	B	501	6	-	3/12/32/32	0/3/3/3
5	GTP	A	501	6	-	6/18/38/38	0/3/3/3
5	GTP	C	501	6	-	8/18/38/38	0/3/3/3
11	ACP	F	401	6	-	9/15/38/38	0/3/3/3
9	MES	B	504	-	-	4/6/14/14	0/1/1/1
10	4B6	C	504	-	-	2/10/12/12	0/3/3/3
8	GDP	D	501	-	-	5/12/32/32	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	504	MES	C8-S	-7.24	1.67	1.77
8	B	501	GDP	C5-C6	4.11	1.48	1.41
8	D	501	GDP	C5-C6	4.11	1.48	1.41
10	C	504	4B6	C10-S1	3.20	1.75	1.70
10	C	504	4B6	C7-N1	3.14	1.41	1.36
11	F	401	ACP	PB-O3A	3.06	1.61	1.58
5	A	501	GTP	C6-N1	3.05	1.38	1.33
5	C	501	GTP	C6-N1	3.04	1.38	1.33
11	F	401	ACP	PG-O3G	2.93	1.61	1.54
11	F	401	ACP	PG-O2G	2.89	1.61	1.54
10	C	504	4B6	C11-N3	2.59	1.41	1.36
11	F	401	ACP	C5-C4	2.55	1.47	1.40
8	B	501	GDP	C5-C4	2.41	1.47	1.40
8	D	501	GDP	C5-C4	2.41	1.47	1.40
11	F	401	ACP	PB-O2B	2.22	1.61	1.56

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	501	GTP	N3-C2-N1	-5.43	119.97	127.22
5	C	501	GTP	N3-C2-N1	-5.33	120.12	127.22
8	D	501	GDP	C2-N3-C4	4.79	120.83	115.36
8	B	501	GDP	C2-N3-C4	4.60	120.62	115.36
8	D	501	GDP	C2-N1-C6	4.16	122.54	115.93
8	B	501	GDP	C2-N1-C6	4.14	122.51	115.93
5	A	501	GTP	C2-N3-C4	4.11	120.05	115.36
8	B	501	GDP	C4-C5-C6	-4.07	116.91	120.80
9	B	504	MES	O1S-S-C8	4.04	111.78	106.92
8	D	501	GDP	C4-C5-C6	-3.99	116.99	120.80
8	D	501	GDP	C5-C6-N1	-3.96	118.01	123.43
8	B	501	GDP	C5-C6-N1	-3.96	118.02	123.43
5	C	501	GTP	C2-N3-C4	3.94	119.85	115.36
8	D	501	GDP	N3-C2-N1	-3.40	122.68	127.22
11	F	401	ACP	C3'-C2'-C1'	3.38	106.06	100.98
9	B	504	MES	C5-N4-C3	3.37	116.42	108.83
11	F	401	ACP	PB-O3A-PA	-3.35	121.93	132.56
8	B	501	GDP	N3-C2-N1	-3.27	122.86	127.22
11	F	401	ACP	N3-C2-N1	-3.15	123.75	128.68
5	C	501	GTP	C5-C6-N1	-3.10	119.19	123.43
5	A	501	GTP	C5-C6-N1	-3.01	119.31	123.43
5	A	501	GTP	PA-O3A-PB	-3.01	122.51	132.83
8	D	501	GDP	PA-O3A-PB	-2.98	122.59	132.83
9	B	504	MES	C7-N4-C5	2.89	118.61	111.23
5	C	501	GTP	PA-O3A-PB	-2.83	123.12	132.83
5	A	501	GTP	C2-N1-C6	2.82	120.41	115.93
9	B	504	MES	C6-C5-N4	-2.78	105.89	110.10
5	C	501	GTP	C2-N1-C6	2.77	120.33	115.93
5	C	501	GTP	PB-O3B-PG	-2.76	123.35	132.83
8	D	501	GDP	C4-C5-N7	-2.71	106.57	109.40
10	C	504	4B6	C13-C12-C17	2.64	119.84	117.17
8	B	501	GDP	C4-C5-N7	-2.59	106.70	109.40
10	C	504	4B6	C12-N3-C11	-2.59	122.95	129.60
11	F	401	ACP	C4-C5-N7	-2.55	106.74	109.40
8	B	501	GDP	PA-O3A-PB	-2.47	124.36	132.83
5	A	501	GTP	PB-O3B-PG	-2.20	125.27	132.83
8	D	501	GDP	C3'-C2'-C1'	2.17	104.25	100.98
5	A	501	GTP	N2-C2-N1	2.03	120.41	117.25

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O2A
8	D	501	GDP	PA-O3A-PB-O2B
8	D	501	GDP	PA-O3A-PB-O3B
8	D	501	GDP	C5'-O5'-PA-O1A
8	D	501	GDP	C5'-O5'-PA-O2A
9	B	504	MES	C8-C7-N4-C5
10	C	504	4B6	C17-C12-N3-C11
11	F	401	ACP	PB-C3B-PG-O1G
11	F	401	ACP	PB-C3B-PG-O2G
11	F	401	ACP	PB-C3B-PG-O3G
11	F	401	ACP	PG-C3B-PB-O1B
11	F	401	ACP	PG-C3B-PB-O3A
11	F	401	ACP	C5'-O5'-PA-O2A
11	F	401	ACP	C5'-O5'-PA-O3A
9	B	504	MES	C7-C8-S-O3S
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O3A
8	D	501	GDP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	C5'-O5'-PA-O2A
11	F	401	ACP	C5'-O5'-PA-O1A
9	B	504	MES	C7-C8-S-O1S
9	B	504	MES	C7-C8-S-O2S
11	F	401	ACP	PG-C3B-PB-O2B
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O2A
10	C	504	4B6	C13-C12-N3-C11
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
8	B	501	GDP	C5'-O5'-PA-O3A
5	A	501	GTP	PB-O3A-PA-O1A
5	C	501	GTP	PB-O3A-PA-O1A

There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	501	GTP	1	0


Continued on next page...




Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	F	401	ACP	3	0
9	B	504	MES	1	0
8	D	501	GDP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/451 (96%)	0.18	8 (1%) 68 71	44, 60, 90, 154	0
1	C	440/451 (97%)	-0.06	4 (0%) 84 86	35, 48, 73, 106	0
2	B	423/445 (95%)	0.18	15 (3%) 44 47	36, 56, 88, 134	0
2	D	425/445 (95%)	0.37	23 (5%) 25 27	43, 68, 102, 136	2 (0%)
3	E	123/143 (86%)	0.41	7 (5%) 23 25	48, 71, 110, 132	0
4	F	334/384 (86%)	1.23	88 (26%) 0 0	56, 84, 148, 186	0
All	All	2182/2319 (94%)	0.34	145 (6%) 18 19	35, 62, 111, 186	2 (0%)

All (145) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	173	ILE	9.1
4	F	249	TYR	8.7
4	F	251	LYS	8.2
4	F	253	TYR	6.9
4	F	169	LEU	6.9
1	A	282	TYR	6.8
4	F	131	PHE	6.7
4	F	100	ILE	6.6
4	F	240	LEU	6.5
4	F	130	VAL	6.4
4	F	161	LEU	6.2
4	F	134	ALA	6.2
4	F	170	LEU	6.1
4	F	133	ALA	6.1
4	F	244	CYS	5.9
4	F	250	SER	5.9
4	F	182	ILE	5.8
3	E	27	PRO	5.7
4	F	129	GLU	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	132	LEU	5.6
2	D	57	THR	5.5
4	F	135	TYR	5.4
4	F	254	GLY	5.3
4	F	252	ASN	5.3
2	B	59	ASN	5.0
4	F	101	TYR	4.9
4	F	246	GLN	4.8
2	B	57	THR	4.8
4	F	143	GLU	4.8
3	E	143	ALA	4.8
4	F	142	ARG	4.7
4	F	259	GLY	4.4
3	E	26	PRO	4.3
2	B	1	MET	4.3
3	E	139	LEU	4.2
4	F	239	HIS	4.2
4	F	145	ASN	4.1
4	F	245	ILE	4.0
2	D	401	ARG	4.0
4	F	167	SER	3.9
4	F	256	TYR	3.9
4	F	166	ALA	3.9
4	F	21	LEU	3.8
2	D	400	ARG	3.8
4	F	147	TRP	3.8
4	F	361	LEU	3.8
4	F	225	SER	3.7
2	D	277	SER	3.7
4	F	17	VAL	3.7
3	E	142	GLU	3.7
4	F	165	GLU	3.6
2	D	405	LEU	3.5
4	F	138	ARG	3.5
4	F	89	GLU	3.5
4	F	162	ILE	3.4
4	F	248	GLU	3.4
4	F	243	HIS	3.4
1	C	340	SER	3.4
2	B	276	THR	3.4
4	F	153	ALA	3.4
4	F	181	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	231	ALA	3.4
4	F	149	ALA	3.3
4	F	172	PHE	3.3
4	F	136	ASN	3.2
2	B	284	ARG	3.2
4	F	137	ARG	3.2
4	F	151	SER	3.2
4	F	20	LEU	3.2
1	A	262	TYR	3.1
4	F	179	VAL	3.1
4	F	362	ALA	3.0
4	F	247	LYS	3.0
2	D	404	PHE	3.0
1	A	179	THR	3.0
2	B	37	HIS	3.0
2	D	59	ASN	3.0
1	C	440	VAL	2.9
4	F	99	VAL	2.9
2	D	37	HIS	2.9
4	F	163	SER	2.9
4	F	75	ALA	2.9
4	F	128	ARG	2.8
4	F	230	SER	2.8
2	D	415	GLU	2.8
2	B	56	ALA	2.7
2	D	94	PHE	2.7
4	F	229	ASN	2.7
4	F	223	THR	2.7
4	F	241	THR	2.7
4	F	164	SER	2.7
4	F	98	TYR	2.7
4	F	152	SER	2.7
4	F	255	ARG	2.6
1	A	42	ILE	2.6
4	F	260	ASN	2.6
4	F	148	ILE	2.6
4	F	139	ARG	2.6
4	F	238	CYS	2.5
4	F	242	ASN	2.5
2	D	407	TRP	2.5
4	F	228	TYR	2.5
2	D	1	MET	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	36	TYR	2.4
2	B	58	GLY	2.4
2	D	97	SER	2.4
2	B	86	ILE	2.4
3	E	45	PRO	2.4
4	F	11	SER	2.4
2	B	33	THR	2.4
4	F	28	LYS	2.4
4	F	140	GLU	2.4
1	A	171	ILE	2.3
1	A	346	TRP	2.3
4	F	168	GLU	2.3
1	A	178	SER	2.3
4	F	197	ARG	2.3
2	D	278	ARG	2.3
1	C	245	ASP	2.3
2	D	202	TYR	2.3
2	B	248	LEU	2.3
4	F	10	ASN	2.3
4	F	194	PRO	2.2
2	D	406	HIS	2.2
1	A	348	PRO	2.2
2	D	416	MET	2.2
4	F	127	GLU	2.2
4	F	185	TYR	2.2
2	D	88	ARG	2.2
4	F	196	HIS	2.1
1	C	357	TYR	2.1
2	D	201	THR	2.1
3	E	140	LYS	2.1
4	F	22	LEU	2.1
2	B	34	GLY	2.1
2	B	38	GLY	2.1
4	F	150	LYS	2.1
2	D	96	GLN	2.1
2	D	33	THR	2.1
4	F	9	GLU	2.1
2	D	83	PHE	2.1
4	F	25	GLY	2.1
2	B	60	LYS	2.1
4	F	258	GLU	2.0
2	D	56	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	MG	D	502	1/1	0.60	0.12	78,78,78,78	0
11	ACP	F	401	31/31	0.90	0.18	100,114,123,124	0
7	CA	E	201	1/1	0.92	0.14	94,94,94,94	0
7	CA	B	503	1/1	0.93	0.13	89,89,89,89	0
6	MG	F	402	1/1	0.94	0.13	105,105,105,105	0
8	GDP	D	501	28/28	0.96	0.15	57,65,75,79	0
6	MG	A	502	1/1	0.96	0.17	44,44,44,44	0
6	MG	C	502	1/1	0.97	0.13	38,38,38,38	0
9	MES	B	504	12/12	0.97	0.15	46,52,60,62	0
10	4B6	C	504	23/23	0.97	0.17	38,47,53,55	0
7	CA	A	503	1/1	0.97	0.05	85,85,85,85	0
8	GDP	B	501	28/28	0.98	0.19	36,40,43,47	0
5	GTP	C	501	32/32	0.98	0.15	33,38,41,44	0
5	GTP	A	501	32/32	0.98	0.22	41,45,51,52	0
7	CA	C	503	1/1	0.98	0.05	66,66,66,66	0
6	MG	B	502	1/1	0.98	0.23	37,37,37,37	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4B6 C 504:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.