



Full wwPDB X-ray Structure Validation Report i

Oct 8, 2024 – 01:20 AM EDT

PDB ID : 5SGD
Title : CRYSTAL STRUCTURE OF HUMAN PHOSPHODIESTERASE 10 IN COMPLEX WITH n1(c(c(COC)cn1)C(=O)Nc3cc2nc(nn2cc3)c4cccc4) C, micromolar IC50=0.01444
Authors : Joseph, C.; Benz, J.; Flohr, A.; Groebke-Zbinden, K.; Rudolph, M.G.
Deposited on : 2022-02-01
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriaage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1004 (2.54-2.54)
Clashscore	180529	1055 (2.54-2.54)
Ramachandran outliers	177936	1048 (2.54-2.54)
Sidechain outliers	177891	1048 (2.54-2.54)
RSRZ outliers	164620	1004 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 5 unique types of molecules in this entry. The entry contains 10465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	313	Total	C 2549	N 1629	O 435	S 461	24	0	1	0
1	B	315	Total	C 2551	N 1630	O 434	S 463	24	0	0	0
1	C	313	Total	C 2549	N 1629	O 435	S 461	24	0	1	0
1	D	311	Total	C 2523	N 1614	O 430	S 455	24	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	447	GLY	-	expression tag	UNP Q9Y233
A	448	SER	-	expression tag	UNP Q9Y233
B	447	GLY	-	expression tag	UNP Q9Y233
B	448	SER	-	expression tag	UNP Q9Y233
C	447	GLY	-	expression tag	UNP Q9Y233
C	448	SER	-	expression tag	UNP Q9Y233
D	447	GLY	-	expression tag	UNP Q9Y233
D	448	SER	-	expression tag	UNP Q9Y233


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn 1	0	0
2	B	1	Total	Zn 1	0	0
2	C	1	Total	Zn 1	0	0
2	D	1	Total	Zn 1	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0

- Molecule 4 is 4-(methoxymethyl)-1-methyl-N-[(4S)-2-phenyl[1,2,4]triazolo[1,5-a]pyridin-7-yl]-1H-pyrazole-5-carboxamide (three-letter code: IWN) (formula: C₁₉H₁₈N₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 27 19 6 2	0	0
4	B	1	Total C N O 27 19 6 2	0	0
4	C	1	Total C N O 27 19 6 2	0	0
4	D	1	Total C N O 27 19 6 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	56	Total O 56 56	0	0
5	B	61	Total O 61 61	0	0
5	C	47	Total O 47 47	0	0
5	D	13	Total O 13 13	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A




- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



ALA
ALA
SER
GLU
ASP

- Molecule 1: cAMP and cAMP-inhibited cGMP 3',5'-cyclic phosphodiesterase 10A



4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	135.39 Å 135.39 Å 236.17 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.56 – 2.54 43.56 – 2.54	Depositor EDS
% Data completeness (in resolution range)	95.2 (43.56-2.54) 95.2 (43.56-2.54)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.38 (at 2.54 Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R , R_{free}	0.167 , 0.257 0.174 , 0.256	Depositor DCC
R_{free} test set	2621 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	55.7	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10465	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IWN, CME, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.92	1/2603 (0.0%)	1.09	6/3521 (0.2%)
1	B	0.93	1/2602 (0.0%)	1.11	2/3521 (0.1%)
1	C	0.91	2/2603 (0.1%)	1.11	3/3521 (0.1%)
1	D	0.92	1/2574 (0.0%)	1.07	2/3483 (0.1%)
All	All	0.92	5/10382 (0.0%)	1.10	13/14046 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	D	0	1
All	All	0	3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	471	GLU	CD-OE2	6.51	1.32	1.25
1	C	592	GLU	CD-OE1	6.21	1.32	1.25
1	B	552	GLU	CD-OE1	5.26	1.31	1.25
1	D	458	GLY	N-CA	5.10	1.53	1.46
1	C	699	GLU	CD-OE1	5.08	1.31	1.25

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	510	ARG	NE-CZ-NH1	6.65	123.63	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	517	LYS	CB-CA-C	5.80	121.99	110.40
1	C	568	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	C	624	GLU	N-CA-CB	-5.59	100.53	110.60
1	A	627	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	D	662	ARG	NE-CZ-NH1	-5.40	117.60	120.30
1	A	568	ARG	NE-CZ-NH2	-5.39	117.60	120.30
1	B	642	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	A	664	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	520	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	D	510	ARG	CB-CA-C	5.17	120.75	110.40
1	A	586	TYR	CB-CG-CD1	5.14	124.08	121.00
1	A	627	ARG	NE-CZ-NH1	5.12	122.86	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	769	GLU	Peptide
1	C	497	SER	Peptide
1	D	497	SER	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2549	0	2524	46	0
1	B	2551	0	2515	29	0
1	C	2549	0	2524	21	0
1	D	2523	0	2499	31	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	27	0	0	3	0
4	B	27	0	0	0	0
4	C	27	0	0	1	0
4	D	27	0	0	3	0
5	A	56	0	0	3	0
5	B	61	0	0	6	0
5	C	47	0	0	1	0
5	D	13	0	0	0	0
All	All	10465	0	10062	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:461:GLN:HE21	1:A:461:GLN:HA	1.31	0.96
1:C:469:CYS:SG	5:C:941:HOH:O	2.26	0.92
1:A:681:LEU:CG	5:B:950:HOH:O	2.16	0.91
1:A:681:LEU:CB	5:B:950:HOH:O	2.19	0.91
1:A:461:GLN:HA	1:A:461:GLN:NE2	1.89	0.84
1:D:622:VAL:HA	1:D:625:ILE:HD12	1.61	0.83
1:B:767:ARG:NH2	1:B:769:GLU:OE1	2.12	0.81
1:B:769:GLU:O	1:B:769:GLU:HG2	1.78	0.81
1:C:493:MET:O	1:C:497:SER:HB2	1.88	0.74
1:D:627:ARG:O	1:D:631:ILE:HG12	1.88	0.74
1:A:681:LEU:HG	5:B:950:HOH:O	1.84	0.72
1:D:497:SER:O	1:D:553:ARG:HD2	1.92	0.70
1:D:598:GLN:O	1:D:602:ILE:HG13	1.93	0.69
1:A:624:GLU:HG2	5:A:949:HOH:O	1.93	0.66
1:A:735:ILE:HB	1:A:736:PRO:HD3	1.78	0.65
1:A:681:LEU:HD12	5:B:950:HOH:O	1.97	0.63
1:C:548:PHE:O	1:C:553:ARG:NH2	2.31	0.63
1:A:681:LEU:HB3	5:B:950:HOH:O	1.91	0.62
1:D:475:PHE:CD2	1:D:751:LEU:HD21	2.35	0.62
1:C:486:TRP:CH2	1:C:528:LYS:HG3	2.35	0.61
1:B:497:SER:O	1:B:553:ARG:HD2	2.01	0.61
1:A:507:LYS:NZ	5:A:901:HOH:O	2.34	0.61
1:B:497:SER:HA	1:B:542:GLN:HE22	1.66	0.61
1:A:602:ILE:HA	1:A:605:LEU:HD22	1.83	0.60
1:C:489:ILE:O	1:C:493:MET:HG3	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:585:LEU:O	1:A:585:LEU:HD12	2.03	0.58
1:C:542:GLN:NE2	1:C:542:GLN:HA	2.18	0.58
1:C:492:TYR:CZ	1:C:496:ARG:HD2	2.39	0.57
1:A:510:ARG:HH11	1:A:510:ARG:CB	2.17	0.57
1:C:600:VAL:O	1:C:604:GLN:HG3	2.04	0.57
1:A:548:PHE:O	1:A:553:ARG:NH2	2.37	0.57
1:C:486:TRP:CZ2	1:C:528:LYS:HG3	2.40	0.56
1:D:693:TYR:OH	4:D:803:IWN:N21	2.39	0.54
1:B:539:ALA:O	1:B:543:ASN:ND2	2.31	0.54
1:D:742:THR:OG1	1:D:749:GLU:HA	2.08	0.54
1:A:735:ILE:N	1:A:736:PRO:CD	2.71	0.53
1:D:475:PHE:HD2	1:D:751:LEU:HD21	1.72	0.53
1:A:719:LYS:O	1:A:722:VAL:HG23	2.09	0.53
1:D:740:THR:HA	1:D:743:GLN:HE21	1.74	0.53
1:A:510:ARG:HH11	1:A:510:ARG:CG	2.22	0.53
1:D:635:LEU:O	1:D:636:ALA:C	2.46	0.53
1:D:730:TYR:HA	1:D:734:ALA:HB3	1.89	0.53
1:A:761:GLN:HE22	1:A:764:LYS:HE3	1.73	0.53
1:B:515:VAL:HG13	1:B:565:LEU:HD21	1.91	0.52
1:C:497:SER:O	1:C:553:ARG:HD3	2.09	0.52
1:B:716:ARG:O	1:B:719:LYS:HG3	2.09	0.52
1:D:729:PHE:CD1	4:D:803:IWN:C14	2.92	0.52
1:D:659:GLN:NE2	1:D:663:ASP:OD1	2.44	0.51
1:D:723:PRO:HB2	1:D:766:ILE:HG12	1.93	0.51
1:B:470:LYS:HD2	1:D:746:PRO:HA	1.91	0.50
1:B:627:ARG:O	1:B:631:ILE:HG12	2.12	0.50
1:D:635:LEU:O	1:D:637:LEU:N	2.45	0.50
1:A:735:ILE:N	1:A:736:PRO:HD2	2.27	0.50
1:D:493:MET:SD	1:D:535:HIS:HA	2.52	0.50
1:A:746:PRO:N	1:A:747:PRO:CD	2.75	0.50
1:A:486:TRP:CH2	1:A:528:LYS:HB2	2.48	0.49
1:C:580:HIS:CG	1:C:581:PRO:HD2	2.47	0.49
1:C:493:MET:O	1:C:497:SER:CB	2.60	0.49
1:B:700:GLY:HA3	1:B:714:MET:O	2.13	0.48
1:B:494:VAL:O	1:B:498:CYS:HB3	2.14	0.48
1:B:738:TYR:CD1	1:B:751:LEU:HB3	2.49	0.48
1:B:749:GLU:N	1:B:750:PRO:CD	2.77	0.48
1:A:492:TYR:CZ	1:A:496:ARG:HD2	2.49	0.47
1:B:486:TRP:CH2	1:B:528:LYS:HG3	2.49	0.47
1:B:549:THR:OG1	1:B:552:GLU:HG3	2.14	0.47
1:A:722:VAL:N	1:A:723:PRO:CD	2.78	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:510:ARG:HH11	1:A:510:ARG:HB2	1.78	0.46
1:A:577:LYS:HE3	5:A:937:HOH:O	2.14	0.46
1:B:649:TYR:CE2	1:B:743:GLN:HB3	2.51	0.46
1:A:627:ARG:O	1:A:631:ILE:HG12	2.16	0.46
1:C:549:THR:HG23	1:C:552:GLU:OE1	2.16	0.46
1:D:749:GLU:N	1:D:750:PRO:CD	2.79	0.46
1:C:494:VAL:O	1:C:498:CYS:HB3	2.17	0.45
1:D:494:VAL:O	1:D:498:CYS:CB	2.65	0.45
1:A:722:VAL:HB	1:A:723:PRO:HD3	1.99	0.45
1:C:565:LEU:O	1:C:595:HIS:ND1	2.41	0.45
1:B:564:ASP:O	1:B:565:LEU:C	2.55	0.44
1:D:678:VAL:HA	1:D:685:THR:HG23	1.99	0.44
1:D:721:GLU:O	1:D:724:GLN:HB3	2.16	0.44
1:D:762:TRP:O	1:D:766:ILE:HG13	2.17	0.44
1:D:537:MET:HG3	1:D:541:LEU:HD12	1.99	0.44
1:A:730:TYR:O	1:A:735:ILE:HG12	2.18	0.44
1:B:727:LEU:HD23	1:B:759:LEU:CD1	2.47	0.44
1:A:461:GLN:HE21	1:A:461:GLN:CA	2.16	0.44
1:B:497:SER:HA	1:B:542:GLN:NE2	2.31	0.44
1:D:564:ASP:O	1:D:567:HIS:HB2	2.18	0.44
1:A:721:GLU:HB2	4:A:803:IWN:C25	2.48	0.43
1:A:493:MET:HB3	1:A:538:TYR:CD1	2.54	0.43
1:A:498:CYS:SG	1:A:554:LYS:HG3	2.59	0.43
1:C:693:TYR:OH	4:C:803:IWN:N21	2.51	0.43
1:D:575:LEU:HD13	1:D:580:HIS:CG	2.53	0.43
1:A:493:MET:SD	1:A:535:HIS:HA	2.57	0.43
1:D:635:LEU:O	1:D:638:TYR:N	2.48	0.43
1:A:763:GLU:O	1:A:767:ARG:HG3	2.18	0.43
1:A:724:GLN:O	1:A:727:LEU:HB2	2.19	0.43
4:D:803:IWN:O11	4:D:803:IWN:C16	2.67	0.43
1:A:603:LEU:HD23	1:A:603:LEU:HA	1.84	0.43
1:A:756[A]:ARG:HG2	1:A:756[A]:ARG:HH11	1.83	0.43
1:B:658:ASN:OD1	1:B:659:GLN:N	2.52	0.42
1:D:700:GLY:HA3	1:D:714:MET:O	2.20	0.42
1:A:727:LEU:HD23	1:A:759:LEU:CD1	2.50	0.42
1:A:698:ALA:O	1:A:701:ASP:HB2	2.19	0.42
1:D:502:CYS:SG	1:D:554:LYS:HE2	2.59	0.42
1:D:542:GLN:NE2	1:D:542:GLN:HA	2.34	0.42
1:A:655:ASN:O	1:A:658:ASN:HB3	2.19	0.42
1:A:729:PHE:CD1	4:A:803:IWN:C14	3.02	0.42
1:B:727:LEU:CD2	1:B:759:LEU:HD11	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:462:PHE:CE2	1:B:509:CME:HZ2	2.55	0.42
1:B:503:PHE:HA	5:B:914:HOH:O	2.19	0.41
1:B:547:LEU:HD12	1:B:547:LEU:N	2.36	0.41
1:B:735:ILE:HD12	1:B:756:ARG:HG2	2.02	0.41
1:C:713:MET:HG2	1:C:714:MET:HG2	2.01	0.41
1:B:683:PRO:O	1:B:687:LEU:HD12	2.21	0.41
1:A:624:GLU:HG3	1:A:628:LYS:HE3	2.03	0.41
1:A:592:GLU:HA	1:A:595:HIS:CD2	2.56	0.41
1:A:749:GLU:N	1:A:750:PRO:CD	2.84	0.41
1:A:535:HIS:O	1:A:538:TYR:HB3	2.21	0.41
1:B:505:LEU:HD13	1:B:505:LEU:HA	1.91	0.41
1:B:682:TRP:HB3	1:B:683:PRO:HD3	2.01	0.41
1:C:486:TRP:N	1:C:487:PRO:CD	2.84	0.41
1:D:634:ASP:HB3	1:D:637:LEU:HD12	2.03	0.41
1:B:703:MET:HE3	1:B:708:ILE:HG21	2.02	0.41
1:C:580:HIS:ND1	1:C:581:PRO:HD2	2.36	0.40
1:D:511:PHE:O	1:D:515:VAL:HG23	2.21	0.40
1:C:562:CYS:HB3	1:C:599:THR:OG1	2.22	0.40
1:A:659:GLN:NE2	1:A:663:ASP:OD1	2.55	0.40
4:A:803:IWN:O11	4:A:803:IWN:C16	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	311/343 (91%)	295 (95%)	15 (5%)	1 (0%)	37 46
1	B	312/343 (91%)	285 (91%)	25 (8%)	2 (1%)	22 29
1	C	311/343 (91%)	286 (92%)	22 (7%)	3 (1%)	13 18
1	D	308/343 (90%)	272 (88%)	34 (11%)	2 (1%)	22 29
All	All	1242/1372 (90%)	1138 (92%)	96 (8%)	8 (1%)	22 29

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	636	ALA
1	C	768	GLY
1	C	498	CYS
1	B	652	GLY
1	B	768	GLY
1	D	647	GLU
1	A	615	SER
1	C	465	PRO

5.3.2 Protein sidechains [\(1\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	282/305 (92%)	262 (93%)	20 (7%)	12 16
1	B	281/305 (92%)	256 (91%)	25 (9%)	8 9
1	C	282/305 (92%)	262 (93%)	20 (7%)	12 16
1	D	279/305 (92%)	251 (90%)	28 (10%)	6 7
All	All	1124/1220 (92%)	1031 (92%)	93 (8%)	9 12

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	461	GLN
1	A	463	THR
1	A	471	GLU
1	A	504	GLU
1	A	510	ARG
1	A	517	LYS
1	A	521	ARG
1	A	545	HIS
1	A	573	SER
1	A	575	LEU
1	A	577	LYS
1	A	587	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	605	LEU
1	A	622	VAL
1	A	643	LYS
1	A	662	ARG
1	A	677	SER
1	A	681	LEU
1	A	709	GLN
1	A	760	SER
1	B	461	GLN
1	B	463	THR
1	B	469	CYS
1	B	470	LYS
1	B	471	GLU
1	B	485	MET
1	B	504	GLU
1	B	505	LEU
1	B	510	ARG
1	B	517	LYS
1	B	576	GLN
1	B	605	LEU
1	B	613	THR
1	B	615	SER
1	B	617	SER
1	B	623	LEU
1	B	643	LYS
1	B	650	GLN
1	B	662	ARG
1	B	681	LEU
1	B	709	GLN
1	B	727	LEU
1	B	760	SER
1	B	764	LYS
1	B	770	GLU
1	C	459	LEU
1	C	461	GLN
1	C	463	THR
1	C	470	LYS
1	C	500	THR
1	C	504	GLU
1	C	517	LYS
1	C	577	LYS
1	C	587	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	606	GLU
1	C	614	LEU
1	C	616	SER
1	C	617	SER
1	C	622	VAL
1	C	623	LEU
1	C	643	LYS
1	C	722	VAL
1	C	760	SER
1	C	766	ILE
1	C	770	GLU
1	D	463	THR
1	D	464	LEU
1	D	471	GLU
1	D	498	CYS
1	D	500	THR
1	D	502	CYS
1	D	504	GLU
1	D	516	LYS
1	D	545	HIS
1	D	551	LEU
1	D	573	SER
1	D	575	LEU
1	D	577	LYS
1	D	597	SER
1	D	623	LEU
1	D	638	TYR
1	D	643	LYS
1	D	651	THR
1	D	655	ASN
1	D	662	ARG
1	D	686	LYS
1	D	709	GLN
1	D	711	ILE
1	D	727	LEU
1	D	741	LEU
1	D	745	LEU
1	D	759	LEU
1	D	760	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	461	GLN
1	A	542	GLN
1	A	621	GLN
1	A	644	GLN
1	A	761	GLN
1	B	484	ASN
1	B	542	GLN
1	B	604	GLN
1	B	644	GLN
1	B	650	GLN
1	B	709	GLN
1	B	743	GLN
1	B	761	GLN
1	C	484	ASN
1	C	495	HIS
1	C	542	GLN
1	C	576	GLN
1	C	726	GLN
1	C	743	GLN
1	D	461	GLN
1	D	484	ASN
1	D	542	GLN
1	D	593	GLN
1	D	604	GLN
1	D	644	GLN
1	D	659	GLN
1	D	743	GLN
1	D	761	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	CME	A	509	1	8,9,10	0.60	0	6,9,11	1.17	1 (16%)
1	CME	C	509	1	8,9,10	0.77	0	6,9,11	1.38	1 (16%)
1	CME	D	509	1	8,9,10	0.88	1 (12%)	6,9,11	1.31	1 (16%)
1	CME	B	509	1	8,9,10	0.65	0	6,9,11	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	A	509	1	-	1/5/8/10	-
1	CME	C	509	1	-	2/5/8/10	-
1	CME	D	509	1	-	3/5/8/10	-
1	CME	B	509	1	-	1/5/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	509	CME	O-C	2.15	1.28	1.20

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	509	CME	CB-SG-SD	2.76	111.02	103.86
1	D	509	CME	CB-SG-SD	2.70	110.86	103.86
1	A	509	CME	CB-CA-C	2.30	117.05	110.80

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	509	CME	CZ-CE-SD-SG
1	D	509	CME	N-CA-CB-SG
1	D	509	CME	CE-SD-SG-CB
1	B	509	CME	SD-CE-CZ-OH
1	A	509	CME	CZ-CE-SD-SG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	C	509	CME	SD-CE-CZ-OH
1	D	509	CME	SD-CE-CZ-OH

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	509	CME	1	0

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	IWN	A	803	-	24,30,30	3.27	9 (37%)	27,42,42	2.72	11 (40%)
4	IWN	B	803	-	24,30,30	3.04	8 (33%)	27,42,42	3.32	11 (40%)
4	IWN	C	803	-	24,30,30	3.38	9 (37%)	27,42,42	3.20	10 (37%)
4	IWN	D	803	-	24,30,30	3.42	10 (41%)	27,42,42	3.19	12 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IWN	A	803	-	-	0/9/15/15	0/4/4/4
4	IWN	B	803	-	-	0/9/15/15	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IWN	C	803	-	-	0/9/15/15	0/4/4/4
4	IWN	D	803	-	-	1/9/15/15	0/4/4/4

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	803	IWN	C20-N21	11.30	1.49	1.35
4	A	803	IWN	C20-N21	11.13	1.49	1.35
4	D	803	IWN	C20-N21	9.54	1.47	1.35
4	B	803	IWN	C20-N21	8.99	1.47	1.35
4	C	803	IWN	C16-C17	6.79	1.50	1.40
4	D	803	IWN	C16-C13	6.05	1.49	1.37
4	D	803	IWN	C16-C17	5.65	1.48	1.40
4	D	803	IWN	C14-C13	5.43	1.48	1.39
4	D	803	IWN	C23-C22	5.29	1.49	1.39
4	B	803	IWN	C23-C22	5.26	1.49	1.39
4	C	803	IWN	C16-C13	5.06	1.47	1.37
4	B	803	IWN	C16-C17	5.01	1.48	1.40
4	B	803	IWN	C16-C13	4.97	1.47	1.37
4	C	803	IWN	C14-C13	4.82	1.47	1.39
4	D	803	IWN	C26-C25	4.76	1.48	1.38
4	A	803	IWN	C23-C22	4.69	1.48	1.39
4	A	803	IWN	C16-C17	4.64	1.47	1.40
4	A	803	IWN	C16-C13	4.49	1.46	1.37
4	B	803	IWN	C26-C25	4.48	1.48	1.38
4	A	803	IWN	C26-C25	4.34	1.47	1.38
4	B	803	IWN	C14-C13	4.15	1.46	1.39
4	A	803	IWN	C14-C13	3.83	1.45	1.39
4	A	803	IWN	C10-N12	3.19	1.45	1.35
4	B	803	IWN	C10-N12	3.04	1.44	1.35
4	C	803	IWN	C23-C22	2.94	1.45	1.39
4	D	803	IWN	C4-N5	2.87	1.41	1.33
4	C	803	IWN	C26-C25	2.86	1.44	1.38
4	D	803	IWN	C10-N12	2.77	1.43	1.35
4	D	803	IWN	C7-C3	2.59	1.57	1.50
4	A	803	IWN	C25-C24	2.58	1.43	1.38
4	C	803	IWN	C4-N5	2.53	1.40	1.33
4	C	803	IWN	C10-N12	2.35	1.42	1.35
4	D	803	IWN	C2-N1	2.26	1.41	1.36
4	C	803	IWN	C7-C3	2.18	1.56	1.50
4	A	803	IWN	C7-C3	2.09	1.56	1.50
4	B	803	IWN	C25-C24	2.01	1.42	1.38

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	803	IWN	N19-C20-N21	-10.18	107.82	114.56
4	B	803	IWN	N19-C20-N21	-10.10	107.87	114.56
4	D	803	IWN	N19-C20-N21	-9.89	108.01	114.56
4	D	803	IWN	C2-N1-N5	-7.34	105.71	112.85
4	C	803	IWN	C6-N1-C2	-6.83	122.36	129.47
4	A	803	IWN	N19-C20-N21	-6.46	110.28	114.56
4	B	803	IWN	C22-C20-N21	6.26	131.79	123.55
4	B	803	IWN	C2-N1-N5	-5.96	107.06	112.85
4	D	803	IWN	C4-N5-N1	5.91	110.39	104.23
4	A	803	IWN	C6-N1-C2	-5.74	123.50	129.47
4	C	803	IWN	C7-C3-C4	-5.67	120.39	126.77
4	D	803	IWN	O8-C7-C3	5.56	124.89	110.33
4	A	803	IWN	C24-C23-C22	-4.76	115.12	120.54
4	C	803	IWN	C2-N1-N5	-4.61	108.37	112.85
4	B	803	IWN	C4-N5-N1	4.18	108.58	104.23
4	C	803	IWN	C22-C20-N21	4.13	129.00	123.55
4	B	803	IWN	C24-C23-C22	-4.07	115.90	120.54
4	A	803	IWN	C13-C16-C17	-4.00	116.36	120.36
4	A	803	IWN	C7-C3-C4	-3.88	122.40	126.77
4	B	803	IWN	C7-C3-C4	-3.72	122.58	126.77
4	C	803	IWN	C13-C16-C17	-3.49	116.87	120.36
4	A	803	IWN	C2-N1-N5	-3.49	109.46	112.85
4	B	803	IWN	C6-N1-C2	-3.34	125.99	129.47
4	B	803	IWN	C15-C14-C13	-3.15	115.44	119.34
4	B	803	IWN	C27-C22-C23	3.13	123.28	117.68
4	B	803	IWN	C14-C13-C16	3.08	123.69	119.37
4	A	803	IWN	C27-C22-C23	3.03	123.10	117.68
4	C	803	IWN	C20-N21-C17	2.97	109.44	103.71
4	A	803	IWN	C25-C24-C23	2.88	123.79	120.24
4	A	803	IWN	C22-C20-N21	2.72	127.13	123.55
4	B	803	IWN	C23-C22-C20	-2.68	116.37	120.78
4	A	803	IWN	C9-O8-C7	2.62	125.98	111.95
4	D	803	IWN	C7-C3-C4	-2.48	123.98	126.77
4	C	803	IWN	C9-O8-C7	2.46	125.11	111.95
4	D	803	IWN	C14-C13-C16	2.38	122.71	119.37
4	D	803	IWN	C27-C22-C23	2.30	121.80	117.68
4	A	803	IWN	C14-C13-C16	2.22	122.48	119.37
4	D	803	IWN	C13-C16-C17	-2.20	118.16	120.36
4	D	803	IWN	C20-N21-C17	2.18	107.93	103.71
4	D	803	IWN	C26-C27-C22	-2.15	118.09	120.54
4	D	803	IWN	C23-C22-C20	-2.13	117.27	120.78
4	D	803	IWN	C22-C20-N21	2.05	126.25	123.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	803	IWN	C4-N5-N1	2.03	106.35	104.23
4	C	803	IWN	C14-C13-C16	2.02	122.21	119.37

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	803	IWN	C3-C7-O8-C9


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	803	IWN	3	0
4	C	803	IWN	1	0
4	D	803	IWN	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9	
1	A	312/343 (90%)	-0.52	1 (0%)	90	92	33, 57, 86, 121	1 (0%)
1	B	314/343 (91%)	-0.50	2 (0%)	85	88	40, 56, 83, 113	0
1	C	312/343 (90%)	-0.58	1 (0%)	90	92	38, 55, 82, 101	1 (0%)
1	D	310/343 (90%)	-0.07	2 (0%)	85	88	60, 82, 104, 115	0
All	All	1248/1372 (90%)	-0.42	6 (0%)	87	90	33, 62, 95, 121	2 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	458	GLY	2.8
1	D	459	LEU	2.4
1	D	458	GLY	2.4
1	B	771	THR	2.3
1	B	457	GLN	2.3
1	A	459	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CME	C	509	10/11	0.85	0.15	51,62,98,102	0
1	CME	D	509	10/11	0.88	0.13	84,101,124,131	0
1	CME	A	509	10/11	0.89	0.12	52,70,109,116	0
1	CME	B	509	10/11	0.89	0.12	53,77,97,106	0

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IWN	D	803	27/27	0.88	0.12	72,85,97,104	0
4	IWN	C	803	27/27	0.92	0.11	55,71,80,84	0
4	IWN	A	803	27/27	0.94	0.09	47,59,68,72	0
4	IWN	B	803	27/27	0.95	0.09	43,60,74,84	0
3	MG	A	802	1/1	1.00	0.01	52,52,52,52	0
3	MG	B	802	1/1	1.00	0.01	44,44,44,44	0
3	MG	C	802	1/1	1.00	0.01	43,43,43,43	0
3	MG	D	802	1/1	1.00	0.04	55,55,55,55	0
2	ZN	A	801	1/1	1.00	0.01	53,53,53,53	0
2	ZN	B	801	1/1	1.00	0.01	50,50,50,50	0
2	ZN	C	801	1/1	1.00	0.01	53,53,53,53	0
2	ZN	D	801	1/1	1.00	0.02	72,72,72,72	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.