



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2018 – 12:17 pm GMT

PDB ID : 3SJE
Title : X-ray structure of human glutamate carboxypeptidase II (the E424A inactive mutant) in complex with N-acetyl-aspartyl-aminononanoic acid
Authors : Plechanovova, A.; Byun, Y.; Alquicer, G.; Skultetyova, L.; Mlcochova, P.; Nemcova, A.; Kim, H.; Navratil, M.; Mease, R.; Lubkowski, J.; Pomper, M.; Konvalinka, J.; Rulisek, L.; Barinka, C.
Deposited on : 2011-06-21
Resolution : 1.70 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk31020
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk31020


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	3793 (1.70-1.70)
Clashscore	122126	4167 (1.70-1.70)
Ramachandran outliers	120053	4100 (1.70-1.70)
Sidechain outliers	120020	4100 (1.70-1.70)
RSRZ outliers	108989	3718 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	709	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	A	1767	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6457 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate carboxypeptidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	690	5853	3756	989	1089	19	0	57	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	42	ARG	-	EXPRESSION TAG	UNP Q04609
A	43	SER	-	EXPRESSION TAG	UNP Q04609
A	424	ALA	GLU	ENGINEERED MUTATION	UNP Q04609

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
2	A	2	2	2	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
3	A	1	1	1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
4	A	1	1	1	0	0

- Molecule 5 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is BETA-D-MANNOSE (three-letter code: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 7 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 8 is (2S)-2-[(N-acetyl-L-alpha-aspartyl)amino]nonanoic acid (three-letter code: SDR) (formula: C₁₅H₂₆N₂O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
8	A	1	23	15	2	6	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
9	A	401	401	401	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamate carboxypeptidase 2



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	101.82Å 130.23Å 159.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.57 – 1.70 29.57 – 1.70	Depositor EDS
% Data completeness (in resolution range)	96.6 (29.57-1.70) 96.6 (29.57-1.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 1.70Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.173 , 0.188 0.185 , 0.197	Depositor DCC
R_{free} test set	1669 reflections (1.49%)	wwPDB-VP
Wilson B-factor (Å ²)	26.5	Xtrriage
Anisotropy	0.026	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6457	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, SDR, CL, CA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.97	5/6068 (0.1%)	0.86	6/8222 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	522	GLU	CG-CD	5.98	1.60	1.51
1	A	426	PHE	CE2-CZ	5.23	1.47	1.37
1	A	434	TRP	CE3-CZ3	5.22	1.47	1.38
1	A	552	TYR	CE2-CZ	-5.20	1.31	1.38
1	A	449	TYR	CD2-CE2	5.02	1.46	1.39

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	673	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	A	673	ARG	NE-CZ-NH2	-6.35	117.13	120.30
1	A	440	ARG	NE-CZ-NH2	-6.21	117.19	120.30
1	A	662[A]	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	662[B]	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	411	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5853	0	5681	114	0
2	A	2	0	0	0	0
3	A	1	0	0	0	0
4	A	1	0	0	0	0
5	A	154	0	138	2	0
6	A	11	0	9	0	0
7	A	11	0	10	0	0
8	A	23	0	24	7	0
9	A	401	0	0	26	0
All	All	6457	0	5862	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:703[A]:GLU:C	9:A:2168:HOH:O	1.72	1.23
1:A:703[B]:GLU:HB2	9:A:1912:HOH:O	1.37	1.21
1:A:693[B]:ALA:HB2	9:A:1806:HOH:O	1.48	1.13
1:A:181:ARG:HD3	1:A:207[B]:LYS:HB3	1.23	1.08
1:A:181:ARG:HD3	1:A:207[B]:LYS:CB	1.85	1.06
1:A:215[B]:LYS:O	1:A:218[B]:GLN:HG2	1.61	0.99
1:A:181:ARG:HG2	1:A:208[B]:VAL:HG13	1.43	0.98
1:A:697[B]:HIS:ND1	9:A:2171:HOH:O	1.94	0.98
1:A:208[B]:VAL:HG11	9:A:1909:HOH:O	1.66	0.94
1:A:215[B]:LYS:HA	1:A:218[B]:GLN:HG2	1.56	0.88
1:A:703[A]:GLU:N	9:A:2168:HOH:O	2.05	0.87
1:A:174:LEU:HD11	1:A:342:VAL:CG2	2.04	0.86
1:A:215[B]:LYS:O	1:A:218[B]:GLN:CG	2.24	0.86
1:A:703[A]:GLU:O	9:A:2168:HOH:O	1.83	0.83
1:A:208[B]:VAL:CG1	9:A:1909:HOH:O	2.26	0.82
1:A:641:GLU:HG3	9:A:2183:HOH:O	1.79	0.82
1:A:703[A]:GLU:O	9:A:2169:HOH:O	1.95	0.82
1:A:684:ARG:NH2	1:A:694[B]:PRO:O	2.14	0.81
1:A:215[B]:LYS:O	1:A:219:LEU:N	2.17	0.78
1:A:215[B]:LYS:CA	1:A:218[B]:GLN:HG2	2.14	0.76
1:A:58:MET:HE1	1:A:586:GLU:HG2	1.69	0.75
8:A:1:SDR:HAA	9:A:2007:HOH:O	1.87	0.75
1:A:131:ILE:HD11	1:A:137:GLU:HG2	1.67	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215[B]:LYS:C	1:A:218[B]:GLN:HG2	2.08	0.74
1:A:427:GLY:HA2	8:A:1:SDR:HAL	1.69	0.73
1:A:217[B]:ALA:O	1:A:222:ALA:N	2.21	0.73
1:A:174:LEU:HD11	1:A:342:VAL:HG21	1.69	0.72
1:A:182:THR:HG21	1:A:697[A]:HIS:ND1	2.04	0.72
1:A:179:TYR:CD2	1:A:207[B]:LYS:HG3	2.26	0.71
1:A:733:TYR:HE2	9:A:2180:HOH:O	1.74	0.71
1:A:697[B]:HIS:HB2	9:A:2171:HOH:O	1.91	0.71
1:A:58:MET:CE	1:A:586:GLU:HG2	2.21	0.70
1:A:90:PHE:CE2	1:A:94:LYS:HE2	2.26	0.70
1:A:216[B]:ASN:C	1:A:218[B]:GLN:N	2.40	0.70
1:A:209[B]:PHE:CE2	1:A:211:GLY:HA3	2.28	0.69
1:A:536[B]:ARG:HD2	1:A:536[B]:ARG:N	2.06	0.69
1:A:216[B]:ASN:O	1:A:217[B]:ALA:C	2.33	0.67
1:A:684:ARG:NH1	1:A:694[B]:PRO:O	2.29	0.65
1:A:174:LEU:HD12	1:A:174:LEU:N	2.12	0.65
1:A:214[B]:VAL:HG21	1:A:294:VAL:HG21	1.79	0.64
1:A:463:ARG:CZ	1:A:536[B]:ARG:NH2	2.62	0.63
1:A:463:ARG:NH2	1:A:536[B]:ARG:NH2	2.46	0.63
1:A:704[A]:SER:OG	9:A:2167:HOH:O	2.15	0.63
1:A:133:GLU:H	1:A:133:GLU:CD	2.02	0.63
1:A:217[B]:ALA:CB	1:A:225:VAL:HG22	2.29	0.62
1:A:180:ALA:HB3	1:A:213[B]:LYS:HG2	1.82	0.62
1:A:80:ILE:HD12	1:A:88[B]:GLN:HG2	1.81	0.61
1:A:681:LEU:HD11	1:A:693[B]:ALA:HB3	1.83	0.60
5:A:1756:NAG:H81	9:A:2018:HOH:O	2.01	0.60
1:A:217[B]:ALA:HB1	1:A:222:ALA:HB3	1.83	0.60
1:A:181:ARG:HD3	1:A:207[B]:LYS:HB2	1.77	0.59
1:A:697[B]:HIS:CG	9:A:2171:HOH:O	2.49	0.59
1:A:217[B]:ALA:O	1:A:222:ALA:HB3	2.03	0.59
1:A:703[B]:GLU:CB	9:A:1912:HOH:O	2.15	0.58
1:A:214[B]:VAL:CG2	1:A:294:VAL:HG21	2.34	0.58
1:A:217[B]:ALA:CA	1:A:222:ALA:HB3	2.34	0.57
1:A:214[B]:VAL:HA	1:A:225:VAL:HG21	1.87	0.57
1:A:217[B]:ALA:HB3	1:A:292:ILE:HD11	1.86	0.56
1:A:684:ARG:CZ	1:A:694[B]:PRO:O	2.53	0.56
1:A:90:PHE:CZ	1:A:94:LYS:HE2	2.42	0.54
1:A:179:TYR:O	1:A:213[B]:LYS:HE3	2.08	0.54
1:A:390:SER:HB2	1:A:573:HIS:NE2	2.22	0.54
1:A:131:ILE:CD1	1:A:137:GLU:HG2	2.38	0.54
1:A:215[B]:LYS:O	1:A:218[B]:GLN:CA	2.55	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216[B]:ASN:O	1:A:218[B]:GLN:N	2.41	0.54
1:A:454:SER:OG	8:A:1:SDR:HABA	2.09	0.53
1:A:703[A]:GLU:CA	9:A:2168:HOH:O	2.24	0.53
1:A:174:LEU:CD1	1:A:174:LEU:N	2.73	0.52
1:A:179:TYR:CG	1:A:207[B]:LYS:HG3	2.45	0.52
1:A:217[B]:ALA:CB	1:A:225:VAL:CG2	2.89	0.51
1:A:687:TYR:OH	1:A:699[A]:LYS:HE2	2.10	0.51
8:A:1:SDR:CAU	9:A:2157:HOH:O	2.59	0.51
1:A:215[B]:LYS:HA	1:A:218[B]:GLN:CG	2.36	0.51
1:A:218[B]:GLN:HA	9:A:2017:HOH:O	2.12	0.49
1:A:209[B]:PHE:O	1:A:212[B]:ASN:N	2.44	0.49
1:A:218[A]:GLN:NE2	1:A:291:SER:OG	2.46	0.48
1:A:217[B]:ALA:HB2	1:A:225:VAL:HG22	1.93	0.48
1:A:158[B]:VAL:HG13	1:A:159:PRO:HD2	1.95	0.48
1:A:242:TYR:OH	9:A:2185:HOH:O	1.87	0.48
1:A:506:PHE:HB2	1:A:509:MET:HG3	1.96	0.47
1:A:218[B]:GLN:NE2	9:A:2116:HOH:O	2.47	0.47
1:A:174:LEU:HD13	9:A:2175:HOH:O	2.15	0.47
1:A:517:SER:OG	1:A:522:GLU:OE1	2.32	0.47
1:A:257:ASN:HD21	8:A:1:SDR:CAL	2.28	0.46
1:A:427:GLY:CA	8:A:1:SDR:HAL	2.41	0.46
1:A:217[B]:ALA:CB	1:A:222:ALA:HB3	2.45	0.46
1:A:209[B]:PHE:HB3	1:A:212[B]:ASN:OD1	2.16	0.46
1:A:536[B]:ARG:CD	1:A:536[B]:ARG:N	2.76	0.46
1:A:681:LEU:CD1	1:A:693[B]:ALA:HB3	2.46	0.46
1:A:704[B]:SER:O	1:A:705[B]:PHE:HB2	2.15	0.46
1:A:133:GLU:N	1:A:133:GLU:CD	2.69	0.45
1:A:169:MET:HA	1:A:344:MET:O	2.16	0.45
1:A:174:LEU:HD11	1:A:342:VAL:HG23	1.91	0.45
1:A:71:LYS:HG3	1:A:570:PHE:CE2	2.52	0.45
1:A:208[B]:VAL:O	1:A:213[B]:LYS:NZ	2.50	0.45
1:A:58:MET:HE1	1:A:586:GLU:CG	2.43	0.44
1:A:443[B]:GLN:HG3	1:A:444:GLU:CD	2.38	0.44
1:A:216[B]:ASN:O	1:A:220:ALA:N	2.48	0.44
1:A:362:LEU:HD11	1:A:406:LYS:HG3	2.00	0.44
1:A:697[B]:HIS:CB	9:A:2171:HOH:O	2.55	0.43
1:A:258:ILE:HD13	1:A:294:VAL:HB	2.00	0.43
1:A:489:GLU:H	1:A:489:GLU:CD	2.22	0.43
5:A:1756:NAG:H83	9:A:2193:HOH:O	2.18	0.43
1:A:612:TYR:CZ	1:A:616:MET:HG3	2.52	0.43
1:A:212[B]:ASN:ND2	9:A:2160:HOH:O	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215[B]:LYS:O	1:A:218[B]:GLN:N	2.53	0.42
1:A:506:PHE:CB	1:A:509:MET:HG3	2.50	0.42
1:A:179:TYR:CG	1:A:207[B]:LYS:CG	3.02	0.42
1:A:659[B]:ILE:HA	1:A:659[B]:ILE:HD13	1.67	0.42
1:A:205[A]:TYR:HA	1:A:213[A]:LYS:HE3	2.00	0.42
1:A:257:ASN:ND2	8:A:1:SDR:HAMA	2.35	0.42
1:A:412:PRO:HA	1:A:589[A]:ASN:OD1	2.20	0.42
1:A:217[B]:ALA:O	1:A:222:ALA:CB	2.67	0.42
1:A:188:LEU:HG	1:A:319:TRP:HH2	1.84	0.41
1:A:133:GLU:HG3	1:A:339:THR:HB	2.01	0.41
1:A:131:ILE:HD13	1:A:131:ILE:HA	2.00	0.40
1:A:266:ASP:HA	1:A:267:PRO:HD3	1.95	0.40
1:A:170:PRO:HD2	1:A:344:MET:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	734/709 (104%)	710 (97%)	21 (3%)	3 (0%)	36 19

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	382	VAL
1	A	207[A]	LYS
1	A	207[B]	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	634/604 (105%)	624 (98%)	10 (2%)	65 50

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	131	ILE
1	A	133	GLU
1	A	174	LEU
1	A	182	THR
1	A	187	LYS
1	A	519	ASN
1	A	537	TYR
1	A	539	LYS
1	A	600	TYR
1	A	673	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	SDR	A	1	2	16,22,22	0.89	0	21,27,27	1.27	2 (9%)
5	NAG	A	1755	1,5	14,14,15	0.58	0	17,19,21	1.38	1 (5%)
5	NAG	A	1756	5	14,14,15	0.75	0	17,19,21	1.34	2 (11%)
5	NAG	A	1757	1	14,14,15	0.66	0	17,19,21	1.20	2 (11%)
5	NAG	A	1758	1,5	14,14,15	0.65	0	17,19,21	1.34	1 (5%)
5	NAG	A	1759	1	14,14,15	0.49	0	17,19,21	1.56	2 (11%)
5	NAG	A	1760	1	14,14,15	0.71	0	17,19,21	1.85	3 (17%)
5	NAG	A	1761	1,5	14,14,15	0.66	0	17,19,21	0.43	0
5	NAG	A	1762	5	14,14,15	0.49	0	17,19,21	1.24	3 (17%)
5	NAG	A	1763	1,5	14,14,15	0.73	0	17,19,21	1.39	1 (5%)
5	NAG	A	1764	5,6	14,14,15	0.55	0	17,19,21	1.45	4 (23%)
6	BMA	A	1765	5,7	11,11,12	0.85	0	15,15,17	1.27	2 (13%)
7	MAN	A	1766	6	11,11,12	0.62	0	15,15,17	1.41	1 (6%)
5	NAG	A	1767	5	14,14,15	0.51	0	17,19,21	1.18	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	SDR	A	1	2	-	0/21/27/27	0/0/0/0
5	NAG	A	1755	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	1756	5	-	0/6/23/26	0/1/1/1
5	NAG	A	1757	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1758	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	1759	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1760	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1761	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	1762	5	-	0/6/23/26	0/1/1/1
5	NAG	A	1763	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	1764	5,6	-	0/6/23/26	0/1/1/1
6	BMA	A	1765	5,7	-	0/2/19/22	0/1/1/1
7	MAN	A	1766	6	-	0/2/19/22	0/1/1/1
5	NAG	A	1767	5	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1760	NAG	O5-C1-C2	-4.47	105.35	111.52
5	A	1763	NAG	O5-C1-C2	-4.04	105.95	111.52
5	A	1755	NAG	O5-C1-C2	-4.02	105.97	111.52
8	A	1	SDR	CB-CA-N	-3.06	105.71	110.19
5	A	1757	NAG	C1-C2-N2	-2.97	105.42	110.49
8	A	1	SDR	CA-N-CAU	-2.67	119.08	123.16
5	A	1767	NAG	O7-C7-C8	-2.55	117.45	122.07
6	A	1765	BMA	O3-C3-C2	-2.53	105.34	110.04
5	A	1764	NAG	O7-C7-C8	-2.26	117.99	122.07
5	A	1764	NAG	C2-N2-C7	-2.17	119.78	122.94
5	A	1767	NAG	O5-C1-C2	-2.12	108.60	111.52
5	A	1762	NAG	O7-C7-C8	-2.02	118.42	122.07
5	A	1759	NAG	C4-C3-C2	-2.00	108.08	111.02
6	A	1765	BMA	C1-C2-C3	2.16	112.39	109.66
5	A	1757	NAG	O5-C5-C6	2.22	110.66	107.15
5	A	1762	NAG	O5-C5-C6	2.24	110.69	107.15
5	A	1767	NAG	C8-C7-N2	2.26	120.06	116.10
5	A	1762	NAG	C8-C7-N2	2.30	120.13	116.10
5	A	1764	NAG	C8-C7-N2	2.40	120.31	116.10
5	A	1760	NAG	C1-O5-C5	2.60	115.76	112.19
5	A	1756	NAG	O5-C5-C6	2.70	111.43	107.15
5	A	1756	NAG	C2-N2-C7	3.04	127.38	122.94
5	A	1764	NAG	C1-O5-C5	3.23	116.63	112.19
5	A	1758	NAG	C1-O5-C5	3.29	116.72	112.19
5	A	1760	NAG	O5-C5-C6	3.76	113.09	107.15
7	A	1766	MAN	O5-C5-C6	4.24	113.86	107.15
5	A	1759	NAG	C1-O5-C5	4.78	118.76	112.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1	SDR	7	0
5	A	1756	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	690/709 (97%)	0.69	98 (14%) 2 3	17, 30, 62, 82	5 (0%)

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	541[A]	TRP	10.6
1	A	543	THR	8.2
1	A	135	GLY	6.7
1	A	153	ASN	6.1
1	A	337	PHE	6.0
1	A	719	VAL	5.8
1	A	542	GLU	5.7
1	A	507	SER	5.6
1	A	505	GLU	5.5
1	A	219	LEU	5.3
1	A	506	PHE	5.0
1	A	133	GLU	4.9
1	A	334	THR	4.7
1	A	155	SER	4.7
1	A	124	HIS	4.7
1	A	226	ILE	4.5
1	A	202	ILE	4.4
1	A	700[A]	TYR	4.3
1	A	55	LYS	4.2
1	A	656[A]	SER	4.1
1	A	196	CYS	4.0
1	A	335	GLY	4.0
1	A	338	SER	3.9
1	A	329	VAL	3.9
1	A	227	LEU	3.9
1	A	152	GLU	3.9
1	A	189	GLU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	312	SER	3.8
1	A	200	ILE	3.8
1	A	225	VAL	3.8
1	A	134	ASP	3.7
1	A	394	VAL	3.6
1	A	317	SER	3.6
1	A	652	ASP	3.6
1	A	324	LYS	3.5
1	A	341	LYS	3.4
1	A	136	ASN	3.4
1	A	237	PRO	3.4
1	A	732	ILE	3.4
1	A	186	PHE	3.3
1	A	191	ASP	3.3
1	A	287	VAL	3.3
1	A	138	ILE	3.3
1	A	395	VAL	3.3
1	A	123	THR	3.2
1	A	318	SER	3.2
1	A	336	ASN	3.2
1	A	284	ALA	3.1
1	A	201	VAL	3.1
1	A	193	LYS	3.1
1	A	579	VAL	3.1
1	A	174	LEU	3.0
1	A	154	VAL	2.8
1	A	296	PRO	2.8
1	A	132	ASN	2.8
1	A	487	GLY	2.7
1	A	486	GLU	2.7
1	A	190	ARG	2.7
1	A	333	PHE	2.6
1	A	182	THR	2.6
1	A	340	GLN	2.6
1	A	222	ALA	2.6
1	A	313	ALA	2.6
1	A	195	ASN	2.5
1	A	56	HIS	2.5
1	A	320	ARG	2.5
1	A	392	ALA	2.5
1	A	187	LYS	2.5
1	A	331	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	548	GLY	2.5
1	A	651	GLN	2.5
1	A	316	ASP	2.4
1	A	339	THR	2.4
1	A	503	SER	2.4
1	A	310	GLY	2.4
1	A	131	ILE	2.4
1	A	283	ILE	2.4
1	A	297	ILE	2.4
1	A	391	GLY	2.4
1	A	220	ALA	2.3
1	A	393	ALA	2.3
1	A	587	LEU	2.3
1	A	315	PRO	2.3
1	A	294	VAL	2.2
1	A	734	VAL	2.2
1	A	750	ALA	2.2
1	A	285	GLU	2.2
1	A	374	LEU	2.2
1	A	696[A]	SER	2.2
1	A	321	GLY	2.2
1	A	332	GLY	2.2
1	A	576	VAL	2.1
1	A	127	TYR	2.1
1	A	326	PRO	2.1
1	A	161	PHE	2.0
1	A	581	GLY	2.0
1	A	203	ALA	2.0
1	A	390	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	A	1759	14/15	0.65	0.36	59,63,64,64	0
5	NAG	A	1757	14/15	0.67	0.37	38,44,48,50	0
5	NAG	A	1758	14/15	0.71	0.38	28,33,35,45	0
5	NAG	A	1767	14/15	0.71	0.48	51,54,57,57	0
5	NAG	A	1756	14/15	0.79	0.32	30,36,41,42	0
5	NAG	A	1760	14/15	0.82	0.22	20,34,40,40	0
5	NAG	A	1762	14/15	0.82	0.27	24,29,33,39	0
8	SDR	A	1	23/23	0.86	0.18	31,36,43,44	23
5	NAG	A	1764	14/15	0.87	0.30	27,31,41,42	0
7	MAN	A	1766	11/12	0.90	0.29	36,39,42,43	0
6	BMA	A	1765	11/12	0.91	0.24	32,36,39,40	0
5	NAG	A	1755	14/15	0.91	0.15	24,29,36,38	0
5	NAG	A	1761	14/15	0.92	0.17	17,21,30,34	0
5	NAG	A	1763	14/15	0.94	0.10	14,20,24,35	0
4	CL	A	1754	1/1	0.98	0.05	23,23,23,23	0
2	ZN	A	1751	1/1	0.99	0.02	16,16,16,16	0
3	CA	A	1753	1/1	1.00	0.05	15,15,15,15	0
2	ZN	A	1752	1/1	1.00	0.03	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.