



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2024 – 09:14 PM EDT

PDB ID : 1SL6
Title : Crystal Structure of a fragment of DC-SIGNR (containing the carbohydrate recognition domain and two repeats of the neck) complexed with Lewis-x.
Authors : Guo, Y.; Feinberg, H.; Conroy, E.; Mitchell, D.A.; Alvarez, R.; Blixt, O.; Taylor, M.E.; Weis, W.I.; Drickamer, K.
Deposited on : 2004-03-05
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1763 (2.26-2.26)
Clashscore	180529	1919 (2.26-2.26)
Ramachandran outliers	177936	1884 (2.26-2.26)
Sidechain outliers	177891	1885 (2.26-2.26)
RSRZ outliers	164620	1763 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	184	
1	B	184	
1	C	184	
1	D	184	
1	E	184	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	184	
2	G	3	
2	H	3	
2	I	3	
2	J	3	
2	K	3	
2	L	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NDG	H	1	-	-	-	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8732 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-type lectin DC-SIGNR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	168	1374	857	240	267	10	0	0	0
1	B	168	1380	860	243	267	10	0	0	0
1	C	168	1380	860	243	267	10	0	0	0
1	D	168	1374	858	240	266	10	0	0	0
1	E	168	1374	858	240	266	10	0	0	0
1	F	168	1374	858	240	266	10	0	0	0

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	G	3	36	20	1	15	0	0	0
2	H	3	36	20	1	15	0	0	0
2	I	3	36	20	1	15	0	0	0
2	J	3	36	20	1	15	0	0	0
2	K	3	36	20	1	15	0	0	0
2	L	3	36	20	1	15	0	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total Ca 4 4	0	0
3	B	4	Total Ca 4 4	0	0
3	C	4	Total Ca 4 4	0	0
3	D	4	Total Ca 4 4	0	0
3	E	4	Total Ca 4 4	0	0
3	F	4	Total Ca 4 4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	42	Total O 42 42	0	0
4	B	34	Total O 34 34	0	0
4	C	28	Total O 28 28	0	0
4	D	37	Total O 37 37	0	0
4	E	49	Total O 49 49	0	0
4	F	46	Total O 46 46	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: C-type lectin DC-SIGNR



- Molecule 1: C-type lectin DC-SIGNR




- Molecule 1: C-type lectin DC-SIGNR




- Molecule 1: C-type lectin DC-SIGNR






- Molecule 1: C-type lectin DC-SIGNR



- Molecule 1: C-type lectin DC-SIGNR



- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose



- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose



- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose



NDG1
FUC2
GAL3

- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain J:  100%

NDG1
FUC2
GAL3

- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain K:  67% 33%

NDG1
FUC2
GAL3

- Molecule 2: alpha-L-fucopyranose-(1-3)-[beta-D-galactopyranose-(1-4)]2-acetamido-2-deoxy-alpha-D-glucopyranose

Chain L:  67% 33%

NDG1
FUC2
GAL3

4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	153.75Å 153.75Å 128.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.96 – 2.25 41.96 – 2.25	Depositor EDS
% Data completeness (in resolution range)	87.6 (41.96-2.25) 87.7 (41.96-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 2.24Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.219 , 0.256 0.211 , 0.245	Depositor DCC
R_{free} test set	6700 reflections (8.36%)	wwPDB-VP
Wilson B-factor (Å ²)	37.0	Xtrriage
Anisotropy	0.798	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.022 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8732	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, CA, GAL, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1410	0.56	0/1910
1	B	0.35	0/1416	0.57	0/1917
1	C	0.34	0/1416	0.56	0/1917
1	D	0.35	0/1410	0.58	0/1909
1	E	0.37	0/1410	0.58	0/1909
1	F	0.35	0/1410	0.59	0/1909
All	All	0.35	0/8472	0.57	0/11471

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1374	0	1250	22	0
1	B	1380	0	1257	22	0
1	C	1380	0	1259	34	0
1	D	1374	0	1259	30	0
1	E	1374	0	1259	29	0
1	F	1374	0	1259	35	0
2	G	36	0	28	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	36	0	28	0	0
2	I	36	0	28	0	0
2	J	36	0	28	0	0
2	K	36	0	28	0	0
2	L	36	0	28	1	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	C	4	0	0	0	0
3	D	4	0	0	0	0
3	E	4	0	0	0	0
3	F	4	0	0	0	0
4	A	42	0	0	1	0
4	B	34	0	0	0	0
4	C	28	0	0	0	0
4	D	37	0	0	0	0
4	E	49	0	0	1	0
4	F	46	0	0	1	0
All	All	8732	0	7711	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:CYS:SG	1:A:389:CYS:HB3	2.05	0.95
1:B:397:ARG:HH12	1:E:270:LYS:HG2	1.54	0.73
1:B:397:ARG:NH1	1:E:270:LYS:HG2	2.05	0.71
1:F:380:ARG:HG3	1:F:380:ARG:HH11	1.56	0.71
1:E:282:MET:CE	1:E:388:ILE:HG23	2.23	0.69
1:F:270:LYS:O	1:F:271:ASP:HB2	1.95	0.66
1:B:258:LYS:O	1:B:262:GLU:HG3	1.96	0.66
1:F:282:MET:CE	1:F:388:ILE:HG23	2.26	0.66
1:F:282:MET:HE2	1:F:388:ILE:HG23	1.77	0.65
1:B:270:LYS:O	1:B:271:ASP:HB2	1.96	0.65
1:E:282:MET:HE2	1:E:388:ILE:HG23	1.79	0.64
2:G:2:FUC:H3	2:G:3:GAL:H61	1.79	0.64
1:D:280:TYR:HB3	1:D:282:MET:HE1	1.81	0.62
1:E:331:SER:HB2	1:E:367:ASP:O	2.00	0.61
1:C:282:MET:CE	1:C:388:ILE:HG23	2.30	0.60
1:A:281:PHE:HB3	1:A:389:CYS:SG	2.41	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:265:CYS:HA	1:E:395:CYS:HA	1.84	0.60
1:C:267:HIS:CE1	1:C:397:ARG:HE	2.20	0.59
1:E:380:ARG:HH11	1:E:380:ARG:CB	2.15	0.59
1:F:265:CYS:HA	1:F:395:CYS:HA	1.84	0.59
1:B:380:ARG:HB3	1:B:382:ASP:OD1	2.02	0.58
1:B:293:VAL:O	1:B:297:GLN:HG3	2.02	0.58
1:F:300:ARG:HG2	1:F:300:ARG:HH11	1.67	0.58
1:C:232:THR:C	1:C:234:LEU:H	2.06	0.58
1:C:332:ASP:OD1	1:C:367:ASP:HA	2.04	0.58
1:E:270:LYS:O	1:E:271:ASP:HB2	2.03	0.57
1:E:251:TYR:H	1:E:251:TYR:HD1	1.53	0.57
1:C:282:MET:HE1	1:C:388:ILE:HG23	1.87	0.57
1:C:293:VAL:O	1:C:297:GLN:HG3	2.04	0.56
1:C:266:ARG:HA	1:C:393:ALA:HB1	1.87	0.56
1:A:282:MET:HE2	1:A:388:ILE:HG23	1.88	0.56
1:C:324:ARG:HH12	1:F:323:ASN:ND2	2.04	0.56
1:C:310:GLU:CD	1:D:360:PRO:HG2	2.25	0.55
4:A:428:HOH:O	2:G:3:GAL:H62	2.07	0.55
1:D:260:ALA:HA	1:D:263:ARG:NH1	2.21	0.55
1:B:380:ARG:HB2	1:B:383:VAL:HG23	1.88	0.55
1:C:397:ARG:HH12	1:F:270:LYS:HG2	1.70	0.55
1:C:347:LEU:HD23	1:C:352:GLN:HE22	1.70	0.55
1:E:263:ARG:O	1:E:266:ARG:HD2	2.06	0.55
1:D:282:MET:CE	1:D:388:ILE:HG23	2.36	0.55
1:D:270:LYS:O	1:D:271:ASP:HB2	2.08	0.54
1:F:263:ARG:O	1:F:266:ARG:HD2	2.08	0.54
1:C:380:ARG:HH11	1:C:380:ARG:HG2	1.72	0.53
1:E:314:PHE:O	1:E:318:GLN:HG2	2.08	0.53
1:D:265:CYS:HA	1:D:395:CYS:HA	1.90	0.53
1:B:314:PHE:O	1:B:318:GLN:HG2	2.08	0.53
1:F:290:HIS:HD2	4:F:438:HOH:O	1.92	0.53
1:A:222:SER:O	1:A:225:GLN:HB2	2.09	0.53
1:B:287:ARG:NH1	1:B:295:ALA:HB2	2.23	0.53
1:C:324:ARG:NH1	1:F:323:ASN:ND2	2.56	0.53
1:C:397:ARG:NH1	1:F:270:LYS:HG2	2.24	0.53
1:C:294:THR:O	1:C:298:GLU:HG3	2.09	0.53
1:F:234:LEU:HD23	1:F:234:LEU:O	2.09	0.52
1:A:331:SER:HB2	1:A:367:ASP:O	2.10	0.52
1:B:330:LEU:HB3	1:B:369:ALA:HB3	1.92	0.52
1:A:225:GLN:HB3	1:A:229:GLN:HE21	1.74	0.52
1:A:282:MET:CE	1:A:388:ILE:HG23	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:258:LYS:HG2	1:D:262:GLU:OE2	2.10	0.52
1:E:258:LYS:HG2	1:E:262:GLU:OE2	2.10	0.52
1:A:284:ASN:ND2	1:D:321:ARG:O	2.43	0.52
1:D:287:ARG:HG3	1:D:387:TRP:CZ3	2.45	0.52
1:F:269:PRO:HB2	1:F:272:TRP:CD1	2.44	0.51
1:C:269:PRO:HB2	1:C:272:TRP:CD1	2.45	0.51
1:F:332:ASP:OD1	1:F:367:ASP:HA	2.09	0.51
1:A:226:GLU:O	1:A:230:GLU:HG2	2.11	0.51
1:B:331:SER:HB2	1:B:367:ASP:O	2.10	0.51
1:D:259:THR:O	1:D:263:ARG:HG3	2.11	0.51
1:F:331:SER:HB2	1:F:367:ASP:O	2.11	0.51
1:C:314:PHE:O	1:C:318:GLN:HG2	2.11	0.51
1:D:280:TYR:HB3	1:D:282:MET:CE	2.40	0.51
1:E:288:ASN:HB2	1:E:381:CYS:O	2.11	0.51
1:F:294:THR:O	1:F:298:GLU:HG3	2.10	0.50
1:A:332:ASP:OD1	1:A:367:ASP:HA	2.11	0.50
1:C:270:LYS:O	1:C:271:ASP:HB2	2.12	0.50
1:E:282:MET:HE1	1:E:388:ILE:HG23	1.92	0.50
1:C:252:GLN:HE22	1:D:353:ARG:NH1	2.11	0.49
1:E:280:TYR:HB3	1:E:282:MET:HE1	1.94	0.49
1:A:314:PHE:O	1:A:318:GLN:HG2	2.12	0.49
1:C:282:MET:HE2	1:C:388:ILE:HG12	1.95	0.49
1:A:270:LYS:O	1:A:271:ASP:HB2	2.13	0.49
1:D:282:MET:HE1	1:D:388:ILE:HG23	1.94	0.48
1:D:331:SER:HB2	1:D:367:ASP:O	2.13	0.48
1:E:234:LEU:HD23	1:E:234:LEU:O	2.14	0.48
1:A:310:GLU:CD	1:E:360:PRO:HG2	2.33	0.48
1:B:229:GLN:O	1:B:232:THR:HB	2.15	0.47
1:B:380:ARG:HH11	1:B:380:ARG:HG2	1.79	0.47
1:C:288:ASN:HA	1:C:383:VAL:O	2.15	0.47
1:C:331:SER:HB2	1:C:367:ASP:O	2.15	0.47
1:C:282:MET:HE2	1:C:282:MET:HA	1.97	0.47
1:C:303:LEU:HD13	1:C:329:GLY:HA2	1.96	0.47
1:B:260:ALA:HA	1:B:263:ARG:NH1	2.30	0.47
1:C:324:ARG:HH12	1:F:323:ASN:HD21	1.62	0.47
1:F:314:PHE:O	1:F:318:GLN:HG2	2.15	0.46
1:D:332:ASP:OD1	1:D:367:ASP:HA	2.16	0.46
1:F:288:ASN:HB2	1:F:381:CYS:O	2.15	0.46
1:E:253:GLU:HA	1:E:256:ASP:HB2	1.98	0.46
1:B:332:ASP:OD1	1:B:367:ASP:HA	2.15	0.46
1:F:355:TRP:CD2	1:F:360:PRO:HD3	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:THR:C	1:B:234:LEU:H	2.19	0.46
1:E:380:ARG:HH11	1:E:380:ARG:HB3	1.80	0.46
1:A:288:ASN:HA	1:A:383:VAL:O	2.15	0.46
1:B:234:LEU:HD22	1:B:254:LEU:HD11	1.98	0.46
1:F:380:ARG:HH11	1:F:380:ARG:CG	2.27	0.46
1:A:326:SER:HA	1:A:386:TYR:O	2.16	0.45
1:D:280:TYR:C	1:D:282:MET:HE3	2.37	0.45
1:A:303:LEU:HD13	1:A:329:GLY:HA2	1.98	0.45
1:F:302:GLN:O	1:F:303:LEU:C	2.55	0.45
1:F:359:GLU:HB3	1:F:360:PRO:HA	1.97	0.45
1:D:282:MET:HE2	1:D:388:ILE:HG23	1.99	0.44
1:F:259:THR:O	1:F:263:ARG:HG3	2.17	0.44
1:A:294:THR:O	1:A:298:GLU:HG3	2.17	0.44
1:A:266:ARG:HA	1:A:393:ALA:HB1	1.99	0.44
1:F:270:LYS:HE3	1:F:270:LYS:HB2	1.84	0.44
1:B:280:TYR:HB3	1:B:282:MET:HE1	2.00	0.44
1:A:322:SER:O	1:A:324:ARG:HG3	2.18	0.44
1:C:304:VAL:HG21	1:C:315:LEU:CD1	2.48	0.44
1:D:259:THR:HG22	1:D:263:ARG:NE	2.33	0.43
1:D:232:THR:O	1:D:235:LYS:HB3	2.18	0.43
1:D:312:GLN:HG2	1:D:354:TYR:CZ	2.52	0.43
1:F:253:GLU:HA	1:F:253:GLU:OE1	2.18	0.43
1:B:287:ARG:HG3	1:B:387:TRP:CZ3	2.54	0.43
1:C:282:MET:HE1	1:C:388:ILE:CG2	2.47	0.43
1:C:326:SER:HA	1:C:386:TYR:O	2.18	0.43
1:B:304:VAL:HG21	1:B:315:LEU:HD11	2.00	0.43
1:D:272:TRP:CE2	1:D:281:PHE:HB2	2.53	0.43
1:E:288:ASN:HA	1:E:383:VAL:O	2.18	0.43
1:A:300:ARG:HG2	1:A:300:ARG:HH11	1.83	0.43
1:C:282:MET:CE	1:C:388:ILE:HG12	2.49	0.43
1:E:219:PRO:O	1:E:223:LYS:HG3	2.19	0.43
1:F:249:GLN:HG3	1:F:250:ILE:N	2.33	0.43
1:A:288:ASN:HB2	1:A:381:CYS:O	2.19	0.42
1:C:380:ARG:HB3	1:C:382:ASP:OD1	2.19	0.42
1:F:288:ASN:HA	1:F:383:VAL:O	2.18	0.42
1:F:300:ARG:HG2	1:F:300:ARG:NH1	2.34	0.42
1:C:347:LEU:HD23	1:C:352:GLN:NE2	2.33	0.42
1:B:234:LEU:C	1:B:234:LEU:HD23	2.40	0.42
1:E:269:PRO:HB2	1:E:272:TRP:CD1	2.55	0.42
1:E:251:TYR:CD1	1:E:251:TYR:N	2.88	0.42
1:D:316:GLN:O	1:D:320:SER:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:326:SER:O	1:D:370:GLU:HA	2.20	0.42
1:D:235:LYS:C	1:D:237:ALA:H	2.22	0.41
1:D:263:ARG:O	1:D:266:ARG:HD3	2.19	0.41
1:D:288:ASN:HA	1:D:383:VAL:O	2.20	0.41
1:D:304:VAL:HG21	1:D:315:LEU:HD11	2.00	0.41
1:E:232:THR:O	1:E:235:LYS:HB3	2.19	0.41
1:E:359:GLU:HB3	1:E:360:PRO:HA	2.02	0.41
1:E:332:ASP:OD1	1:E:367:ASP:HA	2.21	0.41
1:D:327:TRP:NE1	1:D:385:ASN:HB2	2.36	0.41
1:E:286:GLN:NE2	4:E:442:HOH:O	2.48	0.41
1:C:232:THR:C	1:C:234:LEU:N	2.72	0.41
1:C:234:LEU:HD23	1:C:234:LEU:C	2.41	0.41
1:A:383:VAL:CG1	1:A:384:ASP:N	2.84	0.41
1:C:321:ARG:O	2:L:3:GAL:H3	2.20	0.41
1:D:322:SER:O	1:D:323:ASN:HB2	2.20	0.41
1:E:225:GLN:O	1:E:229:GLN:HB2	2.21	0.41
1:F:312:GLN:HG2	1:F:354:TYR:CE2	2.55	0.41
1:F:316:GLN:O	1:F:320:SER:HB2	2.21	0.41
1:D:235:LYS:O	1:D:237:ALA:N	2.51	0.40
1:F:221:LYS:HG2	1:F:225:GLN:OE1	2.21	0.40
1:F:380:ARG:CG	1:F:380:ARG:NH1	2.85	0.40
1:F:380:ARG:HG3	1:F:380:ARG:NH1	2.30	0.40
1:B:288:ASN:HB2	1:B:381:CYS:O	2.22	0.40
1:E:259:THR:O	1:E:263:ARG:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	164/184 (89%)	157 (96%)	6 (4%)	1 (1%)	22 21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	164/184 (89%)	157 (96%)	6 (4%)	1 (1%)	22	21
1	C	164/184 (89%)	154 (94%)	7 (4%)	3 (2%)	7	3
1	D	164/184 (89%)	155 (94%)	8 (5%)	1 (1%)	22	21
1	E	164/184 (89%)	151 (92%)	12 (7%)	1 (1%)	22	21
1	F	164/184 (89%)	156 (95%)	8 (5%)	0	100	100
All	All	984/1104 (89%)	930 (94%)	47 (5%)	7 (1%)	19	18

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	233	GLN
1	D	236	ALA
1	C	304	VAL
1	C	365	ASN
1	A	304	VAL
1	B	304	VAL
1	E	304	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/165 (91%)	142 (95%)	8 (5%)	19	19
1	B	151/165 (92%)	147 (97%)	4 (3%)	41	50
1	C	151/165 (92%)	146 (97%)	5 (3%)	33	41
1	D	150/165 (91%)	144 (96%)	6 (4%)	27	32
1	E	150/165 (91%)	145 (97%)	5 (3%)	33	41
1	F	150/165 (91%)	148 (99%)	2 (1%)	65	74
All	All	902/990 (91%)	872 (97%)	30 (3%)	33	41

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	234	LEU
1	A	266	ARG
1	A	282	MET
1	A	284	ASN
1	A	303	LEU
1	A	317	LEU
1	A	353	ARG
1	A	389	CYS
1	B	266	ARG
1	B	282	MET
1	B	303	LEU
1	B	317	LEU
1	C	266	ARG
1	C	282	MET
1	C	294	THR
1	C	303	LEU
1	C	317	LEU
1	D	234	LEU
1	D	256	ASP
1	D	266	ARG
1	D	282	MET
1	D	303	LEU
1	D	380	ARG
1	E	266	ARG
1	E	282	MET
1	E	303	LEU
1	E	317	LEU
1	E	380	ARG
1	F	282	MET
1	F	303	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	229	GLN
1	B	334	ASN
1	B	340	GLN
1	C	252	GLN
1	C	267	HIS
1	C	340	GLN
1	D	286	GLN
1	D	323	ASN
1	F	323	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDG	G	1	2	15,15,15	0.57	0	21,21,21	0.57	0
2	FUC	G	2	2,3	10,10,11	0.47	0	14,14,16	0.43	0
2	GAL	G	3	2	11,11,12	0.48	0	15,15,17	0.32	0
2	NDG	H	1	2	15,15,15	0.40	0	21,21,21	0.63	0
2	FUC	H	2	2,3	10,10,11	0.38	0	14,14,16	0.43	0
2	GAL	H	3	2	11,11,12	0.43	0	15,15,17	0.27	0
2	NDG	I	1	2	15,15,15	0.48	0	21,21,21	0.59	0
2	FUC	I	2	2,3	10,10,11	0.56	0	14,14,16	0.39	0
2	GAL	I	3	2	11,11,12	0.43	0	15,15,17	0.31	0
2	NDG	J	1	2	15,15,15	0.54	0	21,21,21	0.63	0
2	FUC	J	2	2,3	10,10,11	0.44	0	14,14,16	0.47	0
2	GAL	J	3	2	11,11,12	0.46	0	15,15,17	0.31	0
2	NDG	K	1	2	15,15,15	0.50	0	21,21,21	0.91	1 (4%)
2	FUC	K	2	2,3	10,10,11	0.60	0	14,14,16	0.39	0
2	GAL	K	3	2	11,11,12	0.52	0	15,15,17	0.37	0
2	NDG	L	1	2	15,15,15	0.54	0	21,21,21	0.61	0
2	FUC	L	2	2,3	10,10,11	0.58	0	14,14,16	0.49	0
2	GAL	L	3	2	11,11,12	0.49	0	15,15,17	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDG	G	1	2	-	0/6/26/26	0/1/1/1
2	FUC	G	2	2,3	-	-	0/1/1/1
2	GAL	G	3	2	-	0/2/19/22	0/1/1/1
2	NDG	H	1	2	-	0/6/26/26	0/1/1/1
2	FUC	H	2	2,3	-	-	0/1/1/1
2	GAL	H	3	2	-	2/2/19/22	0/1/1/1
2	NDG	I	1	2	-	0/6/26/26	0/1/1/1
2	FUC	I	2	2,3	-	-	0/1/1/1
2	GAL	I	3	2	-	2/2/19/22	0/1/1/1
2	NDG	J	1	2	-	4/6/26/26	0/1/1/1
2	FUC	J	2	2,3	-	-	0/1/1/1
2	GAL	J	3	2	-	1/2/19/22	0/1/1/1
2	NDG	K	1	2	-	2/6/26/26	0/1/1/1
2	FUC	K	2	2,3	-	-	0/1/1/1
2	GAL	K	3	2	-	1/2/19/22	0/1/1/1
2	NDG	L	1	2	-	2/6/26/26	0/1/1/1
2	FUC	L	2	2,3	-	-	0/1/1/1
2	GAL	L	3	2	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	1	NDG	C4-C3-C2	2.10	113.47	110.40

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	3	GAL	C4-C5-C6-O6
2	J	1	NDG	C3-C2-N2-C7
2	J	3	GAL	O5-C5-C6-O6
2	I	3	GAL	O5-C5-C6-O6
2	H	3	GAL	O5-C5-C6-O6
2	L	1	NDG	C4-C5-C6-O6
2	K	3	GAL	O5-C5-C6-O6
2	L	3	GAL	O5-C5-C6-O6
2	L	1	NDG	O5-C5-C6-O6
2	J	1	NDG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	K	1	NDG	C8-C7-N2-C2
2	J	1	NDG	O5-C5-C6-O6
2	J	1	NDG	C1-C2-N2-C7
2	K	1	NDG	O7-C7-N2-C2
2	I	3	GAL	C4-C5-C6-O6



There are no ring outliers.



3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	2	FUC	1	0
2	G	3	GAL	2	0
2	L	3	GAL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 24 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	168/184 (91%)	0.82	18 (10%) 12 12	34, 50, 89, 100	0
1	B	168/184 (91%)	0.69	26 (15%) 6 6	33, 48, 90, 100	0
1	C	168/184 (91%)	0.91	23 (13%) 8 8	38, 53, 94, 100	0
1	D	168/184 (91%)	0.73	24 (14%) 7 7	31, 47, 90, 100	0
1	E	168/184 (91%)	0.70	27 (16%) 5 6	30, 43, 93, 100	0
1	F	168/184 (91%)	0.70	25 (14%) 7 7	30, 46, 88, 100	0
All	All	1008/1104 (91%)	0.76	143 (14%) 7 7	30, 48, 93, 100	0

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	246	LYS	6.0
1	B	246	LYS	5.7
1	C	248	GLN	5.7
1	E	237	ALA	5.5
1	C	246	LYS	5.4
1	B	381	CYS	5.2
1	E	250	ILE	4.8
1	C	251	TYR	4.7
1	E	252	GLN	4.6
1	E	219	PRO	4.6
1	D	237	ALA	4.5
1	B	234	LEU	4.4
1	F	219	PRO	4.4
1	B	250	ILE	4.4
1	C	250	ILE	4.4
1	F	220	GLU	4.3
1	F	222	SER	4.3
1	D	219	PRO	4.3
1	C	219	PRO	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	250	ILE	4.2
1	E	249	GLN	4.1
1	F	249	GLN	4.1
1	D	220	GLU	4.1
1	C	334	ASN	4.0
1	F	265	CYS	4.0
1	E	268	CYS	3.9
1	D	222	SER	3.9
1	F	250	ILE	3.8
1	E	251	TYR	3.7
1	C	234	LEU	3.7
1	C	389	CYS	3.7
1	F	228	TYR	3.7
1	B	226	GLU	3.7
1	D	397	ARG	3.7
1	D	221	LYS	3.7
1	A	234	LEU	3.6
1	F	251	TYR	3.6
1	A	219	PRO	3.6
1	E	279	CYS	3.5
1	D	249	GLN	3.5
1	A	397	ARG	3.5
1	D	254	LEU	3.4
1	E	254	LEU	3.4
1	B	228	TYR	3.4
1	E	224	LEU	3.4
1	B	248	GLN	3.4
1	E	263	ARG	3.3
1	F	224	LEU	3.1
1	C	220	GLU	3.1
1	F	221	LYS	3.1
1	C	268	CYS	3.1
1	F	236	ALA	3.1
1	B	251	TYR	3.1
1	E	320	SER	3.0
1	F	268	CYS	3.0
1	E	220	GLU	3.0
1	B	219	PRO	3.0
1	F	263	ARG	3.0
1	A	228	TYR	3.0
1	E	323	ASN	3.0
1	A	229	GLN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	237	ALA	3.0
1	D	263	ARG	2.9
1	A	226	GLU	2.9
1	B	397	ARG	2.9
1	B	229	GLN	2.9
1	D	251	TYR	2.9
1	F	252	GLN	2.8
1	C	396	PHE	2.8
1	C	228	TYR	2.8
1	D	265	CYS	2.8
1	C	227	ILE	2.7
1	A	247	GLN	2.7
1	D	255	THR	2.7
1	C	221	LYS	2.7
1	B	357	SER	2.7
1	D	253	GLU	2.7
1	D	228	TYR	2.7
1	B	249	GLN	2.7
1	D	252	GLN	2.7
1	B	247	GLN	2.7
1	E	229	GLN	2.7
1	E	255	THR	2.7
1	B	340	GLN	2.7
1	D	320	SER	2.6
1	D	266	ARG	2.6
1	B	268	CYS	2.6
1	E	225	GLN	2.6
1	A	268	CYS	2.6
1	A	271	ASP	2.5
1	C	381	CYS	2.5
1	D	268	CYS	2.5
1	D	231	LEU	2.5
1	D	317	LEU	2.5
1	E	395	CYS	2.4
1	A	227	ILE	2.4
1	E	397	ARG	2.4
1	C	340	GLN	2.4
1	D	395	CYS	2.4
1	A	395	CYS	2.4
1	B	256	ASP	2.3
1	E	266	ARG	2.3
1	A	389	CYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	389	CYS	2.3
1	E	389	CYS	2.3
1	B	252	GLN	2.3
1	E	236	ALA	2.3
1	F	279	CYS	2.3
1	F	395	CYS	2.3
1	A	265	CYS	2.3
1	B	233	GLN	2.3
1	E	222	SER	2.3
1	F	310	GLU	2.2
1	B	261	PHE	2.2
1	F	234	LEU	2.2
1	A	394	ALA	2.2
1	F	267	HIS	2.2
1	A	381	CYS	2.2
1	F	323	ASN	2.2
1	E	232	THR	2.2
1	C	229	GLN	2.2
1	C	323	ASN	2.2
1	C	252	GLN	2.2
1	E	265	CYS	2.1
1	B	323	ASN	2.1
1	C	254	LEU	2.1
1	E	231	LEU	2.1
1	F	320	SER	2.1
1	B	231	LEU	2.1
1	D	257	LEU	2.1
1	C	223	LYS	2.1
1	B	368	CYS	2.1
1	A	323	ASN	2.1
1	C	230	GLU	2.1
1	A	261	PHE	2.1
1	F	227	ILE	2.1
1	B	255	THR	2.1
1	B	222	SER	2.0
1	E	234	LEU	2.0
1	F	254	LEU	2.0
1	F	389	CYS	2.0
1	D	224	LEU	2.0
1	C	395	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NDG	H	1	15/15	0.62	0.46	62,69,70,72	15
2	NDG	I	1	15/15	0.71	0.21	89,97,97,99	0
2	NDG	G	1	15/15	0.72	0.17	81,90,90,91	0
2	GAL	H	3	11/12	0.75	0.39	73,73,74,75	11
2	GAL	I	3	11/12	0.77	0.19	99,99,100,100	0
2	NDG	J	1	15/15	0.78	0.16	69,78,82,84	0
2	GAL	G	3	11/12	0.80	0.16	89,91,92,92	0
2	NDG	L	1	15/15	0.80	0.18	65,78,82,82	0
2	NDG	K	1	15/15	0.82	0.15	61,73,78,80	0
2	FUC	H	2	10/11	0.82	0.38	47,52,56,57	10
2	GAL	K	3	11/12	0.83	0.19	75,76,77,77	0
2	FUC	I	2	10/11	0.87	0.21	76,80,82,84	0
2	GAL	L	3	11/12	0.88	0.17	76,78,79,80	0
2	GAL	J	3	11/12	0.89	0.15	75,77,78,80	0
2	FUC	J	2	10/11	0.91	0.15	53,58,61,64	0
2	FUC	G	2	10/11	0.91	0.16	60,68,71,74	0
2	FUC	L	2	10/11	0.93	0.11	45,49,53,55	0
2	FUC	K	2	10/11	0.96	0.11	39,46,50,53	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
3	CA	D	4	1/1	0.89	0.09	95,95,95,95	0
3	CA	E	4	1/1	0.92	0.07	100,100,100,100	0
3	CA	F	4	1/1	0.94	0.08	97,97,97,97	0
3	CA	C	4	1/1	0.97	0.06	73,73,73,73	0
3	CA	B	4	1/1	0.97	0.06	76,76,76,76	0
3	CA	B	3	1/1	0.99	0.03	46,46,46,46	0
3	CA	A	2	1/1	0.99	0.05	48,48,48,48	0
3	CA	C	1	1/1	0.99	0.03	46,46,46,46	0
3	CA	C	2	1/1	0.99	0.03	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CA	C	3	1/1	0.99	0.03	41,41,41,41	0
3	CA	A	3	1/1	0.99	0.05	56,56,56,56	0
3	CA	D	1	1/1	0.99	0.03	36,36,36,36	0
3	CA	D	3	1/1	0.99	0.02	35,35,35,35	0
3	CA	A	4	1/1	0.99	0.04	62,62,62,62	0
3	CA	E	1	1/1	0.99	0.05	32,32,32,32	0
3	CA	E	3	1/1	0.99	0.03	34,34,34,34	0
3	CA	B	1	1/1	0.99	0.03	40,40,40,40	0
3	CA	F	2	1/1	0.99	0.04	32,32,32,32	0
3	CA	B	2	1/1	0.99	0.03	44,44,44,44	0
3	CA	A	1	1/1	1.00	0.02	49,49,49,49	0
3	CA	F	1	1/1	1.00	0.02	35,35,35,35	0
3	CA	E	2	1/1	1.00	0.04	31,31,31,31	0
3	CA	F	3	1/1	1.00	0.04	33,33,33,33	0
3	CA	D	2	1/1	1.00	0.01	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.