



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2023 – 03:34 PM EDT

PDB ID : 7SSI  
Title : CRYSTAL STRUCTURE OF THE DESK:DESR-Q10A COMPLEX IN THE PHOSPHOTRANSFER STATE  
Authors : Trajtenberg, F.; Buschiazzi, A.  
Deposited on : 2021-11-11  
Resolution : 3.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1486 (3.50-3.34)
Clashscore	141614	1572 (3.50-3.34)
Ramachandran outliers	138981	1534 (3.50-3.34)
Sidechain outliers	138945	1535 (3.50-3.34)
RSRZ outliers	127900	1395 (3.50-3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	
1	B	218	
1	D	218	
1	E	218	
2	C	139	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	139	 6% 83% 12% . .

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8808 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sensor histidine kinase DesK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	209	Total 1665	C 1036	N 295	O 327	S 7	0	0	0
1	B	210	Total 1650	C 1026	N 293	O 325	S 6	0	0	0
1	D	213	Total 1708	C 1062	N 303	O 336	S 7	0	0	0
1	E	209	Total 1637	C 1015	N 292	O 324	S 6	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	GLY	-	expression tag	UNP O34757
A	188	GLU	HIS	engineered mutation	UNP O34757
B	153	GLY	-	expression tag	UNP O34757
B	188	GLU	HIS	engineered mutation	UNP O34757
D	153	GLY	-	expression tag	UNP O34757
D	188	GLU	HIS	engineered mutation	UNP O34757
E	153	GLY	-	expression tag	UNP O34757
E	188	GLU	HIS	engineered mutation	UNP O34757


- Molecule 2 is a protein called Transcriptional regulatory protein DesR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	132	Total 998	C 630	N 163	O 196	S 9	0	0	0
2	F	133	Total 1010	C 639	N 164	O 198	S 9	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP O34723
C	-2	SER	-	expression tag	UNP O34723
C	-1	GLY	-	expression tag	UNP O34723
C	0	SER	-	expression tag	UNP O34723
C	10	ALA	GLN	engineered mutation	UNP O34723
F	-3	GLY	-	expression tag	UNP O34723
F	-2	SER	-	expression tag	UNP O34723
F	-1	GLY	-	expression tag	UNP O34723
F	0	SER	-	expression tag	UNP O34723
F	10	ALA	GLN	engineered mutation	UNP O34723

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula:  $C_{11}H_{18}N_5O_{12}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	B	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	D	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
3	E	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	2	Total O 2 2	0	0
5	C	3	Total O 3 3	0	0
5	D	2	Total O 2 2	0	0
5	E	2	Total O 2 2	0	0
5	F	1	Total O 1 1	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sensor histidine kinase DesK




- Molecule 1: Sensor histidine kinase DesK




- Molecule 1: Sensor histidine kinase DesK





- Molecule 1: Sensor histidine kinase DesK






- Molecule 2: Transcriptional regulatory protein DesR



- Molecule 2: Transcriptional regulatory protein DesR





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.07Å 115.63Å 91.37Å 90.00° 116.74° 90.00°	Depositor
Resolution (Å)	34.41 – 3.41 34.41 – 3.41	Depositor EDS
% Data completeness (in resolution range)	99.0 (34.41-3.41) 99.0 (34.41-3.41)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.51 (at 3.39Å)	Xtrriage
Refinement program	BUSTER 2.10.4	Depositor
R, $R_{free}$	0.252 , 0.283 0.251 , 0.281	Depositor DCC
$R_{free}$ test set	1085 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	101.4	Xtrriage
Anisotropy	0.430	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 85.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.23$	Xtrriage
Estimated twinning fraction	0.073 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	8808	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	122.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/1678	0.59	0/2252
1	B	0.42	0/1661	0.63	0/2229
1	D	0.42	0/1722	0.61	0/2308
1	E	0.42	0/1648	0.64	0/2214
2	C	0.40	0/1009	0.62	0/1357
2	F	0.39	0/1022	0.60	0/1375
All	All	0.41	0/8740	0.62	0/11735

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1665	0	1702	19	0
1	B	1650	0	1679	25	0
1	D	1708	0	1752	15	0
1	E	1637	0	1657	25	0
2	C	998	0	1019	7	0
2	F	1010	0	1028	12	0
3	A	31	0	14	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	31	0	14	0	0
3	D	31	0	14	0	0
3	E	31	0	14	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	B	2	0	0	0	0
5	C	3	0	0	0	0
5	D	2	0	0	1	0
5	E	2	0	0	0	0
5	F	1	0	0	0	0
All	All	8808	0	8893	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:GLY:HA3	1:D:281:ASN:HD21	1.48	0.79
1:A:243:GLY:HA3	1:A:281:ASN:HD21	1.51	0.76
1:A:342:GLU:OE1	1:B:170:ARG:NH1	2.21	0.73
1:E:268:GLU:HA	1:E:271:TRP:CD1	2.27	0.69
1:D:296:LYS:HE2	5:D:501:HOH:O	1.92	0.68
1:D:342:GLU:OE2	1:E:170:ARG:NH1	2.26	0.68
2:C:83:ALA:HB2	2:C:127:LEU:HD23	1.74	0.68
1:B:176:LYS:HZ1	1:B:180:ARG:HH22	1.43	0.66
1:A:224:GLN:NE2	1:A:228:ARG:HH12	1.93	0.65
1:E:271:TRP:CD2	1:E:307:ILE:HG21	2.33	0.64
1:A:224:GLN:OE1	1:B:206:ARG:NH1	2.30	0.63
1:B:160:LEU:HD23	1:B:163:LYS:HE3	1.82	0.62
1:B:176:LYS:NZ	1:B:180:ARG:NH2	2.48	0.61
1:E:224:GLN:NE2	1:E:228:ARG:HH12	1.97	0.61
1:E:224:GLN:HE21	1:E:228:ARG:NH2	1.99	0.60
1:B:155:LYS:HA	1:B:158:GLU:HG3	1.84	0.59
1:A:155:LYS:HD2	1:A:157:ARG:HE	1.68	0.58
1:B:250:LEU:HD21	1:B:266:TYR:HE1	1.67	0.58
1:E:268:GLU:HA	1:E:271:TRP:NE1	2.19	0.58

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:LYS:NZ	1:B:180:ARG:HH22	2.01	0.58
1:E:250:LEU:HD21	1:E:266:TYR:HE1	1.69	0.57
2:F:64:GLU:HG3	2:F:90:ARG:HH22	1.70	0.57
1:A:224:GLN:NE2	1:A:228:ARG:NH1	2.53	0.56
1:E:250:LEU:HD21	1:E:266:TYR:CE1	2.40	0.56
1:B:250:LEU:HD21	1:B:266:TYR:CE1	2.39	0.56
1:D:354:ASP:OD1	1:D:356:GLU:HG2	2.06	0.56
1:A:224:GLN:HE21	1:A:228:ARG:NH2	2.04	0.55
2:C:64:GLU:HG3	2:C:90:ARG:HH22	1.70	0.55
2:F:63:LEU:HD13	2:F:90:ARG:HD3	1.88	0.55
1:D:177:LEU:O	1:D:181:GLN:HG3	2.06	0.55
2:C:63:LEU:HD13	2:C:90:ARG:HD3	1.89	0.55
1:A:278:LEU:HD22	1:B:178:GLU:HB2	1.90	0.54
1:E:224:GLN:NE2	1:E:228:ARG:NH1	2.55	0.54
1:A:177:LEU:O	1:A:181:GLN:HG3	2.08	0.54
1:E:224:GLN:HE21	1:E:228:ARG:NH1	2.05	0.54
1:A:224:GLN:HE21	1:A:228:ARG:HH22	1.56	0.53
1:E:177:LEU:O	1:E:181:GLN:HG2	2.09	0.53
1:E:224:GLN:HE21	1:E:228:ARG:CZ	2.22	0.53
1:D:254:LYS:HZ3	1:D:264:PHE:HD2	1.55	0.52
1:A:156:GLU:H	1:A:156:GLU:CD	2.13	0.52
1:B:271:TRP:CE2	1:B:307:ILE:HG21	2.44	0.52
2:F:83:ALA:HB2	2:F:127:LEU:HD23	1.92	0.52
1:B:271:TRP:CD2	1:B:307:ILE:HG21	2.45	0.51
1:B:176:LYS:HZ2	1:B:180:ARG:NH2	2.07	0.51
1:E:189:ASP:O	1:E:193:GLN:HG2	2.10	0.51
1:E:197:LEU:HD21	2:F:12:MET:HG2	1.93	0.50
1:E:224:GLN:HE21	1:E:228:ARG:HH22	1.58	0.49
1:B:304:ARG:NH1	1:B:306:ASP:OD1	2.46	0.49
1:B:354:ASP:OD1	1:B:356:GLU:HG2	2.13	0.49
1:B:206:ARG:NH2	1:B:207:LYS:NZ	2.61	0.48
1:D:278:LEU:HD22	1:E:178:GLU:HB2	1.95	0.48
1:E:245:ARG:HG2	1:E:281:ASN:OD1	2.14	0.48
1:D:173:GLU:O	1:D:177:LEU:HD23	2.15	0.47
2:C:64:GLU:HG3	2:C:90:ARG:NH2	2.29	0.47
1:D:163:LYS:NZ	1:D:163:LYS:HA	2.30	0.47
2:C:53:MET:HB3	2:C:78:ILE:HD13	1.97	0.46
2:F:64:GLU:HG3	2:F:90:ARG:NH2	2.29	0.46
1:E:271:TRP:CE2	1:E:307:ILE:HG21	2.50	0.46
1:A:254:LYS:HZ3	1:A:264:PHE:HD2	1.57	0.46
1:D:206:ARG:NH2	1:D:207:LYS:NZ	2.64	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:225:GLN:HE21	1:D:229:THR:HG21	1.81	0.45
2:F:53:MET:HB3	2:F:78:ILE:HD13	1.97	0.45
1:A:277:LEU:HB2	1:B:185:ARG:HH21	1.81	0.45
1:B:225:GLN:HE21	1:B:229:THR:HG21	1.81	0.45
1:A:241:MET:HG2	1:B:180:ARG:HG2	1.99	0.45
1:D:158:GLU:O	1:D:162:GLU:OE2	2.35	0.45
1:B:272:PRO:HD2	1:B:307:ILE:HG12	2.00	0.44
1:B:250:LEU:HD12	1:B:271:TRP:CE2	2.53	0.44
1:B:333:LYS:HA	1:B:338:LEU:CD2	2.48	0.44
1:A:206:ARG:NH2	1:A:207:LYS:NZ	2.66	0.44
2:C:124:ALA:HB3	2:C:127:LEU:HD12	2.00	0.44
2:F:132:TYR:N	2:F:132:TYR:HD1	2.16	0.43
1:E:354:ASP:OD1	1:E:356:GLU:HG3	2.19	0.43
1:E:159:ARG:HH12	1:E:163:LYS:NZ	2.17	0.43
1:B:250:LEU:C	1:B:250:LEU:HD23	2.40	0.42
1:D:316:ILE:HB	1:D:363:MET:HG3	2.01	0.42
1:D:209:ILE:O	1:D:213:PRO:HG3	2.19	0.42
1:E:224:GLN:O	1:E:228:ARG:HG2	2.19	0.42
1:B:177:LEU:O	1:B:181:GLN:HG2	2.19	0.42
1:E:211:LYS:HE2	1:E:211:LYS:HB3	1.78	0.42
2:F:124:ALA:HB3	2:F:127:LEU:HD12	2.01	0.42
2:F:19:SER:O	2:F:23:LEU:HG	2.20	0.42
1:B:176:LYS:HZ2	1:B:180:ARG:HH21	1.68	0.41
2:F:132:TYR:N	2:F:132:TYR:CD1	2.88	0.41
1:A:183:ILE:HD13	1:A:241:MET:CE	2.50	0.41
1:E:301:LYS:HA	1:E:301:LYS:HD3	1.94	0.41
2:F:84:ARG:HB2	2:F:87:TYR:CE2	2.55	0.41
1:A:211:LYS:HE2	1:A:211:LYS:HB3	1.87	0.41
1:E:271:TRP:CD1	1:E:271:TRP:N	2.87	0.41
2:C:84:ARG:HB2	2:C:87:TYR:CE2	2.56	0.41
1:E:250:LEU:C	1:E:250:LEU:HD23	2.40	0.41
1:D:231:LEU:O	1:D:235:ARG:HG3	2.21	0.41
1:A:183:ILE:HD13	1:A:241:MET:HE3	2.03	0.40
1:A:209:ILE:O	1:A:213:PRO:HG3	2.20	0.40
2:F:97:LYS:HD3	2:F:97:LYS:HA	1.92	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/218 (94%)	200 (98%)	5 (2%)	0	100	100
1	B	206/218 (94%)	196 (95%)	10 (5%)	0	100	100
1	D	209/218 (96%)	202 (97%)	7 (3%)	0	100	100
1	E	205/218 (94%)	199 (97%)	6 (3%)	0	100	100
2	C	130/139 (94%)	125 (96%)	4 (3%)	1 (1%)	19	56
2	F	131/139 (94%)	126 (96%)	5 (4%)	0	100	100
All	All	1086/1150 (94%)	1048 (96%)	37 (3%)	1 (0%)	51	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	129	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/194 (95%)	176 (96%)	8 (4%)	29	62
1	B	179/194 (92%)	165 (92%)	14 (8%)	12	42
1	D	191/194 (98%)	184 (96%)	7 (4%)	34	65
1	E	178/194 (92%)	161 (90%)	17 (10%)	8	33
2	C	107/112 (96%)	104 (97%)	3 (3%)	43	73
2	F	108/112 (96%)	104 (96%)	4 (4%)	34	65

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	947/1000 (95%)	894 (94%)	53 (6%)	21	53

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	156	GLU
1	A	157	ARG
1	A	168	ASN
1	A	169	GLU
1	A	173	GLU
1	A	187	LEU
1	A	228	ARG
1	A	363	MET
1	B	156	GLU
1	B	157	ARG
1	B	164	LEU
1	B	173	GLU
1	B	176	LYS
1	B	188	GLU
1	B	196	SER
1	B	266	TYR
1	B	273	GLU
1	B	274	ASN
1	B	299	GLN
1	B	308	GLN
1	B	312	LYS
1	B	363	MET
2	C	11	GLN
2	C	107	GLU
2	C	128	MET
1	D	162	GLU
1	D	163	LYS
1	D	173	GLU
1	D	228	ARG
1	D	240	SER
1	D	274	ASN
1	D	363	MET
1	E	164	LEU
1	E	168	ASN
1	E	181	GLN
1	E	182	ARG
1	E	185	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	191	LEU
1	E	196	SER
1	E	206	ARG
1	E	228	ARG
1	E	230	SER
1	E	238	VAL
1	E	239	SER
1	E	266	TYR
1	E	277	LEU
1	E	308	GLN
1	E	357	ASN
1	E	363	MET
2	F	11	GLN
2	F	128	MET
2	F	131	LEU
2	F	132	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	GLN
1	A	225	GLN
1	A	281	ASN
1	B	225	GLN
1	D	224	GLN
1	D	225	GLN
1	D	281	ASN
1	E	181	GLN
1	E	224	GLN
1	E	274	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ACP	D	401	4	27,33,33	0.85	1 (3%)	32,52,52	0.91	2 (6%)
3	ACP	E	401	4	27,33,33	0.76	1 (3%)	32,52,52	0.93	2 (6%)
3	ACP	B	401	4	27,33,33	0.83	1 (3%)	32,52,52	0.95	2 (6%)
3	ACP	A	401	4	27,33,33	0.86	1 (3%)	32,52,52	0.92	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACP	D	401	4	-	3/15/38/38	0/3/3/3
3	ACP	E	401	4	-	3/15/38/38	0/3/3/3
3	ACP	B	401	4	-	3/15/38/38	0/3/3/3
3	ACP	A	401	4	-	3/15/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ACP	PB-O3A	3.24	1.62	1.58
3	D	401	ACP	PB-O3A	3.19	1.61	1.58
3	B	401	ACP	PB-O3A	3.07	1.61	1.58
3	E	401	ACP	PB-O3A	2.46	1.61	1.58

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	ACP	O1B-PB-C3B	3.98	119.59	109.07
3	E	401	ACP	O1B-PB-C3B	3.90	119.37	109.07
3	D	401	ACP	O1B-PB-C3B	3.84	119.22	109.07
3	A	401	ACP	O1B-PB-C3B	3.78	119.08	109.07
3	A	401	ACP	C5-C6-N6	2.49	124.14	120.35
3	E	401	ACP	C5-C6-N6	2.46	124.09	120.35
3	D	401	ACP	C5-C6-N6	2.39	123.98	120.35
3	B	401	ACP	C5-C6-N6	2.38	123.96	120.35

There are no chirality outliers.




All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	401	ACP	PB-C3B-PG-O1G
3	D	401	ACP	PB-C3B-PG-O1G
3	E	401	ACP	PB-C3B-PG-O1G
3	A	401	ACP	PB-C3B-PG-O2G
3	A	401	ACP	PB-C3B-PG-O3G
3	B	401	ACP	PB-C3B-PG-O2G
3	B	401	ACP	PB-C3B-PG-O3G
3	D	401	ACP	PB-C3B-PG-O2G
3	D	401	ACP	PB-C3B-PG-O3G
3	E	401	ACP	PB-C3B-PG-O2G
3	E	401	ACP	PB-C3B-PG-O3G
3	B	401	ACP	PB-C3B-PG-O1G

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	209/218 (95%)	0.40	10 (4%) 30 31	74, 116, 169, 182	0
1	B	210/218 (96%)	0.37	7 (3%) 46 46	83, 124, 156, 190	0
1	D	213/218 (97%)	0.44	10 (4%) 31 32	65, 119, 177, 193	0
1	E	209/218 (95%)	0.40	7 (3%) 46 46	82, 127, 151, 175	0
2	C	132/139 (94%)	0.42	6 (4%) 33 33	82, 112, 142, 154	0
2	F	133/139 (95%)	0.46	8 (6%) 21 23	90, 122, 146, 168	0
All	All	1106/1150 (96%)	0.41	48 (4%) 35 35	65, 119, 162, 193	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	307	ILE	4.2
2	F	78	ILE	4.0
2	C	78	ILE	3.9
1	E	307	ILE	3.7
1	E	262	ILE	3.6
1	D	337	LEU	3.3
1	D	287	LEU	3.2
1	B	314	VAL	3.1
2	F	79	LEU	3.1
2	F	132	TYR	3.1
1	D	209	ILE	3.0
1	D	355	THR	3.0
1	E	314	VAL	3.0
1	D	316	ILE	3.0
2	F	63	LEU	2.8
1	B	365	ILE	2.7
1	E	253	ILE	2.6
2	C	123	TYR	2.6
2	C	6	ILE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	315	VAL	2.6
2	F	76	ILE	2.6
1	A	314	VAL	2.5
1	A	316	ILE	2.5
1	B	253	ILE	2.5
1	E	159	ARG	2.4
1	D	246	LEU	2.4
1	D	245	ARG	2.4
1	D	198	ILE	2.4
1	A	201	LYS	2.4
2	F	53	MET	2.4
2	C	7	ALA	2.4
1	A	198	ILE	2.3
1	A	245	ARG	2.3
1	A	209	ILE	2.3
2	F	7	ALA	2.3
1	B	257	LEU	2.3
1	A	351	LEU	2.2
1	A	315	VAL	2.2
2	C	77	ILE	2.2
2	C	79	LEU	2.2
1	E	309	GLN	2.2
1	D	191	LEU	2.1
1	B	216	ALA	2.1
2	F	21	LEU	2.1
1	B	353	ILE	2.1
1	A	337	LEU	2.0
1	A	257	LEU	2.0
1	E	361	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	F	201	1/1	0.77	0.20	73,73,73,73	0
4	MG	C	201	1/1	0.81	0.28	81,81,81,81	0
3	ACP	D	401	31/31	0.84	0.19	165,165,168,168	0
3	ACP	A	401	31/31	0.85	0.22	156,158,159,159	0
4	MG	A	402	1/1	0.88	0.16	131,131,131,131	0
3	ACP	B	401	31/31	0.92	0.17	125,129,134,134	0
4	MG	E	402	1/1	0.95	0.12	292,292,292,292	0
3	ACP	E	401	31/31	0.95	0.18	117,121,125,125	0
4	MG	D	402	1/1	0.96	0.15	300,300,300,300	0
4	MG	B	402	1/1	0.97	0.11	300,300,300,300	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









**Electron density around ACP A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ACP B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.