



wwPDB EM Validation Summary Report ⓘ

Nov 3, 2024 – 01:33 AM EST

PDB ID : 7SSN
EMDB ID : EMD-25410
Title : Pre translocation 70S ribosome with A/P* and P/E tRNA (Structure II-B)
Authors : Carbone, C.E.; Korostelev, A.A.
Deposited on : 2021-11-11
Resolution : 3.20 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	3	1539	
2	1	2903	
3	2	120	
4	5	77	
5	b	271	
6	c	209	
7	d	201	
8	e	177	






















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	f	176	 100%
10	i	141	 89% 99%
11	j	142	 99%
12	k	122	 100%
13	l	143	 99%
14	m	136	 99%
15	n	120	 98%
16	o	116	 100%
17	p	114	 99%
18	q	117	 100%
19	r	103	 100%
20	s	110	 100%
21	t	93	 100%
22	u	102	 99%
23	v	94	 100%
24	w	75	 100%
25	x	77	 99%
26	y	63	 98%
27	z	58	 98%
28	B	56	 100%
29	C	50	 6% 100%
30	D	46	 100%
31	E	64	 95% 5%
32	F	38	 95% 5%
33	4	35	 6% 43% 11% 46%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	6	77	 68% 31%
35	G	225	 11% 96%
36	H	206	 5% 100%
37	I	205	 11% 99%
38	J	157	 100%
39	K	100	 94% 6%
40	L	151	 100%
41	M	129	 100%
42	N	127	 7% 97%
43	O	98	 31% 99%
44	P	116	 97%
45	Q	123	 100%
46	R	114	 99%
47	S	100	 100%
48	T	88	 98%
49	U	82	 7% 100%
50	V	80	 99%
51	W	65	 97%
52	X	79	 6% 99%
53	Y	85	 99%
54	Z	65	 91% 9%

2 Entry composition i

There are 54 unique types of molecules in this entry. The entry contains 145435 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	3	1539	33012	14725	6052	10697	1538	0	0

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	1	2903	62317	27801	11468	20146	2902	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 802133627

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	2	120	2568	1145	471	833	119	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	-	insertion	GB 1266961702

- Molecule 4 is a RNA chain called tRNA Pro.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	5	77	1647	733	295	542	77	0	0

- Molecule 5 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	b	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 6 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	c	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 7 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	d	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 8 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	e	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 9 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	f	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 10 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	i	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 11 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	j	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 12 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	k	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 13 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	l	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 14 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	m	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 15 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	n	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 17 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 18 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 19 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 20 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 21 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	t	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 22 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	u	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 23 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 24 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 25 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 26 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 27 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 28 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	B	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 29 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	C	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 30 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	D	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 31 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	E	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 32 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	F	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 33 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	4	19	Total	C	N	O	P	0	0
			413	186	85	124	18		

- Molecule 34 is a RNA chain called tRNA fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	G	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	H	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	I	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	J	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	K	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	L	151	1182	735	227	216	4	0	0

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	M	129	979	616	173	184	6	0	0

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	N	127	1022	634	206	179	3	0	0

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	O	98	787	493	150	143	1	0	0

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	P	116	870	535	173	159	3	0	0

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Q	123	955	590	196	165	4	0	0

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	R	114	884	546	178	157	3	0	0

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	V	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	W	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	X	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 54 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	Z	65	545	335	117	92	1	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S rRNA





- Molecule 2: 23S rRNA

Chain 1:







• Molecule 3: 5S rRNA




• Molecule 4: tRNA Pro




• Molecule 5: 50S ribosomal protein L2



• Molecule 6: 50S ribosomal protein L3




• Molecule 7: 50S ribosomal protein L4




• Molecule 8: 50S ribosomal protein L5








- Molecule 9: 50S ribosomal protein L6



- Molecule 10: 50S ribosomal protein L11



- Molecule 11: 50S ribosomal protein L13




- Molecule 12: 50S ribosomal protein L14




There are no outlier residues recorded for this chain.

- Molecule 13: 50S ribosomal protein L15



- Molecule 14: 50S ribosomal protein L16





- Molecule 15: 50S ribosomal protein L17



- Molecule 16: 50S ribosomal protein L18



- Molecule 17: 50S ribosomal protein L19




- Molecule 18: 50S ribosomal protein L20




There are no outlier residues recorded for this chain.

- Molecule 19: 50S ribosomal protein L21



- Molecule 20: 50S ribosomal protein L22




- Molecule 21: 50S ribosomal protein L23






- Molecule 22: 50S ribosomal protein L24



- Molecule 23: 50S ribosomal protein L25



- Molecule 24: 50S ribosomal protein L27




- Molecule 25: 50S ribosomal protein L28



- Molecule 26: 50S ribosomal protein L29



- Molecule 27: 50S ribosomal protein L30




- Molecule 28: 50S ribosomal protein L32

Chain B:  100%



- Molecule 29: 50S ribosomal protein L33

Chain C:  6% 100%




- Molecule 30: 50S ribosomal protein L34

Chain D:  100%



- Molecule 31: 50S ribosomal protein L35

Chain E:  95% 5%



- Molecule 32: 50S ribosomal protein L36

Chain F:  95% 5%




- Molecule 33: mRNA

Chain 4:  6% 43% 11% 46%




- Molecule 34: tRNA fMet


Chain 6:  68% 31%




- Molecule 35: 30S ribosomal protein S2




- Molecule 36: 30S ribosomal protein S3




- Molecule 37: 30S ribosomal protein S4




- Molecule 38: 30S ribosomal protein S5



- Molecule 39: 30S ribosomal protein S6



- Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S8




There are no outlier residues recorded for this chain.

- Molecule 42: 30S ribosomal protein S9




- Molecule 43: 30S ribosomal protein S10




- Molecule 44: 30S ribosomal protein S11




- Molecule 45: 30S ribosomal protein S12




- Molecule 46: 30S ribosomal protein S13




- Molecule 47: 30S ribosomal protein S14




- Molecule 48: 30S ribosomal protein S15




- Molecule 49: 30S ribosomal protein S16




- Molecule 50: 30S ribosomal protein S17




- Molecule 51: 30S ribosomal protein S18




- Molecule 52: 30S ribosomal protein S19



- Molecule 53: 30S ribosomal protein S20



- Molecule 54: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	6895	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.2	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	18.747	Depositor
Minimum map value	-7.657	Depositor
Average map value	-0.022	Depositor
Map value standard deviation	1.168	Depositor
Recommended contour level	2.5	Depositor
Map size (Å)	381.8, 381.8, 381.8	wwPDB
Map dimensions	460, 460, 460	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	3	0.72	0/36963	0.96	40/57662 (0.1%)
2	1	0.89	0/69796	0.99	135/108888 (0.1%)
3	2	0.71	0/2872	1.02	6/4479 (0.1%)
4	5	0.58	0/1840	1.14	9/2868 (0.3%)
5	b	0.47	1/2122 (0.0%)	0.59	0/2852
6	c	0.44	0/1586	0.59	0/2134
7	d	0.36	0/1571	0.56	0/2113
8	e	0.35	0/1435	0.56	0/1926
9	f	0.35	0/1343	0.52	0/1816
10	i	0.31	0/1046	0.62	0/1410
11	j	0.41	0/1152	0.52	0/1551
12	k	0.45	0/948	0.57	0/1268
13	l	0.40	0/1054	0.65	0/1403
14	m	0.44	1/1093 (0.1%)	0.54	0/1460
15	n	0.40	0/974	0.59	0/1301
16	o	0.34	0/902	0.50	0/1209
17	p	0.41	0/929	0.57	1/1242 (0.1%)
18	q	0.45	0/960	0.48	0/1278
19	r	0.41	0/829	0.55	0/1107
20	s	0.37	0/864	0.51	0/1156
21	t	0.36	0/745	0.54	0/994
22	u	0.36	0/788	0.59	1/1051 (0.1%)
23	v	0.38	0/766	0.56	0/1025
24	w	0.39	0/582	0.51	0/769
25	x	0.43	0/635	0.54	0/848
26	y	0.30	0/510	0.52	0/677
27	z	0.36	0/453	0.58	0/605
28	B	0.38	0/450	0.57	0/599
29	C	0.35	0/417	0.52	0/554
30	D	0.43	0/380	0.53	0/498
31	E	0.41	0/513	0.60	1/676 (0.1%)
32	F	0.43	0/303	0.53	0/397
33	4	0.72	0/465	0.84	1/725 (0.1%)
34	6	0.66	0/1832	1.10	6/2855 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	G	0.32	0/1736	0.58	1/2338 (0.0%)
36	H	0.32	0/1652	0.52	0/2225
37	I	0.33	0/1665	0.61	2/2227 (0.1%)
38	J	0.38	0/1170	0.59	0/1573
39	K	0.36	0/836	0.64	1/1128 (0.1%)
40	L	0.32	0/1196	0.52	0/1602
41	M	0.37	0/989	0.54	0/1326
42	N	0.35	0/1034	0.61	0/1375
43	O	0.31	0/797	0.58	0/1077
44	P	0.38	0/886	0.60	0/1195
45	Q	0.39	0/969	0.64	0/1300
46	R	0.32	0/893	0.56	0/1193
47	S	0.32	0/817	0.51	0/1088
48	T	0.35	0/722	0.55	0/964
49	U	0.33	0/659	0.53	0/884
50	V	0.35	0/658	0.54	0/881
51	W	0.39	0/545	0.57	0/731
52	X	0.31	0/653	0.58	1/877 (0.1%)
53	Y	0.30	0/671	0.49	0/888
54	Z	0.34	0/551	0.76	0/728
All	All	0.73	2/158217 (0.0%)	0.90	205/236996 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	m	0	1
15	n	0	1
31	E	0	1
37	I	0	1
39	K	0	3
42	N	0	1
44	P	0	1
54	Z	0	3
All	All	0	12

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	b	224	MET	C-N	-5.16	1.22	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	m	96	ILE	C-N	-5.07	1.22	1.34

The worst 5 of 205 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	3	1158	C	N1-C2-O2	11.59	125.86	118.90
1	3	1158	C	C2-N1-C1'	10.24	130.06	118.80
1	3	1158	C	N3-C2-O2	-9.71	115.11	121.90
2	1	1313	U	C2-N1-C1'	9.60	129.22	117.70
2	1	1917	U	N3-C2-O2	-9.23	115.74	122.20

There are no chirality outliers.

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
31	E	30	HIS	Peptide
37	I	167	PRO	Peptide
39	K	53	LYS	Peptide
14	m	59	ARG	Peptide
15	n	116	VAL	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	b	269/271 (99%)	241 (90%)	28 (10%)	0	100	100
6	c	207/209 (99%)	196 (95%)	11 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	d	199/201 (99%)	187 (94%)	12 (6%)	0	100	100
8	e	175/177 (99%)	163 (93%)	12 (7%)	0	100	100
9	f	174/176 (99%)	159 (91%)	15 (9%)	0	100	100
10	i	139/141 (99%)	116 (84%)	23 (16%)	0	100	100
11	j	140/142 (99%)	131 (94%)	9 (6%)	0	100	100
12	k	120/122 (98%)	110 (92%)	10 (8%)	0	100	100
13	l	141/143 (99%)	120 (85%)	21 (15%)	0	100	100
14	m	134/136 (98%)	127 (95%)	7 (5%)	0	100	100
15	n	118/120 (98%)	100 (85%)	18 (15%)	0	100	100
16	o	114/116 (98%)	108 (95%)	6 (5%)	0	100	100
17	p	112/114 (98%)	106 (95%)	6 (5%)	0	100	100
18	q	115/117 (98%)	111 (96%)	4 (4%)	0	100	100
19	r	101/103 (98%)	95 (94%)	6 (6%)	0	100	100
20	s	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
21	t	91/93 (98%)	90 (99%)	1 (1%)	0	100	100
22	u	100/102 (98%)	86 (86%)	14 (14%)	0	100	100
23	v	92/94 (98%)	88 (96%)	4 (4%)	0	100	100
24	w	73/75 (97%)	69 (94%)	4 (6%)	0	100	100
25	x	75/77 (97%)	73 (97%)	2 (3%)	0	100	100
26	y	61/63 (97%)	59 (97%)	1 (2%)	1 (2%)	8	37
27	z	56/58 (97%)	49 (88%)	6 (11%)	1 (2%)	7	35
28	B	54/56 (96%)	49 (91%)	5 (9%)	0	100	100
29	C	48/50 (96%)	45 (94%)	3 (6%)	0	100	100
30	D	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
31	E	62/64 (97%)	51 (82%)	10 (16%)	1 (2%)	8	37
32	F	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
35	G	216/225 (96%)	188 (87%)	28 (13%)	0	100	100
36	H	204/206 (99%)	190 (93%)	14 (7%)	0	100	100
37	I	203/205 (99%)	181 (89%)	22 (11%)	0	100	100
38	J	155/157 (99%)	136 (88%)	19 (12%)	0	100	100
39	K	98/100 (98%)	80 (82%)	17 (17%)	1 (1%)	13	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	L	149/151 (99%)	135 (91%)	14 (9%)	0	100	100
41	M	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
42	N	125/127 (98%)	102 (82%)	23 (18%)	0	100	100
43	O	96/98 (98%)	82 (85%)	14 (15%)	0	100	100
44	P	114/116 (98%)	97 (85%)	16 (14%)	1 (1%)	14	49
45	Q	121/123 (98%)	105 (87%)	16 (13%)	0	100	100
46	R	112/114 (98%)	100 (89%)	12 (11%)	0	100	100
47	S	98/100 (98%)	88 (90%)	10 (10%)	0	100	100
48	T	86/88 (98%)	78 (91%)	7 (8%)	1 (1%)	11	43
49	U	80/82 (98%)	74 (92%)	6 (8%)	0	100	100
50	V	78/80 (98%)	67 (86%)	11 (14%)	0	100	100
51	W	63/65 (97%)	59 (94%)	4 (6%)	0	100	100
52	X	77/79 (98%)	71 (92%)	6 (8%)	0	100	100
53	Y	83/85 (98%)	80 (96%)	3 (4%)	0	100	100
54	Z	63/65 (97%)	46 (73%)	15 (24%)	2 (3%)	3	22
All	All	5506/5609 (98%)	4985 (90%)	513 (9%)	8 (0%)	50	80

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
27	z	12	ALA
39	K	54	LEU
48	T	46	LYS
54	Z	8	ASN
26	y	24	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	b	216/216 (100%)	214 (99%)	2 (1%)	75	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	c	164/164 (100%)	162 (99%)	2 (1%)	67	85
7	d	165/165 (100%)	165 (100%)	0	100	100
8	e	148/148 (100%)	144 (97%)	4 (3%)	40	69
9	f	137/137 (100%)	137 (100%)	0	100	100
10	i	109/109 (100%)	108 (99%)	1 (1%)	75	89
11	j	116/116 (100%)	115 (99%)	1 (1%)	75	89
12	k	103/103 (100%)	103 (100%)	0	100	100
13	l	102/102 (100%)	101 (99%)	1 (1%)	73	87
14	m	109/109 (100%)	109 (100%)	0	100	100
15	n	100/100 (100%)	99 (99%)	1 (1%)	73	87
16	o	86/86 (100%)	86 (100%)	0	100	100
17	p	99/99 (100%)	99 (100%)	0	100	100
18	q	89/89 (100%)	89 (100%)	0	100	100
19	r	84/84 (100%)	84 (100%)	0	100	100
20	s	93/93 (100%)	93 (100%)	0	100	100
21	t	80/80 (100%)	80 (100%)	0	100	100
22	u	83/83 (100%)	83 (100%)	0	100	100
23	v	78/78 (100%)	78 (100%)	0	100	100
24	w	57/57 (100%)	57 (100%)	0	100	100
25	x	67/67 (100%)	66 (98%)	1 (2%)	60	81
26	y	55/55 (100%)	55 (100%)	0	100	100
27	z	48/48 (100%)	48 (100%)	0	100	100
28	B	47/47 (100%)	47 (100%)	0	100	100
29	C	45/45 (100%)	45 (100%)	0	100	100
30	D	38/38 (100%)	38 (100%)	0	100	100
31	E	51/51 (100%)	51 (100%)	0	100	100
32	F	34/34 (100%)	32 (94%)	2 (6%)	16	48
35	G	180/186 (97%)	180 (100%)	0	100	100
36	H	170/170 (100%)	169 (99%)	1 (1%)	84	92
37	I	172/172 (100%)	172 (100%)	0	100	100
38	J	119/119 (100%)	119 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	K	87/87 (100%)	86 (99%)	1 (1%)	70	86
40	L	124/124 (100%)	124 (100%)	0	100	100
41	M	104/104 (100%)	104 (100%)	0	100	100
42	N	105/105 (100%)	102 (97%)	3 (3%)	37	67
43	O	86/86 (100%)	85 (99%)	1 (1%)	67	85
44	P	89/89 (100%)	87 (98%)	2 (2%)	47	73
45	Q	103/103 (100%)	103 (100%)	0	100	100
46	R	92/92 (100%)	91 (99%)	1 (1%)	70	86
47	S	83/83 (100%)	83 (100%)	0	100	100
48	T	76/76 (100%)	75 (99%)	1 (1%)	65	83
49	U	65/65 (100%)	65 (100%)	0	100	100
50	V	74/74 (100%)	73 (99%)	1 (1%)	62	82
51	W	56/56 (100%)	54 (96%)	2 (4%)	30	62
52	X	70/70 (100%)	70 (100%)	0	100	100
53	Y	65/65 (100%)	64 (98%)	1 (2%)	60	81
54	Z	55/55 (100%)	54 (98%)	1 (2%)	54	77
All	All	4578/4584 (100%)	4548 (99%)	30 (1%)	80	92

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
32	F	36	ARG
51	W	24	ASP
42	N	11	ARG
54	Z	24	LYS
48	T	17	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 64 such sidechains are listed below:

Mol	Chain	Res	Type
47	S	70	HIS
49	U	26	ASN
19	r	91	GLN
19	r	11	GLN
51	W	53	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	3	1538/1539 (99%)	290 (18%)	2 (0%)
2	1	2902/2903 (99%)	563 (19%)	9 (0%)
3	2	119/120 (99%)	23 (19%)	1 (0%)
33	4	18/35 (51%)	3 (16%)	0
34	6	76/77 (98%)	23 (30%)	0
4	5	76/77 (98%)	30 (39%)	2 (2%)
All	All	4729/4751 (99%)	932 (19%)	14 (0%)

5 of 932 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	3	4	U
1	3	5	U
1	3	6	G
1	3	7	A
1	3	8	A

5 of 14 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	1	1070	A
2	1	1106	G
4	5	43	U
3	2	88	C
4	5	41	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25410. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 230




Y Index: 230




Z Index: 230


6.2.2 Raw map



X Index: 230



Y Index: 230




Z Index: 230


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 229




Y Index: 221




Z Index: 251


6.3.2 Raw map



X Index: 229



Y Index: 221




Z Index: 223


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 2.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1561 nm^3 ; this corresponds to an approximate mass of 1410 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.76	5.07	3.83

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.76 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25410 and PDB model 7SSN. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.5).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (2.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9130	 0.4430
1	 0.9670	 0.4630
2	 0.9510	 0.4350
3	 0.9390	 0.4290
4	 0.7720	 0.2680
5	 0.9670	 0.3650
6	 0.9690	 0.3960
B	 0.8900	 0.4860
C	 0.8030	 0.4450
D	 0.9520	 0.5030
E	 0.9270	 0.5100
F	 0.9010	 0.4980
G	 0.6470	 0.3880
H	 0.7840	 0.4310
I	 0.6800	 0.3500
J	 0.8330	 0.4440
K	 0.8220	 0.3840
L	 0.7500	 0.3870
M	 0.8170	 0.4490
N	 0.7390	 0.4080
O	 0.5620	 0.3640
P	 0.8880	 0.4500
Q	 0.8680	 0.4450
R	 0.7990	 0.4000
S	 0.8010	 0.4310
T	 0.8750	 0.4130
U	 0.7930	 0.4190
V	 0.8580	 0.4210
W	 0.8640	 0.4230
X	 0.8100	 0.4110
Y	 0.7850	 0.3680
Z	 0.7380	 0.3480
b	 0.9420	 0.4940
c	 0.8890	 0.4900
d	 0.7830	 0.4530



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.8300	 0.3990
f	 0.8370	 0.4220
i	 0.1660	 0.1980
j	 0.8750	 0.4820
k	 0.8750	 0.4650
l	 0.8740	 0.4740
m	 0.9000	 0.4910
n	 0.8960	 0.4780
o	 0.8330	 0.4270
p	 0.8750	 0.4660
q	 0.9060	 0.5000
r	 0.8520	 0.4890
s	 0.8680	 0.4810
t	 0.8550	 0.4330
u	 0.7690	 0.4320
v	 0.8420	 0.4490
w	 0.9070	 0.4940
x	 0.8980	 0.4760
y	 0.7790	 0.4030
z	 0.8630	 0.4850