



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 26, 2024 – 12:16 AM EDT

PDB ID : 6SU4
Title : Crystal structure of the 48C12 heliorhodopsin in the blue form at pH 4.3
Authors : Kovalev, K.; Volkov, D.; Astashkin, R.; Alekseev, A.; Gushchin, I.; Gordeliy, V.
Deposited on : 2019-09-12
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	 9% 79% 16% . .
1	X	264	 7% 85% 10% . .

2 Entry composition i


There are 9 unique types of molecules in this entry. The entry contains 4649 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 48C12 heliorhodopsin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	X	254	Total 1992	C 1340	N 305	O 340	S 7	0	9	0
1	A	254	Total 2017	C 1361	N 308	O 340	S 8	0	11	0

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	X	1	Total 4	O 2	0	0
2	A	1	Total 4	O 2	0	0

- Molecule 3 is OLEIC ACID (three-letter code: OLA) (formula: $C_{18}H_{34}O_2$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	X	1	Total	C O	0	0
			15	13 2		
3	A	1	Total	C O	0	0
			20	18 2		
3	A	1	Total	C O	0	0
			14	12 2		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	X	1	Total	C O	0	0
			6	3 3		

- Molecule 5 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	X	1	Total	C	O	0	0
			24	20	4		
5	X	1	Total	C	O	0	0
			24	20	4		
5	A	1	Total	C	O	0	0
			25	21	4		
5	A	1	Total	C	O	0	0
			25	21	4		

- Molecule 6 is EICOSANE (three-letter code: LFA) (formula: C₂₀H₄₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	X	1	Total C 9 9	0	0
6	X	1	Total C 12 12	0	0
6	X	1	Total C 13 13	0	0
6	X	1	Total C 17 17	0	0
6	X	1	Total C 13 13	0	0
6	X	1	Total C 7 7	0	0
6	X	1	Total C 12 12	0	0
6	X	1	Total C 8 8	0	0
6	X	1	Total C 4 4	0	0
6	X	1	Total C 13 13	0	0
6	X	1	Total C 20 20	0	0
6	X	1	Total C 20 20	0	0
6	X	1	Total C 8 8	0	0
6	X	1	Total C 11 11	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C 20 20	0	0
6	A	1	Total C 7 7	0	0
6	A	1	Total C 12 12	0	0
6	A	1	Total C 12 12	0	0
6	A	1	Total C 7 7	0	0
6	A	1	Total C 9 9	0	0
6	A	1	Total C 20 20	0	0
6	A	1	Total C 9 9	0	0
6	A	1	Total C 4 4	0	0

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	X	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0

- Molecule 8 is RETINAL (three-letter code: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	X	1	Total C 20 20	0	0
8	A	1	Total C 20 20	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	X	79	Total O 79 79	0	0
9	A	81	Total O 83 83	0	2


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 48C12 heliorhodopsin



- Molecule 1: 48C12 heliorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.18Å 60.74Å 92.91Å 90.00° 92.02° 90.00°	Depositor
Resolution (Å)	20.00 – 1.50 48.81 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-1.50) 99.6 (48.81-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 1.50Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.173 , 0.201 0.176 , 0.203	Depositor DCC
R_{free} test set	4993 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtrriage
Anisotropy	0.199	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 65.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.126 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4649	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, RET, SO4, OLA, LFA, OLC, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	0/2095	0.63	0/2860
1	X	0.61	0/2071	0.62	0/2829
All	All	0.61	0/4166	0.63	0/5689

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2017	0	2058	65	0
1	X	1992	0	2035	35	0
2	A	4	0	3	1	0
2	X	4	0	3	0	0
3	A	34	0	51	7	0
3	X	15	0	20	0	0
4	X	6	0	8	0	0
5	A	50	0	80	3	0
5	X	48	0	70	0	0
6	A	100	0	194	20	0
6	X	167	0	326	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	5	0	0	0	0
7	X	5	0	0	0	0
8	A	20	0	27	3	0
8	X	20	0	27	5	0
9	A	83	0	0	2	0
9	X	79	0	0	2	0
All	All	4649	0	4902	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88[B]:PHE:CZ	1:A:103[B]:PHE:CE2	1.77	1.69
1:A:88[B]:PHE:HZ	1:A:103[B]:PHE:CE2	1.25	1.31
1:A:88[B]:PHE:CE1	1:A:103[B]:PHE:CZ	2.20	1.29
1:A:88[B]:PHE:CE1	1:A:103[B]:PHE:CE2	2.27	1.21
1:X:26[B]:GLN:HE21	6:X:614:LFA:H11	1.03	1.11
1:A:26[B]:GLN:HE21	6:A:714:LFA:C4	1.73	1.00
1:A:88[B]:PHE:CZ	1:A:103[B]:PHE:HE2	1.40	0.98
1:A:204[B]:LEU:HD23	3:A:704:OLA:C14	1.99	0.93
1:A:204[B]:LEU:HD23	3:A:704:OLA:H142	1.51	0.90
1:X:187:SER:HB2	9:A:851:HOH:O	1.71	0.90
1:X:26[B]:GLN:NE2	6:X:614:LFA:H11	1.89	0.87
1:A:204[B]:LEU:CD2	3:A:704:OLA:H142	2.04	0.87
1:A:88[B]:PHE:CZ	1:A:103[B]:PHE:CD2	2.62	0.86
1:A:88[B]:PHE:CE1	1:A:103[B]:PHE:HZ	1.91	0.86
1:A:88[B]:PHE:HE1	1:A:103[B]:PHE:CZ	1.86	0.85
1:X:246:TRP:CD1	6:X:606:LFA:H82	2.13	0.84
1:X:4:PRO:HB2	1:X:9:ILE:HD11	1.61	0.82
1:A:246:TRP:CE3	6:A:714:LFA:C1	2.63	0.82
1:X:163:TRP:HE1	6:X:617:LFA:H12	1.44	0.81
1:A:88[B]:PHE:CZ	1:A:103[B]:PHE:CZ	2.49	0.79
1:A:246:TRP:CE3	6:A:714:LFA:H13	2.17	0.78
1:A:26[B]:GLN:NE2	6:A:714:LFA:C4	2.47	0.78
1:X:62:GLU:H	6:X:618:LFA:H12	1.48	0.76
1:A:88[B]:PHE:HE1	1:A:103[B]:PHE:HZ	1.27	0.75
1:A:246:TRP:HE3	6:A:714:LFA:C1	1.99	0.75
1:A:88[B]:PHE:CD2	1:A:92:TYR:HB2	2.24	0.73
1:A:88[B]:PHE:HZ	1:A:103[B]:PHE:CD2	2.02	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:123:CYS:SG	1:X:199[A]:ILE:HD11	2.32	0.70
1:X:91:ARG:HG3	9:X:755:HOH:O	1.90	0.70
1:A:204[B]:LEU:HD23	3:A:704:OLA:C13	2.21	0.70
1:A:204[B]:LEU:CG	3:A:704:OLA:H142	2.22	0.70
1:X:61:LEU:HB2	6:X:618:LFA:H21	1.74	0.69
1:X:187:SER:OG	1:X:189:VAL:HG22	1.93	0.68
1:X:26[B]:GLN:HG3	6:X:614:LFA:H22	1.74	0.68
1:A:246:TRP:CZ3	6:A:714:LFA:H13	2.28	0.67
1:A:249:PHE:CD2	6:A:714:LFA:H11	2.32	0.65
1:X:35:ASN:C	1:X:35:ASN:HD22	2.01	0.63
6:X:611:LFA:H31	6:X:618:LFA:C8	2.28	0.63
1:A:204[B]:LEU:HG	3:A:704:OLA:H142	1.82	0.62
1:X:25[A]:LEU:CD1	6:X:612:LFA:H112	2.32	0.60
1:A:61:LEU:HB2	6:A:706:LFA:H21	1.83	0.60
1:X:246:TRP:CD1	6:X:606:LFA:C8	2.83	0.59
1:A:246:TRP:HE3	6:A:714:LFA:H12	1.67	0.59
1:A:204[B]:LEU:HD23	3:A:704:OLA:H131	1.85	0.59
1:X:62:GLU:H	6:X:618:LFA:C1	2.13	0.58
1:A:246:TRP:CZ3	6:A:714:LFA:C1	2.86	0.58
1:A:88[B]:PHE:HZ	1:A:103[B]:PHE:HE2	0.70	0.57
6:A:706:LFA:H112	6:A:706:LFA:H151	1.86	0.57
1:A:181:ILE:HA	5:A:702:OLC:H22	1.86	0.56
1:X:88:PHE:CE1	1:X:103:PHE:HE2	2.25	0.55
8:X:621:RET:H8	8:X:621:RET:H171	1.89	0.55
1:A:101:ASN:HD22	1:A:101:ASN:C	2.10	0.54
1:A:88[B]:PHE:CE2	1:A:92:TYR:HB2	2.43	0.54
1:A:9:ILE:HG22	1:A:89:PHE:HE2	1.72	0.54
1:X:249:PHE:CD2	6:X:614:LFA:C4	2.92	0.53
1:A:93:SER:O	1:A:97:MET:HG2	2.08	0.53
6:X:611:LFA:H52	6:X:618:LFA:C8	2.40	0.52
1:X:246:TRP:HD1	6:X:606:LFA:H82	1.68	0.52
1:A:62:GLU:H	6:A:706:LFA:C1	2.25	0.50
1:A:223:TRP:CZ3	1:A:228:ARG:HD2	2.47	0.50
8:X:621:RET:H8	8:X:621:RET:H161	1.93	0.50
1:A:102:ILE:N	1:A:102:ILE:HD13	2.27	0.49
8:A:716:RET:H8	8:A:716:RET:H171	1.95	0.49
1:A:92:TYR:CZ	1:A:96:LEU:HD11	2.48	0.49
1:X:60:ILE:CG2	6:X:608:LFA:H171	2.44	0.48
8:X:621:RET:H171	8:X:621:RET:C8	2.42	0.48
1:A:61:LEU:HB2	6:A:706:LFA:C2	2.44	0.48
1:A:27[B]:MET:CE	6:A:710:LFA:H42	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199[A]:ILE:HG22	5:A:702:OLC:H7A	1.97	0.47
1:X:160:LEU:HB3	1:X:161:PRO:HD3	1.97	0.47
1:A:163:TRP:CE2	6:A:708:LFA:H42	2.49	0.47
8:A:716:RET:H8	8:A:716:RET:H161	1.95	0.47
1:X:5:THR:O	1:X:9:ILE:HD13	2.15	0.46
1:A:199[A]:ILE:CG2	5:A:702:OLC:H9	2.45	0.46
1:X:25[A]:LEU:HD12	6:X:612:LFA:H112	1.96	0.46
1:A:246:TRP:HE3	6:A:714:LFA:H13	1.64	0.46
8:A:716:RET:H171	8:A:716:RET:C8	2.46	0.45
1:X:35:ASN:ND2	1:X:37:PHE:H	2.15	0.45
1:A:27[B]:MET:HE3	6:A:710:LFA:H42	1.98	0.45
1:A:254:ILE:N	1:A:255:PRO:HD2	2.32	0.45
1:A:87:ASN:OD1	1:A:87:ASN:C	2.55	0.45
6:X:609:LFA:H131	6:X:609:LFA:H161	1.40	0.44
1:A:9:ILE:HG22	1:A:89:PHE:CE2	2.52	0.44
1:X:9:ILE:CD1	1:X:9:ILE:N	2.80	0.44
1:X:130:ALA:HA	1:A:130:ALA:HA	1.97	0.44
1:A:15:PHE:HE1	1:A:235:VAL:HG23	1.82	0.44
1:A:94:ALA:O	1:A:97:MET:HB2	2.17	0.44
1:A:13[A]:GLN:HG3	1:A:84:SER:O	2.18	0.44
1:A:214:TYR:OH	6:A:712:LFA:H13	2.17	0.44
1:A:160:LEU:HB3	1:A:161:PRO:HD3	1.99	0.43
1:X:225:ASN:C	1:X:225:ASN:HD22	2.21	0.43
8:X:621:RET:H7	8:X:621:RET:H181	1.78	0.43
1:A:218:LYS:HA	1:A:218:LYS:HD2	1.82	0.43
1:X:88:PHE:CE1	1:X:103:PHE:CE2	3.07	0.43
1:X:189:VAL:HG21	1:A:47:ASN:HA	2.01	0.42
6:A:706:LFA:H162	6:A:706:LFA:H132	1.85	0.42
1:X:153:GLN:NE2	9:X:702:HOH:O	2.50	0.42
1:X:38:ALA:HB1	1:X:62:GLU:HB3	2.02	0.42
1:X:35:ASN:HD21	1:X:37:PHE:HB2	1.85	0.41
6:X:608:LFA:H192	1:A:183:PRO:HB2	2.03	0.41
1:A:216:GLN:NE2	1:A:229:GLY:HA3	2.35	0.41
1:X:156:ASP:OD1	1:X:156:ASP:C	2.59	0.41
1:A:47:ASN:HD21	1:A:53:THR:CB	2.33	0.41
8:X:621:RET:H11	8:X:621:RET:H191	1.97	0.41
1:A:9:ILE:CG2	1:A:89:PHE:CE2	3.03	0.41
1:A:38:ALA:HB1	1:A:62:GLU:HB3	2.03	0.40
1:X:246:TRP:HD1	6:X:606:LFA:C9	2.35	0.40
1:A:107:GLU:OE2	2:A:701:ACT:OXT	2.39	0.40
1:A:153:GLN:OE1	9:A:801:HOH:O	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:PHE:HZ	6:A:712:LFA:H112	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/264 (100%)	256 (97%)	7 (3%)	0	100	100
1	X	261/264 (99%)	257 (98%)	4 (2%)	0	100	100
All	All	524/528 (99%)	513 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	213/218 (98%)	207 (97%)	6 (3%)	43	14
1	X	211/218 (97%)	206 (98%)	5 (2%)	49	19
All	All	424/436 (97%)	413 (97%)	11 (3%)	44	16

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	9	ILE
1	X	35	ASN
1	X	47	ASN
1	X	179	TYR
1	X	225	ASN
1	A	47	ASN
1	A	87	ASN
1	A	91	ARG
1	A	101	ASN
1	A	225	ASN
1	A	228	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	35	ASN
1	X	47	ASN
1	X	225	ASN
1	A	16	ASN
1	A	47	ASN
1	A	101	ASN
1	A	213	GLN
1	A	225	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

37 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	LFA	X	611	-	6,6,19	0.10	0	5,5,18	0.07	0
2	ACT	X	601	-	3,3,3	0.88	0	3,3,3	0.84	0
8	RET	X	621	1	20,20,21	1.45	3 (15%)	27,27,28	1.06	1 (3%)
2	ACT	A	701	-	3,3,3	0.86	0	3,3,3	0.84	0
3	OLA	A	704	-	19,19,19	0.54	0	19,19,19	0.50	0
6	LFA	X	607	-	11,11,19	0.09	0	10,10,18	0.06	0
6	LFA	X	617	-	19,19,19	0.07	0	18,18,18	0.05	0
6	LFA	X	609	-	16,16,19	0.08	0	15,15,18	0.05	0
6	LFA	A	710	-	6,6,19	0.11	0	5,5,18	0.07	0
6	LFA	X	616	-	19,19,19	0.09	0	18,18,18	0.10	0
6	LFA	A	712	-	19,19,19	0.10	0	18,18,18	0.10	0
3	OLA	A	705	-	13,13,19	0.62	0	12,13,19	0.60	0
5	OLC	X	604	-	23,23,24	0.93	1 (4%)	24,24,25	0.87	1 (4%)
7	SO4	X	620	-	4,4,4	0.39	0	6,6,6	0.05	0
6	LFA	X	610	-	12,12,19	0.10	0	11,11,18	0.10	0
6	LFA	X	608	-	12,12,19	0.08	0	11,11,18	0.06	0
6	LFA	A	709	-	11,11,19	0.09	0	10,10,18	0.06	0
5	OLC	A	703	-	24,24,24	0.93	1 (4%)	25,25,25	0.82	1 (4%)
6	LFA	X	618	-	7,7,19	0.10	0	6,6,18	0.08	0
3	OLA	X	602	-	14,14,19	0.62	0	14,14,19	0.51	0
5	OLC	X	605	-	23,23,24	0.96	1 (4%)	24,24,25	0.89	1 (4%)
4	GOL	X	603	-	5,5,5	0.10	0	5,5,5	0.27	0
6	LFA	X	614	-	3,3,19	0.20	0	2,2,18	0.48	0
5	OLC	A	702	-	24,24,24	0.89	1 (4%)	25,25,25	0.83	1 (4%)
6	LFA	X	612	-	11,11,19	0.10	0	10,10,18	0.07	0
6	LFA	A	706	-	19,19,19	0.08	0	18,18,18	0.07	0
6	LFA	A	707	-	6,6,19	0.10	0	5,5,18	0.07	0
6	LFA	A	708	-	11,11,19	0.09	0	10,10,18	0.08	0
6	LFA	A	714	-	3,3,19	0.19	0	2,2,18	0.53	0
7	SO4	A	715	-	4,4,4	0.37	0	6,6,6	0.04	0
6	LFA	A	713	-	8,8,19	0.10	0	7,7,18	0.06	0
8	RET	A	716	1	20,20,21	1.59	4 (20%)	27,27,28	1.09	1 (3%)
6	LFA	X	613	-	7,7,19	0.11	0	6,6,18	0.07	0
6	LFA	X	615	-	12,12,19	0.09	0	11,11,18	0.08	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	LFA	X	619	-	10,10,19	0.09	0	9,9,18	0.06	0
6	LFA	X	606	-	8,8,19	0.11	0	7,7,18	0.08	0
6	LFA	A	711	-	8,8,19	0.11	0	7,7,18	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	LFA	X	611	-	-	3/4/4/17	-
8	RET	X	621	1	-	0/13/30/31	0/1/1/1
3	OLA	A	704	-	-	12/17/17/17	-
6	LFA	X	607	-	-	6/9/9/17	-
6	LFA	X	617	-	-	11/17/17/17	-
6	LFA	X	609	-	-	9/14/14/17	-
6	LFA	A	710	-	-	3/4/4/17	-
6	LFA	X	616	-	-	6/17/17/17	-
6	LFA	A	712	-	-	8/17/17/17	-
3	OLA	A	705	-	-	6/11/11/17	-
5	OLC	X	604	-	-	10/23/23/24	-
6	LFA	X	610	-	-	2/10/10/17	-
6	LFA	X	608	-	-	4/10/10/17	-
6	LFA	A	709	-	-	6/9/9/17	-
5	OLC	A	703	-	-	10/24/24/24	-
6	LFA	X	618	-	-	2/5/5/17	-
3	OLA	X	602	-	-	6/12/12/17	-
5	OLC	X	605	-	-	11/23/23/24	-
4	GOL	X	603	-	-	3/4/4/4	-
6	LFA	X	614	-	-	1/1/1/17	-
5	OLC	A	702	-	-	10/24/24/24	-
6	LFA	X	612	-	-	6/9/9/17	-
6	LFA	A	706	-	-	10/17/17/17	-
6	LFA	A	707	-	-	2/4/4/17	-
6	LFA	A	708	-	-	6/9/9/17	-
6	LFA	A	714	-	-	1/1/1/17	-
6	LFA	A	713	-	-	3/6/6/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	RET	A	716	1	-	0/13/30/31	0/1/1/1
6	LFA	X	613	-	-	3/5/5/17	-
6	LFA	X	615	-	-	4/10/10/17	-
6	LFA	X	619	-	-	4/8/8/17	-
6	LFA	X	606	-	-	3/6/6/17	-
6	LFA	A	711	-	-	5/6/6/17	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	X	605	OLC	O20-C1	4.31	1.45	1.33
5	A	703	OLC	O20-C1	4.29	1.45	1.33
5	X	604	OLC	O20-C1	4.24	1.45	1.33
5	A	702	OLC	O20-C1	4.15	1.45	1.33
8	A	716	RET	C14-C13	3.90	1.36	1.33
8	A	716	RET	C10-C9	3.52	1.40	1.35
8	X	621	RET	C10-C9	3.51	1.40	1.35
8	X	621	RET	C14-C13	3.00	1.36	1.33
8	X	621	RET	C8-C9	-2.60	1.40	1.45
8	A	716	RET	C8-C9	-2.22	1.41	1.45
8	A	716	RET	C12-C13	-2.08	1.41	1.45

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	X	621	RET	C19-C9-C10	-3.34	118.24	122.92
8	A	716	RET	C19-C9-C10	-3.22	118.42	122.92
5	X	605	OLC	O20-C1-C2	2.82	120.77	111.91
5	A	703	OLC	O20-C1-C2	2.46	119.64	111.91
5	X	604	OLC	O20-C1-C2	2.42	119.50	111.91
5	A	702	OLC	O20-C1-C2	2.31	119.16	111.91

There are no chirality outliers.

All (176) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	X	603	GOL	O1-C1-C2-C3
5	X	604	OLC	O20-C21-C22-O23
5	X	605	OLC	C21-C22-C24-O25
6	X	614	LFA	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	705	OLA	C11-C10-C9-C8
6	X	609	LFA	C13-C14-C15-C16
6	X	610	LFA	C11-C12-C13-C14
6	X	609	LFA	C2-C3-C4-C5
5	X	604	OLC	O20-C21-C22-C24
5	A	703	OLC	O20-C21-C22-C24
3	X	602	OLA	C1-C2-C3-C4
5	A	703	OLC	O23-C22-C24-O25
3	A	704	OLA	C1-C2-C3-C4
5	A	702	OLC	C1-C2-C3-C4
6	A	712	LFA	C4-C5-C6-C7
5	X	605	OLC	C2-C1-O20-C21
3	A	704	OLA	C12-C13-C14-C15
6	X	619	LFA	C5-C6-C7-C8
6	X	616	LFA	C7-C8-C9-C10
5	A	703	OLC	C13-C14-C15-C16
6	X	608	LFA	C16-C17-C18-C19
6	X	612	LFA	C5-C6-C7-C8
6	X	615	LFA	C9-C10-C11-C12
6	X	617	LFA	C9-C10-C11-C12
6	A	711	LFA	C4-C5-C6-C7
6	X	617	LFA	C16-C17-C18-C19
6	A	712	LFA	C11-C12-C13-C14
5	X	604	OLC	C4-C5-C6-C7
5	X	604	OLC	C3-C4-C5-C6
6	X	616	LFA	C9-C10-C11-C12
5	X	605	OLC	C3-C4-C5-C6
5	A	702	OLC	C14-C15-C16-C17
6	X	607	LFA	C11-C10-C9-C8
6	X	617	LFA	C10-C11-C12-C13
5	A	703	OLC	C21-C22-C24-O25
5	A	703	OLC	O20-C21-C22-O23
3	A	704	OLA	C13-C14-C15-C16
6	X	612	LFA	C3-C4-C5-C6
6	A	706	LFA	C16-C17-C18-C19
5	X	604	OLC	C12-C13-C14-C15
5	A	703	OLC	C12-C13-C14-C15
6	X	608	LFA	C14-C15-C16-C17
6	X	609	LFA	C12-C13-C14-C15
6	X	617	LFA	C5-C6-C7-C8
6	A	711	LFA	C2-C3-C4-C5
5	X	605	OLC	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	X	612	LFA	C4-C5-C6-C7
6	A	713	LFA	C5-C6-C7-C8
6	X	613	LFA	C4-C5-C6-C7
5	X	605	OLC	O19-C1-O20-C21
6	X	618	LFA	C3-C4-C5-C6
6	A	706	LFA	C5-C6-C7-C8
5	X	604	OLC	C2-C3-C4-C5
6	X	613	LFA	C3-C4-C5-C6
5	A	702	OLC	C2-C1-O20-C21
4	X	603	GOL	O1-C1-C2-O2
5	X	605	OLC	O23-C22-C24-O25
6	X	617	LFA	C2-C3-C4-C5
5	X	605	OLC	C10-C11-C12-C13
6	A	709	LFA	C3-C4-C5-C6
6	A	706	LFA	C11-C10-C9-C8
3	A	704	OLA	C2-C3-C4-C5
6	X	617	LFA	C4-C5-C6-C7
6	X	609	LFA	C6-C7-C8-C9
6	A	712	LFA	C9-C10-C11-C12
5	A	702	OLC	O19-C1-O20-C21
5	A	702	OLC	C3-C4-C5-C6
6	X	609	LFA	C4-C5-C6-C7
6	X	617	LFA	C14-C15-C16-C17
6	A	708	LFA	C7-C8-C9-C10
6	A	711	LFA	C5-C6-C7-C8
6	X	619	LFA	C2-C3-C4-C5
6	X	615	LFA	C3-C4-C5-C6
6	A	708	LFA	C5-C6-C7-C8
5	X	605	OLC	C1-C2-C3-C4
6	X	616	LFA	C16-C17-C18-C19
6	X	608	LFA	C9-C10-C11-C12
6	X	612	LFA	C9-C10-C11-C12
6	X	617	LFA	C1-C2-C3-C4
6	A	710	LFA	C1-C2-C3-C4
6	X	609	LFA	C14-C15-C16-C17
6	X	618	LFA	C5-C6-C7-C8
6	A	706	LFA	C1-C2-C3-C4
3	A	704	OLA	C15-C16-C17-C18
6	A	712	LFA	C10-C11-C12-C13
6	A	706	LFA	C15-C16-C17-C18
6	X	606	LFA	C1-C2-C3-C4
6	A	712	LFA	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	X	611	LFA	C1-C2-C3-C4
6	X	619	LFA	C11-C10-C9-C8
6	A	707	LFA	C1-C2-C3-C4
6	A	706	LFA	C7-C8-C9-C10
6	A	712	LFA	C2-C3-C4-C5
6	X	615	LFA	C7-C8-C9-C10
6	A	709	LFA	C7-C8-C9-C10
5	A	702	OLC	C12-C13-C14-C15
6	X	617	LFA	C17-C18-C19-C20
5	X	605	OLC	C14-C15-C16-C17
6	A	710	LFA	C4-C5-C6-C7
6	X	606	LFA	C2-C3-C4-C5
6	X	619	LFA	C6-C7-C8-C9
6	A	706	LFA	C17-C18-C19-C20
6	X	607	LFA	C1-C2-C3-C4
6	A	711	LFA	C1-C2-C3-C4
6	A	711	LFA	C6-C7-C8-C9
6	X	616	LFA	C14-C15-C16-C17
6	X	609	LFA	C5-C6-C7-C8
5	A	702	OLC	C4-C5-C6-C7
6	A	708	LFA	C11-C10-C9-C8
6	X	610	LFA	C12-C13-C14-C15
6	X	608	LFA	C17-C18-C19-C20
6	X	617	LFA	C11-C10-C9-C8
5	A	702	OLC	C13-C14-C15-C16
3	A	705	OLA	C5-C6-C7-C8
5	X	604	OLC	C11-C12-C13-C14
6	X	607	LFA	C6-C7-C8-C9
6	X	607	LFA	C5-C6-C7-C8
6	A	713	LFA	C4-C5-C6-C7
6	X	616	LFA	C11-C10-C9-C8
5	A	703	OLC	C2-C1-O20-C21
6	A	708	LFA	C6-C7-C8-C9
3	A	705	OLA	C6-C7-C8-C9
5	X	605	OLC	C6-C7-C8-C9
3	A	704	OLA	C11-C12-C13-C14
6	X	612	LFA	C2-C3-C4-C5
5	A	703	OLC	O19-C1-O20-C21
6	A	713	LFA	C6-C7-C8-C9
6	X	617	LFA	C13-C14-C15-C16
6	A	712	LFA	C6-C7-C8-C9
6	X	616	LFA	C17-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	714	LFA	C1-C2-C3-C4
3	A	704	OLA	C10-C11-C12-C13
3	X	602	OLA	C5-C6-C7-C8
6	A	709	LFA	C9-C10-C11-C12
6	X	611	LFA	C3-C4-C5-C6
5	X	605	OLC	C5-C6-C7-C8
6	X	615	LFA	C2-C3-C4-C5
6	A	706	LFA	C13-C14-C15-C16
6	A	706	LFA	C12-C13-C14-C15
6	A	707	LFA	C4-C5-C6-C7
3	A	704	OLA	C7-C8-C9-C10
6	A	712	LFA	C5-C6-C7-C8
3	X	602	OLA	C2-C3-C4-C5
5	A	702	OLC	C5-C6-C7-C8
6	A	708	LFA	C10-C11-C12-C13
5	X	604	OLC	C10-C11-C12-C13
6	X	609	LFA	C10-C11-C12-C13
6	A	710	LFA	C2-C3-C4-C5
3	A	705	OLA	O2-C1-C2-C3
3	A	705	OLA	C1-C2-C3-C4
3	A	705	OLA	O1-C1-C2-C3
5	A	702	OLC	C9-C10-C11-C12
6	A	709	LFA	C2-C3-C4-C5
6	A	709	LFA	C1-C2-C3-C4
5	X	604	OLC	C6-C7-C8-C9
3	X	602	OLA	C11-C10-C9-C8
6	X	607	LFA	C7-C8-C9-C10
3	A	704	OLA	C9-C10-C11-C12
4	X	603	GOL	C1-C2-C3-O3
5	X	604	OLC	C7-C8-C9-C10
6	X	607	LFA	C2-C3-C4-C5
6	X	611	LFA	C4-C5-C6-C7
3	X	602	OLA	C7-C8-C9-C10
3	X	602	OLA	C9-C10-C11-C12
6	A	708	LFA	C9-C10-C11-C12
3	A	704	OLA	O2-C1-C2-C3
6	A	706	LFA	C9-C10-C11-C12
6	X	606	LFA	C6-C7-C8-C9
6	X	612	LFA	C6-C7-C8-C9
5	A	703	OLC	C9-C10-C11-C12
5	A	703	OLC	C7-C8-C9-C10
3	A	704	OLA	O1-C1-C2-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	X	613	LFA	C1-C2-C3-C4
6	A	709	LFA	C4-C5-C6-C7
3	A	704	OLA	C3-C4-C5-C6
6	X	609	LFA	C1-C2-C3-C4


There are no ring outliers.


18 monomers are involved in 58 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	X	611	LFA	2	0
8	X	621	RET	5	0
2	A	701	ACT	1	0
3	A	704	OLA	7	0
6	X	617	LFA	1	0
6	X	609	LFA	1	0
6	A	710	LFA	2	0
6	A	712	LFA	2	0
6	X	608	LFA	2	0
6	X	618	LFA	5	0
6	X	614	LFA	4	0
5	A	702	OLC	3	0
6	X	612	LFA	2	0
6	A	706	LFA	5	0
6	A	708	LFA	1	0
6	A	714	LFA	10	0
8	A	716	RET	3	0
6	X	606	LFA	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	254/264 (96%)	0.25	24 (9%) 8 8	16, 23, 55, 95	0
1	X	254/264 (96%)	0.17	18 (7%) 16 17	15, 22, 49, 98	0
All	All	508/528 (96%)	0.21	42 (8%) 11 12	15, 22, 54, 98	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	X	256	ALA	15.7
1	A	89	PHE	9.8
1	X	4	PRO	8.5
1	A	4	PRO	7.7
1	A	5	THR	7.3
1	A	88[A]	PHE	7.0
1	X	255	PRO	6.2
1	X	88	PHE	6.1
1	A	86	GLY	6.1
1	A	256	ALA	5.8
1	X	6	VAL	5.6
1	X	5	THR	5.6
1	A	87	ASN	5.5
1	X	89	PHE	5.3
1	A	257	LEU	5.2
1	X	87	ASN	4.2
1	A	9	ILE	4.2
1	A	255	PRO	4.0
1	A	6	VAL	3.8
1	A	188	ASP	3.5
1	X	190	ALA	3.5
1	X	86	GLY	3.4
1	A	246	TRP	3.2
1	X	91	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	223	TRP	3.2
1	A	189	VAL	3.0
1	A	97	MET	2.9
1	A	90	LYS	2.9
1	X	254	ILE	2.7
1	X	221	GLY	2.7
1	A	190	ALA	2.6
1	A	228	ARG	2.5
1	A	91	ARG	2.5
1	A	221	GLY	2.5
1	X	90	LYS	2.4
1	X	246	TRP	2.3
1	X	93	SER	2.1
1	X	228	ARG	2.1
1	A	94	ALA	2.1
1	A	137	VAL	2.1
1	A	143	LEU	2.1
1	X	188[A]	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	LFA	A	713	9/20	0.57	0.16	46,59,65,66	0
6	LFA	A	707	7/20	0.59	0.18	44,48,52,54	0
6	LFA	A	710	7/20	0.64	0.15	46,53,62,63	0
6	LFA	X	611	7/20	0.67	0.15	42,46,52,52	0
6	LFA	X	606	9/20	0.68	0.16	60,62,65,67	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	LFA	X	619	11/20	0.70	0.17	57,62,67,68	0
5	OLC	A	703	25/25	0.72	0.18	48,56,73,75	0
6	LFA	X	613	8/20	0.72	0.16	48,54,61,69	0
6	LFA	X	612	12/20	0.73	0.17	48,54,60,61	0
6	LFA	A	706	20/20	0.74	0.18	33,52,63,64	0
6	LFA	A	709	12/20	0.74	0.16	47,52,62,67	0
3	OLA	A	705	14/20	0.75	0.14	46,53,61,66	0
5	OLC	X	604	24/25	0.75	0.16	39,49,67,69	0
6	LFA	X	608	13/20	0.75	0.12	48,57,62,63	0
5	OLC	X	605	24/25	0.78	0.16	38,48,66,76	0
6	LFA	X	617	20/20	0.78	0.17	43,59,67,67	0
5	OLC	A	702	25/25	0.79	0.16	34,51,79,90	0
3	OLA	X	602	15/20	0.79	0.14	32,44,59,61	0
7	SO4	A	715	5/5	0.79	0.23	70,89,101,112	0
6	LFA	A	711	9/20	0.81	0.10	47,49,52,53	0
6	LFA	X	609	17/20	0.83	0.16	31,56,66,66	0
6	LFA	A	714	4/20	0.84	0.10	44,44,47,47	0
6	LFA	X	618	8/20	0.84	0.10	35,50,56,57	0
3	OLA	A	704	20/20	0.86	0.13	33,61,69,70	0
6	LFA	X	607	12/20	0.87	0.12	46,54,62,62	0
6	LFA	X	610	13/20	0.87	0.17	34,38,54,55	0
4	GOL	X	603	6/6	0.88	0.10	47,55,69,76	0
6	LFA	A	708	12/20	0.88	0.16	43,54,59,61	0
6	LFA	A	712	20/20	0.89	0.11	23,32,61,63	0
6	LFA	X	615	13/20	0.89	0.12	42,49,55,55	0
6	LFA	X	616	20/20	0.92	0.11	24,36,63,68	0
7	SO4	X	620	5/5	0.93	0.19	76,83,85,98	0
2	ACT	X	601	4/4	0.93	0.08	27,28,28,30	0
6	LFA	X	614	4/20	0.94	0.15	47,52,55,57	0
8	RET	A	716	20/21	0.95	0.10	15,17,19,20	0
8	RET	X	621	20/21	0.96	0.09	14,16,19,19	0
2	ACT	A	701	4/4	0.97	0.04	29,29,29,31	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LFA A 713:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 707:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA X 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LFA X 619:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around LFA X 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 706:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLA A 705:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around OLC X 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 617:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA X 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 711:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 609:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 714:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 618:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA X 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA X 610:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 712:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA X 615:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LFA X 616:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around LFA X 614:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET A 716:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.