



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2021 – 12:59 AM EDT

PDB ID : 1SYK  
Title : Crystal structure of E230Q mutant of cAMP-dependent protein kinase reveals unexpected apoenzyme conformation  
Authors : Wu, J.; Yang, J.; Madhusudan, N.; Xuong, N.H.; Ten Eyck, L.F.; Taylor, S.S.  
Deposited on : 2004-04-01  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	350	
1	B	350	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5584 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-dependent protein kinase, alpha-catalytic subunit.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	350	2803	1806	478	509	2	8	0	0	0
1	B	325	2668	1730	449	479	2	8	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	197	TPO	THR	modified residue	UNP P05132
A	230	GLN	GLU	engineered mutation	UNP P05132
A	338	SEP	SER	modified residue	UNP P05132
B	197	TPO	THR	modified residue	UNP P05132
B	230	GLN	GLU	engineered mutation	UNP P05132
B	338	SEP	SER	modified residue	UNP P05132


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	64	Total 64	O 64	0	0
2	B	49	Total 49	O 49	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cAMP-dependent protein kinase, alpha-catalytic subunit



- Molecule 1: cAMP-dependent protein kinase, alpha-catalytic subunit



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 42	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.30Å 120.30Å 58.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 48.31 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.80) 92.4 (48.31-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.93 (at 2.81Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.202 , 0.249 0.222 , 0.264	Depositor DCC
$R_{free}$ test set	983 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.9	Xtrriage
Anisotropy	0.553	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 41.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.039 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	5584	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/2847	0.66	6/3832 (0.2%)
1	B	0.42	0/2711	0.68	3/3651 (0.1%)
All	All	0.42	0/5558	0.67	9/7483 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	45	ARG	NE-CZ-NH2	-7.01	116.80	120.30
1	B	45	ARG	NE-CZ-NH1	6.50	123.55	120.30
1	A	45	ARG	NE-CZ-NH1	-6.36	117.12	120.30
1	A	45	ARG	NE-CZ-NH2	6.18	123.39	120.30
1	A	56	ARG	NE-CZ-NH1	-5.84	117.38	120.30
1	A	336	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	336	ARG	NE-CZ-NH1	5.75	123.18	120.30
1	B	336	ARG	NE-CZ-NH2	5.51	123.06	120.30
1	A	56	ARG	NE-CZ-NH2	5.02	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2803	0	2755	121	0
1	B	2668	0	2653	99	0
2	A	64	0	0	9	0
2	B	49	0	0	4	0
All	All	5584	0	5408	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:GLU:HG2	1:A:129:PHE:H	1.44	0.83
1:B:51:THR:HG22	1:B:56:ARG:HB2	1.62	0.82
1:B:127:GLU:HG2	1:B:129:PHE:H	1.47	0.79
1:A:313:PRO:O	1:A:314:PHE:HB3	1.82	0.78
1:B:52:GLY:HA3	1:B:54:PHE:CE1	2.19	0.78
1:A:77:GLN:HG3	2:A:850:HOH:O	1.85	0.76
1:B:75:ASP:O	1:B:79:VAL:HG23	1.85	0.76
1:A:52:GLY:HA3	1:A:54:PHE:CE1	2.20	0.76
1:A:51:THR:HG22	1:A:56:ARG:HB2	1.69	0.75
1:B:194:ARG:HD3	1:B:194:ARG:H	1.51	0.74
1:A:194:ARG:H	1:A:194:ARG:HD3	1.54	0.72
1:A:196:TRP:CD2	1:B:345:LYS:HD3	2.24	0.72
1:B:61:LYS:HE2	1:B:68:HIS:CE1	2.24	0.72
1:A:127:GLU:CD	1:A:129:PHE:HB3	2.10	0.71
1:A:127:GLU:OE1	1:A:129:PHE:HB3	1.91	0.70
1:B:142:HIS:CD2	1:B:313:PRO:HB3	2.26	0.70
1:A:75:ASP:O	1:A:79:VAL:HG23	1.91	0.69
1:B:17:GLU:HG2	1:B:21:LYS:HE3	1.73	0.69
1:B:183:THR:O	1:B:184:ASP:HB2	1.93	0.69
1:A:280:ARG:O	1:A:284:LEU:HD13	1.94	0.68
1:B:127:GLU:OE1	1:B:129:PHE:HB3	1.94	0.68
1:A:80:VAL:HG22	1:A:85:ILE:HD11	1.76	0.67
1:A:311:GLU:O	1:A:311:GLU:HG3	1.93	0.67
1:B:127:GLU:CD	1:B:129:PHE:HB3	2.15	0.67
1:A:173:LEU:HD23	1:A:183:THR:HG21	1.76	0.67
1:A:183:THR:O	1:A:184:ASP:HB2	1.96	0.66
1:B:127:GLU:HG2	1:B:128:MET:N	2.11	0.65
1:B:216:ASN:HD22	1:B:216:ASN:H	1.40	0.65
1:A:127:GLU:HG2	1:A:128:MET:N	2.10	0.65
1:B:341:GLU:OE2	1:B:344:GLY:HA3	1.97	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:ARG:O	1:B:284:LEU:HD13	1.96	0.65
1:A:216:ASN:HD22	1:A:216:ASN:H	1.42	0.64
1:A:61:LYS:HE2	1:A:68:HIS:CE1	2.32	0.64
1:A:17:GLU:HG2	1:A:21:LYS:HE3	1.81	0.63
1:A:69:TYR:CE2	1:A:107:GLU:HG2	2.33	0.63
1:A:216:ASN:ND2	2:A:832:HOH:O	2.32	0.62
1:B:173:LEU:HD23	1:B:183:THR:HG21	1.81	0.62
1:A:49:LEU:HD11	1:A:59:LEU:HB2	1.82	0.62
1:A:303:ILE:HD12	1:A:303:ILE:H	1.64	0.62
1:B:69:TYR:CE2	1:B:107:GLU:HG2	2.34	0.61
1:B:303:ILE:O	1:B:307:GLN:HG3	2.00	0.61
1:A:100:PHE:CD1	1:A:101:PRO:HD2	2.36	0.61
1:A:236:PRO:HB2	2:A:856:HOH:O	2.01	0.61
1:B:49:LEU:HD11	1:B:59:LEU:HB2	1.82	0.61
1:B:303:ILE:HD12	1:B:303:ILE:H	1.66	0.60
1:B:147:ALA:O	1:B:151:VAL:HG23	2.02	0.60
1:A:1:GLY:H2	1:A:5:ALA:H	1.49	0.60
1:A:303:ILE:O	1:A:307:GLN:HG3	2.01	0.59
1:B:194:ARG:HG3	1:B:194:ARG:HH11	1.66	0.59
1:A:303:ILE:HD12	1:A:303:ILE:N	2.16	0.59
1:A:341:GLU:OE2	1:A:344:GLY:HA3	2.03	0.58
1:A:14:SER:O	1:A:17:GLU:HB3	2.03	0.58
1:B:194:ARG:HD3	1:B:194:ARG:N	2.17	0.58
1:B:303:ILE:HD12	1:B:303:ILE:N	2.17	0.58
1:B:80:VAL:HG22	1:B:85:ILE:HD11	1.85	0.58
1:A:100:PHE:CG	1:A:101:PRO:HD2	2.39	0.58
1:B:98:VAL:HG13	1:B:103:LEU:HD23	1.86	0.58
1:A:48:THR:HG22	1:A:50:GLY:H	1.69	0.57
1:A:146:TYR:HB3	1:A:180:ILE:HD11	1.85	0.57
1:B:100:PHE:CD1	1:B:101:PRO:HD2	2.40	0.57
1:B:100:PHE:CG	1:B:101:PRO:HD2	2.40	0.57
1:A:194:ARG:HG3	1:A:194:ARG:HH11	1.70	0.57
1:B:137:ARG:HD2	1:B:232:ALA:O	2.06	0.56
1:B:144:ARG:HD2	2:B:912:HOH:O	2.05	0.56
1:A:197:TPO:HG22	2:A:831:HOH:O	2.05	0.56
1:A:284:LEU:HB2	2:A:836:HOH:O	2.04	0.56
1:B:86:GLU:H	1:B:86:GLU:CD	2.10	0.56
1:A:142:HIS:CD2	1:A:313:PRO:HB3	2.41	0.55
1:A:92:LYS:HG3	1:A:350:PHE:CE2	2.42	0.55
1:A:194:ARG:HD3	1:A:194:ARG:N	2.20	0.55
1:B:124:ALA:HB3	1:B:176:GLN:HG2	1.87	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:LYS:HZ2	1:A:81:LYS:HB2	1.71	0.55
1:B:146:TYR:HB3	1:B:180:ILE:HD11	1.87	0.55
1:B:311:GLU:HA	1:B:311:GLU:OE1	2.06	0.54
1:A:81:LYS:NZ	1:A:81:LYS:HA	2.21	0.54
1:A:137:ARG:HD2	1:A:232:ALA:O	2.07	0.54
1:B:61:LYS:HE2	1:B:68:HIS:NE2	2.21	0.54
1:A:147:ALA:O	1:A:151:VAL:HG23	2.08	0.54
1:B:95:LEU:HD13	1:B:120:MET:HE1	1.89	0.54
1:A:183:THR:O	1:A:183:THR:HG23	2.08	0.54
1:A:94:ILE:CD1	1:A:188:ALA:HB3	2.38	0.53
1:B:92:LYS:C	1:B:92:LYS:HD3	2.29	0.53
1:A:98:VAL:HG13	1:A:103:LEU:HD23	1.90	0.53
1:A:86:GLU:CD	1:A:86:GLU:H	2.10	0.53
1:B:108:PHE:HB2	1:B:119:VAL:HB	1.90	0.53
1:B:183:THR:O	1:B:183:THR:HG23	2.08	0.53
1:A:81:LYS:HA	1:A:81:LYS:HZ1	1.73	0.53
1:A:69:TYR:HB3	1:A:120:MET:O	2.09	0.53
1:A:92:LYS:HD3	1:A:92:LYS:C	2.29	0.52
1:A:179:TYR:CZ	1:A:308:ARG:HA	2.45	0.52
1:A:323:ASP:C	1:A:325:SER:H	2.13	0.52
1:B:179:TYR:CZ	1:B:308:ARG:HA	2.45	0.52
1:B:314:PHE:CD1	1:B:315:ILE:N	2.78	0.51
1:A:51:THR:HG22	1:A:56:ARG:CB	2.39	0.51
1:A:124:ALA:HB3	1:A:176:GLN:HG2	1.92	0.51
1:B:92:LYS:HG3	1:B:350:PHE:CE2	2.45	0.51
1:A:31:GLU:HG2	1:B:30:TRP:CD1	2.45	0.51
1:A:170:GLU:OE1	1:A:170:GLU:N	2.36	0.51
1:B:48:THR:HG22	1:B:50:GLY:H	1.75	0.51
1:A:81:LYS:NZ	1:A:81:LYS:CA	2.73	0.51
1:A:201:THR:HG23	1:A:202:PRO:HD2	1.94	0.50
1:A:31:GLU:HG3	2:A:806:HOH:O	2.11	0.50
1:A:204:TYR:OH	1:A:230:GLN:NE2	2.45	0.49
1:A:303:ILE:H	1:A:303:ILE:CD1	2.25	0.49
1:B:210:ILE:HD11	1:B:251:VAL:HG21	1.95	0.49
1:B:340:ASN:HB2	1:B:342:LYS:NZ	2.27	0.49
1:B:94:ILE:CD1	1:B:188:ALA:HB3	2.43	0.49
1:B:194:ARG:HG3	1:B:194:ARG:NH1	2.27	0.49
1:A:111:LYS:HB3	1:A:116:LEU:HA	1.94	0.49
1:A:224:LEU:HD22	1:A:228:ILE:HG13	1.94	0.49
1:B:286:ASN:O	1:B:289:ASN:HB2	2.13	0.48
1:B:98:VAL:CG1	1:B:103:LEU:HD23	2.43	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:ILE:HG22	1:B:181:GLN:N	2.28	0.48
1:A:266:LYS:O	1:A:270:ARG:HG3	2.14	0.48
1:A:98:VAL:HG13	1:A:99:ASN:N	2.28	0.47
1:A:195:THR:OG1	1:A:197:TPO:O3P	2.32	0.47
1:A:258:PRO:HD2	1:A:261:PHE:CE2	2.49	0.47
1:B:204:TYR:OH	1:B:230:GLN:NE2	2.46	0.47
1:A:240:ALA:HB3	1:A:246:ILE:HG13	1.96	0.47
1:B:111:LYS:HB3	1:B:116:LEU:HA	1.95	0.47
1:A:224:LEU:HD22	1:A:224:LEU:O	2.15	0.47
1:A:180:ILE:HG22	1:A:181:GLN:N	2.29	0.47
1:A:210:ILE:HD11	1:A:251:VAL:HG21	1.96	0.47
1:A:81:LYS:HA	1:A:81:LYS:CE	2.44	0.47
1:A:121:GLU:HG3	2:A:860:HOH:O	2.15	0.47
1:A:165:ARG:H	1:A:165:ARG:HD3	1.80	0.47
1:B:54:PHE:H	1:B:54:PHE:HD1	1.59	0.47
1:A:11:GLU:O	1:A:15:VAL:HG23	2.15	0.47
1:A:336:ARG:HD3	1:A:336:ARG:C	2.35	0.47
1:B:95:LEU:HD13	1:B:120:MET:CE	2.45	0.47
1:B:258:PRO:HD2	1:B:261:PHE:CE2	2.50	0.47
1:A:108:PHE:HB2	1:A:119:VAL:HB	1.97	0.46
1:A:98:VAL:CG1	1:A:103:LEU:HD23	2.44	0.46
1:A:314:PHE:CD1	1:A:314:PHE:C	2.89	0.46
1:B:134:ARG:HG3	1:B:134:ARG:HH11	1.80	0.46
1:A:61:LYS:HE2	1:A:68:HIS:NE2	2.31	0.46
1:A:196:TRP:CG	1:B:345:LYS:HD3	2.50	0.46
1:B:164:TYR:O	1:B:220:ASP:OD1	2.34	0.46
1:B:51:THR:HA	1:B:56:ARG:HA	1.97	0.46
1:B:69:TYR:HB3	1:B:120:MET:O	2.15	0.46
1:B:85:ILE:HD13	1:B:346:GLU:HB3	1.98	0.46
1:A:207:PRO:HG2	1:A:275:VAL:HA	1.98	0.45
1:A:104:VAL:HG21	1:A:183:THR:HB	1.97	0.45
1:A:216:ASN:HD22	1:A:216:ASN:N	2.05	0.45
1:B:180:ILE:CG2	1:B:181:GLN:N	2.79	0.45
1:B:252:SER:OG	1:B:253:GLY:N	2.49	0.45
1:A:205:LEU:O	1:A:250:ILE:HD13	2.17	0.45
1:A:140:GLU:HB2	1:A:141:PRO:HD3	1.98	0.45
1:B:151:VAL:HG22	1:B:224:LEU:HD11	1.97	0.45
1:A:340:ASN:HA	2:A:866:HOH:O	2.16	0.45
1:A:348:THR:HG21	1:B:196:TRP:HZ3	1.82	0.45
1:B:303:ILE:H	1:B:303:ILE:CD1	2.28	0.45
1:A:169:PRO:HD3	1:A:204:TYR:OH	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ILE:CG2	1:A:181:GLN:N	2.80	0.44
1:B:158:HIS:HE1	1:B:220:ASP:OD2	1.99	0.44
1:B:98:VAL:HG13	1:B:99:ASN:N	2.33	0.44
1:A:95:LEU:HD13	1:A:120:MET:HE1	2.00	0.44
1:A:128:MET:HG3	1:A:174:ILE:HD11	1.99	0.44
1:A:194:ARG:HG3	1:A:194:ARG:NH1	2.32	0.44
1:A:69:TYR:HE2	1:A:107:GLU:HG2	1.80	0.44
1:A:183:THR:O	1:A:184:ASP:CB	2.65	0.44
1:A:164:TYR:O	1:A:220:ASP:OD1	2.35	0.44
1:B:205:LEU:O	1:B:250:ILE:HD13	2.18	0.43
1:B:55:GLY:HA3	1:B:73:ILE:O	2.17	0.43
1:A:232:ALA:O	1:A:260:HIS:HE1	2.01	0.43
1:B:106:LEU:HB2	1:B:120:MET:HE1	2.00	0.43
1:A:62:HIS:HB3	1:A:65:SER:OG	2.19	0.43
1:B:81:LYS:NZ	1:B:81:LYS:HA	2.34	0.43
1:A:216:ASN:H	1:A:216:ASN:ND2	2.15	0.43
1:B:208:GLU:HG3	2:B:921:HOH:O	2.19	0.43
1:A:55:GLY:HA3	1:A:73:ILE:O	2.20	0.42
1:A:340:ASN:HB2	1:A:342:LYS:NZ	2.34	0.42
1:B:91:GLU:OE2	1:B:184:ASP:HA	2.19	0.42
1:B:183:THR:O	1:B:184:ASP:CB	2.63	0.42
1:A:218:ALA:HB3	2:A:832:HOH:O	2.18	0.42
1:B:124:ALA:HB3	1:B:176:GLN:CG	2.48	0.42
1:B:69:TYR:HE2	1:B:107:GLU:HG2	1.83	0.42
1:B:73:ILE:C	1:B:74:LEU:HD12	2.40	0.42
1:B:216:ASN:HD22	1:B:216:ASN:N	2.06	0.42
1:A:26:PHE:CD1	1:A:160:LEU:HG	2.54	0.42
1:A:237:PRO:HG2	1:A:238:PHE:CD1	2.54	0.42
1:B:127:GLU:OE2	1:B:170:GLU:HA	2.19	0.42
1:A:173:LEU:HD23	1:A:183:THR:CG2	2.46	0.42
1:A:255:VAL:HG12	1:A:256:ARG:N	2.35	0.42
1:A:286:ASN:O	1:A:289:ASN:HB2	2.19	0.42
1:B:128:MET:HG3	1:B:174:ILE:HD11	2.02	0.42
1:A:115:ASN:HB2	1:A:117:TYR:CE1	2.55	0.42
1:A:201:THR:HA	1:A:202:PRO:HD3	1.90	0.41
1:B:52:GLY:HA3	1:B:54:PHE:HE1	1.79	0.41
1:A:117:TYR:N	1:A:117:TYR:CD1	2.88	0.41
1:A:134:ARG:HH11	1:A:134:ARG:HG3	1.86	0.41
1:A:179:TYR:CE2	1:A:308:ARG:HA	2.55	0.41
1:B:221:TRP:CE3	1:B:221:TRP:HA	2.55	0.41
1:B:335:ILE:HG22	1:B:336:ARG:N	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:PHE:CZ	1:A:167:LEU:HD22	2.56	0.41
1:B:179:TYR:CE2	1:B:308:ARG:HA	2.55	0.41
1:B:212:SER:HA	2:B:922:HOH:O	2.21	0.41
1:A:127:GLU:OE2	1:A:170:GLU:HA	2.21	0.41
1:A:167:LEU:O	1:A:168:LYS:HB3	2.20	0.41
1:B:216:ASN:H	1:B:216:ASN:ND2	2.14	0.41
1:B:224:LEU:HD22	1:B:228:ILE:HG13	2.02	0.41
1:B:60:VAL:O	1:B:68:HIS:HA	2.20	0.41
1:B:81:LYS:HA	1:B:81:LYS:CE	2.50	0.41
1:A:51:THR:HA	1:A:56:ARG:HA	2.03	0.41
1:A:222:TRP:CD1	1:A:222:TRP:C	2.94	0.41
1:A:224:LEU:O	1:A:228:ILE:HG13	2.21	0.41
1:B:45:ARG:H	1:B:45:ARG:HG2	1.26	0.41
1:B:240:ALA:HB3	1:B:246:ILE:HG13	2.03	0.41
1:B:62:HIS:HB2	1:B:69:TYR:HE1	1.85	0.40
1:A:103:LEU:HD21	1:A:157:LEU:HD11	2.03	0.40
1:A:140:GLU:N	1:A:141:PRO:CD	2.84	0.40
1:A:49:LEU:CD1	1:A:59:LEU:HB2	2.51	0.40
1:B:154:PHE:CZ	1:B:167:LEU:HD22	2.56	0.40
1:B:166:ASP:HA	2:B:915:HOH:O	2.20	0.40
1:B:229:TYR:CD1	1:B:229:TYR:C	2.94	0.40
1:B:303:ILE:N	1:B:303:ILE:CD1	2.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	346/350 (99%)	314 (91%)	27 (8%)	5 (1%)	11 34
1	B	319/350 (91%)	296 (93%)	22 (7%)	1 (0%)	41 72
All	All	665/700 (95%)	610 (92%)	49 (7%)	6 (1%)	17 46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	184	ASP
1	A	318	PHE
1	A	321	PRO
1	B	184	ASP
1	A	314	PHE
1	A	329	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/303 (95%)	261 (91%)	26 (9%)	9	27
1	B	281/303 (93%)	254 (90%)	27 (10%)	8	24
All	All	568/606 (94%)	515 (91%)	53 (9%)	9	26

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	27	LEU
1	A	40	LEU
1	A	44	ASP
1	A	81	LYS
1	A	103	LEU
1	A	104	VAL
1	A	105	LYS
1	A	111	LYS
1	A	120	MET
1	A	157	LEU
1	A	160	LEU
1	A	165	ARG
1	A	184	ASP
1	A	190	ARG
1	A	191	VAL
1	A	194	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	210	ILE
1	A	211	LEU
1	A	216	ASN
1	A	224	LEU
1	A	242	GLN
1	A	252	SER
1	A	269	LEU
1	A	274	GLN
1	A	314	PHE
1	B	27	LEU
1	B	40	LEU
1	B	44	ASP
1	B	45	ARG
1	B	56	ARG
1	B	81	LYS
1	B	103	LEU
1	B	105	LYS
1	B	111	LYS
1	B	120	MET
1	B	157	LEU
1	B	165	ARG
1	B	181	GLN
1	B	184	ASP
1	B	190	ARG
1	B	191	VAL
1	B	194	ARG
1	B	210	ILE
1	B	211	LEU
1	B	216	ASN
1	B	224	LEU
1	B	242	GLN
1	B	252	SER
1	B	269	LEU
1	B	274	GLN
1	B	311	GLU
1	B	336	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	39	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	42	GLN
1	A	87	HIS
1	A	90	ASN
1	A	142	HIS
1	A	158	HIS
1	A	177	GLN
1	A	181	GLN
1	A	216	ASN
1	A	230	GLN
1	A	283	ASN
1	A	289	ASN
1	B	39	GLN
1	B	42	GLN
1	B	67	ASN
1	B	87	HIS
1	B	90	ASN
1	B	142	HIS
1	B	158	HIS
1	B	177	GLN
1	B	181	GLN
1	B	216	ASN
1	B	230	GLN
1	B	260	HIS
1	B	283	ASN
1	B	289	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TPO	A	197	1	8,10,11	1.18	1 (12%)	10,14,16	1.70	2 (20%)
1	SEP	B	338	1	8,9,10	0.71	0	8,12,14	1.14	1 (12%)
1	TPO	B	197	1	8,10,11	1.20	1 (12%)	10,14,16	1.82	2 (20%)
1	SEP	A	338	1	8,9,10	0.72	0	8,12,14	1.12	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	197	1	-	5/9/11/13	-
1	SEP	B	338	1	-	2/5/8/10	-
1	TPO	B	197	1	-	6/9/11/13	-
1	SEP	A	338	1	-	2/5/8/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	197	TPO	P-O3P	-2.20	1.46	1.54
1	B	197	TPO	P-O3P	-2.14	1.46	1.54

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	197	TPO	O3P-P-O1P	-4.18	94.30	110.68
1	A	197	TPO	O3P-P-O1P	-3.91	95.36	110.68
1	B	197	TPO	O3P-P-O2P	2.93	118.82	107.64
1	A	197	TPO	O3P-P-O2P	2.51	117.23	107.64
1	A	338	SEP	OG-CB-CA	2.39	110.47	108.14
1	B	338	SEP	OG-CB-CA	2.39	110.47	108.14

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	197	TPO	N-CA-CB-CG2
1	A	197	TPO	N-CA-CB-OG1
1	A	197	TPO	C-CA-CB-CG2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	A	197	TPO	CG2-CB-OG1-P
1	A	338	SEP	CA-CB-OG-P
1	B	197	TPO	N-CA-CB-CG2
1	B	197	TPO	N-CA-CB-OG1
1	B	197	TPO	C-CA-CB-CG2
1	B	197	TPO	CG2-CB-OG1-P
1	B	338	SEP	CA-CB-OG-P
1	B	197	TPO	CB-OG1-P-O3P
1	A	338	SEP	N-CA-CB-OG
1	B	338	SEP	N-CA-CB-OG
1	A	197	TPO	O-C-CA-CB
1	B	197	TPO	O-C-CA-CB

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	197	TPO	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	348/350 (99%)	-0.11	12 (3%) 45 35	12, 26, 57, 84	0
1	B	323/350 (92%)	-0.22	4 (1%) 79 73	13, 26, 51, 70	0
All	All	671/700 (95%)	-0.16	16 (2%) 59 49	12, 26, 54, 84	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	321	PRO	5.2
1	A	331	GLU	4.9
1	A	322	GLY	4.8
1	A	330	TYR	3.2
1	A	329	ASP	3.0
1	A	320	GLY	2.9
1	A	323	ASP	2.9
1	B	253	GLY	2.7
1	A	328	ASP	2.7
1	A	324	THR	2.5
1	A	319	LYS	2.5
1	A	327	PHE	2.4
1	B	122	TYR	2.4
1	A	318	PHE	2.4
1	B	131	HIS	2.3
1	B	331	GLU	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	TPO	A	197	11/12	0.95	0.17	24,26,30,31	0
1	SEP	B	338	10/11	0.95	0.15	33,34,35,35	0
1	TPO	B	197	11/12	0.97	0.13	24,25,29,31	0
1	SEP	A	338	10/11	0.97	0.10	33,33,35,35	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.