



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2021 – 08:54 PM EDT

PDB ID : 1SZS
Title : The structure of gamma-aminobutyrate aminotransferase mutant: I50Q
Authors : Liu, W.; Peterson, P.E.; Langston, J.A.; Jin, X.; Zhou, X.; Fisher, A.J.; Toney, M.D.
Deposited on : 2004-04-06
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	426	
1	B	426	
1	C	426	
1	D	426	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	1232	-	-	X	-
3	EDO	B	1229	-	-	X	-
3	EDO	C	1230	-	-	X	-
3	EDO	D	1231	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14301 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-aminobutyrate aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	425	3228	2037	566	607	18	0	3	0
1	B	425	3228	2037	566	607	18	1	3	0
1	C	425	3228	2037	566	607	18	0	3	0
1	D	425	3228	2037	566	607	18	0	3	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	GLN	ILE	engineered mutation	UNP P22256
B	50	GLN	ILE	engineered mutation	UNP P22256
C	50	GLN	ILE	engineered mutation	UNP P22256
D	50	GLN	ILE	engineered mutation	UNP P22256

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 15 8 1 5 1	0	1
4	B	1	Total C N O P 15 8 1 5 1	0	1
4	C	1	Total C N O P 15 8 1 5 1	0	1
4	D	1	Total C N O P 15 8 1 5 1	0	1

- Molecule 5 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (three-letter code: PMP) (formula: C₈H₁₃N₂O₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	Total	C	N	O	P	0	1
			16	8	2	5	1		
5	B	1	Total	C	N	O	P	0	1
			16	8	2	5	1		
5	C	1	Total	C	N	O	P	0	1
			16	8	2	5	1		
5	D	1	Total	C	N	O	P	0	1
			16	8	2	5	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	280	Total	O	0	0
			280	280		
6	B	298	Total	O	0	0
			298	298		
6	C	255	Total	O	0	0
			255	255		
6	D	289	Total	O	0	0
			289	289		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-aminobutyrate aminotransferase




- Molecule 1: 4-aminobutyrate aminotransferase




- Molecule 1: 4-aminobutyrate aminotransferase



- Molecule 1: 4-aminobutyrate aminotransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	108.10Å 108.10Å 301.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.10 47.61 – 2.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.10) 95.9 (47.61-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 2.10Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.169 , 0.206 0.166 , 0.167	Depositor DCC
R_{free} test set	5783 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtrriage
Anisotropy	0.479	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.030 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14301	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SO4, PLP, PMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3287	0.70	0/4447
1	B	0.51	0/3287	0.69	0/4447
1	C	0.47	0/3287	0.68	0/4447
1	D	0.55	2/3287 (0.1%)	0.70	0/4447
All	All	0.51	2/13148 (0.0%)	0.69	0/17788

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	268[A]	LYS	CE-NZ	-7.77	1.29	1.49
1	D	268[B]	LYS	CE-NZ	-7.77	1.29	1.49

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	393	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3228	0	3235	36	0
1	B	3228	0	3235	47	0
1	C	3228	0	3236	45	0
1	D	3228	0	3235	46	0
2	A	20	0	0	1	0
2	B	15	0	0	0	0
2	C	15	0	0	0	0
2	D	25	0	0	1	0
3	A	20	0	25	6	0
3	B	16	0	20	7	0
3	C	12	0	15	8	0
3	D	20	0	25	8	0
4	A	15	0	7	0	0
4	B	15	0	7	0	0
4	C	15	0	7	0	0
4	D	15	0	7	0	0
5	A	16	0	10	1	0
5	B	16	0	10	1	0
5	C	16	0	10	0	0
5	D	16	0	10	4	0
6	A	280	0	0	4	0
6	B	298	0	0	5	0
6	C	255	0	0	6	0
6	D	289	0	0	7	0
All	All	14301	0	13094	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:25:ILE:HD11	1:D:381:ARG:HD3	1.51	0.93
5:D:1274[B]:PMP:N4A	6:D:1563:HOH:O	2.02	0.92
1:B:25:ILE:HD11	1:B:381:ARG:HD3	1.62	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1224:EDO:H22	1:D:81:LEU:HD12	1.64	0.79
1:C:398:ARG:HH22	3:C:1230:EDO:H22	1.47	0.77
1:D:398:ARG:HH22	3:D:1231:EDO:H12	1.50	0.76
1:D:268[B]:LYS:HE3	5:D:1274[B]:PMP:H4A2	1.68	0.75
1:B:401:VAL:HG21	1:B:405:ILE:HD12	1.71	0.72
3:B:1229:EDO:O1	6:B:1568:HOH:O	2.08	0.71
1:C:357:ILE:HD11	1:C:397:LEU:HD12	1.73	0.70
1:B:13:GLN:HG3	6:B:1386:HOH:O	1.92	0.69
1:A:268[B]:LYS:HE2	5:A:1271[B]:PMP:H4A2	1.73	0.69
3:C:1230:EDO:O1	6:C:1527:HOH:O	2.12	0.67
1:B:319:ASN:ND2	6:B:1313:HOH:O	2.27	0.67
1:B:211:GLU:OE2	3:B:1229:EDO:H21	1.95	0.66
1:D:241:VAL:HG13	1:D:267:ALA:HB3	1.77	0.64
1:C:239:ASP:HA	1:C:265:THR:OG1	1.98	0.64
1:D:409:GLN:HG2	6:D:1551:HOH:O	1.98	0.64
1:B:211:GLU:HB2	3:B:1229:EDO:C2	2.28	0.63
1:B:50:GLN:NE2	6:B:1570:HOH:O	2.32	0.62
3:B:1229:EDO:H22	6:B:1570:HOH:O	2.00	0.61
1:C:211:GLU:OE1	3:C:1230:EDO:H21	2.00	0.61
1:D:331:LEU:O	1:D:335:LEU:HG	2.00	0.60
3:C:1230:EDO:H11	6:D:1559:HOH:O	2.00	0.60
1:C:343:PRO:HA	6:C:1419:HOH:O	2.02	0.60
1:B:84:GLU:O	1:B:88:GLU:HG3	2.02	0.60
1:B:319:ASN:ND2	1:B:322:GLN:HB3	2.17	0.60
1:D:255:GLU:OE1	6:D:1511:HOH:O	2.17	0.59
1:D:49:GLY:HA2	3:D:1220:EDO:H12	1.86	0.58
1:A:50:GLN:NE2	6:A:1551:HOH:O	2.37	0.57
1:A:401:VAL:HG21	1:A:405:ILE:HD12	1.87	0.57
1:A:239:ASP:HA	1:A:265:THR:OG1	2.05	0.56
1:C:211:GLU:HB2	3:C:1230:EDO:H21	1.88	0.56
1:B:364:ASP:OD2	1:B:367:LYS:HG3	2.05	0.55
1:C:81:LEU:HD23	1:D:27:ALA:HB2	1.87	0.55
1:A:211:GLU:HB2	3:A:1232:EDO:C1	2.36	0.54
1:C:84:GLU:OE1	6:C:1486:HOH:O	2.18	0.54
1:C:94:ASN:HD21	1:C:104:LYS:C	2.12	0.53
1:D:398:ARG:NH2	3:D:1231:EDO:H12	2.23	0.53
1:C:361:GLU:HB3	1:C:367:LYS:HB3	1.90	0.53
1:B:313:LYS:O	1:B:317:GLN:HG3	2.09	0.53
1:A:79:GLN:NE2	2:A:1213:SO4:O2	2.40	0.53
1:C:362:ASP:O	1:C:364:ASP:N	2.42	0.53
1:A:276:LEU:HB2	1:A:304:ALA:HB1	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:SER:O	1:B:302:PRO:HD2	2.09	0.52
1:B:378:ALA:HA	3:B:1217:EDO:H22	1.91	0.52
1:D:50:GLN:NE2	6:D:1560:HOH:O	2.41	0.52
1:C:398:ARG:NH2	3:C:1230:EDO:H22	2.22	0.52
1:D:268[B]:LYS:NZ	5:D:1274[B]:PMP:N4A	2.57	0.52
1:D:211:GLU:HB2	3:D:1231:EDO:C1	2.40	0.52
1:D:319:ASN:ND2	6:D:1281:HOH:O	2.42	0.52
1:A:319:ASN:ND2	1:A:322:GLN:HB3	2.24	0.52
1:D:191:PHE:HA	1:D:195:ALA:O	2.08	0.52
1:B:66:VAL:HG13	1:B:303:ILE:HG23	1.92	0.52
1:A:76:THR:O	1:B:49:GLY:HA2	2.11	0.51
1:C:330:LYS:NZ	1:C:407:ASP:OD1	2.43	0.51
1:B:211:GLU:HB2	3:B:1229:EDO:H21	1.92	0.51
1:A:94:ASN:HD21	1:A:104:LYS:C	2.14	0.50
1:B:319:ASN:ND2	1:B:322:GLN:CB	2.75	0.50
1:C:362:ASP:C	1:C:364:ASP:H	2.15	0.50
1:B:15:ILE:HG23	1:B:16:PRO:HD2	1.93	0.50
1:A:412:GLN:O	1:A:416:ILE:HG13	2.11	0.50
1:C:76:THR:O	1:D:49:GLY:HA2	2.12	0.50
1:D:73:LEU:C	1:D:73:LEU:HD12	2.32	0.50
1:C:241:VAL:HG13	1:C:267:ALA:HB3	1.93	0.50
1:D:146:LEU:HD13	1:D:156:SER:HB3	1.93	0.49
3:A:1223:EDO:C1	1:B:81:LEU:HD12	2.41	0.49
1:C:252:PHE:O	1:C:255:GLU:HG3	2.12	0.49
1:D:211:GLU:OE2	3:D:1231:EDO:H11	2.13	0.49
1:D:268[B]:LYS:CE	5:D:1274[B]:PMP:H4A2	2.40	0.49
1:B:276:LEU:HB2	1:B:304:ALA:HB1	1.95	0.49
1:D:228:LEU:C	1:D:228:LEU:HD23	2.33	0.49
1:D:315:PHE:CD2	1:D:320:LEU:HB2	2.47	0.49
1:D:401:VAL:HG21	1:D:405:ILE:HD12	1.95	0.49
1:A:211:GLU:HB2	3:A:1232:EDO:O1	2.13	0.48
1:B:66:VAL:HG13	1:B:303:ILE:CG2	2.43	0.48
1:C:41:ARG:NH2	1:C:382:ASP:O	2.47	0.48
1:D:47:ALA:HB3	3:D:1220:EDO:O1	2.13	0.48
1:D:74:SER:HA	1:D:303:ILE:CD1	2.44	0.48
1:A:96:LYS:HB3	1:A:251:LEU:HD23	1.95	0.48
1:D:422:ASP:O	1:D:426:GLN:HG3	2.13	0.48
1:A:398:ARG:HH22	3:A:1232:EDO:H12	1.79	0.48
1:B:268[B]:LYS:HE2	5:B:1272[B]:PMP:H4A2	1.95	0.48
1:A:266:PHE:CZ	1:A:278:GLY:HA3	2.50	0.47
1:A:81:LEU:HD12	1:B:23:HIS:HB2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:336:LEU:HD23	1:C:336:LEU:HA	1.75	0.47
1:D:73:LEU:HD12	1:D:73:LEU:O	2.14	0.47
1:B:76:THR:O	1:B:77:CYS:HB3	2.15	0.47
1:C:263:LEU:HD23	1:C:281:GLY:HA3	1.97	0.47
1:C:401:VAL:HG21	1:C:405:ILE:HD12	1.96	0.47
1:C:73:LEU:HD12	1:C:73:LEU:C	2.34	0.47
1:C:425:LYS:O	1:C:426:GLN:OXT	2.33	0.46
1:A:164:GLY:HA2	6:A:1507:HOH:O	2.16	0.46
1:A:74:SER:O	1:A:302:PRO:HD2	2.16	0.46
3:A:1223:EDO:H11	1:B:81:LEU:HD12	1.98	0.46
1:D:41:ARG:NH2	1:D:382:ASP:O	2.45	0.46
1:A:229:CYS:HB3	1:A:234:ILE:O	2.16	0.46
1:C:255:GLU:HB3	6:C:1304:HOH:O	2.15	0.45
1:D:92:ILE:HD12	1:D:309:LEU:CD2	2.46	0.45
1:D:51:ALA:HB2	1:D:400:LEU:HD22	1.99	0.45
1:A:89:LEU:CD2	1:A:276:LEU:HD21	2.46	0.45
1:A:364:ASP:OD1	1:A:366:ASN:ND2	2.50	0.45
1:B:320:LEU:HD23	1:B:323:LYS:HD2	1.98	0.45
1:C:63:VAL:O	1:C:67:GLU:HG3	2.17	0.45
1:A:16:PRO:HG2	1:A:19:VAL:HG23	1.99	0.45
1:D:89:LEU:HD22	1:D:93:MET:HG2	1.99	0.45
1:D:330:LYS:NZ	1:D:407:ASP:OD1	2.50	0.45
1:D:76:THR:O	1:D:77:CYS:HB3	2.17	0.45
1:A:3:SER:OG	1:A:6:GLU:HB2	2.17	0.45
1:A:41:ARG:HD3	1:A:43:TYR:OH	2.17	0.45
1:B:83:TYR:CE1	1:B:86:TYR:HB2	2.52	0.45
1:D:32:ASN:C	1:D:32:ASN:HD22	2.21	0.44
1:A:127:LYS:HD3	6:A:1518:HOH:O	2.17	0.44
1:B:373:THR:OG1	1:B:395:ASN:HA	2.18	0.44
1:B:241:VAL:HG13	1:B:267:ALA:HB3	1.98	0.44
1:C:381:ARG:HD2	6:C:1367:HOH:O	2.17	0.44
1:A:74:SER:HA	1:A:303:ILE:HD13	2.00	0.44
1:A:241:VAL:HG13	1:A:267:ALA:HB3	1.99	0.44
1:A:251:LEU:HD12	1:A:251:LEU:HA	1.84	0.44
1:A:52:VAL:HG21	1:B:297:THR:CG2	2.48	0.44
1:C:320:LEU:HD23	1:C:323:LYS:HD2	2.00	0.44
1:D:239:ASP:HA	1:D:265:THR:OG1	2.18	0.43
1:D:347:ASP:O	1:D:357:ILE:HA	2.18	0.43
1:B:366:ASN:HD22	1:B:366:ASN:HA	1.56	0.43
1:C:346:GLY:HA3	1:C:360:PHE:HD1	1.83	0.43
1:A:242:GLN:HE22	3:A:1232:EDO:C2	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:ASN:HD21	1:B:322:GLN:HB2	1.83	0.43
1:C:203:ILE:HG21	1:C:225:LEU:HD11	2.00	0.43
1:C:334:GLY:O	1:C:338:ILE:HG13	2.19	0.43
1:B:51:ALA:HB2	1:B:400:LEU:HD13	2.01	0.43
1:B:94:ASN:HD21	1:B:104:LYS:C	2.22	0.43
1:A:191:PHE:HA	1:A:195:ALA:O	2.18	0.43
1:B:34:ARG:NH1	1:B:42:GLU:OE2	2.49	0.43
1:B:364:ASP:OD2	1:B:367:LYS:HE3	2.18	0.43
1:D:211:GLU:HB2	3:D:1231:EDO:C2	2.48	0.43
1:A:116:GLU:O	1:A:120:LYS:HG3	2.19	0.42
1:C:242:GLN:HA	1:C:268[B]:LYS:HD2	2.01	0.42
1:D:94:ASN:HD21	1:D:104:LYS:C	2.22	0.42
1:A:352:GLY:O	1:A:355:ILE:HD11	2.19	0.42
1:B:153:ASN:HA	1:B:154:PRO:HA	1.90	0.42
1:B:319:ASN:HD22	1:B:319:ASN:C	2.22	0.42
1:D:36:TRP:HA	1:D:41:ARG:O	2.19	0.42
1:A:364:ASP:OD2	1:A:367:LYS:HG3	2.20	0.42
1:C:373:THR:OG1	1:C:395:ASN:HA	2.20	0.42
1:C:32:ASN:C	1:C:32:ASN:HD22	2.22	0.42
1:C:357:ILE:HG12	1:C:397:LEU:HB2	2.01	0.41
3:D:1231:EDO:H12	6:D:1560:HOH:O	2.19	0.41
1:B:229:CYS:HB3	1:B:234:ILE:O	2.20	0.41
1:B:151:LYS:HZ3	1:D:192:LYS:HE3	1.85	0.41
6:A:1432:HOH:O	1:B:71:LYS:HE2	2.20	0.41
1:B:381:ARG:NE	3:B:1217:EDO:O2	2.46	0.41
1:C:29:ARG:NE	6:C:1456:HOH:O	2.50	0.41
1:B:32:ASN:HD22	1:B:32:ASN:C	2.24	0.41
1:B:336:LEU:HD23	1:B:336:LEU:HA	1.96	0.41
1:B:339:ALA:HA	1:B:345:ILE:HD12	2.01	0.41
1:C:228:LEU:HD23	1:C:228:LEU:C	2.41	0.41
1:C:347:ASP:O	1:C:357:ILE:HA	2.21	0.41
1:D:151:LYS:HD3	1:D:155:TYR:HE1	1.86	0.41
1:C:76:THR:O	1:C:77:CYS:HB3	2.21	0.41
1:C:97:VAL:HG21	1:C:280:THR:HB	2.02	0.41
1:C:276:LEU:HB2	1:C:304:ALA:HB1	2.03	0.41
1:A:372:LEU:O	1:A:376:ILE:HG12	2.20	0.41
1:B:281:GLY:O	1:B:282:ARG:C	2.59	0.41
1:A:26:PHE:O	1:A:38:VAL:HG13	2.21	0.40
1:D:191:PHE:CG	1:D:197:PRO:HG3	2.56	0.40
1:C:211:GLU:HB2	3:C:1230:EDO:C2	2.50	0.40
1:D:295:GLY:HA3	2:D:1214:SO4:O4	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:251:LEU:HD12	1:C:251:LEU:HA	1.96	0.40
1:C:336:LEU:HD23	1:C:348:VAL:HG21	2.03	0.40
1:D:276:LEU:HB2	1:D:304:ALA:HB1	2.03	0.40
1:B:88:GLU:O	1:B:92:ILE:HG12	2.22	0.40
1:C:344:GLU:OE2	1:C:344:GLU:N	2.47	0.40
1:C:408:ALA:HA	1:C:411:ARG:NH1	2.35	0.40
1:D:83:TYR:CE1	1:D:86:TYR:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/426 (100%)	408 (96%)	15 (4%)	3 (1%)	22	18
1	B	426/426 (100%)	404 (95%)	18 (4%)	4 (1%)	17	12
1	C	426/426 (100%)	405 (95%)	17 (4%)	4 (1%)	17	12
1	D	426/426 (100%)	402 (94%)	20 (5%)	4 (1%)	17	12
All	All	1704/1704 (100%)	1619 (95%)	70 (4%)	15 (1%)	19	12

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	267	ALA
1	C	363	GLY
1	A	267	ALA
1	A	365	HIS
1	C	267	ALA
1	D	267	ALA
1	B	268[A]	LYS
1	B	268[B]	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	365	HIS
1	D	268[A]	LYS
1	D	268[B]	LYS
1	D	108	VAL
1	A	108	VAL
1	B	108	VAL
1	C	108	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/330 (101%)	327 (98%)	5 (2%)	65	71
1	B	332/330 (101%)	323 (97%)	9 (3%)	44	48
1	C	332/330 (101%)	326 (98%)	6 (2%)	59	65
1	D	332/330 (101%)	323 (97%)	9 (3%)	44	48
All	All	1328/1320 (101%)	1299 (98%)	29 (2%)	52	57

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	86	TYR
1	A	154	PRO
1	A	365	HIS
1	A	366	ASN
1	B	32	ASN
1	B	86	TYR
1	B	154	PRO
1	B	282	ARG
1	B	319	ASN
1	B	366	ASN
1	B	402	PRO
1	B	415	GLU
1	B	426	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	32	ASN
1	C	86	TYR
1	C	154	PRO
1	C	319	ASN
1	C	362	ASP
1	C	415	GLU
1	D	3	SER
1	D	32	ASN
1	D	79	GLN
1	D	86	TYR
1	D	89	LEU
1	D	154	PRO
1	D	362	ASP
1	D	402	PRO
1	D	415	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	94	ASN
1	A	242	GLN
1	B	32	ASN
1	B	94	ASN
1	B	319	ASN
1	B	366	ASN
1	B	426	GLN
1	C	32	ASN
1	C	94	ASN
1	C	317	GLN
1	C	319	ASN
1	D	32	ASN
1	D	50	GLN
1	D	94	ASN
1	D	317	GLN
1	D	319	ASN
1	D	365	HIS

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	D	1222	-	3,3,3	1.71	1 (33%)	2,2,2	0.60	0
2	SO4	C	1204	-	4,4,4	0.34	0	6,6,6	0.12	0
5	PMP	A	1271[B]	-	16,16,16	3.88	4 (25%)	21,23,23	1.49	1 (4%)
5	PMP	D	1274[B]	-	16,16,16	3.83	4 (25%)	21,23,23	1.47	1 (4%)
3	EDO	D	1231	-	3,3,3	1.78	1 (33%)	2,2,2	0.68	0
2	SO4	A	1201	-	4,4,4	0.28	0	6,6,6	0.09	0
3	EDO	C	1226	-	3,3,3	1.80	1 (33%)	2,2,2	0.47	0
2	SO4	A	1212	-	4,4,4	0.26	0	6,6,6	0.17	0
3	EDO	B	1229	-	3,3,3	1.64	1 (33%)	2,2,2	0.56	0
2	SO4	B	1202	-	4,4,4	0.24	0	6,6,6	0.07	0
4	PLP	A	1261[A]	1	15,15,16	1.99	4 (26%)	20,22,23	2.55	8 (40%)
3	EDO	A	1228	-	3,3,3	1.80	1 (33%)	2,2,2	0.65	0
3	EDO	B	1219	-	3,3,3	1.79	1 (33%)	2,2,2	0.54	0
5	PMP	B	1272[B]	-	16,16,16	3.87	5 (31%)	21,23,23	1.47	1 (4%)
2	SO4	D	1211	-	4,4,4	0.23	0	6,6,6	0.09	0
2	SO4	D	1205	-	4,4,4	0.27	0	6,6,6	0.19	0
2	SO4	B	1203	-	4,4,4	0.28	0	6,6,6	0.15	0
2	SO4	B	1208	-	4,4,4	0.22	0	6,6,6	0.13	0
3	EDO	A	1225	-	3,3,3	1.77	1 (33%)	2,2,2	0.44	0
5	PMP	C	1273[B]	-	16,16,16	3.91	6 (37%)	21,23,23	1.48	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	B	1217	-	3,3,3	1.74	1 (33%)	2,2,2	0.62	0
2	SO4	C	1215	-	4,4,4	0.20	0	6,6,6	0.18	0
3	EDO	A	1223	-	3,3,3	1.80	1 (33%)	2,2,2	0.52	0
3	EDO	C	1230	-	3,3,3	1.96	1 (33%)	2,2,2	0.85	0
4	PLP	C	1263[A]	1	15,15,16	2.41	6 (40%)	20,22,23	1.76	5 (25%)
3	EDO	A	1232	-	3,3,3	1.83	1 (33%)	2,2,2	0.56	0
2	SO4	A	1213	-	4,4,4	0.21	0	6,6,6	0.19	0
3	EDO	C	1224	-	3,3,3	1.84	1 (33%)	2,2,2	0.66	0
3	EDO	B	1216	-	3,3,3	1.74	1 (33%)	2,2,2	0.49	0
3	EDO	D	1227	-	3,3,3	1.76	1 (33%)	2,2,2	0.52	0
3	EDO	D	1221	-	3,3,3	1.72	1 (33%)	2,2,2	0.49	0
4	PLP	D	1264[A]	-	15,15,16	2.40	6 (40%)	20,22,23	1.93	6 (30%)
3	EDO	A	1218	-	3,3,3	1.77	1 (33%)	2,2,2	0.59	0
2	SO4	C	1210	-	4,4,4	0.25	0	6,6,6	0.13	0
2	SO4	A	1207	-	4,4,4	0.27	0	6,6,6	0.19	0
2	SO4	D	1214	-	4,4,4	0.25	0	6,6,6	0.13	0
3	EDO	D	1220	-	3,3,3	1.74	1 (33%)	2,2,2	0.69	0
2	SO4	D	1209	-	4,4,4	0.27	0	6,6,6	0.05	0
2	SO4	D	1206	-	4,4,4	0.24	0	6,6,6	0.08	0
4	PLP	B	1262[A]	1	15,15,16	2.10	6 (40%)	20,22,23	2.15	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	D	1222	-	-	0/1/1/1	-
5	PMP	A	1271[B]	-	-	2/8/8/8	0/1/1/1
5	PMP	D	1274[B]	-	-	2/8/8/8	0/1/1/1
3	EDO	D	1231	-	-	1/1/1/1	-
3	EDO	C	1226	-	-	0/1/1/1	-
3	EDO	B	1229	-	-	1/1/1/1	-
4	PLP	A	1261[A]	1	-	0/6/6/8	0/1/1/1
3	EDO	A	1228	-	-	0/1/1/1	-
3	EDO	B	1219	-	-	0/1/1/1	-
5	PMP	B	1272[B]	-	-	2/8/8/8	0/1/1/1
3	EDO	A	1225	-	-	0/1/1/1	-
5	PMP	C	1273[B]	-	-	2/8/8/8	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	1217	-	-	0/1/1/1	-
3	EDO	A	1223	-	-	0/1/1/1	-
3	EDO	C	1230	-	-	1/1/1/1	-
4	PLP	C	1263[A]	1	-	0/6/6/8	0/1/1/1
3	EDO	A	1232	-	-	1/1/1/1	-
3	EDO	C	1224	-	-	0/1/1/1	-
3	EDO	B	1216	-	-	0/1/1/1	-
3	EDO	D	1227	-	-	0/1/1/1	-
3	EDO	D	1221	-	-	0/1/1/1	-
4	PLP	D	1264[A]	-	-	1/6/6/8	0/1/1/1
3	EDO	A	1218	-	-	0/1/1/1	-
3	EDO	D	1220	-	-	0/1/1/1	-
4	PLP	B	1262[A]	1	-	0/6/6/8	0/1/1/1

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1271[B]	PMP	C5-C4	11.36	1.56	1.40
5	B	1272[B]	PMP	C5-C4	11.31	1.56	1.40
5	C	1273[B]	PMP	C5-C4	11.10	1.56	1.40
5	D	1274[B]	PMP	C5-C4	10.73	1.55	1.40
5	D	1274[B]	PMP	C3-C2	8.98	1.49	1.40
5	C	1273[B]	PMP	C3-C2	8.82	1.49	1.40
5	B	1272[B]	PMP	C3-C2	8.63	1.49	1.40
5	A	1271[B]	PMP	C3-C2	8.62	1.49	1.40
4	D	1264[A]	PLP	C3-C2	5.15	1.46	1.40
5	C	1273[B]	PMP	C6-N1	4.40	1.43	1.34
4	C	1263[A]	PLP	P-O1P	4.21	1.64	1.50
5	D	1274[B]	PMP	C6-N1	4.20	1.43	1.34
4	A	1261[A]	PLP	C2-N1	4.18	1.41	1.33
4	C	1263[A]	PLP	C3-C2	4.12	1.45	1.40
5	B	1272[B]	PMP	C6-N1	4.04	1.43	1.34
4	D	1264[A]	PLP	C6-C5	3.93	1.45	1.37
5	A	1271[B]	PMP	C6-N1	3.89	1.42	1.34
4	B	1262[A]	PLP	C3-C2	3.87	1.44	1.40
4	C	1263[A]	PLP	P-O4P	-3.66	1.48	1.60
4	C	1263[A]	PLP	C6-C5	3.51	1.45	1.37
4	B	1262[A]	PLP	C6-C5	3.37	1.44	1.37
3	C	1230	EDO	O1-C1	-3.37	1.24	1.42
4	B	1262[A]	PLP	C2-N1	3.11	1.39	1.33
4	B	1262[A]	PLP	P-O4P	-3.09	1.50	1.60
4	D	1264[A]	PLP	P-O4P	-3.09	1.50	1.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1261[A]	PLP	P-O4P	-3.09	1.50	1.60
3	C	1224	EDO	O1-C1	-3.08	1.26	1.42
3	A	1232	EDO	O1-C1	-3.03	1.26	1.42
3	A	1223	EDO	O1-C1	-2.99	1.26	1.42
4	C	1263[A]	PLP	C6-N1	2.99	1.40	1.34
3	D	1231	EDO	O1-C1	-2.98	1.26	1.42
4	B	1262[A]	PLP	P-O1P	2.98	1.60	1.50
3	A	1228	EDO	O1-C1	-2.98	1.26	1.42
3	B	1219	EDO	O1-C1	-2.97	1.26	1.42
4	D	1264[A]	PLP	C2-N1	2.97	1.39	1.33
3	C	1226	EDO	O1-C1	-2.96	1.26	1.42
3	A	1218	EDO	O1-C1	-2.93	1.27	1.42
4	C	1263[A]	PLP	C2-N1	2.92	1.39	1.33
3	D	1220	EDO	O1-C1	-2.91	1.27	1.42
3	B	1217	EDO	O1-C1	-2.90	1.27	1.42
3	B	1216	EDO	O1-C1	-2.85	1.27	1.42
3	D	1222	EDO	O1-C1	-2.84	1.27	1.42
3	D	1227	EDO	O1-C1	-2.82	1.27	1.42
3	A	1225	EDO	O1-C1	-2.78	1.27	1.42
3	D	1221	EDO	O1-C1	-2.76	1.27	1.42
4	A	1261[A]	PLP	P-O2P	2.74	1.65	1.54
3	B	1229	EDO	O1-C1	-2.73	1.28	1.42
5	A	1271[B]	PMP	C2-N1	2.61	1.38	1.33
4	D	1264[A]	PLP	C6-N1	2.54	1.39	1.34
4	D	1264[A]	PLP	P-O1P	2.51	1.58	1.50
5	C	1273[B]	PMP	C2-N1	2.49	1.38	1.33
5	B	1272[B]	PMP	C2-N1	2.44	1.38	1.33
5	D	1274[B]	PMP	C2-N1	2.44	1.38	1.33
4	A	1261[A]	PLP	C6-C5	2.32	1.42	1.37
4	B	1262[A]	PLP	C6-N1	2.14	1.38	1.34
5	B	1272[B]	PMP	P-O3P	-2.06	1.46	1.54
5	C	1273[B]	PMP	P-O3P	-2.04	1.47	1.54
5	C	1273[B]	PMP	C2A-C2	2.03	1.53	1.50

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1261[A]	PLP	C5A-C5-C6	-5.33	110.60	119.37
4	B	1262[A]	PLP	C5A-C5-C6	-4.57	111.85	119.37
4	A	1261[A]	PLP	C4A-C4-C3	-4.54	112.80	120.50
5	A	1271[B]	PMP	C2A-C2-C3	4.39	126.31	120.89
5	C	1273[B]	PMP	C2A-C2-C3	4.33	126.24	120.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1261[A]	PLP	C5-C6-N1	-4.31	116.63	123.82
5	D	1274[B]	PMP	C2A-C2-C3	4.16	126.02	120.89
4	D	1264[A]	PLP	C4A-C4-C3	-4.07	113.60	120.50
5	B	1272[B]	PMP	C2A-C2-C3	4.06	125.91	120.89
4	B	1262[A]	PLP	C4A-C4-C3	-3.82	114.03	120.50
4	A	1261[A]	PLP	C3-C4-C5	3.70	122.73	118.74
4	B	1262[A]	PLP	C5-C6-N1	-3.67	117.70	123.82
4	C	1263[A]	PLP	C4A-C4-C3	-3.53	114.51	120.50
4	D	1264[A]	PLP	C5A-C5-C6	-3.52	113.58	119.37
4	D	1264[A]	PLP	C4A-C4-C5	3.37	124.41	120.94
4	C	1263[A]	PLP	C5-C6-N1	-3.19	118.50	123.82
4	A	1261[A]	PLP	C6-N1-C2	2.98	124.69	119.17
4	D	1264[A]	PLP	C5-C6-N1	-2.93	118.93	123.82
4	A	1261[A]	PLP	C3-C2-N1	-2.79	117.16	120.77
4	B	1262[A]	PLP	C4A-C4-C5	2.77	123.79	120.94
4	C	1263[A]	PLP	C3-C4-C5	2.77	121.73	118.74
4	A	1261[A]	PLP	O2P-P-O4P	2.63	113.73	106.73
4	A	1261[A]	PLP	O4P-P-O1P	2.62	113.83	106.47
4	B	1262[A]	PLP	C6-N1-C2	2.50	123.80	119.17
4	D	1264[A]	PLP	C3-C2-N1	-2.48	117.56	120.77
4	B	1262[A]	PLP	C3-C2-N1	-2.48	117.57	120.77
4	C	1263[A]	PLP	C5A-C5-C6	-2.40	115.43	119.37
4	B	1262[A]	PLP	C6-C5-C4	2.39	120.04	118.16
4	C	1263[A]	PLP	C3-C2-N1	-2.20	117.92	120.77
4	D	1264[A]	PLP	C3-C4-C5	2.08	120.98	118.74

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1271[B]	PMP	C5-C4-C4A-N4A
5	B	1272[B]	PMP	C3-C4-C4A-N4A
5	B	1272[B]	PMP	C5-C4-C4A-N4A
5	C	1273[B]	PMP	C3-C4-C4A-N4A
5	C	1273[B]	PMP	C5-C4-C4A-N4A
5	D	1274[B]	PMP	C3-C4-C4A-N4A
5	D	1274[B]	PMP	C5-C4-C4A-N4A
5	A	1271[B]	PMP	C3-C4-C4A-N4A
3	C	1230	EDO	O1-C1-C2-O2
3	A	1232	EDO	O1-C1-C2-O2
3	D	1231	EDO	O1-C1-C2-O2
4	D	1264[A]	PLP	C4-C5-C5A-O4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	1229	EDO	O1-C1-C2-O2

There are no ring outliers.

13 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1271[B]	PMP	1	0
5	D	1274[B]	PMP	4	0
3	D	1231	EDO	6	0
3	B	1229	EDO	5	0
5	B	1272[B]	PMP	1	0
3	B	1217	EDO	2	0
3	A	1223	EDO	2	0
3	C	1230	EDO	7	0
3	A	1232	EDO	4	0
2	A	1213	SO4	1	0
3	C	1224	EDO	1	0
2	D	1214	SO4	1	0
3	D	1220	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	425/426 (99%)	-0.60	5 (1%) 79 82	12, 21, 37, 68	0
1	B	425/426 (99%)	-0.53	6 (1%) 75 78	11, 20, 41, 71	0
1	C	425/426 (99%)	-0.45	7 (1%) 72 75	13, 24, 48, 72	0
1	D	425/426 (99%)	-0.51	7 (1%) 72 75	11, 19, 38, 72	0
All	All	1700/1704 (99%)	-0.52	25 (1%) 73 77	11, 21, 41, 72	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	362	ASP	4.7
1	B	362	ASP	4.6
1	B	426	GLN	4.4
1	A	426	GLN	4.3
1	D	366	ASN	3.3
1	C	362	ASP	3.3
1	A	362	ASP	3.2
1	C	426	GLN	3.1
1	C	425	LYS	3.1
1	D	365	HIS	3.0
1	A	425	LYS	3.0
1	D	426	GLN	2.8
1	C	424	ALA	2.7
1	A	363	GLY	2.6
1	B	425	LYS	2.5
1	C	363	GLY	2.5
1	C	367	LYS	2.4
1	B	366	ASN	2.4
1	A	366	ASN	2.4
1	D	363	GLY	2.4
1	D	340	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	364	ASP	2.2
1	C	341	LYS	2.1
1	B	363	GLY	2.0
1	D	364	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	C	1230	4/4	0.67	0.29	49,52,54,57	0
3	EDO	B	1229	4/4	0.75	0.24	46,48,49,49	0
2	SO4	B	1203	5/5	0.82	0.31	84,85,86,86	0
3	EDO	A	1232	4/4	0.85	0.20	44,44,45,47	0
3	EDO	D	1227	4/4	0.87	0.12	31,33,34,34	0
2	SO4	C	1204	5/5	0.88	0.18	70,70,72,72	5
3	EDO	A	1228	4/4	0.88	0.12	48,49,50,51	0
3	EDO	B	1217	4/4	0.89	0.15	42,44,46,49	0
2	SO4	D	1205	5/5	0.92	0.15	64,64,65,66	5
3	EDO	D	1222	4/4	0.92	0.11	32,34,38,40	0
2	SO4	D	1209	5/5	0.92	0.12	62,63,64,64	5
3	EDO	D	1231	4/4	0.92	0.21	50,50,50,51	0
2	SO4	C	1210	5/5	0.93	0.11	74,74,75,75	0
2	SO4	B	1208	5/5	0.93	0.16	44,45,48,48	5
2	SO4	D	1206	5/5	0.93	0.17	48,48,50,50	5
2	SO4	A	1201	5/5	0.93	0.18	82,82,83,83	5
3	EDO	D	1221	4/4	0.94	0.10	29,31,32,33	0
2	SO4	D	1211	5/5	0.94	0.18	50,50,51,51	5
3	EDO	C	1224	4/4	0.94	0.12	27,28,33,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	1202	5/5	0.94	0.10	68,68,69,69	5
3	EDO	B	1219	4/4	0.95	0.14	32,35,36,38	0
2	SO4	A	1207	5/5	0.95	0.10	48,49,51,51	5
3	EDO	C	1226	4/4	0.96	0.11	27,34,34,35	0
3	EDO	A	1225	4/4	0.97	0.10	22,28,32,34	0
3	EDO	B	1216	4/4	0.97	0.10	21,24,26,27	0
2	SO4	A	1213	5/5	0.97	0.13	36,39,42,44	0
3	EDO	A	1223	4/4	0.98	0.08	24,24,28,31	0
3	EDO	D	1220	4/4	0.98	0.08	21,23,25,26	0
2	SO4	A	1212	5/5	0.98	0.12	48,51,53,54	0
2	SO4	C	1215	5/5	0.98	0.13	41,42,48,49	0
2	SO4	D	1214	5/5	0.98	0.12	56,57,58,59	0
3	EDO	A	1218	4/4	0.98	0.12	24,24,26,26	0
4	PLP	A	1261[A]	15/16	0.98	0.11	7,10,16,16	14
5	PMP	A	1271[B]	16/16	0.98	0.12	23,26,27,30	16
4	PLP	C	1263[A]	15/16	0.99	0.16	12,15,17,19	15
4	PLP	D	1264[A]	15/16	0.99	0.15	2,6,8,10	15
4	PLP	B	1262[A]	15/16	0.99	0.12	5,8,13,15	15
5	PMP	B	1272[B]	16/16	0.99	0.13	21,23,24,24	16
5	PMP	C	1273[B]	16/16	0.99	0.16	19,20,22,22	16
5	PMP	D	1274[B]	16/16	0.99	0.16	22,25,26,27	16

6.5 Other polymers [i](#)

There are no such residues in this entry.