



wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 04:59 PM EST

PDB ID : 7T3U
EMDB ID : EMD-25671
Title : IP3, ATP, and Ca²⁺ bound type 3 IP3 receptor in the inactive state
Authors : Schmitz, E.A.; Takahashi, H.; Karakas, E.
Deposited on : 2021-12-08
Resolution : 3.70 Å (reported)
Based on initial model : 6UQK

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2633	
1	B	2633	
1	C	2633	
1	D	2633	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 44501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Inositol 1,4,5-trisphosphate receptor type 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2020	12132	7515	2262	2326	29	0	0
1	B	1662	10375	6470	1906	1968	31	0	0
1	C	1575	9741	6073	1791	1849	28	0	0
1	D	2012	12073	7474	2252	2316	31	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total	Zn	0
			1	1	
2	B	1	Total	Zn	0
			1	1	
2	C	1	Total	Zn	0
			1	1	
2	D	1	Total	Zn	0
			1	1	

- Molecule 3 is D-MYO-INOSITOL-1,4,5-TRIPHOSPHATE (three-letter code: I3P) (formula: C₆H₁₅O₁₅P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
3	A	1	Total	C	O	P	0
			24	6	15	3	
3	D	1	Total	C	O	P	0
			24	6	15	3	

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).




Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
4	B	1	31	10	5	13	3	0
4	C	1	31	10	5	13	3	0
4	D	1	31	10	5	13	3	0


- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
			Total	Ca	
5	A	1	1	1	0
5	B	1	1	1	0
5	C	1	1	1	0
5	D	1	1	1	0




- Molecule 1: Inositol 1,4,5-trisphosphate receptor type 3







● Molecule 1: Inositol 1,4,5-trisphosphate receptor type 3



L541	S642	D543	Q644	K545	M646	A547	P648	Y649	Q650	H651	M652	F653	R654	L655	C656	Y657	R658	V659	L660	R661	S662	S663	Q664	E665	D666	Y667	R668	K669	N670	Q671	P672	VAL	L673	GLU	MET	ALA	GLN	HIS	GLU	TYR	F618	V619	S620	L621	R622	R623	K624	N625	R626	E627	P628	R629	F630	L631	D632	Y633	L634	V639	S640	M641	H642	I643	H644	I645	P646	V647	T648	Q649	E650	L651	H652	D653	K654	L655	C656	Y657	R658	L659	A691	E692	D693	T694	I695	T696	A697	L698	H600
M601	R603	K604	L605	L606	E607	K608	H609	I610	T611	K612	T613	E614	V615	E616	T617	F618	V619	S620	L621	R622	R623	K624	N625	R626	E627	P628	R629	F630	L631	D632	Y633	L634	V639	S640	M641	H642	I643	H644	I645	P646	V647	T648	Q649	E650	L651	H652	D653	K654	L655	C656	Y657	R658	L659	A691	E692	D693	T694	I695	T696	A697	L698	H600																									
I664	L665	I666	R667	T668	E669	L670	R671	P672	VAL	L673	GLU	MET	ALA	GLN	HIS	GLU	TYR	F618	V619	S620	L621	R622	R623	K624	N625	R626	E627	P628	R629	F630	L631	D632	Y633	L634	V639	S640	M641	H642	I643	H644	I645	P646	V647	T648	Q649	E650	L651	H652	D653	K654	L655	C656	Y657	R658	L659	A691	E692	D693	T694	I695	T696	A697	L698	H600																							
I664	L665	I666	R667	T668	E669	L670	R671	P672	VAL	L673	GLU	MET	ALA	GLN	HIS	GLU	TYR	F618	V619	S620	L621	R622	R623	K624	N625	R626	E627	P628	R629	F630	L631	D632	Y633	L634	V639	S640	M641	H642	I643	H644	I645	P646	V647	T648	Q649	E650	L651	H652	D653	K654	L655	C656	Y657	R658	L659	A691	E692	D693	T694	I695	T696	A697	L698	H600																							
M724	V725	L726	S727	Y728	Y729	R730	Y731	Q732	D742	Y745	L746	A747	I748	D749	E750	I751	S752	Q753	Q754	L755	L756	L757	V757	D758	L759	F761	L762	C763	M764	A765	D766	E767	M768	L769	P770	D771	D772	L773	R774	A775	C778	H779	Q780	M781	V784	H785	V786	P790	Q791	E792	L793	V794	T795	P796																																	
F799	A800	R801	L802	M803	T804	E805	I806	P807	T808	A809	I810	V811	I812	K813	D814	Y815	D816	N817	S818	L819	N820	ALA	SER	ARG	ASP	ASN	LYS	N828	K829	F830	A831	N832	T833	M834	E835	F836	V837	E838	D839	Y840	N842	N843	V844	V845	S846	E847	A848	V849	P850	F851	A852	N853	E854	E855	K856	N857																															
K858	L859	T860	F861	V864	S865	L866	A867	H868	N869	L870	I871	Y872	F873	C874	F875	Y876	S877	F878	S879	E880	L881	L882	R883	L884	T885	R886	T887	L888	L889	C890	I891	D893	C894	VAL	GLY	PRO	ALA	MET	ASP	ASN	L969	D961	I962	V963	V964	M965	E966	T967	K968	L974	L975	I978	L979	N980	V981	R982																															
GLY	VAL	HIS	MET	SER	THR	VAL	LEU	SER	ARG	LYS	GLN	SER	PHE	SER	ALA	PRO	SER	PRO	GLY	ALA	SER	ALA	GLU	PRO	LEU	ASP	SER	LYS	PHE	GLU	ASN	D961	I962	V963	V964	M965	E966	T967	K968	L974	L975	I978	L979	N980	V981	R982																																									
L983	D984	Y985	R986	I987	S988	Y989	L990	L991	S992	V993	F994	K995	K996	E997	F998	VAL	GLU	VAL	PHE	PRO	MET	GLN	ALA	THR	ALA	PRO	ASP	PHE	ASP	THR	THR	ALA	ASN	L1026	R1027	I1028	G1029	E1030	Q1031	A1032	E1033	A1034	M1035	F1036	G1037	VAL	GLY	LYS	THR	SER																																					
S1043	M1044	L1045	E1046	V1047	D1048	D1049	E1050	G1051	G1052	R1053	M1054	F1055	L1056	I1060	H1061	L1062	T1063	M1064	H1065	D1066	Y1067	A1068	P1069	L1070	G1073	A1074	L1075	L1078	F1079	F1082	S1083	Q1084	R1085	Q1086	E1087	A1088	M1089	H1090	T1091	F1092	K1093	Q1094	V1095	Q1096	L1097	L1098	I1099	I1100	A1101	Q1102	D1103	V1104	E1105	M1106	Y1107																																
K1108	V1109	I1110	K1111	S1112	E1113	L1114	D1115	R1116	L1117	M1120	K1123	GLU	LEU	TRP	ASP	LYS	LYS	M1189	R1190	K1191	K1192	R1195	L1196	L1197	K1198	M1199	M1200	D1201	A1202	H1203	K1204	V1205	M1206	S1207	L1208	D1209	L1210	Q1211	I1212	P1213	Y1214	D1215	K1216	G1217	D1218	A1219	K1220	M1221	M1222	E1223	I1224	L1225	R1226	Y1227	T1228	H1229	Q1230																														
Q1170	I1171	V1172	K1173	G1174	I1175	L1176	E1177	L1178	L1179	M1180	K1181	M1182	G1183	GLY	VAL	GLY	GLU	Q1188	M1189	R1190	K1191	K1192	R1195	L1196	L1197	K1198	M1199	M1200	D1201	A1202	H1203	K1204	V1205	M1206	S1207	L1208	D1209	L1210	Q1211	I1212	P1213	Y1214	D1215	K1216	G1217	D1218	A1219	K1220	M1221	M1222	E1223	I1224	L1225	R1226	Y1227	T1228	H1229	Q1230																													
F1231	L1232	Q1233	K1234	L1235	C1236	A1237	G1238	M1239	P1240	G1241	M1242	Q1243	A1244	L1245	H1246	H1247	K1248	H1249	L1250	H1251	L1252	F1253	L1254	T1255	P1256	G1257	L1258	L1259	E1260	A1261	T1263	M1264	Q1265	H1266	L1267	F1268	L1269	M1270	M1271	Y1272	Q1273	L1274	C1275	S1276	E1277	L1278	S1279	E1280	P1281	V1282	L1283	Q1284	H1285	Y1286	V1287	H1288	L1289	L1290																													
A1291	T1292	H1293	G1294	H1295	R1296	V1297	Q1298	L1300	D1301	F1302	H1303	H1304	T1305	VAL	ILE	LYS	ALA	GLU	GLY	LYS	TYR	VAL	LYS	LYS	CYS	GLN	D1319	M1320	I1321	M1322	T1323	E1324	A1325	T1326	M1327	A1328	G1329	D1330	D1331	V1332	V1333	F1334	F1335	Y1336	M1337	L1338	K1339	A1340	S1341	L1342	A1343	H1344	L1345	L1346	D1347	M1348	M1349	K1350																													

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	198441	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.911	Depositor
Minimum map value	-1.171	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.038	Depositor
Recommended contour level	0.12	Depositor
Map size (\AA)	397.44, 397.44, 397.44	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.828, 0.828, 0.828	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: I3P, CA, ZN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/12209	0.43	0/16761
1	B	0.24	0/10458	0.43	0/14326
1	C	0.24	0/9822	0.42	0/13474
1	D	0.24	0/12149	0.43	0/16677
All	All	0.24	0/44638	0.43	0/61238

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	12132	0	8448	112	0
1	B	10375	0	7682	134	0
1	C	9741	0	7105	120	0
1	D	12073	0	8390	129	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	24	0	9	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	24	0	9	0	0
4	A	31	0	12	1	0
4	B	31	0	12	1	0
4	C	31	0	12	1	0
4	D	31	0	12	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
All	All	44501	0	31691	474	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 474 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2297:VAL:HG21	1:D:2327:ILE:HD11	1.33	1.06
1:C:2297:VAL:HG21	1:C:2327:ILE:HD11	1.40	1.00
1:D:1740:LEU:HD21	1:D:1749:ILE:HG22	1.47	0.95
1:A:2297:VAL:HG21	1:A:2327:ILE:HD11	1.51	0.92
1:B:1934:VAL:HG21	1:B:1988:LEU:HD13	1.55	0.89

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1964/2633 (75%)	1875 (96%)	89 (4%)	0	100 100
1	B	1614/2633 (61%)	1560 (97%)	54 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	1535/2633 (58%)	1469 (96%)	66 (4%)	0	100	100
1	D	1956/2633 (74%)	1866 (95%)	90 (5%)	0	100	100
All	All	7069/10532 (67%)	6770 (96%)	299 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	609/2329 (26%)	609 (100%)	0	100	100
1	B	613/2329 (26%)	613 (100%)	0	100	100
1	C	555/2329 (24%)	555 (100%)	0	100	100
1	D	605/2329 (26%)	603 (100%)	2 (0%)	92	96
All	All	2382/9316 (26%)	2380 (100%)	2 (0%)	93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	1933	ASN
1	D	2592	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1797	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 8 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ATP	D	2703	-	26,33,33	0.61	0	31,52,52	1.06	2 (6%)
4	ATP	B	2702	-	26,33,33	0.61	0	31,52,52	1.07	2 (6%)
3	I3P	D	2702	-	24,24,24	1.30	3 (12%)	36,39,39	0.65	0
4	ATP	C	2702	-	26,33,33	0.60	0	31,52,52	1.06	2 (6%)
4	ATP	A	2703	-	26,33,33	0.62	0	31,52,52	1.06	2 (6%)
3	I3P	A	2702	-	24,24,24	1.30	3 (12%)	36,39,39	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	D	2703	-	-	8/18/38/38	0/3/3/3
4	ATP	B	2702	-	-	10/18/38/38	0/3/3/3
3	I3P	D	2702	-	-	3/15/39/39	0/1/1/1
4	ATP	C	2702	-	-	5/18/38/38	0/3/3/3
4	ATP	A	2703	-	-	9/18/38/38	0/3/3/3
3	I3P	A	2702	-	-	2/15/39/39	0/1/1/1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2702	I3P	P4-O4	3.17	1.65	1.59
3	D	2702	I3P	P5-O5	3.17	1.65	1.59
3	A	2702	I3P	P5-O5	3.14	1.65	1.59
3	D	2702	I3P	P4-O4	3.14	1.65	1.59
3	A	2702	I3P	P1-O1	3.11	1.65	1.59

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	2702	ATP	C5-C6-N6	2.32	123.89	120.35
4	A	2703	ATP	C5-C6-N6	2.32	123.88	120.35
4	D	2703	ATP	C5-C6-N6	2.30	123.85	120.35
4	C	2702	ATP	C5-C6-N6	2.30	123.84	120.35
4	C	2702	ATP	PB-O3B-PG	2.06	139.89	132.83

There are no chirality outliers.

5 of 37 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	2702	I3P	C5-O5-P5-O51
4	A	2703	ATP	PB-O3B-PG-O2G
4	A	2703	ATP	C5'-O5'-PA-O1A
4	B	2702	ATP	PB-O3B-PG-O2G
4	B	2702	ATP	C5'-O5'-PA-O3A


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2703	ATP	2	0
4	B	2702	ATP	1	0
4	C	2702	ATP	1	0
4	A	2703	ATP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25671. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 250




Y Index: 250




Z Index: 262


6.3.2 Raw map



X Index: 232



Y Index: 249




Z Index: 262

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_25671_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 762 nm³; this corresponds to an approximate mass of 689 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	3.64	4.02	3.71
Unmasked-calculated*	4.26	7.30	4.37

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.26 differs from the reported value 3.7 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25671 and PDB model 7T3U. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).











9.4 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7153	 0.2550
A	 0.8737	 0.3140
B	 0.8743	 0.2900
C	 0.4706	 0.1810
D	 0.6169	 0.2230

