



## wwPDB EM Validation Summary Report ⓘ

Dec 2, 2024 – 04:26 PM EST

PDB ID : 8T30  
EMDB ID : EMD-40993  
Title : Hypomethylated yeast 80S bound with cycloheximide, unmodified U2921, mid rotated  
Authors : Zhao, Y.; Li, H.  
Deposited on : 2023-06-07  
Resolution : 2.88 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	BA	252	
2	BB	255	
3	BC	254	
4	BE	261	
5	BG	236	
6	BH	190	
7	BI	200	
8	BJ	197	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	BL	156	26% 98%
10	BN	151	99%
11	BO	137	6% 93% 7%
12	BV	87	9% 100%
13	BW	130	99%
14	BX	145	18% 99%
15	BY	135	37% 99%
16	Ba	119	6% 82% 18%
17	Bb	82	17% 98%
18	Be	63	40% 95% 5%
19	BD	240	55% 92% 7%
20	BF	225	79% 91% 8%
21	BK	105	70% 91% 9%
22	BP	142	64% 86% 13%
23	BQ	143	70% 99%
24	BR	136	63% 88% 11%
25	BS	146	63% 97%
26	BT	144	65% 97%
27	BU	121	59% 88% 12%
28	BZ	108	63% 65% 35%
29	Bc	67	73% 94% 6%
30	Bd	56	16% 93% 5%
31	Bg	319	91% 97%
32	Bf	152	49% 49% 51%
33	BM	143	87% 87% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	B5	1798	 15% 71% 28% 7%
35	AA	254	 97%
36	AB	387	 99%
37	AC	362	 99%
38	A1	3395	 75% 18% 7%
39	A3	121	 90% 10%
40	A4	158	 82% 18%
41	AD	297	 7% 98%
42	AE	176	 95% 5%
43	AF	244	 91% 9%
44	AG	256	 90% 10%
45	AH	191	 98%
46	AI	221	 8% 98%
47	AJ	174	 9% 97%
48	AL	199	 97%
49	AM	138	 99%
50	AN	204	 100%
51	AO	199	 99%
52	AP	184	 95% 5%
53	AQ	186	 99%
54	AR	189	 14% 99%
55	AS	178	 97%
56	AT	160	 5% 98%
57	AU	121	 5% 83% 17%
58	AV	137	 5% 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	AW	155	41% 59%
60	AX	142	85% 15%
61	AY	127	99%
62	AZ	136	99%
63	Aa	149	99%
64	Ab	59	97%
65	Ac	105	92% 8%
66	Ad	113	8% 96%
67	Ae	130	98%
68	Af	107	99%
69	Ag	121	93% 7%
70	Ah	120	99%
71	Ai	100	99%
72	Aj	88	99%
73	Ak	78	9% 99%
74	Al	51	98%
75	Am	128	41% 59%
76	An	25	16% 100%
77	Ao	106	5% 99%
78	Ap	92	99%

## 2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 199289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	BA	206	Total	C	N	O	S	0	0
			1612	1034	285	291	2		

- Molecule 2 is a protein called RPS1A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	BB	214	Total	C	N	O	S	0	0
			1709	1084	310	311	4		

- Molecule 3 is a protein called RPS2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	BC	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 4 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	BE	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		

- Molecule 5 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	BG	226	Total	C	N	O	S	0	0
			1820	1142	350	325	3		

- Molecule 6 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	BH	184	Total	C	N	O	0	0
			1481	951	265	265		

- Molecule 7 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	BI	188	1489	925	298	264	2	0	0

- Molecule 8 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	BJ	185	1494	943	289	261	1	0	0

- Molecule 9 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	BL	155	1244	798	235	208	3	0	0

- Molecule 10 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	BN	150	1192	759	224	207	2	0	0

- Molecule 11 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	BO	127	941	578	186	174	3	0	0

- Molecule 12 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	BV	87	684	420	125	137	2	0	0

- Molecule 13 is a protein called RPS22A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	BW	129	1021	650	188	180	3	0	0

- Molecule 14 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	BX	144	1121	708	220	191	2	0	0

- Molecule 15 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	BY	134	1073	676	208	189		0	0

- Molecule 16 is a protein called RPS26B isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	Ba	97	769	475	160	129	5	0	0

- Molecule 17 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Bb	81	610	382	110	113	5	0	0

- Molecule 18 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	Be	60	475	299	98	77	1	0	0

- Molecule 19 is a protein called RPS3 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	BD	223	1734	1101	313	314	6	0	0

- Molecule 20 is a protein called Rps5p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	BF	206	1609	1007	300	299	3	0	0

- Molecule 21 is a protein called 40S ribosomal protein S10-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	BK	96	Total	C	N	O	S	0	0
			817	529	133	153	2		

- Molecule 22 is a protein called RPS15 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BP	124	Total	C	N	O	S	0	0
			991	631	187	166	7		

- Molecule 23 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	BQ	141	Total	C	N	O	0	0
			1105	708	203	194		

- Molecule 24 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BR	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 25 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 26 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BT	141	Total	C	N	O	S	0	0
			1095	685	206	202	2		

- Molecule 27 is a protein called RPS20 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BU	107	Total	C	N	O	S	0	0
			855	539	156	159	1		

- Molecule 28 is a protein called RPS25A isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	BZ	70	Total	C	N	O	0	0
			563	360	104	99		

- Molecule 29 is a protein called RPS28A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Bc	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 30 is a protein called RPS29A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Bd	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 31 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Bg	312	Total	C	N	O	S	0	0
			2401	1522	410	461	8		

- Molecule 32 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bf	75	Total	C	N	O	S	0	0
			605	386	116	99	4		

- Molecule 33 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BM	124	Total	C	N	O	S	0	0
			935	587	165	181	2		

- Molecule 34 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	B5	1782	Total	C	N	O	P	1	0
			37987	16988	6718	12499	1782		

- Molecule 35 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	AA	247	Total	C	N	O	S	0	0
			1878	1170	381	326	1		

- Molecule 36 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	AB	386	Total	C	N	O	S	0	0
			3081	1956	584	533	8		

- Molecule 37 is a protein called RPL4A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	AC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 38 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	A1	3159	Total	C	N	O	P	0	0
			67564	30183	12164	22058	3159		

- Molecule 39 is a RNA chain called 5s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	A3	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 40 is a RNA chain called 5.8 S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A4	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 41 is a protein called RPL5 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	AD	292	Total	C	N	O	S	0	0
			2341	1478	408	453	2		

- Molecule 42 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	AE	167	1303	840	234	228	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	120	LYS	ASN	conflict	UNP Q02326

- Molecule 43 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	AF	222	1784	1151	324	308	1	0	0

- Molecule 44 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	AG	230	1798	1149	323	323	3	0	0

- Molecule 45 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	AH	190	1510	957	273	276	4	0	0

- Molecule 46 is a protein called RPL10 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	AI	217	1759	1114	333	305	7	0	0

- Molecule 47 is a protein called RPL11A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	AJ	169	1353	847	253	249	4	0	0

- Molecule 48 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	AL	193	Total	C	N	O	0	0
			1543	962	315	266		

- Molecule 49 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	AM	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 50 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	AN	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 51 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	AO	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 52 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	AP	175	Total	C	N	O	0	0
			1388	862	277	249		

- Molecule 53 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	AQ	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 54 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	AR	188	Total	C	N	O	0	0
			1521	935	326	260		

- Molecule 55 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	AS	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 56 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	AT	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 57 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
57	AU	100	Total	C	N	O	0	0
			796	516	131	149		

- Molecule 58 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	AV	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 59 is a protein called RPL24A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AW	63	Total	C	N	O	S	0	0
			521	336	102	82	1		

- Molecule 60 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AX	121	Total	C	N	O	S	0	0
			968	623	170	173	2		

- Molecule 61 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	AY	126	Total	C	N	O	0	0
			993	625	192	176		

- Molecule 62 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	AZ	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 63 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	Aa	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 64 is a protein called RPL29 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	Ab	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 65 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	Ac	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 66 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	Ad	109	Total	C	N	O	S	0	0
			890	565	168	156	1		

- Molecule 67 is a protein called RPL32 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Ae	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 68 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Af	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 69 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	Ag	112	880	545	179	152	4	0	0

- Molecule 70 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	Ah	119	969	615	186	167	1	0	0

- Molecule 71 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	Ai	99	771	481	156	132	2	0	0

- Molecule 72 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	Aj	87	681	414	148	114	5	0	0

- Molecule 73 is a protein called RPL38 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
73	Ak	77	612	391	115	106	0	0

- Molecule 74 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	Al	50	436	272	97	65	2	0	0

- Molecule 75 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	Am	52	417	259	86	67	5	0	0

- Molecule 76 is a protein called 60S ribosomal protein L41-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	An	25	233	142	63	27	1	0	0


- Molecule 77 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	Ao	105	847	534	170	138	5	0	0

- Molecule 78 is a protein called 60S ribosomal protein L43-A.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	Ap	91	694	429	138	121	6	0	0

- Molecule 79 is SPERMIDINE (three-letter code: SPD) (formula: C<sub>7</sub>H<sub>19</sub>N<sub>3</sub>).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
79	A1	1	10	7	3	0

- Molecule 80 is 4-{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione (three-letter code: 3HE) (formula: C<sub>15</sub>H<sub>23</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
80	A1	1	20	15	1	4	0


- Molecule 81 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
81	Ao	1	1	1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 40S ribosomal protein S0-A




- Molecule 2: RPS1A isoform 1




- Molecule 3: RPS2 isoform 1




- Molecule 4: 40S ribosomal protein S4-A






- Molecule 5: 40S ribosomal protein S6-A

Chain BG: 44% 95%




- Molecule 6: 40S ribosomal protein S7-A

Chain BH: 31% 96%




- Molecule 7: 40S ribosomal protein S8-A


Chain BI: 33% 92% 6%




- Molecule 8: 40S ribosomal protein S9-A

Chain BJ: 25% 93% 6%







- Molecule 9: 40S ribosomal protein S11-A




- Molecule 10: 40S ribosomal protein S13




- Molecule 11: 40S ribosomal protein S14-A




- Molecule 12: 40S ribosomal protein S21-A




- Molecule 13: RPS22A isoform 1




- Molecule 14: 40S ribosomal protein S23-A




- Molecule 15: 40S ribosomal protein S24-A




- Molecule 16: RPS26B isoform 1




- Molecule 17: 40S ribosomal protein S27-A




- Molecule 18: 40S ribosomal protein S30-A




- Molecule 19: RPS3 isoform 1




- Molecule 20: Rps5p




• Molecule 21: 40S ribosomal protein S10-A




• Molecule 22: RPS15 isoform 1






• Molecule 23: 40S ribosomal protein S16-A









• Molecule 24: 40S ribosomal protein S17-A



• Molecule 25: 40S ribosomal protein S18-A





• Molecule 26: 40S ribosomal protein S19-A




ASP  
GLU

• Molecule 27: RPS20 isoform 1







• Molecule 28: RPS25A isoform 1




• Molecule 29: RPS28A isoform 1




• Molecule 30: RPS29A isoform 1





• Molecule 31: Guanine nucleotide-binding protein subunit beta-like protein





• Molecule 32: Ubiquitin-40S ribosomal protein S31




• Molecule 33: 40S ribosomal protein S12



• Molecule 34: 18S rRNA






- Molecule 35: 60S ribosomal protein L2-A




- Molecule 36: 60S ribosomal protein L3







• Molecule 37: RPL4A isoform 1




• Molecule 38: 25S rRNA







• Molecule 40: 5.8 S rRNA




• Molecule 41: RPL5 isoform 1




• Molecule 42: 60S ribosomal protein L6-A




• Molecule 43: 60S ribosomal protein L7-A



• Molecule 44: 60S ribosomal protein L8-A




• Molecule 45: 60S ribosomal protein L9-A




• Molecule 46: RPL10 isoform 1







- Molecule 47: RPL11A isoform 1



- Molecule 48: 60S ribosomal protein L13-A




- Molecule 49: 60S ribosomal protein L14-A




- Molecule 50: 60S ribosomal protein L15-A



- Molecule 51: 60S ribosomal protein L16-A



- Molecule 52: 60S ribosomal protein L17-A




- Molecule 53: 60S ribosomal protein L18-A

Chain AQ:  99%




• Molecule 54: 60S ribosomal protein L19-A

Chain AR:  14% 99%




• Molecule 55: 60S ribosomal protein L20

Chain AS:  97%





• Molecule 56: 60S ribosomal protein L21-A

Chain AT:  5% 98%




• Molecule 57: 60S ribosomal protein L22-A

Chain AU:  5% 83% 17%




• Molecule 58: 60S ribosomal protein L23-A

Chain AV:  5% 99%



• Molecule 59: RPL24A isoform 1


Chain AW:  41% 59%





ALA  
ALA  
ALA  
ARG  
LYS  
LYS  
GLU  
LYS  
LYS  
ALA  
LYS  
LYS  
ALA  
SER  
ALA  
GLY  
THR  
GLN  
SER  
SER  
LYS  
LYS  
PHE  
SER  
SER  
LYS  
LYS  
GLN  
GLN  
ALA  
LYS  
LYS  
GLY  
LYS  
GLY  
ALA  
PHE  
GLN  
LYS  
VAL  
VAL  
ALA  
ALA  
THR  
SER  
ARG

- Molecule 60: 60S ribosomal protein L25



MET  
ALA  
PRO  
SER  
LYS  
LYS  
ALA  
THR  
ALA  
SER  
ALA  
LYS  
LYS  
VAL  
VAL  
LYS  
GLY  
THR  
ASN  
GLY  
LYS  
K22  
A23  
D78  
I142

- Molecule 61: 60S ribosomal protein L26-A



MET  
A2  
E127

- Molecule 62: 60S ribosomal protein L27-A



MET  
A2  
D30  
E31  
K34  
R84  
F136

- Molecule 63: 60S ribosomal protein L28




MET  
F2  
A94  
E97  
A149

- Molecule 64: RPL29 isoform 1




MET  
A2  
K33  
K56  
K59

- Molecule 65: 60S ribosomal protein L30




MET  
ALA  
PRO  
VAL  
LYS  
SER  
GLN  
GLU  
S9  
D97  
L104  
A105

- Molecule 66: 60S ribosomal protein L31-A




- Molecule 67: RPL32 isoform 1



- Molecule 68: 60S ribosomal protein L33-A




- Molecule 69: 60S ribosomal protein L34-A




- Molecule 70: 60S ribosomal protein L35-A




- Molecule 71: 60S ribosomal protein L36-A




- Molecule 72: 60S ribosomal protein L37-A




- Molecule 73: RPL38 isoform 1




- Molecule 74: 60S ribosomal protein L39




- Molecule 75: Ubiquitin-60S ribosomal protein L40




- Molecule 76: 60S ribosomal protein L41-A



- Molecule 77: 60S ribosomal protein L42-A



- Molecule 78: 60S ribosomal protein L43-A



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	24307	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.779	Depositor
Minimum map value	-1.110	Depositor
Average map value	0.043	Depositor
Map value standard deviation	0.202	Depositor
Recommended contour level	0.7	Depositor
Map size ( $\text{\AA}$ )	423.99997, 423.99997, 423.99997	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.06, 1.06, 1.06	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, HIC, OMG, B8N, 3HE, PSU, UR3, MA6, ZN, G7M, OMU, SPD, 1MA, 4AC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	BA	0.25	0/1653	0.53	0/2261
2	BB	0.24	0/1735	0.57	1/2335 (0.0%)
3	BC	0.25	0/1665	0.49	0/2263
4	BE	0.25	0/2109	0.55	0/2839
5	BG	0.25	0/1844	0.60	1/2464 (0.0%)
6	BH	0.27	0/1506	0.62	1/2028 (0.0%)
7	BI	0.25	0/1514	0.57	0/2021
8	BJ	0.25	0/1519	0.58	0/2035
9	BL	0.25	0/1272	0.52	0/1712
10	BN	0.24	0/1215	0.51	0/1638
11	BO	0.26	0/952	0.64	0/1279
12	BV	0.26	0/693	0.57	0/935
13	BW	0.26	0/1038	0.55	0/1395
14	BX	0.24	0/1139	0.53	0/1518
15	BY	0.29	0/1087	0.58	0/1449
16	Ba	0.25	0/782	0.58	0/1047
17	Bb	0.25	0/620	0.52	0/838
18	Be	0.23	0/483	0.56	0/643
19	BD	0.25	0/1759	0.57	1/2368 (0.0%)
20	BF	0.24	0/1629	0.52	0/2202
21	BK	0.25	0/837	0.52	0/1131
22	BP	0.26	0/1012	0.60	0/1356
23	BQ	0.24	0/1125	0.53	0/1510
24	BR	0.25	0/957	0.59	1/1283 (0.1%)
25	BS	0.24	0/1211	0.55	0/1628
26	BT	0.25	0/1113	0.53	0/1494
27	BU	0.24	0/865	0.52	0/1169
28	BZ	0.23	0/571	0.54	0/768
29	Bc	0.23	0/499	0.62	0/670
30	Bd	0.25	0/452	0.60	0/600
31	Bg	0.24	0/2454	0.52	0/3340
32	Bf	0.24	0/616	0.49	0/817

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	BM	0.24	0/943	0.55	0/1274
34	B5	0.21	0/42034	0.82	24/65493 (0.0%)
35	AA	0.26	0/1912	0.55	0/2569
36	AB	0.25	0/3139	0.54	1/4219 (0.0%)
37	AC	0.24	0/2800	0.51	1/3790 (0.0%)
38	A1	0.24	0/74791	0.80	31/116610 (0.0%)
39	A3	0.20	0/2861	0.76	0/4457
40	A4	0.24	0/3724	0.79	1/5798 (0.0%)
41	AD	0.25	0/2390	0.50	0/3225
42	AE	0.25	0/1324	0.49	0/1782
43	AF	0.25	0/1821	0.48	0/2451
44	AG	0.25	0/1830	0.47	0/2469
45	AH	0.25	0/1531	0.50	0/2062
46	AI	0.25	0/1796	0.53	0/2409
47	AJ	0.26	0/1374	0.58	0/1842
48	AL	0.24	0/1568	0.54	0/2106
49	AM	0.24	0/1068	0.50	0/1438
50	AN	0.25	0/1757	0.56	0/2354
51	AO	0.25	0/1585	0.50	0/2128
52	AP	0.25	0/1410	0.53	0/1893
53	AQ	0.26	0/1465	0.55	0/1965
54	AR	0.24	0/1538	0.55	0/2050
55	AS	0.26	0/1481	0.53	0/1990
56	AT	0.26	0/1300	0.55	1/1743 (0.1%)
57	AU	0.26	0/812	0.49	0/1099
58	AV	0.26	0/1018	0.52	0/1369
59	AW	0.26	0/533	0.50	0/707
60	AX	0.26	0/983	0.49	0/1325
61	AY	0.25	0/1004	0.54	0/1341
62	AZ	0.26	0/1118	0.51	0/1497
63	Aa	0.25	0/1204	0.53	0/1612
64	Ab	0.23	0/473	0.47	0/629
65	Ac	0.25	0/751	0.44	0/1008
66	Ad	0.25	0/904	0.51	0/1213
67	Ae	0.24	0/1041	0.50	0/1394
68	Af	0.26	0/868	0.52	0/1168
69	Ag	0.24	0/890	0.55	0/1189
70	Ah	0.25	0/978	0.50	0/1301
71	Ai	0.24	0/778	0.53	0/1034
72	Aj	0.25	0/696	0.55	0/923
73	Ak	0.26	0/618	0.54	0/826
74	Al	0.23	0/443	0.56	0/588
75	Am	0.24	0/423	0.55	0/562

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	An	0.23	0/234	0.72	0/300
77	Ao	0.25	0/860	0.53	0/1136
78	Ap	0.25	0/701	0.57	0/934
All	All	0.24	0/212698	0.71	64/312308 (0.0%)

There are no bond length outliers.

The worst 5 of 64 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	B5	1575	G7M	P-O3'-C3'	9.01	130.51	119.70
38	A1	1192	C	N1-C2-O2	8.41	123.95	118.90
6	BH	67	LEU	CA-CB-CG	8.26	134.29	115.30
38	A1	244	G	C4-N9-C1'	8.20	137.16	126.50
34	B5	513	U	C2-N1-C1'	8.03	127.33	117.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	BA	204/252 (81%)	185 (91%)	19 (9%)	0	100	100
2	BB	212/255 (83%)	176 (83%)	36 (17%)	0	100	100
3	BC	215/254 (85%)	209 (97%)	6 (3%)	0	100	100
4	BE	258/261 (99%)	234 (91%)	24 (9%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	BG	224/236 (95%)	210 (94%)	14 (6%)	0	100	100
6	BH	182/190 (96%)	165 (91%)	16 (9%)	1 (0%)	25	53
7	BI	184/200 (92%)	168 (91%)	16 (9%)	0	100	100
8	BJ	183/197 (93%)	167 (91%)	16 (9%)	0	100	100
9	BL	153/156 (98%)	141 (92%)	12 (8%)	0	100	100
10	BN	148/151 (98%)	139 (94%)	9 (6%)	0	100	100
11	BO	125/137 (91%)	110 (88%)	15 (12%)	0	100	100
12	BV	85/87 (98%)	75 (88%)	10 (12%)	0	100	100
13	BW	127/130 (98%)	121 (95%)	6 (5%)	0	100	100
14	BX	142/145 (98%)	129 (91%)	13 (9%)	0	100	100
15	BY	132/135 (98%)	127 (96%)	5 (4%)	0	100	100
16	Ba	95/119 (80%)	81 (85%)	14 (15%)	0	100	100
17	Bb	79/82 (96%)	71 (90%)	8 (10%)	0	100	100
18	Be	58/63 (92%)	55 (95%)	3 (5%)	0	100	100
19	BD	221/240 (92%)	204 (92%)	17 (8%)	0	100	100
20	BF	204/225 (91%)	193 (95%)	11 (5%)	0	100	100
21	BK	94/105 (90%)	84 (89%)	10 (11%)	0	100	100
22	BP	122/142 (86%)	115 (94%)	7 (6%)	0	100	100
23	BQ	139/143 (97%)	134 (96%)	5 (4%)	0	100	100
24	BR	117/136 (86%)	110 (94%)	7 (6%)	0	100	100
25	BS	143/146 (98%)	131 (92%)	12 (8%)	0	100	100
26	BT	139/144 (96%)	125 (90%)	14 (10%)	0	100	100
27	BU	105/121 (87%)	100 (95%)	5 (5%)	0	100	100
28	BZ	68/108 (63%)	64 (94%)	4 (6%)	0	100	100
29	Bc	61/67 (91%)	60 (98%)	1 (2%)	0	100	100
30	Bd	51/56 (91%)	49 (96%)	2 (4%)	0	100	100
31	Bg	310/319 (97%)	280 (90%)	30 (10%)	0	100	100
32	Bf	73/152 (48%)	69 (94%)	4 (6%)	0	100	100
33	BM	122/143 (85%)	109 (89%)	13 (11%)	0	100	100
35	AA	245/254 (96%)	233 (95%)	12 (5%)	0	100	100
36	AB	383/387 (99%)	357 (93%)	26 (7%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	AC	359/362 (99%)	337 (94%)	22 (6%)	0	100	100
41	AD	290/297 (98%)	276 (95%)	14 (5%)	0	100	100
42	AE	163/176 (93%)	154 (94%)	9 (6%)	0	100	100
43	AF	220/244 (90%)	213 (97%)	7 (3%)	0	100	100
44	AG	228/256 (89%)	213 (93%)	15 (7%)	0	100	100
45	AH	188/191 (98%)	175 (93%)	13 (7%)	0	100	100
46	AI	215/221 (97%)	204 (95%)	11 (5%)	0	100	100
47	AJ	167/174 (96%)	158 (95%)	9 (5%)	0	100	100
48	AL	191/199 (96%)	183 (96%)	8 (4%)	0	100	100
49	AM	134/138 (97%)	128 (96%)	6 (4%)	0	100	100
50	AN	201/204 (98%)	189 (94%)	12 (6%)	0	100	100
51	AO	195/199 (98%)	193 (99%)	2 (1%)	0	100	100
52	AP	171/184 (93%)	165 (96%)	6 (4%)	0	100	100
53	AQ	183/186 (98%)	179 (98%)	4 (2%)	0	100	100
54	AR	186/189 (98%)	178 (96%)	8 (4%)	0	100	100
55	AS	170/178 (96%)	161 (95%)	9 (5%)	0	100	100
56	AT	157/160 (98%)	150 (96%)	7 (4%)	0	100	100
57	AU	98/121 (81%)	92 (94%)	6 (6%)	0	100	100
58	AV	134/137 (98%)	129 (96%)	5 (4%)	0	100	100
59	AW	61/155 (39%)	60 (98%)	1 (2%)	0	100	100
60	AX	119/142 (84%)	114 (96%)	5 (4%)	0	100	100
61	AY	124/127 (98%)	119 (96%)	5 (4%)	0	100	100
62	AZ	133/136 (98%)	127 (96%)	6 (4%)	0	100	100
63	Aa	146/149 (98%)	136 (93%)	10 (7%)	0	100	100
64	Ab	56/59 (95%)	52 (93%)	4 (7%)	0	100	100
65	Ac	95/105 (90%)	95 (100%)	0	0	100	100
66	Ad	107/113 (95%)	102 (95%)	5 (5%)	0	100	100
67	Ae	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
68	Af	104/107 (97%)	101 (97%)	3 (3%)	0	100	100
69	Ag	110/121 (91%)	107 (97%)	3 (3%)	0	100	100
70	Ah	117/120 (98%)	112 (96%)	5 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
71	Ai	97/100 (97%)	91 (94%)	6 (6%)	0	100	100
72	Aj	85/88 (97%)	81 (95%)	4 (5%)	0	100	100
73	Ak	75/78 (96%)	71 (95%)	4 (5%)	0	100	100
74	Al	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
75	Am	50/128 (39%)	47 (94%)	3 (6%)	0	100	100
76	An	23/25 (92%)	23 (100%)	0	0	100	100
77	Ao	103/106 (97%)	94 (91%)	9 (9%)	0	100	100
78	Ap	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
All	All	10920/11886 (92%)	10244 (94%)	675 (6%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	BH	30	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	BA	173/210 (82%)	173 (100%)	0	100	100
2	BB	191/224 (85%)	190 (100%)	1 (0%)	86	95
3	BC	176/205 (86%)	175 (99%)	1 (1%)	84	94
4	BE	221/222 (100%)	221 (100%)	0	100	100
5	BG	193/201 (96%)	192 (100%)	1 (0%)	86	95
6	BH	165/170 (97%)	165 (100%)	0	100	100
7	BI	150/161 (93%)	147 (98%)	3 (2%)	50	78
8	BJ	158/166 (95%)	157 (99%)	1 (1%)	84	94
9	BL	136/137 (99%)	134 (98%)	2 (2%)	60	84
10	BN	127/128 (99%)	127 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	BO	96/105 (91%)	96 (100%)	0	100	100
12	BV	74/74 (100%)	74 (100%)	0	100	100
13	BW	110/111 (99%)	110 (100%)	0	100	100
14	BX	119/120 (99%)	119 (100%)	0	100	100
15	BY	112/113 (99%)	111 (99%)	1 (1%)	75	91
16	Ba	83/100 (83%)	83 (100%)	0	100	100
17	Bb	70/71 (99%)	69 (99%)	1 (1%)	62	85
18	Be	51/54 (94%)	51 (100%)	0	100	100
19	BD	182/195 (93%)	181 (100%)	1 (0%)	86	95
20	BF	173/191 (91%)	172 (99%)	1 (1%)	84	94
21	BK	89/98 (91%)	89 (100%)	0	100	100
22	BP	104/118 (88%)	102 (98%)	2 (2%)	52	79
23	BQ	117/119 (98%)	117 (100%)	0	100	100
24	BR	101/124 (82%)	101 (100%)	0	100	100
25	BS	128/129 (99%)	125 (98%)	3 (2%)	45	75
26	BT	113/116 (97%)	112 (99%)	1 (1%)	75	91
27	BU	100/114 (88%)	100 (100%)	0	100	100
28	BZ	61/89 (68%)	61 (100%)	0	100	100
29	Bc	56/60 (93%)	56 (100%)	0	100	100
30	Bd	47/49 (96%)	46 (98%)	1 (2%)	48	76
31	Bg	256/262 (98%)	255 (100%)	1 (0%)	89	96
32	Bf	66/135 (49%)	65 (98%)	1 (2%)	60	84
33	BM	100/119 (84%)	100 (100%)	0	100	100
35	AA	189/196 (96%)	189 (100%)	0	100	100
36	AB	321/322 (100%)	320 (100%)	1 (0%)	91	97
37	AC	288/289 (100%)	288 (100%)	0	100	100
41	AD	241/245 (98%)	241 (100%)	0	100	100
42	AE	137/153 (90%)	137 (100%)	0	100	100
43	AF	186/205 (91%)	186 (100%)	0	100	100
44	AG	189/208 (91%)	189 (100%)	0	100	100
45	AH	170/171 (99%)	168 (99%)	2 (1%)	67	87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
46	AI	185/187 (99%)	184 (100%)	1 (0%)	86	95
47	AJ	147/150 (98%)	146 (99%)	1 (1%)	81	93
48	AL	154/159 (97%)	154 (100%)	0	100	100
49	AM	107/109 (98%)	107 (100%)	0	100	100
50	AN	175/176 (99%)	175 (100%)	0	100	100
51	AO	160/162 (99%)	160 (100%)	0	100	100
52	AP	141/146 (97%)	140 (99%)	1 (1%)	81	93
53	AQ	150/151 (99%)	150 (100%)	0	100	100
54	AR	153/154 (99%)	153 (100%)	0	100	100
55	AS	156/162 (96%)	156 (100%)	0	100	100
56	AT	136/137 (99%)	135 (99%)	1 (1%)	81	93
57	AU	87/107 (81%)	87 (100%)	0	100	100
58	AV	104/105 (99%)	104 (100%)	0	100	100
59	AW	55/129 (43%)	55 (100%)	0	100	100
60	AX	105/118 (89%)	105 (100%)	0	100	100
61	AY	109/110 (99%)	109 (100%)	0	100	100
62	AZ	115/116 (99%)	114 (99%)	1 (1%)	75	91
63	Aa	118/119 (99%)	118 (100%)	0	100	100
64	Ab	46/47 (98%)	45 (98%)	1 (2%)	47	76
65	Ac	81/88 (92%)	81 (100%)	0	100	100
66	Ad	96/97 (99%)	96 (100%)	0	100	100
67	Ae	109/111 (98%)	109 (100%)	0	100	100
68	Af	90/91 (99%)	90 (100%)	0	100	100
69	Ag	95/103 (92%)	95 (100%)	0	100	100
70	Ah	104/105 (99%)	104 (100%)	0	100	100
71	Ai	81/82 (99%)	81 (100%)	0	100	100
72	Aj	70/71 (99%)	70 (100%)	0	100	100
73	Ak	68/69 (99%)	68 (100%)	0	100	100
74	Al	45/46 (98%)	45 (100%)	0	100	100
75	Am	47/116 (40%)	47 (100%)	0	100	100
76	An	23/23 (100%)	23 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
77	Ao	90/91 (99%)	90 (100%)	0	100	100
78	Ap	71/72 (99%)	71 (100%)	0	100	100
All	All	9292/9988 (93%)	9261 (100%)	31 (0%)	90	97

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
22	BP	130	ARG
52	AP	171	ARG
25	BS	145	ARG
62	AZ	84	ARG
45	AH	166	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 40 such sidechains are listed below:

Mol	Chain	Res	Type
46	AI	12	GLN
58	AV	98	ASN
47	AJ	90	GLN
55	AS	3	HIS
69	Ag	83	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
34	B5	1776/1798 (98%)	475 (26%)	21 (1%)
38	A1	3154/3395 (92%)	582 (18%)	20 (0%)
39	A3	120/121 (99%)	11 (9%)	0
40	A4	157/158 (99%)	26 (16%)	1 (0%)
All	All	5207/5472 (95%)	1094 (21%)	42 (0%)

5 of 1094 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
34	B5	2	A
34	B5	4	C
34	B5	25	C
34	B5	26	A
34	B5	34	G

5 of 42 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
38	A1	1094	U
38	A1	1577	G
38	A1	1225	A
38	A1	1276	U
38	A1	2269	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

59 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	PSU	A1	960	38	18,21,22	1.42	3 (16%)	21,30,33	2.07	4 (19%)
38	PSU	A1	2975	38	18,21,22	1.36	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	2129	38	18,21,22	1.39	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	986	38	18,21,22	1.37	2 (11%)	21,30,33	1.98	3 (14%)
38	OMU	A1	2921	38	19,22,23	1.21	2 (10%)	25,31,34	1.79	5 (20%)
38	PSU	A1	1056	38	18,21,22	1.38	2 (11%)	21,30,33	2.05	4 (19%)
39	PSU	A3	50	39	18,21,22	1.37	2 (11%)	21,30,33	2.00	3 (14%)
38	PSU	A1	990	38	18,21,22	1.38	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	2264	38	18,21,22	1.41	2 (11%)	21,30,33	1.93	3 (14%)
38	PSU	A1	2349	38	18,21,22	1.42	2 (11%)	21,30,33	2.00	3 (14%)
38	PSU	A1	1124	38	18,21,22	1.37	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	776	38	18,21,22	1.45	2 (11%)	21,30,33	1.98	3 (14%)
38	PSU	A1	2880	38	18,21,22	1.38	2 (11%)	21,30,33	2.03	4 (19%)
34	B8N	B5	1191	34	25,29,30	1.39	3 (12%)	28,42,45	2.34	5 (17%)
38	PSU	A1	2133	38	18,21,22	1.45	3 (16%)	21,30,33	2.15	5 (23%)
36	HIC	AB	243	36	8,11,12	1.67	2 (25%)	5,14,16	0.98	0
34	PSU	B5	1290	34	18,21,22	1.36	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	1004	38	18,21,22	1.38	2 (11%)	21,30,33	2.07	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	PSU	A1	2340	38	18,21,22	1.41	2 (11%)	21,30,33	2.04	3 (14%)
34	PSU	B5	302	34	18,21,22	1.42	2 (11%)	21,30,33	1.95	3 (14%)
38	UR3	A1	2634	38	19,22,23	0.99	1 (5%)	26,32,35	1.71	3 (11%)
34	MA6	B5	1782	34	19,26,27	1.04	1 (5%)	18,38,41	1.87	4 (22%)
34	MA6	B5	1781	34	19,26,27	1.01	2 (10%)	18,38,41	1.84	4 (22%)
38	PSU	A1	2351	38	18,21,22	1.39	2 (11%)	21,30,33	2.05	4 (19%)
34	PSU	B5	759	34	18,21,22	1.37	2 (11%)	21,30,33	2.05	4 (19%)
38	PSU	A1	1110	38	18,21,22	1.41	2 (11%)	21,30,33	2.07	5 (23%)
38	PSU	A1	1052	38	18,21,22	1.37	2 (11%)	21,30,33	2.01	3 (14%)
38	PSU	A1	2826	38	18,21,22	1.34	2 (11%)	21,30,33	2.03	5 (23%)
34	PSU	B5	1415	34	18,21,22	1.40	2 (11%)	21,30,33	2.00	3 (14%)
34	G7M	B5	1575	34	20,26,27	2.75	6 (30%)	16,39,42	1.53	3 (18%)
38	PSU	A1	2923	38	18,21,22	1.38	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	2260	38	18,21,22	1.47	2 (11%)	21,30,33	1.97	4 (19%)
34	4AC	B5	1280	34	21,24,25	1.02	1 (4%)	28,34,37	1.17	2 (7%)
38	PSU	A1	2416	38	18,21,22	1.39	2 (11%)	21,30,33	2.04	4 (19%)
38	PSU	A1	2865	38	18,21,22	1.42	3 (16%)	21,30,33	2.10	5 (23%)
34	PSU	B5	120	34	18,21,22	1.39	2 (11%)	21,30,33	1.99	3 (14%)
40	PSU	A4	73	40	18,21,22	1.37	2 (11%)	21,30,33	2.03	3 (14%)
38	PSU	A1	2735	38	18,21,22	1.39	2 (11%)	21,30,33	2.06	4 (19%)
38	PSU	A1	966	38	18,21,22	1.41	2 (11%)	21,30,33	2.03	3 (14%)
34	PSU	B5	466	34	18,21,22	1.36	2 (11%)	21,30,33	2.02	4 (19%)
38	1MA	A1	2142	38	17,25,26	1.57	2 (11%)	17,37,40	1.15	2 (11%)
34	PSU	B5	211	34	18,21,22	1.54	3 (16%)	21,30,33	1.97	4 (19%)
38	5MC	A1	2870	38	19,22,23	1.61	3 (15%)	26,32,35	1.28	3 (11%)
38	PSU	A1	2266	38	18,21,22	1.45	3 (16%)	21,30,33	2.02	3 (14%)
38	5MC	A1	2278	38	19,22,23	1.68	3 (15%)	26,32,35	1.21	3 (11%)
34	PSU	B5	632	34	18,21,22	1.34	2 (11%)	21,30,33	2.01	3 (14%)
38	1MA	A1	645	38	17,25,26	1.51	2 (11%)	17,37,40	1.12	2 (11%)
34	4AC	B5	1773	34	21,24,25	1.08	1 (4%)	28,34,37	1.24	3 (10%)
38	PSU	A1	2314	38	18,21,22	1.38	2 (11%)	21,30,33	2.07	4 (19%)
38	OMG	A1	2922	38	19,26,27	0.89	1 (5%)	21,38,41	1.04	2 (9%)
38	PSU	A1	1042	38	18,21,22	1.38	2 (11%)	21,30,33	2.06	4 (19%)
34	PSU	B5	766	34	18,21,22	1.42	2 (11%)	21,30,33	2.05	4 (19%)
34	PSU	B5	1181	34	18,21,22	1.40	2 (11%)	21,30,33	2.03	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	PSU	A1	2191	38	18,21,22	1.40	2 (11%)	21,30,33	2.09	5 (23%)
38	PSU	A1	2944	38	18,21,22	1.38	2 (11%)	21,30,33	2.05	4 (19%)
34	PSU	B5	999	34	18,21,22	1.36	2 (11%)	21,30,33	2.02	4 (19%)
34	PSU	B5	1187	34	18,21,22	1.35	2 (11%)	21,30,33	2.04	4 (19%)
34	PSU	B5	106	34	18,21,22	1.38	2 (11%)	21,30,33	2.01	4 (19%)
38	PSU	A1	2258	38	18,21,22	1.37	2 (11%)	21,30,33	1.97	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	PSU	A1	960	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2975	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2129	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	986	38	-	0/7/25/26	0/2/2/2
38	OMU	A1	2921	38	-	0/9/27/28	0/2/2/2
38	PSU	A1	1056	38	-	0/7/25/26	0/2/2/2
39	PSU	A3	50	39	-	0/7/25/26	0/2/2/2
38	PSU	A1	990	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2264	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2349	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	1124	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	776	38	-	2/7/25/26	0/2/2/2
38	PSU	A1	2880	38	-	0/7/25/26	0/2/2/2
34	B8N	B5	1191	34	-	6/16/34/35	0/2/2/2
38	PSU	A1	2133	38	-	0/7/25/26	0/2/2/2
36	HIC	AB	243	36	-	2/5/6/8	0/1/1/1
34	PSU	B5	1290	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	1004	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2340	38	-	1/7/25/26	0/2/2/2
34	PSU	B5	302	34	-	0/7/25/26	0/2/2/2
38	UR3	A1	2634	38	-	0/7/25/26	0/2/2/2
34	MA6	B5	1782	34	-	4/7/29/30	0/3/3/3
34	MA6	B5	1781	34	-	1/7/29/30	0/3/3/3
38	PSU	A1	2351	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	759	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	1110	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	1052	38	-	0/7/25/26	0/2/2/2

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	PSU	A1	2826	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	1415	34	-	0/7/25/26	0/2/2/2
34	G7M	B5	1575	34	-	0/3/25/26	0/3/3/3
38	PSU	A1	2923	38	-	3/7/25/26	0/2/2/2
38	PSU	A1	2260	38	-	3/7/25/26	0/2/2/2
34	4AC	B5	1280	34	-	4/11/29/30	0/2/2/2
38	PSU	A1	2416	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2865	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	120	34	-	0/7/25/26	0/2/2/2
40	PSU	A4	73	40	-	0/7/25/26	0/2/2/2
38	PSU	A1	2735	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	966	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	466	34	-	0/7/25/26	0/2/2/2
38	1MA	A1	2142	38	-	0/3/25/26	0/3/3/3
34	PSU	B5	211	34	-	3/7/25/26	0/2/2/2
38	5MC	A1	2870	38	-	4/7/25/26	0/2/2/2
38	PSU	A1	2266	38	-	1/7/25/26	0/2/2/2
38	5MC	A1	2278	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	632	34	-	0/7/25/26	0/2/2/2
38	1MA	A1	645	38	-	0/3/25/26	0/3/3/3
34	4AC	B5	1773	34	-	4/11/29/30	0/2/2/2
38	PSU	A1	2314	38	-	1/7/25/26	0/2/2/2
38	OMG	A1	2922	38	-	0/5/27/28	0/3/3/3
38	PSU	A1	1042	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	766	34	-	2/7/25/26	0/2/2/2
34	PSU	B5	1181	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2191	38	-	0/7/25/26	0/2/2/2
38	PSU	A1	2944	38	-	0/7/25/26	0/2/2/2
34	PSU	B5	999	34	-	0/7/25/26	0/2/2/2
34	PSU	B5	1187	34	-	0/7/25/26	0/2/2/2
34	PSU	B5	106	34	-	0/7/25/26	0/2/2/2
38	PSU	A1	2258	38	-	1/7/25/26	0/2/2/2

The worst 5 of 125 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	B5	1575	G7M	C8-N9	7.34	1.46	1.33
34	B5	1575	G7M	C8-N7	6.85	1.45	1.33
38	A1	2278	5MC	C5-C4	6.06	1.48	1.44
38	A1	2870	5MC	C5-C4	5.61	1.48	1.44
38	A1	2142	1MA	C2-N3	5.10	1.35	1.28

The worst 5 of 211 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	B5	1191	B8N	C32-C31-N3	8.77	127.48	112.16
38	A1	2133	PSU	N1-C2-N3	6.97	122.52	115.17
38	A1	2634	UR3	C4-N3-C2	-6.72	119.17	124.58
38	A1	2735	PSU	N1-C2-N3	6.53	122.06	115.17
38	A1	2191	PSU	N1-C2-N3	6.52	122.05	115.17

There are no chirality outliers.

5 of 44 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
36	AB	243	HIC	CA-CB-CG-ND1
36	AB	243	HIC	CA-CB-CG-CD2
34	B5	1280	4AC	N3-C4-N4-C7
34	B5	1280	4AC	C5-C4-N4-C7
34	B5	1280	4AC	O7-C7-N4-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
79	SPD	A1	3401	-	9,9,9	0.32	0	8,8,8	0.92	0
80	3HE	A1	3402	-	21,21,21	0.41	0	23,30,30	0.76	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
79	SPD	A1	3401	-	-	6/7/7/7	-
80	3HE	A1	3402	-	-	2/8/36/36	0/2/2/2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
80	A1	3402	3HE	C9-C13-C12	-2.71	109.91	114.46

There are no chirality outliers.


5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
80	A1	3402	3HE	C7-C8-C9-C10
79	A1	3401	SPD	N6-C7-C8-C9
79	A1	3401	SPD	C3-C4-C5-N6
79	A1	3401	SPD	C2-C3-C4-C5
80	A1	3402	3HE	C7-C8-C9-C13

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40993. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 184




Y Index: 247




Z Index: 188


### 6.3.2 Raw map



X Index: 184



Y Index: 247




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1381 nm<sup>3</sup>; this corresponds to an approximate mass of 1247 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.347 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.347 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.88	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.01	7.66	4.16

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.01 differs from the reported value 2.88 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40993 and PDB model 8T30. Per-residue inclusion information can be found in section [3](#) on page [19](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.7).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7920	 0.4770
A1	 0.9290	 0.5520
A3	 0.9710	 0.5580
A4	 0.9690	 0.5780
AA	 0.9330	 0.6000
AB	 0.9140	 0.5810
AC	 0.9150	 0.5730
AD	 0.7930	 0.5080
AE	 0.8240	 0.5270
AF	 0.8900	 0.5670
AG	 0.8490	 0.5430
AH	 0.7940	 0.5410
AI	 0.7780	 0.5280
AJ	 0.7190	 0.4550
AL	 0.8940	 0.5710
AM	 0.8800	 0.5490
AN	 0.9630	 0.6040
AO	 0.9110	 0.5780
AP	 0.9300	 0.5890
AQ	 0.9230	 0.5850
AR	 0.7850	 0.5080
AS	 0.8770	 0.5670
AT	 0.8610	 0.5590
AU	 0.7670	 0.5090
AV	 0.8150	 0.5720
AW	 0.8750	 0.5710
AX	 0.8780	 0.5730
AY	 0.9190	 0.5740
AZ	 0.8390	 0.5560
Aa	 0.9220	 0.5860
Ab	 0.8500	 0.5430
Ac	 0.8700	 0.5550
Ad	 0.8390	 0.5450
Ae	 0.9360	 0.5890
Af	 0.9420	 0.6000







*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Ag	 0.8980	 0.5850
Ah	 0.8780	 0.5680
Ai	 0.8730	 0.5350
Aj	 0.9560	 0.6010
Ak	 0.7000	 0.5060
Al	 0.9490	 0.5860
Am	 0.8390	 0.5540
An	 0.6890	 0.5090
Ao	 0.8490	 0.5670
Ap	 0.8730	 0.5810
B5	 0.7420	 0.3710
BA	 0.6200	 0.4190
BB	 0.7120	 0.4530
BC	 0.7650	 0.4830
BD	 0.3390	 0.2520
BE	 0.6400	 0.3420
BF	 0.1690	 0.1980
BG	 0.4270	 0.3120
BH	 0.5250	 0.4010
BI	 0.5310	 0.3630
BJ	 0.5650	 0.2880
BK	 0.2580	 0.2120
BL	 0.6090	 0.4180
BM	 0.0090	 0.1480
BN	 0.7750	 0.5100
BO	 0.7380	 0.4660
BP	 0.2730	 0.2220
BQ	 0.2590	 0.2050
BR	 0.2830	 0.2450
BS	 0.3270	 0.2470
BT	 0.3110	 0.2410
BU	 0.2940	 0.2380
BV	 0.7210	 0.4530
BW	 0.8510	 0.5370
BX	 0.6300	 0.4460
BY	 0.5180	 0.2940
BZ	 0.0680	 0.1880
Ba	 0.7900	 0.5040
Bb	 0.7060	 0.4720
Bc	 0.2070	 0.2450
Bd	 0.6450	 0.3280
Be	 0.4750	 0.3260

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Bf	 0.0320	 0.1550
Bg	 0.1290	 0.1890