



Full wwPDB EM Validation Report ⓘ

Aug 19, 2024 – 09:09 AM EDT

PDB ID : 8T5H
EMDB ID : EMD-41050
Title : Cryo-EM studies of the interplay between uS2 ribosomal protein and leaderless mRNA during bacterial translation initiation
Authors : Bhattacharjee, S.; Gottesman, M.E.; Frank, J.
Deposited on : 2023-06-13
Resolution : 3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	56	29% (red), 95% (green), 5% (yellow)
2	1	51	41% (red), 100% (green)
3	2	46	11% (red), 98% (green), . (yellow)
4	3	64	6% (red), 98% (green), . (yellow)
5	4	38	32% (red), 89% (green), 11% (yellow)
6	A	117	28% (red), 74% (green), 23% (yellow), . (orange)
7	B	2903	16% (red), 73% (green), 25% (yellow), . (orange)
8	C	272	14% (red), 97% (green), . (yellow)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	D	209	18% 95% 5%
10	E	201	28% 98% .
11	F	178	76% 90% 10%
12	G	176	68% 95% 5%
13	J	142	20% 96% .
14	K	122	19% 93% 7%
15	L	143	28% 97% .
16	M	136	19% 97% .
17	N	121	12% 98% .
18	O	116	47% 99% .
19	P	114	29% 95% 5%
20	Q	117	13% 96% .
21	R	103	31% 98% .
22	S	110	22% 96% .
23	T	94	55% 90% 9% .
24	U	103	50% 93% 7%
25	V	94	59% 98% .
26	W	79	28% 96% .
27	X	77	29% 99% .
28	Y	63	62% 95% 5%
29	Z	58	17% 98% .
30	b	206	58% 97% .
31	c	205	58% 95% 5%
32	d	150	22% 98% .
33	e	100	97% 97% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	151	91% 97% .
35	g	129	33% 95% 5%
36	h	127	77% 94% 6%
37	i	98	74% 92% 8%
38	j	117	72% 93% 7%
39	k	123	27% 98% .
40	l	114	79% 97% .
41	m	100	57% 93% .
42	n	88	51% 98% .
43	o	82	29% 96% .
44	p	80	54% 94% 6%
45	q	55	82% 96% .
46	r	79	76% 97% .
47	s	85	67% 95% 5%
48	u	59	100% 98% .
49	v	1539	23% 73% 25% .
50	x	12	67% 58% 42%
51	5	77	40% 78% 22%

2 Entry composition

There are 51 unique types of molecules in this entry. The entry contains 140621 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	56	444	269	94	80	1	0	0

- Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	1	51	410	263	76	71	0	1

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	46	377	228	90	57	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	64	504	323	105	74	2	0	0

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	38	302	185	65	48	4	0	0

- Molecule 6 is a RNA chain called 5S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	A	117	2504	1116	459	813	116	0	0

- Molecule 7 is a RNA chain called 23S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	B	2903	62317	27801	11467	20147	2902	0	0

- Molecule 8 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	C	272	2083	1288	424	364	7	0	1

- Molecule 9 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	D	209	1565	979	288	294	4	0	0

- Molecule 10 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	E	201	1552	974	283	290	5	0	0

- Molecule 11 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	F	178	1420	905	251	258	6	0	0

- Molecule 12 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	G	176	1323	832	243	246	2	0	0

- Molecule 13 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	J	142	1129	714	212	199	4	0	0

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	122	Total	C	N	O	S	0	1
			931	582	180	164	5		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	121	Total	C	N	O	S	0	1
			961	593	197	166	5		

- Molecule 18 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	94	Total	C	N	O	S	0	1
			739	466	140	131	2		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	U	103	Total	C	N	O	0	1
			780	492	147	141		

- Molecule 25 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	79	Total	C	N	O	S	0	0
			596	367	120	108	1		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 30 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	b	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 31 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	c	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 32 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	150	Total	C	N	O	S	0	0
			1106	687	211	202	6		

- Molecule 33 is a protein called 30S ribosomal protein S6, non-modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	e	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 34 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 35 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	g	129	979	616	173	184	6	0	0

- Molecule 36 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	h	127	1022	634	206	179	3	0	0

- Molecule 37 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	i	98	787	493	150	143	1	0	0

- Molecule 38 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	j	117	877	540	174	160	3	0	0

- Molecule 39 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	k	123	955	590	196	165	4	0	0

- Molecule 40 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	l	114	884	546	178	157	3	0	0

- Molecule 41 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	m	96	774	483	160	128	3	0	0

- Molecule 42 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	n	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 43 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 44 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	p	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 45 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	q	55	Total	C	N	O	0	0
			456	288	86	82		

- Molecule 46 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	r	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 47 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	s	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 48 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	u	59	Total	C	N	O	S	0	0
			468	297	78	92	1		

- Molecule 49 is a RNA chain called 16S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
49	v	1539	33012	14725	6052	10697	1538	0	0

- Molecule 50 is a RNA chain called lmRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
50	x	12	257	117	53	76	11	0	0


- Molecule 51 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
51	5	77	1640	732	297	535	76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L32




- Molecule 2: 50S ribosomal protein L33




- Molecule 3: 50S ribosomal protein L34




- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36




• Molecule 6: 5S




• Molecule 7: 23S







• Molecule 8: 50S ribosomal protein L2




• Molecule 9: 50S ribosomal protein L3




• Molecule 10: 50S ribosomal protein L4




• Molecule 11: 50S ribosomal protein L5







• Molecule 12: 50S ribosomal protein L6




• Molecule 13: 50S ribosomal protein L13




• Molecule 14: 50S ribosomal protein L14




• Molecule 15: 50S ribosomal protein L15







- Molecule 16: 50S ribosomal protein L16



- Molecule 17: 50S ribosomal protein L17




- Molecule 18: 50S ribosomal protein L18



- Molecule 19: 50S ribosomal protein L19




- Molecule 20: 50S ribosomal protein L20




- Molecule 21: Ribosomal protein L21











- Molecule 22: 50S ribosomal protein L22





- Molecule 23: 50S ribosomal protein L23



- Molecule 24: 50S ribosomal protein L24




- Molecule 25: 50S ribosomal protein L25




- Molecule 26: 50S ribosomal protein L27







- Molecule 27: 50S ribosomal protein L28






- Molecule 28: 50S ribosomal protein L29



- Molecule 29: 50S ribosomal protein L30




- Molecule 30: 30S ribosomal protein S3




- Molecule 31: 30S ribosomal protein S4








- Molecule 32: 30S ribosomal protein S5




- Molecule 33: 30S ribosomal protein S6, non-modified isoform



- Molecule 34: 30S ribosomal protein S7




- Molecule 35: 30S ribosomal protein S8







- Molecule 36: 30S ribosomal protein S9




- Molecule 37: 30S ribosomal protein S10



- Molecule 38: 30S ribosomal protein S11



- Molecule 39: 30S ribosomal protein S12




- Molecule 40: 30S ribosomal protein S13







- Molecule 41: 30S ribosomal protein S14





- Molecule 42: 30S ribosomal protein S15





- Molecule 43: 30S ribosomal protein S16




- Molecule 44: 30S ribosomal protein S17




- Molecule 45: 30S ribosomal protein S18




- Molecule 46: 30S ribosomal protein S19




• Molecule 47: 30S ribosomal protein S20




• Molecule 48: Transcription termination/antitermination protein NusG



• Molecule 49: 16S







• Molecule 50: lmrRNA



• Molecule 51: tRNA





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	96000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	58	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.327	Depositor
Minimum map value	-0.018	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.059	Depositor
Recommended contour level	0.255	Depositor
Map size (\AA)	332.0, 332.0, 332.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.83, 0.83, 0.83	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.44	0/450	0.72	0/599
2	1	0.40	0/417	0.57	0/556
3	2	0.47	0/380	0.65	0/498
4	3	0.45	0/513	0.68	0/676
5	4	0.42	0/303	0.73	1/397 (0.3%)
6	A	0.74	0/2800	1.17	16/4367 (0.4%)
7	B	1.02	5/69796 (0.0%)	1.16	426/108888 (0.4%)
8	C	0.73	3/2122 (0.1%)	1.05	5/2854 (0.2%)
9	D	0.49	0/1586	0.71	1/2134 (0.0%)
10	E	0.43	0/1571	0.66	0/2113
11	F	0.35	0/1444	0.69	2/1937 (0.1%)
12	G	0.34	0/1343	0.64	0/1816
13	J	0.45	0/1152	0.63	0/1551
14	K	0.47	0/940	0.79	2/1260 (0.2%)
15	L	0.41	0/1054	0.68	1/1403 (0.1%)
16	M	0.41	0/1093	0.64	0/1460
17	N	0.44	0/974	0.71	0/1303
18	O	0.37	0/902	0.64	1/1209 (0.1%)
19	P	0.41	0/929	0.68	1/1242 (0.1%)
20	Q	0.51	0/960	0.66	1/1278 (0.1%)
21	R	0.44	0/829	0.63	0/1107
22	S	0.46	0/864	0.67	0/1156
23	T	0.35	0/745	0.68	1/996 (0.1%)
24	U	0.36	0/788	0.68	0/1053
25	V	0.32	0/766	0.57	0/1025
26	W	0.42	0/603	0.82	1/797 (0.1%)
27	X	0.36	0/635	0.63	0/848
28	Y	0.33	0/510	0.76	2/677 (0.3%)
29	Z	0.37	0/453	0.66	0/605
30	b	0.38	0/1652	0.65	0/2225
31	c	0.38	0/1665	0.70	2/2227 (0.1%)
32	d	0.43	0/1119	0.74	1/1504 (0.1%)
33	e	0.28	0/836	0.59	0/1128
34	f	0.27	0/1196	0.61	0/1602

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	g	0.39	0/989	0.63	0/1326
36	h	0.32	0/1034	0.69	0/1375
37	i	0.32	0/797	0.68	0/1077
38	j	0.32	0/893	0.61	0/1205
39	k	0.45	0/969	0.75	0/1300
40	l	0.29	0/893	0.64	0/1193
41	m	0.35	0/785	0.66	0/1043
42	n	0.33	0/722	0.58	0/964
43	o	0.37	0/659	0.65	0/884
44	p	0.34	0/658	0.68	0/881
45	q	0.29	0/463	0.65	1/621 (0.2%)
46	r	0.31	0/653	0.60	1/877 (0.1%)
47	s	0.34	0/671	0.57	0/888
48	u	0.30	0/477	0.60	0/642
49	v	0.85	1/36963 (0.0%)	1.12	187/57662 (0.3%)
50	x	0.57	0/289	0.93	0/449
51	5	0.66	0/1832	1.05	6/2855 (0.2%)
All	All	0.84	9/153137 (0.0%)	1.05	659/229733 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	2
8	C	0	1
11	F	0	2
17	N	0	1
20	Q	0	1
30	b	0	1
38	j	0	1
All	All	0	9

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	84	PRO	CG-CD	-21.99	0.78	1.50
49	v	1531	A	O3'-P	18.21	1.83	1.61
8	C	84	PRO	CB-CG	7.71	1.88	1.50
7	B	782	A	N9-C4	-6.02	1.34	1.37
7	B	1142	A	N9-C4	-5.75	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	84	PRO	CA-CB	-5.63	1.42	1.53
7	B	740	C	C4-C5	-5.48	1.38	1.43
7	B	586	A	N9-C4	-5.30	1.34	1.37
7	B	2267	A	N9-C4	-5.00	1.34	1.37

All (659) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	84	PRO	N-CD-CG	-30.08	58.09	103.20
8	C	84	PRO	CA-CB-CG	-21.11	63.88	104.00
8	C	84	PRO	N-CA-CB	-14.94	85.37	103.30
49	v	1531	A	O3'-P-O5'	-13.17	78.97	104.00
49	v	1531	A	OP2-P-O3'	11.47	130.43	105.20
7	B	1313	U	C2-N1-C1'	11.14	131.07	117.70
7	B	2619	C	C6-N1-C2	-11.07	115.87	120.30
7	B	1914	C	N1-C2-O2	10.81	125.39	118.90
7	B	828	U	C2-N1-C1'	10.78	130.63	117.70
8	C	84	PRO	CA-N-CD	-10.61	96.65	111.50
7	B	2179	C	N1-C2-O2	10.09	124.96	118.90
6	A	30	C	C6-N1-C2	-10.05	116.28	120.30
7	B	202	U	N3-C2-O2	-9.96	115.23	122.20
7	B	1314	C	C2-N1-C1'	9.91	129.71	118.80
7	B	1313	U	N1-C2-O2	9.84	129.69	122.80
7	B	1076	C	N3-C2-O2	-9.75	115.07	121.90
7	B	2666	C	N1-C2-O2	9.65	124.69	118.90
7	B	2683	C	N1-C2-O2	9.60	124.66	118.90
49	v	1158	C	N1-C2-O2	9.33	124.50	118.90
7	B	2254	C	C2-N1-C1'	9.29	129.02	118.80
6	A	30	C	C5-C6-N1	9.25	125.62	121.00
7	B	2254	C	N1-C2-O2	9.23	124.44	118.90
7	B	671	C	C6-N1-C2	-9.20	116.62	120.30
6	A	30	C	C2-N1-C1'	9.19	128.91	118.80
6	A	26	C	N1-C2-O2	9.18	124.41	118.90
7	B	2858	C	N3-C2-O2	-9.15	115.49	121.90
7	B	2666	C	C2-N1-C1'	9.14	128.86	118.80
7	B	2666	C	N3-C2-O2	-9.10	115.53	121.90
7	B	2858	C	N1-C2-O2	9.08	124.35	118.90
7	B	1458	U	N3-C2-O2	-9.07	115.85	122.20
7	B	1458	U	N1-C2-O2	9.06	129.15	122.80
7	B	2474	U	C2-N1-C1'	9.03	128.54	117.70
49	v	135	C	C6-N1-C2	-8.96	116.72	120.30
7	B	1914	C	N3-C2-O2	-8.96	115.63	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	1286	U	C2-N1-C1'	8.88	128.35	117.70
49	v	1158	C	C2-N1-C1'	8.87	128.55	118.80
7	B	847	U	C2-N1-C1'	8.77	128.22	117.70
7	B	847	U	N3-C2-O2	-8.73	116.09	122.20
7	B	1915	U	N1-C2-O2	8.67	128.87	122.80
49	v	1286	U	N1-C2-O2	8.66	128.86	122.80
7	B	2858	C	C2-N1-C1'	8.61	128.27	118.80
7	B	1914	C	C2-N1-C1'	8.57	128.22	118.80
7	B	1005	C	C2-N1-C1'	8.51	128.16	118.80
49	v	91	U	N1-C2-O2	8.50	128.75	122.80
7	B	2330	G	C4-N9-C1'	8.49	137.54	126.50
7	B	2884	U	N1-C2-O2	8.49	128.74	122.80
7	B	1313	U	N3-C2-O2	-8.44	116.29	122.20
7	B	2474	U	N1-C2-O2	8.43	128.70	122.80
7	B	1915	U	N3-C2-O2	-8.28	116.40	122.20
49	v	1298	U	N1-C2-O2	8.26	128.58	122.80
49	v	1286	U	N3-C2-O2	-8.23	116.44	122.20
7	B	2330	G	C6-C5-N7	-8.23	125.46	130.40
49	v	328	C	N1-C2-O2	8.22	123.83	118.90
49	v	328	C	C2-N1-C1'	8.19	127.81	118.80
7	B	828	U	N1-C2-O2	8.15	128.51	122.80
49	v	810	C	C2-N1-C1'	8.11	127.72	118.80
49	v	91	U	C2-N1-C1'	7.99	127.29	117.70
7	B	234	U	N3-C2-O2	-7.97	116.62	122.20
49	v	1409	C	C2-N1-C1'	7.95	127.55	118.80
7	B	847	U	N1-C2-O2	7.89	128.32	122.80
7	B	1294	U	C5-C6-N1	7.89	126.64	122.70
49	v	1066	C	N1-C2-O2	7.88	123.63	118.90
7	B	652	U	N3-C2-O2	-7.88	116.69	122.20
49	v	1298	U	N3-C2-O2	-7.86	116.69	122.20
49	v	91	U	N3-C2-O2	-7.86	116.70	122.20
7	B	2858	C	C6-N1-C2	-7.86	117.16	120.30
7	B	2063	C	C6-N1-C2	-7.86	117.16	120.30
7	B	640	C	C2-N1-C1'	7.86	127.44	118.80
7	B	652	U	N1-C2-O2	7.85	128.30	122.80
7	B	1647	U	C2-N1-C1'	7.85	127.12	117.70
7	B	1956	U	N1-C2-O2	7.84	128.29	122.80
7	B	455	C	N1-C2-O2	7.82	123.59	118.90
7	B	2330	G	C8-N9-C1'	-7.81	116.85	127.00
49	v	135	C	N3-C2-O2	-7.80	116.44	121.90
7	B	202	U	C2-N1-C1'	7.79	127.05	117.70
49	v	1322	C	N1-C2-O2	7.78	123.57	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	1158	C	N3-C2-O2	-7.78	116.46	121.90
6	A	26	C	N3-C2-O2	-7.77	116.46	121.90
7	B	2179	C	N3-C2-O2	-7.77	116.46	121.90
7	B	202	U	N1-C2-O2	7.73	128.21	122.80
49	v	1409	C	N1-C2-O2	7.69	123.52	118.90
7	B	2474	U	C5-C6-N1	7.69	126.55	122.70
7	B	2179	C	C2-N1-C1'	7.67	127.24	118.80
49	v	1409	C	N3-C2-O2	-7.64	116.55	121.90
7	B	1915	U	C2-N1-C1'	7.62	126.85	117.70
7	B	783	A	C5-N7-C8	-7.59	100.10	103.90
6	A	26	C	C2-N1-C1'	7.57	127.13	118.80
7	B	1458	U	C2-N1-C1'	7.57	126.78	117.70
7	B	2254	C	N3-C2-O2	-7.55	116.61	121.90
49	v	307	C	N1-C2-O2	7.51	123.41	118.90
49	v	1322	C	N3-C2-O2	-7.51	116.64	121.90
7	B	783	A	N7-C8-N9	7.50	117.55	113.80
7	B	2334	U	N3-C2-O2	-7.49	116.95	122.20
7	B	2720	U	N3-C2-O2	-7.49	116.96	122.20
7	B	828	U	C6-N1-C1'	-7.48	110.73	121.20
7	B	2474	U	N3-C2-O2	-7.48	116.97	122.20
49	v	1213	A	P-O3'-C3'	7.48	128.67	119.70
7	B	1313	U	C6-N1-C1'	-7.47	110.74	121.20
7	B	126	A	N7-C8-N9	7.47	117.53	113.80
7	B	1005	C	N1-C2-O2	7.39	123.33	118.90
7	B	2330	G	N3-C4-N9	7.39	130.44	126.00
49	v	135	C	C2-N1-C1'	7.38	126.92	118.80
7	B	2683	C	N3-C2-O2	-7.38	116.73	121.90
49	v	961	U	N3-C2-O2	-7.35	117.05	122.20
7	B	2715	C	C6-N1-C2	-7.31	117.37	120.30
49	v	1322	C	C2-N1-C1'	7.31	126.84	118.80
7	B	2302	U	N3-C2-O2	-7.27	117.11	122.20
49	v	810	C	C6-N1-C2	-7.25	117.40	120.30
49	v	58	C	C6-N1-C2	-7.25	117.40	120.30
49	v	1293	C	C6-N1-C2	-7.23	117.41	120.30
49	v	1406	U	N1-C2-O2	7.19	127.83	122.80
49	v	1398	A	C8-N9-C4	-7.18	102.93	105.80
7	B	490	C	P-O3'-C3'	7.17	128.31	119.70
7	B	1314	C	N1-C2-O2	7.16	123.20	118.90
7	B	1314	C	C6-N1-C1'	-7.16	112.21	120.80
7	B	355	U	C2-N1-C1'	7.13	126.25	117.70
7	B	2666	C	C6-N1-C2	-7.12	117.45	120.30
7	B	1644	C	C6-N1-C2	-7.12	117.45	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	670	A	P-O3'-C3'	7.11	128.24	119.70
7	B	893	C	N3-C2-O2	-7.11	116.92	121.90
7	B	126	A	C8-N9-C4	-7.11	102.96	105.80
49	v	135	C	N1-C2-O2	7.10	123.16	118.90
7	B	2179	C	C6-N1-C2	-7.10	117.46	120.30
7	B	1437	C	C5-C6-N1	7.09	124.55	121.00
7	B	671	C	C5-C6-N1	7.08	124.54	121.00
7	B	1005	C	C5-C6-N1	7.07	124.53	121.00
7	B	790	U	C2-N1-C1'	7.06	126.18	117.70
7	B	2430	A	C2-N3-C4	7.06	114.13	110.60
51	5	32	C	C6-N1-C2	-7.06	117.48	120.30
7	B	1437	C	C6-N1-C2	-7.05	117.48	120.30
6	A	30	C	N1-C2-O2	7.04	123.12	118.90
7	B	1920	C	C5-C6-N1	7.02	124.51	121.00
49	v	1113	C	C6-N1-C2	-7.02	117.49	120.30
7	B	1314	C	C5-C6-N1	7.00	124.50	121.00
7	B	355	U	N3-C2-O2	-6.99	117.31	122.20
7	B	2723	C	C6-N1-C2	-6.99	117.51	120.30
7	B	1931	U	C2-N1-C1'	6.98	126.07	117.70
7	B	624	C	C6-N1-C2	-6.97	117.51	120.30
7	B	2619	C	C5-C6-N1	6.96	124.48	121.00
7	B	2334	U	C2-N1-C1'	6.96	126.05	117.70
49	v	623	C	C6-N1-C2	-6.95	117.52	120.30
49	v	1282	C	C2-N1-C1'	6.94	126.44	118.80
7	B	1912	A	C8-N9-C4	-6.94	103.02	105.80
7	B	652	U	C2-N1-C1'	6.94	126.02	117.70
49	v	891	U	N1-C2-O2	6.93	127.65	122.80
49	v	1293	C	C5-C6-N1	6.92	124.46	121.00
7	B	828	U	C5-C6-N1	6.91	126.16	122.70
7	B	1362	C	C5-C6-N1	6.86	124.43	121.00
6	A	31	C	C6-N1-C2	-6.86	117.56	120.30
7	B	455	C	N3-C2-O2	-6.83	117.12	121.90
49	v	439	U	N1-C2-O2	6.83	127.58	122.80
7	B	2334	U	N1-C2-O2	6.83	127.58	122.80
7	B	640	C	C5-C6-N1	6.83	124.41	121.00
7	B	1914	C	C6-N1-C2	-6.82	117.57	120.30
7	B	828	U	N3-C2-O2	-6.81	117.43	122.20
49	v	1279	G	N3-C4-C5	-6.80	125.20	128.60
7	B	1956	U	N3-C2-O2	-6.79	117.45	122.20
7	B	234	U	N1-C2-O2	6.79	127.55	122.80
49	v	1406	U	C2-N1-C1'	6.79	125.85	117.70
7	B	2720	U	N1-C2-O2	6.78	127.55	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	183	C	N1-C2-O2	6.76	122.96	118.90
49	v	328	C	C5-C6-N1	6.76	124.38	121.00
7	B	2043	C	C6-N1-C2	-6.72	117.61	120.30
7	B	527	C	C2-N1-C1'	6.71	126.18	118.80
7	B	1607	C	C2-N1-C1'	6.69	126.16	118.80
7	B	2254	C	C6-N1-C1'	-6.69	112.77	120.80
7	B	640	C	C6-N1-C2	-6.69	117.62	120.30
7	B	2248	C	C2-N1-C1'	6.68	126.15	118.80
7	B	1912	A	N7-C8-N9	6.67	117.14	113.80
49	v	1279	G	C8-N9-C4	-6.66	103.73	106.40
7	B	783	A	C8-N9-C4	-6.66	103.14	105.80
20	Q	94	LEU	CB-CG-CD1	-6.65	99.69	111.00
49	v	891	U	N3-C2-O2	-6.64	117.55	122.20
7	B	1893	C	N1-C2-O2	6.63	122.88	118.90
7	B	845	A	C6-N1-C2	6.62	122.58	118.60
26	W	31	LEU	CA-CB-CG	6.62	130.52	115.30
49	v	1066	C	N3-C2-O2	-6.62	117.27	121.90
7	B	355	U	N1-C2-O2	6.61	127.43	122.80
7	B	2248	C	C5-C6-N1	6.61	124.31	121.00
7	B	225	C	C6-N1-C2	-6.61	117.66	120.30
15	L	27	LEU	CA-CB-CG	6.61	130.49	115.30
7	B	183	C	N3-C2-O2	-6.59	117.28	121.90
7	B	2715	C	C5-C6-N1	6.57	124.28	121.00
7	B	1607	C	N1-C2-O2	6.57	122.84	118.90
7	B	850	U	N1-C2-N3	6.56	118.84	114.90
7	B	1585	C	N1-C2-O2	6.55	122.83	118.90
7	B	1076	C	N1-C2-O2	6.54	122.83	118.90
14	K	106	LEU	CA-CB-CG	6.53	130.32	115.30
49	v	1395	C	N1-C2-O2	6.53	122.82	118.90
7	B	1176	U	C2-N1-C1'	6.53	125.53	117.70
49	v	1293	C	C2-N1-C1'	6.52	125.97	118.80
7	B	2870	C	C6-N1-C2	-6.52	117.69	120.30
49	v	1101	A	P-O3'-C3'	6.51	127.52	119.70
7	B	2226	C	N1-C2-O2	6.51	122.80	118.90
7	B	527	C	N1-C2-O2	6.50	122.80	118.90
7	B	1313	U	C5-C6-N1	6.49	125.95	122.70
7	B	2683	C	C2-N1-C1'	6.49	125.94	118.80
49	v	132	C	N1-C2-O2	6.49	122.80	118.90
49	v	598	U	C5-C6-N1	6.49	125.94	122.70
7	B	387	U	N3-C2-O2	-6.48	117.67	122.20
6	A	38	C	C2-N1-C1'	6.46	125.91	118.80
7	B	2043	C	C5-C6-N1	6.45	124.23	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	1931	U	N1-C2-O2	6.45	127.31	122.80
49	v	1531	A	P-O3'-C3'	-6.45	111.96	119.70
49	v	582	C	C6-N1-C2	-6.44	117.72	120.30
49	v	307	C	N3-C2-O2	-6.43	117.40	121.90
49	v	623	C	C5-C6-N1	6.43	124.22	121.00
49	v	316	C	C2-N1-C1'	6.43	125.87	118.80
49	v	1406	U	N3-C2-O2	-6.42	117.70	122.20
7	B	475	C	C5-C6-N1	6.42	124.21	121.00
7	B	2507	C	C5-C6-N1	6.42	124.21	121.00
49	v	132	C	C2-N1-C1'	6.41	125.85	118.80
7	B	1647	U	N1-C2-O2	6.40	127.28	122.80
7	B	510	C	C2-N1-C1'	6.38	125.82	118.80
49	v	1201	A	P-O3'-C3'	6.37	127.34	119.70
7	B	2739	U	N3-C2-O2	-6.37	117.74	122.20
19	P	113	LEU	CA-CB-CG	6.35	129.91	115.30
49	v	328	C	C6-N1-C2	-6.34	117.76	120.30
49	v	810	C	C5-C6-N1	6.33	124.17	121.00
7	B	2072	C	C5-C6-N1	6.32	124.16	121.00
49	v	115	G	P-O3'-C3'	6.32	127.28	119.70
7	B	225	C	C2-N1-C1'	6.31	125.74	118.80
7	B	1005	C	C6-N1-C2	-6.30	117.78	120.30
7	B	183	C	C6-N1-C2	-6.28	117.79	120.30
7	B	387	U	C2-N1-C1'	6.28	125.24	117.70
7	B	1771	C	C6-N1-C2	-6.27	117.79	120.30
7	B	2498	C	C6-N1-C2	-6.26	117.80	120.30
7	B	1345	C	N1-C2-O2	6.26	122.65	118.90
7	B	981	A	N7-C8-N9	6.24	116.92	113.80
7	B	2884	U	N3-C2-O2	-6.24	117.83	122.20
49	v	1263	C	C5-C6-N1	6.22	124.11	121.00
8	C	84	PRO	CB-CG-CD	-6.22	82.25	106.50
7	B	2073	C	C6-N1-C2	-6.21	117.81	120.30
7	B	542	C	C6-N1-C2	-6.21	117.81	120.30
49	v	610	U	N3-C2-O2	-6.21	117.85	122.20
7	B	635	C	C6-N1-C2	-6.21	117.82	120.30
49	v	1029	U	C2-N1-C1'	6.21	125.15	117.70
7	B	813	U	N1-C2-O2	6.19	127.13	122.80
51	5	32	C	C5-C6-N1	6.18	124.09	121.00
7	B	1362	C	C6-N1-C2	-6.18	117.83	120.30
28	Y	30	MET	CB-CG-SD	6.17	130.92	112.40
7	B	550	C	C6-N1-C2	-6.17	117.83	120.30
6	A	42	C	N1-C2-O2	6.16	122.60	118.90
49	v	1520	C	C6-N1-C2	-6.16	117.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	510	C	N1-C2-O2	6.15	122.59	118.90
49	v	1279	G	N7-C8-N9	6.14	116.17	113.10
49	v	1158	C	C6-N1-C1'	-6.13	113.44	120.80
7	B	2248	C	N1-C2-O2	6.13	122.58	118.90
7	B	1652	A	P-O3'-C3'	6.13	127.05	119.70
7	B	847	U	C6-N1-C1'	-6.12	112.64	121.20
31	c	10	LEU	CA-CB-CG	6.12	129.37	115.30
49	v	330	C	N1-C2-O2	6.11	122.56	118.90
7	B	2302	U	N1-C2-O2	6.11	127.07	122.80
7	B	2510	C	C6-N1-C2	-6.10	117.86	120.30
7	B	601	C	C6-N1-C2	-6.10	117.86	120.30
49	v	910	C	C5-C6-N1	6.09	124.05	121.00
7	B	1314	C	C6-N1-C2	-6.09	117.86	120.30
49	v	1029	U	N3-C2-O2	-6.09	117.94	122.20
7	B	2063	C	N3-C2-O2	-6.08	117.64	121.90
7	B	550	C	C2-N1-C1'	6.07	125.48	118.80
49	v	1262	C	N1-C2-O2	6.07	122.54	118.90
49	v	1113	C	C2-N1-C1'	6.07	125.47	118.80
7	B	872	U	C2-N1-C1'	6.06	124.97	117.70
49	v	106	C	C6-N1-C2	-6.06	117.88	120.30
7	B	2179	C	C5-C6-N1	6.05	124.03	121.00
7	B	1830	C	C5-C6-N1	6.05	124.02	121.00
7	B	1795	C	C5-C6-N1	6.04	124.02	121.00
7	B	2619	C	C2-N1-C1'	6.03	125.43	118.80
7	B	2676	C	C6-N1-C2	-6.03	117.89	120.30
7	B	1437	C	C2-N1-C1'	6.01	125.42	118.80
6	A	38	C	C5-C6-N1	6.01	124.01	121.00
23	T	32	LEU	CA-CB-CG	6.01	129.12	115.30
7	B	1993	U	C2-N1-C1'	6.00	124.90	117.70
7	B	2243	U	N3-C2-O2	-6.00	118.00	122.20
7	B	1930	G	OP2-P-O3'	6.00	118.39	105.20
7	B	1644	C	N1-C2-O2	6.00	122.50	118.90
7	B	198	C	C5-C6-N1	5.99	124.00	121.00
7	B	717	C	C6-N1-C2	-5.99	117.90	120.30
7	B	922	C	C6-N1-C2	-5.99	117.90	120.30
6	A	38	C	C6-N1-C2	-5.99	117.91	120.30
49	v	643	C	C5-C6-N1	5.98	123.99	121.00
7	B	607	U	N3-C2-O2	-5.98	118.02	122.20
6	A	26	C	C6-N1-C2	-5.97	117.91	120.30
49	v	575	G	O4'-C1'-N9	-5.97	103.42	108.20
7	B	851	C	C5-C6-N1	5.97	123.98	121.00
49	v	439	U	C2-N1-C1'	5.97	124.86	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	610	U	N1-C2-O2	5.97	126.98	122.80
7	B	192	C	C6-N1-C2	-5.96	117.91	120.30
7	B	2043	C	C2-N1-C1'	5.95	125.34	118.80
7	B	1658	C	C5-C6-N1	5.95	123.97	121.00
7	B	650	C	C6-N1-C2	-5.94	117.92	120.30
51	5	75	C	C6-N1-C2	-5.93	117.93	120.30
7	B	2666	C	C6-N1-C1'	-5.92	113.69	120.80
7	B	1658	C	C6-N1-C2	-5.92	117.93	120.30
49	v	1108	G	C4-N9-C1'	5.92	134.19	126.50
7	B	2793	C	C2-N1-C1'	5.92	125.31	118.80
7	B	2330	G	C4-C5-N7	5.91	113.17	110.80
7	B	981	A	C5-N7-C8	-5.91	100.95	103.90
7	B	2649	C	C5-C6-N1	5.91	123.95	121.00
7	B	1993	U	C5-C6-N1	5.91	125.65	122.70
49	v	316	C	N1-C2-O2	5.90	122.44	118.90
7	B	1893	C	C6-N1-C2	-5.90	117.94	120.30
7	B	1993	U	N1-C2-O2	5.90	126.93	122.80
7	B	2044	C	C6-N1-C2	-5.90	117.94	120.30
7	B	2703	C	C6-N1-C2	-5.90	117.94	120.30
7	B	1005	C	C6-N1-C1'	-5.90	113.72	120.80
7	B	1774	C	C6-N1-C2	-5.89	117.94	120.30
7	B	1920	C	C6-N1-C2	-5.89	117.94	120.30
7	B	844	A	N9-C4-C5	5.89	108.16	105.80
7	B	1647	U	C6-N1-C1'	-5.89	112.95	121.20
7	B	243	U	N1-C2-O2	5.89	126.92	122.80
49	v	582	C	N1-C2-O2	5.88	122.43	118.90
49	v	1029	U	N1-C2-O2	5.88	126.92	122.80
7	B	1691	C	C6-N1-C2	-5.88	117.95	120.30
49	v	910	C	C6-N1-C2	-5.88	117.95	120.30
7	B	550	C	C5-C6-N1	5.88	123.94	121.00
11	F	151	LEU	CA-CB-CG	5.88	128.82	115.30
49	v	3	A	N1-C6-N6	5.87	122.12	118.60
7	B	545	U	C2-N1-C1'	5.85	124.72	117.70
7	B	1827	U	N1-C2-O2	5.85	126.89	122.80
7	B	1727	C	C2-N1-C1'	5.84	125.22	118.80
7	B	323	C	C2-N1-C1'	5.83	125.22	118.80
7	B	2076	U	N3-C2-O2	-5.82	118.13	122.20
49	v	1132	C	C2-N1-C1'	5.82	125.20	118.80
7	B	1188	U	N1-C2-O2	5.82	126.87	122.80
49	v	1282	C	C5-C6-N1	5.82	123.91	121.00
49	v	1066	C	C2-N1-C1'	5.81	125.19	118.80
49	v	439	U	N3-C2-O2	-5.81	118.13	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	750	C	C6-N1-C2	-5.81	117.98	120.30
7	B	2678	C	C5-C6-N1	5.80	123.90	121.00
7	B	1827	U	N3-C2-O2	-5.80	118.14	122.20
7	B	1632	A	N7-C8-N9	5.80	116.70	113.80
7	B	2562	U	C2-N1-C1'	5.80	124.66	117.70
49	v	58	C	C2-N1-C1'	5.80	125.18	118.80
7	B	126	A	C5-N7-C8	-5.79	101.00	103.90
49	v	213	G	C4-N9-C1'	5.79	134.03	126.50
49	v	1253	G	C4-N9-C1'	5.78	134.02	126.50
7	B	1892	C	C6-N1-C2	-5.78	117.99	120.30
49	v	1395	C	C5-C6-N1	5.78	123.89	121.00
7	B	475	C	C6-N1-C2	-5.78	117.99	120.30
7	B	813	U	C2-N1-C1'	5.78	124.63	117.70
7	B	850	U	C2-N3-C4	-5.77	123.54	127.00
7	B	2796	U	N3-C2-O2	-5.77	118.16	122.20
7	B	1771	C	C5-C6-N1	5.76	123.88	121.00
49	v	1395	C	C2-N1-C1'	5.76	125.14	118.80
7	B	461	C	C6-N1-C2	-5.76	118.00	120.30
7	B	2507	C	C6-N1-C2	-5.76	118.00	120.30
49	v	132	C	C5-C6-N1	5.75	123.88	121.00
7	B	459	U	C5-C6-N1	5.75	125.58	122.70
7	B	2248	C	C6-N1-C2	-5.75	118.00	120.30
7	B	2578	G	C2-N3-C4	5.75	114.77	111.90
7	B	527	C	C6-N1-C2	-5.75	118.00	120.30
7	B	18	U	N3-C2-O2	-5.75	118.18	122.20
7	B	1993	U	N3-C2-O2	-5.74	118.18	122.20
49	v	496	A	O4'-C1'-N9	5.74	112.80	108.20
7	B	872	U	C5-C6-N1	5.74	125.57	122.70
7	B	1644	C	C5-C6-N1	5.74	123.87	121.00
49	v	1158	C	C6-N1-C2	-5.74	118.01	120.30
7	B	2023	C	C5-C6-N1	5.73	123.87	121.00
7	B	2076	U	N1-C2-O2	5.73	126.81	122.80
7	B	893	C	N1-C2-O2	5.73	122.34	118.90
7	B	2150	C	N1-C2-O2	5.72	122.33	118.90
7	B	1198	U	C2-N1-C1'	5.72	124.56	117.70
49	v	156	C	N1-C2-O2	5.72	122.33	118.90
49	v	754	C	C2-N1-C1'	5.72	125.09	118.80
7	B	2393	U	N3-C2-O2	-5.71	118.20	122.20
7	B	1931	U	C5-C6-N1	5.71	125.56	122.70
7	B	1256	G	C4-N9-C1'	5.71	133.92	126.50
49	v	1279	G	N3-C4-N9	5.71	129.43	126.00
49	v	328	C	N3-C2-O2	-5.71	117.91	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	850	U	N3-C2-O2	-5.70	118.21	122.20
7	B	2213	U	C2-N1-C1'	5.70	124.54	117.70
49	v	1161	C	C2-N1-C1'	5.70	125.06	118.80
7	B	1611	C	C2-N1-C1'	5.69	125.06	118.80
49	v	564	C	N1-C2-O2	5.69	122.31	118.90
7	B	351	C	N1-C2-O2	5.68	122.31	118.90
7	B	1893	C	C5-C6-N1	5.68	123.84	121.00
7	B	1774	C	C5-C6-N1	5.68	123.84	121.00
49	v	492	C	C6-N1-C2	-5.67	118.03	120.30
49	v	983	A	C2-N3-C4	5.67	113.44	110.60
7	B	2023	C	C6-N1-C2	-5.66	118.04	120.30
49	v	252	U	C2-N1-C1'	5.66	124.49	117.70
7	B	776	G	C2-N3-C4	5.66	114.73	111.90
7	B	2394	C	C5-C6-N1	5.64	123.82	121.00
7	B	484	C	C5-C6-N1	5.63	123.82	121.00
7	B	1971	U	C5-C6-N1	5.63	125.52	122.70
49	v	1344	C	C6-N1-C2	-5.63	118.05	120.30
7	B	1459	G	N3-C4-C5	-5.63	125.78	128.60
7	B	461	C	C2-N1-C1'	5.62	124.99	118.80
7	B	2772	C	C6-N1-C2	-5.62	118.05	120.30
49	v	1282	C	N1-C2-O2	5.62	122.27	118.90
7	B	1632	A	C8-N9-C4	-5.61	103.56	105.80
7	B	1267	U	N1-C2-O2	5.61	126.72	122.80
49	v	431	A	N1-C6-N6	-5.60	115.24	118.60
49	v	1131	G	C4-N9-C1'	5.59	133.77	126.50
7	B	1804	C	C6-N1-C2	-5.59	118.06	120.30
7	B	2393	U	N1-C2-O2	5.59	126.71	122.80
49	v	1286	U	C6-N1-C1'	-5.59	113.37	121.20
49	v	1109	C	N1-C2-O2	5.59	122.25	118.90
49	v	658	C	N1-C2-O2	5.58	122.25	118.90
7	B	1804	C	C5-C6-N1	5.58	123.79	121.00
7	B	2562	U	N1-C2-O2	5.58	126.70	122.80
49	v	1322	C	C6-N1-C2	-5.58	118.07	120.30
49	v	210	C	N1-C2-O2	5.57	122.24	118.90
49	v	1282	C	C6-N1-C2	-5.57	118.07	120.30
7	B	860	U	N1-C2-O2	5.57	126.70	122.80
7	B	1161	C	C6-N1-C2	-5.57	118.07	120.30
7	B	265	A	O4'-C1'-N9	5.57	112.66	108.20
7	B	817	C	C6-N1-C2	-5.57	118.07	120.30
7	B	1063	G	N1-C6-O6	-5.56	116.56	119.90
7	B	640	C	N1-C2-O2	5.56	122.24	118.90
7	B	1398	C	N1-C2-O2	5.56	122.24	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	307	C	C6-N1-C2	-5.56	118.08	120.30
49	v	750	C	N3-C2-O2	-5.56	118.01	121.90
49	v	1298	U	C2-N1-C1'	5.55	124.36	117.70
7	B	527	C	N3-C2-O2	-5.55	118.02	121.90
7	B	323	C	N1-C2-O2	5.55	122.23	118.90
7	B	542	C	C5-C6-N1	5.55	123.77	121.00
7	B	1326	U	N1-C2-O2	5.55	126.68	122.80
7	B	1459	G	N3-C4-N9	5.54	129.33	126.00
7	B	1788	C	C5-C6-N1	5.54	123.77	121.00
7	B	1914	C	C6-N1-C1'	-5.54	114.15	120.80
7	B	2649	C	C6-N1-C2	-5.54	118.08	120.30
7	B	635	C	C5-C6-N1	5.54	123.77	121.00
7	B	1669	A	C2-N3-C4	5.53	113.36	110.60
7	B	2732	G	C6-C5-N7	-5.52	127.09	130.40
7	B	2617	U	N3-C2-O2	-5.52	118.34	122.20
7	B	737	C	C6-N1-C2	-5.51	118.10	120.30
28	Y	30	MET	CA-CB-CG	5.51	122.66	113.30
7	B	2474	U	C6-N1-C1'	-5.51	113.49	121.20
7	B	2739	U	N1-C2-O2	5.50	126.65	122.80
7	B	2676	C	C5-C6-N1	5.50	123.75	121.00
7	B	2678	C	C6-N1-C2	-5.50	118.10	120.30
49	v	18	C	C5-C6-N1	5.49	123.75	121.00
7	B	66	C	C2-N1-C1'	5.49	124.83	118.80
7	B	1943	U	C2-N1-C1'	5.48	124.28	117.70
7	B	813	U	N3-C2-O2	-5.48	118.36	122.20
31	c	47	LEU	CA-CB-CG	5.48	127.90	115.30
49	v	439	U	C5-C6-N1	5.48	125.44	122.70
7	B	1795	C	C6-N1-C2	-5.48	118.11	120.30
7	B	2342	C	C6-N1-C2	-5.46	118.11	120.30
7	B	2801	G	C4-C5-N7	5.46	112.98	110.80
7	B	2578	G	N1-C6-O6	-5.46	116.62	119.90
7	B	2760	C	N3-C2-O2	-5.46	118.08	121.90
7	B	1294	U	C6-N1-C2	-5.46	117.73	121.00
7	B	1607	C	N3-C2-O2	-5.46	118.08	121.90
49	v	1520	C	C5-C6-N1	5.46	123.73	121.00
49	v	1409	C	C6-N1-C1'	-5.45	114.26	120.80
7	B	192	C	N1-C2-O2	5.45	122.17	118.90
7	B	2732	G	C4-C5-N7	5.45	112.98	110.80
46	r	65	MET	CA-CB-CG	5.45	122.56	113.30
49	v	1344	C	C5-C6-N1	5.45	123.73	121.00
7	B	225	C	C5-C6-N1	5.44	123.72	121.00
6	A	30	C	N3-C2-O2	-5.44	118.09	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	1109	C	C6-N1-C2	-5.44	118.12	120.30
7	B	2683	C	C6-N1-C2	-5.44	118.12	120.30
49	v	58	C	N1-C2-O2	5.44	122.16	118.90
7	B	341	C	C5-C6-N1	5.44	123.72	121.00
7	B	669	G	P-O3'-C3'	5.44	126.23	119.70
7	B	2602	A	C2-N3-C4	5.44	113.32	110.60
49	v	658	C	N3-C2-O2	-5.43	118.10	121.90
7	B	1936	A	N1-C6-N6	5.43	121.86	118.60
49	v	203	G	N3-C4-N9	5.42	129.25	126.00
7	B	974	G	C4-N9-C1'	5.42	133.55	126.50
49	v	1406	U	C5-C6-N1	5.42	125.41	122.70
51	5	26	G	C4-N9-C1'	5.42	133.54	126.50
7	B	1585	C	N3-C2-O2	-5.41	118.11	121.90
49	v	1157	A	O4'-C1'-N9	-5.41	103.87	108.20
7	B	1798	U	N3-C2-O2	-5.41	118.41	122.20
49	v	156	C	C2-N1-C1'	5.41	124.75	118.80
7	B	343	C	C6-N1-C2	-5.40	118.14	120.30
7	B	860	U	C2-N1-C1'	5.39	124.17	117.70
7	B	1076	C	C6-N1-C2	-5.39	118.14	120.30
7	B	2586	U	C5-C6-N1	5.39	125.40	122.70
49	v	136	C	C2-N1-C1'	5.39	124.73	118.80
49	v	1325	C	C2-N1-C1'	5.38	124.72	118.80
7	B	1930	G	P-O3'-C3'	5.38	126.16	119.70
7	B	2474	U	C6-N1-C2	-5.37	117.78	121.00
49	v	1411	C	C2-N1-C1'	5.37	124.71	118.80
7	B	387	U	N1-C2-O2	5.37	126.56	122.80
49	v	1026	G	C4-N9-C1'	5.36	133.47	126.50
49	v	135	C	C5-C6-N1	5.36	123.68	121.00
49	v	328	C	C6-N1-C1'	-5.36	114.36	120.80
7	B	2858	C	C6-N1-C1'	-5.36	114.37	120.80
7	B	717	C	N1-C2-O2	5.36	122.11	118.90
7	B	2667	C	C6-N1-C2	-5.36	118.16	120.30
7	B	2129	C	N1-C2-O2	5.35	122.11	118.90
7	B	198	C	C6-N1-C2	-5.35	118.16	120.30
7	B	1931	U	N3-C2-O2	-5.34	118.46	122.20
7	B	481	G	O4'-C1'-N9	5.34	112.47	108.20
7	B	2723	C	C5-C6-N1	5.33	123.67	121.00
49	v	1161	C	N1-C2-O2	5.33	122.10	118.90
7	B	1063	G	C5-C6-O6	5.33	131.80	128.60
49	v	582	C	C5-C6-N1	5.33	123.66	121.00
7	B	1999	C	C6-N1-C2	-5.32	118.17	120.30
7	B	115	C	C6-N1-C2	-5.32	118.17	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	1893	C	C2-N1-C1'	5.32	124.65	118.80
51	5	26	G	N3-C4-N9	5.32	129.19	126.00
7	B	2880	C	C6-N1-C2	-5.32	118.17	120.30
7	B	1914	C	C5-C6-N1	5.31	123.66	121.00
7	B	740	C	C5-C6-N1	5.31	123.65	121.00
7	B	2394	C	C6-N1-C2	-5.31	118.18	120.30
49	v	1136	C	N1-C2-O2	5.31	122.08	118.90
7	B	484	C	C6-N1-C2	-5.31	118.18	120.30
49	v	307	C	C2-N1-C1'	5.30	124.64	118.80
7	B	1893	C	N3-C2-O2	-5.30	118.19	121.90
7	B	1999	C	C5-C6-N1	5.30	123.65	121.00
49	v	1411	C	C6-N1-C2	-5.30	118.18	120.30
7	B	1916	A	O4'-C1'-N9	5.30	112.44	108.20
7	B	2145	C	C2-N1-C1'	5.29	124.62	118.80
49	v	1263	C	C6-N1-C2	-5.29	118.19	120.30
51	5	26	G	C8-N9-C1'	-5.29	120.13	127.00
49	v	316	C	C6-N1-C2	-5.28	118.19	120.30
49	v	1409	C	C6-N1-C2	-5.28	118.19	120.30
7	B	1512	C	C6-N1-C2	-5.28	118.19	120.30
49	v	1402	C	C6-N1-C2	-5.28	118.19	120.30
7	B	436	C	N3-C2-O2	-5.27	118.21	121.90
7	B	1075	C	N1-C2-O2	5.27	122.06	118.90
7	B	2771	C	C2-N1-C1'	5.27	124.60	118.80
7	B	183	C	C2-N1-C1'	5.27	124.59	118.80
7	B	201	C	C6-N1-C2	-5.27	118.19	120.30
7	B	2808	G	P-O3'-C3'	5.26	126.02	119.70
7	B	998	C	C5-C6-N1	5.26	123.63	121.00
7	B	790	U	N1-C2-O2	5.26	126.48	122.80
7	B	915	C	C2-N1-C1'	5.26	124.59	118.80
7	B	1763	G	O4'-C1'-N9	5.26	112.41	108.20
49	v	983	A	N3-C4-N9	5.25	131.60	127.40
7	B	1961	C	N3-C2-O2	-5.25	118.22	121.90
49	v	525	C	C5-C6-N1	5.25	123.62	121.00
49	v	1262	C	N3-C2-O2	-5.25	118.23	121.90
7	B	2603	G	C6-C5-N7	-5.24	127.25	130.40
49	v	1253	G	C8-N9-C1'	-5.24	120.19	127.00
7	B	1961	C	N1-C2-O2	5.24	122.04	118.90
7	B	2789	C	C5-C6-N1	5.24	123.62	121.00
7	B	341	C	C6-N1-C2	-5.23	118.21	120.30
7	B	2254	C	C6-N1-C2	-5.23	118.21	120.30
49	v	891	U	C2-N1-C1'	5.23	123.97	117.70
32	d	70	MET	CB-CG-SD	5.23	128.08	112.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	1267	U	C2-N1-C1'	5.22	123.97	117.70
7	B	2765	A	C2-N3-C4	5.22	113.21	110.60
7	B	776	G	C8-N9-C4	-5.22	104.31	106.40
7	B	2752	C	N1-C2-O2	5.22	122.03	118.90
7	B	192	C	N3-C2-O2	-5.21	118.25	121.90
7	B	974	G	N7-C8-N9	5.21	115.71	113.10
7	B	2716	C	C6-N1-C2	-5.21	118.22	120.30
7	B	1657	U	N3-C2-O2	-5.21	118.55	122.20
11	F	35	LEU	CA-CB-CG	5.21	127.28	115.30
5	4	3	VAL	CA-CB-CG1	5.21	118.71	110.90
7	B	1957	C	C2-N1-C1'	5.21	124.53	118.80
49	v	492	C	N3-C2-O2	-5.20	118.26	121.90
7	B	1967	C	C6-N1-C2	-5.20	118.22	120.30
49	v	1026	G	N3-C4-N9	5.20	129.12	126.00
7	B	2212	A	N7-C8-N9	5.20	116.40	113.80
7	B	1275	A	C4-N9-C1'	5.19	135.65	126.30
7	B	981	A	O4'-C1'-N9	5.19	112.35	108.20
49	v	623	C	C2-N1-C1'	5.19	124.50	118.80
49	v	659	U	N3-C2-O2	-5.19	118.57	122.20
7	B	1176	U	N1-C2-O2	5.18	126.42	122.80
7	B	1662	U	N1-C2-N3	5.18	118.01	114.90
7	B	370	G	O4'-C1'-N9	-5.17	104.06	108.20
7	B	901	C	C6-N1-C2	-5.17	118.23	120.30
7	B	965	C	C6-N1-C2	-5.17	118.23	120.30
7	B	1267	U	N3-C2-O2	-5.17	118.58	122.20
49	v	1008	U	N3-C2-O2	-5.17	118.58	122.20
7	B	1992	G	O4'-C1'-N9	-5.17	104.07	108.20
49	v	610	U	C2-N1-C1'	5.16	123.90	117.70
7	B	2562	U	N3-C2-O2	-5.16	118.59	122.20
7	B	669	G	N3-C4-N9	5.16	129.09	126.00
49	v	580	C	C5-C6-N1	5.15	123.58	121.00
49	v	866	C	C5-C6-N1	5.15	123.58	121.00
9	D	204	LYS	CD-CE-NZ	5.15	123.54	111.70
49	v	1279	G	C2-N3-C4	5.15	114.47	111.90
7	B	2063	C	N1-C2-O2	5.14	121.99	118.90
7	B	459	U	N1-C2-O2	5.14	126.40	122.80
7	B	1940	U	N3-C2-O2	-5.14	118.60	122.20
7	B	1343	G	C8-N9-C1'	-5.14	120.32	127.00
7	B	2884	U	C2-N1-C1'	5.14	123.86	117.70
6	A	37	C	N1-C2-O2	5.13	121.98	118.90
7	B	211	C	C6-N1-C2	-5.13	118.25	120.30
14	K	57	LEU	CA-CB-CG	5.13	127.10	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	v	697	U	N3-C2-O2	-5.13	118.61	122.20
7	B	2683	C	C5-C6-N1	5.13	123.56	121.00
49	v	177	G	N3-C4-C5	-5.13	126.04	128.60
7	B	2354	C	C6-N1-C2	-5.12	118.25	120.30
49	v	689	C	C5-C6-N1	5.12	123.56	121.00
7	B	740	C	N1-C2-O2	5.12	121.97	118.90
49	v	1109	C	C2-N1-C1'	5.12	124.43	118.80
7	B	1915	U	C6-N1-C1'	-5.11	114.04	121.20
7	B	540	C	C6-N1-C2	-5.11	118.25	120.30
7	B	2825	G	C4-N9-C1'	5.11	133.15	126.50
49	v	1228	C	C6-N1-C2	-5.11	118.25	120.30
18	O	106	LEU	CA-CB-CG	5.11	127.05	115.30
7	B	236	C	C6-N1-C2	-5.11	118.26	120.30
7	B	1275	A	O4'-C1'-N9	5.11	112.28	108.20
49	v	168	G	N3-C4-C5	-5.11	126.05	128.60
7	B	1405	U	N3-C2-O2	-5.10	118.63	122.20
7	B	1343	G	C4-N9-C1'	5.09	133.12	126.50
7	B	2403	C	C6-N1-C2	-5.09	118.26	120.30
49	v	1203	C	N3-C2-O2	-5.09	118.34	121.90
7	B	2646	C	C6-N1-C2	-5.09	118.27	120.30
7	B	860	U	N3-C2-O2	-5.08	118.64	122.20
7	B	2043	C	N1-C2-O2	5.08	121.95	118.90
49	v	1203	C	N1-C2-O2	5.08	121.95	118.90
7	B	1198	U	N1-C2-O2	5.08	126.36	122.80
49	v	1325	C	N1-C2-O2	5.08	121.95	118.90
7	B	1769	U	N3-C2-O2	-5.08	118.65	122.20
7	B	765	C	C6-N1-C2	-5.08	118.27	120.30
49	v	1008	U	N1-C2-O2	5.08	126.35	122.80
7	B	607	U	N1-C2-O2	5.07	126.35	122.80
7	B	2330	G	N3-C4-C5	-5.07	126.06	128.60
49	v	697	U	N1-C2-O2	5.07	126.35	122.80
49	v	1009	U	N3-C2-O2	-5.07	118.65	122.20
7	B	783	A	C4-C5-N7	5.07	113.23	110.70
7	B	1880	U	N1-C2-O2	5.07	126.35	122.80
7	B	1967	C	C5-C6-N1	5.07	123.53	121.00
7	B	2646	C	C5-C6-N1	5.07	123.53	121.00
49	v	36	C	C5-C6-N1	5.07	123.53	121.00
7	B	1498	C	C6-N1-C2	-5.06	118.28	120.30
49	v	1109	C	N3-C2-O2	-5.05	118.36	121.90
49	v	739	C	C6-N1-C2	-5.05	118.28	120.30
7	B	1662	U	N3-C2-O2	-5.05	118.67	122.20
7	B	2746	U	C5-C6-N1	5.05	125.22	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	2250	G	C5-N7-C8	-5.05	101.78	104.30
7	B	2321	U	N1-C2-O2	5.05	126.33	122.80
49	v	1218	C	C6-N1-C2	-5.05	118.28	120.30
7	B	2006	C	C6-N1-C2	-5.04	118.28	120.30
49	v	1113	C	C5-C6-N1	5.04	123.52	121.00
49	v	1286	U	C5-C6-N1	5.04	125.22	122.70
7	B	2424	C	C6-N1-C2	-5.04	118.28	120.30
7	B	1943	U	N3-C2-O2	-5.04	118.67	122.20
49	v	213	G	C8-N9-C1'	-5.04	120.45	127.00
7	B	2064	C	C6-N1-C2	-5.04	118.28	120.30
7	B	752	A	O4'-C1'-N9	5.04	112.23	108.20
49	v	213	G	N3-C4-N9	5.04	129.02	126.00
7	B	2827	C	C6-N1-C2	-5.03	118.29	120.30
49	v	993	G	C4-N9-C1'	5.03	133.04	126.50
7	B	2667	C	C5-C6-N1	5.03	123.52	121.00
6	A	31	C	C2-N1-C1'	5.03	124.33	118.80
7	B	672	C	C5-C6-N1	5.03	123.51	121.00
7	B	2026	U	C5-C6-N1	5.03	125.21	122.70
7	B	2129	C	C2-N1-C1'	5.03	124.33	118.80
45	q	24	ASP	CB-CG-OD1	5.03	122.82	118.30
49	v	1234	C	C5-C6-N1	5.03	123.51	121.00
7	B	634	C	C6-N1-C2	-5.02	118.29	120.30
7	B	1657	U	N1-C2-O2	5.02	126.31	122.80
49	v	984	C	C5-C6-N1	5.02	123.51	121.00
7	B	2771	C	C5-C6-N1	5.02	123.51	121.00
49	v	91	U	C6-N1-C1'	-5.02	114.17	121.20
7	B	417	C	C6-N1-C2	-5.02	118.29	120.30
49	v	658	C	C6-N1-C2	-5.02	118.29	120.30
7	B	2354	C	C5-C6-N1	5.02	123.51	121.00
7	B	624	C	C5-C6-N1	5.01	123.51	121.00
7	B	11	C	C6-N1-C2	-5.01	118.30	120.30
7	B	1030	C	C6-N1-C2	-5.01	118.30	120.30
7	B	1207	C	C6-N1-C2	-5.01	118.30	120.30
7	B	1585	C	C6-N1-C2	-5.01	118.30	120.30
7	B	2463	C	C6-N1-C2	-5.00	118.30	120.30
49	v	1158	C	C5-C6-N1	5.00	123.50	121.00
7	B	1727	C	N1-C2-O2	5.00	121.90	118.90

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	47	TYR	Peptide
1	0	49	ARG	Sidechain
8	C	155	ARG	Sidechain
11	F	80	GLN	Peptide
11	F	90	LEU	Peptide
17	N	70	THR	Peptide
20	Q	95	ALA	Peptide
30	b	60	ALA	Peptide
38	j	118	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
2	1	49/51 (96%)	49 (100%)	0	0	100	100
3	2	44/46 (96%)	44 (100%)	0	0	100	100
4	3	62/64 (97%)	57 (92%)	5 (8%)	0	100	100
5	4	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
8	C	270/272 (99%)	261 (97%)	9 (3%)	0	100	100
9	D	207/209 (99%)	193 (93%)	14 (7%)	0	100	100
10	E	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
11	F	176/178 (99%)	160 (91%)	16 (9%)	0	100	100
12	G	174/176 (99%)	171 (98%)	3 (2%)	0	100	100
13	J	140/142 (99%)	127 (91%)	13 (9%)	0	100	100
14	K	120/122 (98%)	112 (93%)	8 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	L	141/143 (99%)	135 (96%)	6 (4%)	0	100	100
16	M	134/136 (98%)	131 (98%)	3 (2%)	0	100	100
17	N	119/121 (98%)	113 (95%)	6 (5%)	0	100	100
18	O	114/116 (98%)	113 (99%)	1 (1%)	0	100	100
19	P	112/114 (98%)	108 (96%)	4 (4%)	0	100	100
20	Q	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
21	R	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
22	S	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
23	T	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
24	U	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
25	V	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
26	W	77/79 (98%)	66 (86%)	11 (14%)	0	100	100
27	X	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
28	Y	61/63 (97%)	55 (90%)	6 (10%)	0	100	100
29	Z	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
30	b	204/206 (99%)	198 (97%)	6 (3%)	0	100	100
31	c	203/205 (99%)	197 (97%)	6 (3%)	0	100	100
32	d	148/150 (99%)	143 (97%)	5 (3%)	0	100	100
33	e	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
34	f	149/151 (99%)	148 (99%)	1 (1%)	0	100	100
35	g	127/129 (98%)	126 (99%)	1 (1%)	0	100	100
36	h	125/127 (98%)	121 (97%)	4 (3%)	0	100	100
37	i	96/98 (98%)	91 (95%)	5 (5%)	0	100	100
38	j	115/117 (98%)	111 (96%)	4 (4%)	0	100	100
39	k	121/123 (98%)	112 (93%)	9 (7%)	0	100	100
40	l	112/114 (98%)	108 (96%)	4 (4%)	0	100	100
41	m	92/100 (92%)	91 (99%)	1 (1%)	0	100	100
42	n	86/88 (98%)	83 (96%)	3 (4%)	0	100	100
43	o	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
44	p	78/80 (98%)	74 (95%)	4 (5%)	0	100	100
45	q	53/55 (96%)	53 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
46	r	77/79 (98%)	75 (97%)	2 (3%)	0	100	100
47	s	83/85 (98%)	81 (98%)	2 (2%)	0	100	100
48	u	57/59 (97%)	55 (96%)	2 (4%)	0	100	100
All	All	5133/5231 (98%)	4916 (96%)	217 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	47/47 (100%)	46 (98%)	1 (2%)	53	75
2	1	45/46 (98%)	45 (100%)	0	100	100
3	2	38/38 (100%)	37 (97%)	1 (3%)	46	71
4	3	51/51 (100%)	50 (98%)	1 (2%)	55	76
5	4	34/34 (100%)	31 (91%)	3 (9%)	10	33
8	C	216/217 (100%)	209 (97%)	7 (3%)	39	67
9	D	164/164 (100%)	155 (94%)	9 (6%)	21	52
10	E	165/165 (100%)	160 (97%)	5 (3%)	41	68
11	F	149/149 (100%)	135 (91%)	14 (9%)	8	30
12	G	137/137 (100%)	129 (94%)	8 (6%)	20	50
13	J	116/116 (100%)	111 (96%)	5 (4%)	29	59
14	K	102/103 (99%)	96 (94%)	6 (6%)	19	49
15	L	102/102 (100%)	99 (97%)	3 (3%)	42	69
16	M	109/109 (100%)	105 (96%)	4 (4%)	34	63
17	N	100/101 (99%)	98 (98%)	2 (2%)	55	76
18	O	86/86 (100%)	86 (100%)	0	100	100
19	P	99/99 (100%)	94 (95%)	5 (5%)	24	54
20	Q	89/89 (100%)	86 (97%)	3 (3%)	37	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	R	84/84 (100%)	82 (98%)	2 (2%)	49	73
22	S	93/93 (100%)	89 (96%)	4 (4%)	29	59
23	T	80/81 (99%)	71 (89%)	9 (11%)	6	22
24	U	83/84 (99%)	76 (92%)	7 (8%)	11	35
25	V	78/78 (100%)	76 (97%)	2 (3%)	46	71
26	W	59/59 (100%)	57 (97%)	2 (3%)	37	65
27	X	67/67 (100%)	66 (98%)	1 (2%)	65	81
28	Y	55/55 (100%)	53 (96%)	2 (4%)	35	63
29	Z	48/48 (100%)	47 (98%)	1 (2%)	53	75
30	b	170/170 (100%)	165 (97%)	5 (3%)	42	69
31	c	172/172 (100%)	164 (95%)	8 (5%)	26	57
32	d	113/113 (100%)	111 (98%)	2 (2%)	59	78
33	e	87/87 (100%)	84 (97%)	3 (3%)	37	65
34	f	124/124 (100%)	120 (97%)	4 (3%)	39	67
35	g	104/104 (100%)	98 (94%)	6 (6%)	20	50
36	h	105/105 (100%)	97 (92%)	8 (8%)	13	39
37	i	86/86 (100%)	78 (91%)	8 (9%)	9	30
38	j	90/90 (100%)	83 (92%)	7 (8%)	12	38
39	k	103/103 (100%)	100 (97%)	3 (3%)	42	69
40	l	92/92 (100%)	89 (97%)	3 (3%)	38	66
41	m	79/83 (95%)	76 (96%)	3 (4%)	33	62
42	n	76/76 (100%)	74 (97%)	2 (3%)	46	71
43	o	65/65 (100%)	62 (95%)	3 (5%)	27	58
44	p	74/74 (100%)	69 (93%)	5 (7%)	16	44
45	q	48/48 (100%)	47 (98%)	1 (2%)	53	75
46	r	70/70 (100%)	69 (99%)	1 (1%)	67	82
47	s	65/65 (100%)	61 (94%)	4 (6%)	18	47
48	u	52/52 (100%)	51 (98%)	1 (2%)	57	77
All	All	4271/4281 (100%)	4087 (96%)	184 (4%)	33	59

All (184) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	39	ARG
3	2	15	SER
4	3	53	ASP
5	4	1	MET
5	4	6	SER
5	4	37	GLN
8	C	79	ARG
8	C	84	PRO
8	C	132	ARG
8	C	202	ARG
8	C	213	ARG
8	C	255	LYS
8	C	270	ARG
9	D	4	LEU
9	D	33	ARG
9	D	43	ASP
9	D	77	ARG
9	D	90	PHE
9	D	103	ASP
9	D	108	ASP
9	D	165	MET
9	D	176	ASP
10	E	1	MET
10	E	80	SER
10	E	84	THR
10	E	144	GLU
10	E	199	MET
11	F	16	MET
11	F	21	TYR
11	F	37	MET
11	F	47	LYS
11	F	63	LYS
11	F	70	ARG
11	F	111	ARG
11	F	114	ARG
11	F	121	PHE
11	F	137	PHE
11	F	152	ASP
11	F	173	ASP
11	F	177	ARG
11	F	178	LYS
12	G	32	LEU
12	G	46	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	G	47	ASN
12	G	80	GLU
12	G	87	GLN
12	G	148	ARG
12	G	154	GLU
12	G	169	ARG
13	J	1	MET
13	J	14	ASP
13	J	76	HIS
13	J	95	ARG
13	J	128	ASN
14	K	17	ARG
14	K	20	CYS
14	K	50	LYS
14	K	55	ASP
14	K	65	LYS
14	K	81	ASN
15	L	40	SER
15	L	123	ARG
15	L	126	ARG
16	M	10	ARG
16	M	17	ASN
16	M	25	ASP
16	M	51	ARG
17	N	69	ARG
17	N	73	ASN
19	P	36	LYS
19	P	42	PHE
19	P	98	TYR
19	P	108	ARG
19	P	112	ARG
20	Q	50	ARG
20	Q	69	ARG
20	Q	111	LYS
21	R	21	ARG
21	R	86	GLN
22	S	8	ARG
22	S	65	ASP
22	S	68	ASP
22	S	110	ARG
23	T	12	ARG
23	T	28	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	T	32	LEU
23	T	51	PHE
23	T	54	GLU
23	T	61	LEU
23	T	64	LYS
23	T	72	GLN
23	T	73	ARG
24	U	23	LYS
24	U	51	LEU
24	U	73	ASN
24	U	84	PHE
24	U	85	ARG
24	U	86	PHE
24	U	95	PHE
25	V	1	MET
25	V	48	MET
26	W	24	ARG
26	W	40	ARG
27	X	48	LEU
28	Y	7	ARG
28	Y	58	ASN
29	Z	11	SER
30	b	82	ASP
30	b	92	ASP
30	b	146	LYS
30	b	184	ASN
30	b	192	TYR
31	c	9	LYS
31	c	69	ARG
31	c	77	GLU
31	c	133	SER
31	c	145	ARG
31	c	176	LYS
31	c	183	ARG
31	c	189	ASP
32	d	137	ARG
32	d	158	LYS
33	e	35	LYS
33	e	37	HIS
33	e	82	ASP
34	f	75	LYS
34	f	100	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	f	142	ARG
34	f	143	MET
35	g	42	GLU
35	g	49	LYS
35	g	63	LYS
35	g	76	ARG
35	g	89	ASP
35	g	113	ARG
36	h	17	ARG
36	h	40	ARG
36	h	44	ARG
36	h	56	MET
36	h	59	LYS
36	h	80	HIS
36	h	89	TYR
36	h	105	ARG
37	i	5	ARG
37	i	45	ARG
37	i	46	LYS
37	i	58	ASN
37	i	59	LYS
37	i	71	LEU
37	i	82	LYS
37	i	91	ASP
38	j	25	SER
38	j	26	PHE
38	j	76	TYR
38	j	84	MET
38	j	94	SER
38	j	105	ARG
38	j	124	LYS
39	k	13	ARG
39	k	95	HIS
39	k	109	ARG
40	l	2	ARG
40	l	12	LYS
40	l	78	ARG
41	m	8	ARG
41	m	20	PHE
41	m	81	ARG
42	n	3	SER
42	n	88	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	o	18	GLN
43	o	32	PHE
43	o	76	LYS
44	p	29	LYS
44	p	56	ASP
44	p	61	ARG
44	p	62	GLU
44	p	64	ARG
45	q	41	SER
46	r	11	ASP
47	s	9	ARG
47	s	20	ASN
47	s	25	SER
47	s	32	LYS
48	u	135	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
9	D	32	ASN
12	G	21	GLN
13	J	40	HIS
31	c	197	HIS
34	f	121	ASN
37	i	58	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
49	v	1538/1539 (99%)	355 (23%)	0
50	x	11/12 (91%)	5 (45%)	0
51	5	76/77 (98%)	14 (18%)	0
6	A	116/117 (99%)	26 (22%)	1 (0%)
7	B	2902/2903 (99%)	637 (21%)	8 (0%)
All	All	4643/4648 (99%)	1037 (22%)	9 (0%)

All (1037) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	A	13	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	A	14	U
6	A	16	G
6	A	21	G
6	A	25	U
6	A	26	C
6	A	29	A
6	A	30	C
6	A	35	C
6	A	36	C
6	A	42	C
6	A	45	A
6	A	51	G
6	A	52	A
6	A	56	G
6	A	57	A
6	A	64	G
6	A	67	G
6	A	87	U
6	A	88	C
6	A	89	U
6	A	90	C
6	A	99	A
6	A	102	G
6	A	105	G
6	A	109	A
7	B	12	U
7	B	15	G
7	B	23	G
7	B	34	U
7	B	35	G
7	B	39	G
7	B	42	A
7	B	46	G
7	B	51	G
7	B	60	G
7	B	61	C
7	B	63	A
7	B	71	A
7	B	74	A
7	B	75	G
7	B	84	A
7	B	86	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	92	U
7	B	99	U
7	B	100	U
7	B	101	A
7	B	102	U
7	B	103	A
7	B	110	G
7	B	111	A
7	B	118	A
7	B	119	A
7	B	120	U
7	B	122	G
7	B	125	A
7	B	139	U
7	B	140	C
7	B	141	G
7	B	142	A
7	B	149	A
7	B	160	A
7	B	163	C
7	B	164	C
7	B	181	A
7	B	196	A
7	B	199	A
7	B	215	G
7	B	216	A
7	B	221	A
7	B	222	A
7	B	223	A
7	B	225	C
7	B	232	G
7	B	245	G
7	B	248	G
7	B	250	G
7	B	252	G
7	B	255	A
7	B	265	A
7	B	266	G
7	B	271	G
7	B	276	U
7	B	277	G
7	B	278	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	285	G
7	B	297	G
7	B	300	A
7	B	301	G
7	B	302	C
7	B	311	A
7	B	329	G
7	B	330	A
7	B	331	C
7	B	332	A
7	B	343	C
7	B	345	A
7	B	346	A
7	B	347	A
7	B	350	G
7	B	352	A
7	B	353	C
7	B	354	A
7	B	355	U
7	B	356	G
7	B	359	G
7	B	362	A
7	B	363	G
7	B	371	A
7	B	372	G
7	B	386	G
7	B	396	G
7	B	403	U
7	B	404	A
7	B	405	U
7	B	406	G
7	B	411	G
7	B	412	A
7	B	424	G
7	B	435	C
7	B	455	C
7	B	456	C
7	B	457	A
7	B	461	C
7	B	467	G
7	B	473	G
7	B	481	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	490	C
7	B	491	G
7	B	496	G
7	B	504	A
7	B	505	A
7	B	506	G
7	B	508	A
7	B	509	C
7	B	512	G
7	B	528	A
7	B	531	C
7	B	532	A
7	B	533	G
7	B	535	G
7	B	541	A
7	B	544	C
7	B	545	U
7	B	546	U
7	B	547	A
7	B	548	G
7	B	563	A
7	B	568	U
7	B	569	U
7	B	571	U
7	B	572	A
7	B	573	U
7	B	575	A
7	B	592	A
7	B	613	A
7	B	614	A
7	B	615	U
7	B	616	A
7	B	637	A
7	B	645	C
7	B	646	U
7	B	651	G
7	B	654	A
7	B	655	A
7	B	670	A
7	B	671	C
7	B	685	A
7	B	686	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	696	G
7	B	701	G
7	B	711	G
7	B	714	U
7	B	718	A
7	B	730	A
7	B	740	C
7	B	747	U
7	B	748	G
7	B	749	A
7	B	762	U
7	B	765	C
7	B	775	G
7	B	776	G
7	B	782	A
7	B	784	G
7	B	785	G
7	B	789	A
7	B	798	G
7	B	800	A
7	B	805	G
7	B	811	U
7	B	812	C
7	B	819	A
7	B	827	U
7	B	830	G
7	B	843	G
7	B	846	U
7	B	847	U
7	B	857	G
7	B	859	G
7	B	872	U
7	B	884	U
7	B	886	A
7	B	887	U
7	B	888	C
7	B	889	C
7	B	890	C
7	B	893	C
7	B	894	U
7	B	895	U
7	B	896	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	897	C
7	B	899	A
7	B	905	A
7	B	907	G
7	B	910	A
7	B	912	C
7	B	914	G
7	B	919	U
7	B	923	G
7	B	931	U
7	B	932	U
7	B	933	A
7	B	934	U
7	B	941	A
7	B	945	A
7	B	946	C
7	B	948	C
7	B	961	C
7	B	965	C
7	B	973	A
7	B	974	G
7	B	983	A
7	B	989	G
7	B	990	A
7	B	996	A
7	B	997	G
7	B	1005	C
7	B	1006	C
7	B	1009	A
7	B	1012	U
7	B	1013	C
7	B	1017	G
7	B	1019	U
7	B	1022	G
7	B	1025	G
7	B	1026	G
7	B	1033	U
7	B	1036	G
7	B	1040	A
7	B	1045	C
7	B	1046	A
7	B	1047	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	1054	A
7	B	1060	U
7	B	1061	U
7	B	1062	G
7	B	1065	U
7	B	1067	A
7	B	1068	G
7	B	1070	A
7	B	1071	G
7	B	1074	G
7	B	1075	C
7	B	1084	A
7	B	1087	G
7	B	1088	A
7	B	1089	A
7	B	1095	A
7	B	1096	A
7	B	1097	U
7	B	1098	A
7	B	1101	U
7	B	1103	A
7	B	1110	G
7	B	1111	A
7	B	1112	G
7	B	1126	A
7	B	1132	U
7	B	1133	A
7	B	1134	A
7	B	1135	C
7	B	1139	G
7	B	1141	U
7	B	1173	U
7	B	1174	U
7	B	1175	A
7	B	1176	U
7	B	1206	G
7	B	1207	C
7	B	1211	C
7	B	1212	G
7	B	1227	G
7	B	1237	A
7	B	1238	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	1241	A
7	B	1242	U
7	B	1244	A
7	B	1247	A
7	B	1250	G
7	B	1253	A
7	B	1256	G
7	B	1257	C
7	B	1262	A
7	B	1266	G
7	B	1271	G
7	B	1272	A
7	B	1273	U
7	B	1275	A
7	B	1294	U
7	B	1300	G
7	B	1301	A
7	B	1306	C
7	B	1321	A
7	B	1324	G
7	B	1325	U
7	B	1329	U
7	B	1336	A
7	B	1337	G
7	B	1338	G
7	B	1341	G
7	B	1346	G
7	B	1350	C
7	B	1352	U
7	B	1359	A
7	B	1365	A
7	B	1368	G
7	B	1374	G
7	B	1378	A
7	B	1379	U
7	B	1382	G
7	B	1383	A
7	B	1386	C
7	B	1396	U
7	B	1416	G
7	B	1420	A
7	B	1421	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	1427	A
7	B	1428	C
7	B	1437	C
7	B	1452	G
7	B	1458	U
7	B	1459	G
7	B	1460	U
7	B	1461	C
7	B	1467	U
7	B	1469	A
7	B	1476	U
7	B	1477	A
7	B	1478	G
7	B	1482	G
7	B	1497	U
7	B	1509	A
7	B	1510	G
7	B	1514	G
7	B	1515	A
7	B	1522	A
7	B	1524	G
7	B	1529	G
7	B	1535	A
7	B	1536	C
7	B	1538	G
7	B	1552	A
7	B	1554	U
7	B	1569	A
7	B	1578	U
7	B	1581	G
7	B	1583	A
7	B	1585	C
7	B	1607	C
7	B	1608	A
7	B	1610	A
7	B	1613	G
7	B	1614	A
7	B	1635	A
7	B	1639	C
7	B	1647	U
7	B	1648	U
7	B	1653	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	1674	G
7	B	1676	A
7	B	1677	A
7	B	1694	C
7	B	1713	A
7	B	1722	A
7	B	1724	G
7	B	1729	U
7	B	1730	C
7	B	1731	G
7	B	1733	G
7	B	1748	C
7	B	1758	U
7	B	1762	A
7	B	1763	G
7	B	1764	C
7	B	1773	A
7	B	1776	G
7	B	1779	U
7	B	1780	A
7	B	1781	U
7	B	1782	U
7	B	1786	A
7	B	1787	A
7	B	1791	A
7	B	1800	C
7	B	1801	A
7	B	1802	A
7	B	1807	G
7	B	1808	A
7	B	1809	A
7	B	1810	A
7	B	1811	G
7	B	1815	A
7	B	1816	C
7	B	1819	A
7	B	1827	U
7	B	1829	A
7	B	1848	A
7	B	1857	G
7	B	1870	C
7	B	1871	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	1873	G
7	B	1890	A
7	B	1903	G
7	B	1906	G
7	B	1912	A
7	B	1914	C
7	B	1915	U
7	B	1916	A
7	B	1919	A
7	B	1929	G
7	B	1930	G
7	B	1937	A
7	B	1940	U
7	B	1955	U
7	B	1958	C
7	B	1965	C
7	B	1967	C
7	B	1970	A
7	B	1971	U
7	B	1972	G
7	B	1991	U
7	B	1992	G
7	B	1993	U
7	B	1996	C
7	B	1997	C
7	B	2023	C
7	B	2031	A
7	B	2033	A
7	B	2034	U
7	B	2043	C
7	B	2049	G
7	B	2052	A
7	B	2055	C
7	B	2056	G
7	B	2060	A
7	B	2061	G
7	B	2062	A
7	B	2069	G
7	B	2076	U
7	B	2077	A
7	B	2093	G
7	B	2095	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	2099	U
7	B	2101	A
7	B	2104	C
7	B	2107	G
7	B	2108	A
7	B	2109	U
7	B	2110	G
7	B	2111	U
7	B	2112	G
7	B	2115	G
7	B	2116	G
7	B	2117	A
7	B	2118	U
7	B	2120	G
7	B	2123	G
7	B	2124	G
7	B	2126	A
7	B	2127	G
7	B	2128	G
7	B	2129	C
7	B	2132	U
7	B	2133	G
7	B	2134	A
7	B	2135	A
7	B	2136	G
7	B	2137	U
7	B	2139	U
7	B	2142	A
7	B	2144	G
7	B	2146	C
7	B	2147	A
7	B	2149	U
7	B	2150	C
7	B	2153	C
7	B	2155	U
7	B	2156	G
7	B	2157	G
7	B	2158	A
7	B	2159	G
7	B	2161	C
7	B	2162	G
7	B	2163	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	2164	C
7	B	2165	C
7	B	2166	U
7	B	2171	A
7	B	2172	U
7	B	2173	A
7	B	2179	C
7	B	2181	U
7	B	2182	U
7	B	2183	A
7	B	2184	A
7	B	2186	G
7	B	2187	U
7	B	2192	U
7	B	2198	A
7	B	2199	A
7	B	2203	U
7	B	2204	G
7	B	2211	A
7	B	2212	A
7	B	2216	G
7	B	2225	A
7	B	2238	G
7	B	2239	G
7	B	2243	U
7	B	2249	U
7	B	2250	G
7	B	2251	G
7	B	2266	A
7	B	2279	G
7	B	2283	C
7	B	2287	A
7	B	2288	A
7	B	2303	G
7	B	2305	U
7	B	2307	G
7	B	2309	A
7	B	2313	C
7	B	2314	A
7	B	2319	G
7	B	2321	U
7	B	2322	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	2325	G
7	B	2330	G
7	B	2333	A
7	B	2334	U
7	B	2335	A
7	B	2344	U
7	B	2345	G
7	B	2347	C
7	B	2350	C
7	B	2354	C
7	B	2357	G
7	B	2361	G
7	B	2366	A
7	B	2372	U
7	B	2375	G
7	B	2379	G
7	B	2383	G
7	B	2385	C
7	B	2396	G
7	B	2402	U
7	B	2403	C
7	B	2406	A
7	B	2420	C
7	B	2423	U
7	B	2425	A
7	B	2429	G
7	B	2430	A
7	B	2434	A
7	B	2435	A
7	B	2440	C
7	B	2441	U
7	B	2448	A
7	B	2450	A
7	B	2464	G
7	B	2469	A
7	B	2474	U
7	B	2475	C
7	B	2476	A
7	B	2491	U
7	B	2498	C
7	B	2502	G
7	B	2503	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	2504	U
7	B	2505	G
7	B	2507	C
7	B	2518	A
7	B	2520	C
7	B	2529	G
7	B	2547	A
7	B	2554	U
7	B	2556	C
7	B	2566	A
7	B	2567	G
7	B	2569	G
7	B	2572	A
7	B	2573	C
7	B	2574	G
7	B	2589	A
7	B	2602	A
7	B	2603	G
7	B	2609	U
7	B	2613	U
7	B	2615	U
7	B	2619	C
7	B	2622	U
7	B	2623	G
7	B	2629	U
7	B	2634	A
7	B	2646	C
7	B	2654	A
7	B	2663	G
7	B	2671	G
7	B	2682	A
7	B	2689	U
7	B	2690	U
7	B	2703	C
7	B	2712	C
7	B	2714	G
7	B	2716	C
7	B	2718	G
7	B	2720	U
7	B	2726	A
7	B	2733	A
7	B	2744	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	B	2748	A
7	B	2751	G
7	B	2757	A
7	B	2765	A
7	B	2778	A
7	B	2791	G
7	B	2793	C
7	B	2797	U
7	B	2798	U
7	B	2799	A
7	B	2800	A
7	B	2809	A
7	B	2818	U
7	B	2820	A
7	B	2821	A
7	B	2823	A
7	B	2834	G
7	B	2835	A
7	B	2836	U
7	B	2837	A
7	B	2846	G
7	B	2861	U
7	B	2867	G
7	B	2869	G
7	B	2872	A
7	B	2873	A
7	B	2877	G
7	B	2880	C
7	B	2883	A
7	B	2885	G
7	B	2886	A
7	B	2900	A
49	v	3	A
49	v	4	U
49	v	7	A
49	v	8	A
49	v	9	G
49	v	22	G
49	v	31	G
49	v	32	A
49	v	39	G
49	v	44	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	47	C
49	v	48	C
49	v	49	U
49	v	50	A
49	v	51	A
49	v	52	C
49	v	54	C
49	v	58	C
49	v	59	A
49	v	70	U
49	v	71	A
49	v	74	A
49	v	77	A
49	v	78	A
49	v	79	G
49	v	83	C
49	v	84	U
49	v	85	U
49	v	86	G
49	v	87	C
49	v	89	U
49	v	92	U
49	v	94	G
49	v	95	C
49	v	97	G
49	v	108	G
49	v	116	A
49	v	119	A
49	v	120	A
49	v	121	U
49	v	122	G
49	v	126	G
49	v	127	G
49	v	130	A
49	v	131	A
49	v	137	U
49	v	142	G
49	v	143	A
49	v	144	G
49	v	159	G
49	v	161	A
49	v	163	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	169	C
49	v	173	U
49	v	181	A
49	v	182	A
49	v	183	C
49	v	190	A
49	v	197	A
49	v	203	G
49	v	204	G
49	v	205	A
49	v	207	C
49	v	210	C
49	v	211	G
49	v	212	G
49	v	213	G
49	v	214	C
49	v	226	G
49	v	231	U
49	v	240	G
49	v	245	U
49	v	247	G
49	v	250	A
49	v	251	G
49	v	266	G
49	v	267	C
49	v	276	G
49	v	278	G
49	v	279	A
49	v	280	C
49	v	283	U
49	v	289	G
49	v	299	G
49	v	305	G
49	v	319	G
49	v	321	A
49	v	328	C
49	v	330	C
49	v	332	G
49	v	345	C
49	v	347	G
49	v	351	G
49	v	352	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	354	G
49	v	363	A
49	v	367	U
49	v	372	C
49	v	373	A
49	v	384	G
49	v	398	U
49	v	404	G
49	v	406	G
49	v	412	A
49	v	413	G
49	v	421	U
49	v	422	C
49	v	423	G
49	v	424	G
49	v	429	U
49	v	436	C
49	v	438	U
49	v	441	A
49	v	452	A
49	v	459	A
49	v	467	U
49	v	468	A
49	v	469	C
49	v	471	U
49	v	478	A
49	v	480	U
49	v	481	G
49	v	484	G
49	v	486	U
49	v	493	A
49	v	494	G
49	v	495	A
49	v	496	A
49	v	509	A
49	v	510	A
49	v	511	C
49	v	512	U
49	v	518	C
49	v	524	G
49	v	527	G
49	v	531	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	532	A
49	v	533	A
49	v	547	A
49	v	559	A
49	v	564	C
49	v	568	G
49	v	572	A
49	v	573	A
49	v	576	C
49	v	577	G
49	v	582	C
49	v	594	U
49	v	595	A
49	v	597	G
49	v	607	A
49	v	615	G
49	v	618	C
49	v	633	G
49	v	635	A
49	v	641	U
49	v	642	A
49	v	645	G
49	v	650	G
49	v	653	U
49	v	656	G
49	v	665	A
49	v	666	G
49	v	686	U
49	v	688	G
49	v	695	A
49	v	702	A
49	v	703	G
49	v	719	C
49	v	721	G
49	v	724	G
49	v	731	G
49	v	751	U
49	v	755	G
49	v	758	C
49	v	778	G
49	v	781	A
49	v	793	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	794	A
49	v	809	G
49	v	815	A
49	v	817	C
49	v	819	A
49	v	821	G
49	v	828	U
49	v	829	G
49	v	836	G
49	v	837	U
49	v	843	U
49	v	845	A
49	v	851	G
49	v	864	A
49	v	870	U
49	v	872	A
49	v	873	A
49	v	887	G
49	v	889	A
49	v	914	A
49	v	926	G
49	v	931	C
49	v	934	C
49	v	935	A
49	v	942	G
49	v	958	A
49	v	960	U
49	v	966	G
49	v	969	A
49	v	974	A
49	v	975	A
49	v	976	G
49	v	977	A
49	v	980	C
49	v	981	U
49	v	982	U
49	v	983	A
49	v	989	U
49	v	991	U
49	v	992	U
49	v	993	G
49	v	1002	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	1004	A
49	v	1005	A
49	v	1020	G
49	v	1021	A
49	v	1027	C
49	v	1028	C
49	v	1031	C
49	v	1033	G
49	v	1034	G
49	v	1039	G
49	v	1043	G
49	v	1044	A
49	v	1053	G
49	v	1056	U
49	v	1065	U
49	v	1073	U
49	v	1074	G
49	v	1086	U
49	v	1087	G
49	v	1094	G
49	v	1095	U
49	v	1098	C
49	v	1101	A
49	v	1102	A
49	v	1108	G
49	v	1118	U
49	v	1123	U
49	v	1124	G
49	v	1125	U
49	v	1129	C
49	v	1130	A
49	v	1131	G
49	v	1132	C
49	v	1133	G
49	v	1135	U
49	v	1136	C
49	v	1137	C
49	v	1139	G
49	v	1142	G
49	v	1145	A
49	v	1151	A
49	v	1157	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	1158	C
49	v	1159	U
49	v	1160	G
49	v	1161	C
49	v	1163	A
49	v	1167	A
49	v	1168	U
49	v	1169	A
49	v	1171	A
49	v	1174	G
49	v	1184	G
49	v	1190	G
49	v	1196	A
49	v	1197	A
49	v	1200	C
49	v	1201	A
49	v	1202	U
49	v	1212	U
49	v	1213	A
49	v	1214	C
49	v	1215	G
49	v	1225	A
49	v	1227	A
49	v	1238	A
49	v	1239	A
49	v	1241	G
49	v	1250	A
49	v	1256	A
49	v	1258	G
49	v	1260	G
49	v	1267	C
49	v	1268	G
49	v	1273	C
49	v	1274	A
49	v	1278	G
49	v	1279	G
49	v	1280	A
49	v	1282	C
49	v	1287	A
49	v	1291	U
49	v	1293	C
49	v	1298	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	1299	A
49	v	1300	G
49	v	1302	C
49	v	1305	G
49	v	1312	G
49	v	1319	A
49	v	1320	C
49	v	1322	C
49	v	1323	G
49	v	1332	A
49	v	1336	C
49	v	1340	A
49	v	1342	C
49	v	1348	U
49	v	1353	G
49	v	1363	A
49	v	1364	U
49	v	1368	A
49	v	1378	C
49	v	1381	U
49	v	1394	A
49	v	1397	C
49	v	1399	C
49	v	1406	U
49	v	1409	C
49	v	1410	A
49	v	1419	G
49	v	1432	G
49	v	1440	U
49	v	1441	A
49	v	1446	A
49	v	1451	U
49	v	1452	C
49	v	1453	G
49	v	1487	G
49	v	1492	A
49	v	1493	A
49	v	1497	G
49	v	1499	A
49	v	1500	A
49	v	1503	A
49	v	1506	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	v	1517	G
49	v	1529	G
49	v	1530	G
49	v	1531	A
49	v	1532	U
49	v	1533	C
49	v	1536	C
49	v	1539	C
49	v	1540	U
50	x	6	C
50	x	8	C
50	x	9	A
50	x	10	A
50	x	12	A
51	5	4	G
51	5	9	G
51	5	16	C
51	5	18	G
51	5	19	G
51	5	20	U
51	5	21	A
51	5	31	G
51	5	42	G
51	5	47	U
51	5	48	C
51	5	56	C
51	5	57	A
51	5	76	A

All (9) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	A	66	A
7	B	490	C
7	B	503	A
7	B	669	G
7	B	670	A
7	B	827	U
7	B	1652	A
7	B	2756	U
7	B	2808	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
49	v	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	v	1531:A	O3'	1532:U	P	1.83


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41050. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200



Z Index: 200

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 204




Y Index: 204




Z Index: 230


6.3.2 Raw map



X Index: 204



Y Index: 214




Z Index: 234


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.255. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_41050_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 366 nm³; this corresponds to an approximate mass of 330 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.23	3.83	3.29
Unmasked-calculated*	4.18	6.87	4.30

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.18 differs from the reported value 3.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41050 and PDB model 8T5H. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.255 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.255).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 64% of all backbone atoms, 55% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (0.255) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5450	 0.4210
0	 0.5490	 0.4460
1	 0.4530	 0.4160
2	 0.6680	 0.5230
3	 0.6760	 0.5420
4	 0.5100	 0.4750
5	 0.4330	 0.3960
A	 0.5090	 0.4060
B	 0.6250	 0.4520
C	 0.6160	 0.5100
D	 0.5770	 0.4730
E	 0.5140	 0.4590
F	 0.2420	 0.1860
G	 0.2910	 0.3170
J	 0.5610	 0.4630
K	 0.5730	 0.4670
L	 0.5410	 0.4730
M	 0.5560	 0.4820
N	 0.6230	 0.4930
O	 0.4240	 0.3970
P	 0.5270	 0.4340
Q	 0.6310	 0.4970
R	 0.5160	 0.4500
S	 0.5530	 0.4550
T	 0.3760	 0.3350
U	 0.4080	 0.3820
V	 0.3820	 0.3880
W	 0.5400	 0.3920
X	 0.4890	 0.4470
Y	 0.3400	 0.3110
Z	 0.5450	 0.4800
b	 0.3630	 0.3530
c	 0.3670	 0.3350
d	 0.5320	 0.4420
e	 0.0820	 0.1820



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.1140	 0.1470
g	 0.4880	 0.4370
h	 0.2400	 0.2790
i	 0.2650	 0.2590
j	 0.2640	 0.3040
k	 0.5250	 0.4570
l	 0.2490	 0.3060
m	 0.3510	 0.3400
n	 0.4160	 0.3680
o	 0.4780	 0.4090
p	 0.3820	 0.3570
q	 0.2060	 0.2930
r	 0.2700	 0.3290
s	 0.3480	 0.3680
u	 0.0000	 -0.0060
v	 0.5410	 0.4110
x	 0.2610	 0.2120