

Full wwPDB X-ray Structure Validation Report (i)

Jun 27, 2022 – 02:33 PM EDT

PDB ID	:	7T7I
Title	:	EBV nuclear egress complex
Authors	:	Thorsen, M.K.; Heldwein, E.E.
Deposited on	:	2021-12-15
Resolution	:	3.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.29
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	1039 (4.26-3.70)		
Clashscore	141614	$1099 \ (4.26-3.70)$		
Ramachandran outliers	138981	$1061 \ (4.26-3.70)$		
Sidechain outliers	138945	1053 (4.26-3.70)		
RSRZ outliers	127900	1021 (4.30-3.66)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of	chain		
			2%				
1	А	200		90%		7%	•
			2%				
1	С	200		83%		14%	•
			4%				
1	Ε	200		90%		6%	•
			3%				
1	G	200		84%		13%	·
			16%				
1	Ι	200		61%	16%	24%	



Conti	nued fron	n previous	page							
Mol	Chain	Length		Quality of chain						
2	В	257	<u>2%</u>	69%		23%	• 7	/%		
2	D	257	.% •	78%			16% •	6%		
2	F	257	6%	60%	20%	·	19%			
2	Н	257	3%	63%		28%	• (6%		
2	J	257	16%	61%	16%	•	21%			



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 32335 atoms, of which 16193 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Aton	ıs			ZeroOcc	AltConf	Trace
1	Δ	A 194	Total	С	Η	Ν	Ο	\mathbf{S}	0	0	0
1	Л		3030	956	1519	260	281	14	0	0	0
1	С	104	Total	С	Η	Ν	0	S	0	0	0
1		194	3030	956	1519	260	281	14		0	0
1	F	104	Total	С	Η	Ν	0	S	0	2	0
1	Ľ	194	3058	964	1536	261	282	15			0
1	С	104	Total	С	Η	Ν	0	S	0	1	0
1	G	194	3044	960	1528	260	281	15	0	1	0
1	Т	153	Total	С	Η	Ν	Ο	S	0	0	0
		100	2446	781	1228	205	221	11		0	0

• Molecule 1 is a protein called Nuclear egress protein 2.

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-4	GLY	-	expression tag	UNP P03185
А	-3	PRO	-	expression tag	UNP P03185
А	-2	LEU	-	expression tag	UNP P03185
А	-1	GLY	-	expression tag	UNP P03185
А	0	SER	-	expression tag	UNP P03185
С	-4	GLY	-	expression tag	UNP P03185
С	-3	PRO	-	expression tag	UNP P03185
С	-2	LEU	-	expression tag	UNP P03185
С	-1	GLY	-	expression tag	UNP P03185
С	0	SER	-	expression tag	UNP P03185
E	-4	GLY	-	expression tag	UNP P03185
E	-3	PRO	-	expression tag	UNP P03185
E	-2	LEU	-	expression tag	UNP P03185
E	-1	GLY	-	expression tag	UNP P03185
E	0	SER	-	expression tag	UNP P03185
G	-4	GLY	-	expression tag	UNP P03185
G	-3	PRO	-	expression tag	UNP P03185
G	-2	LEU	-	expression tag	UNP P03185
G	-1	GLY	-	expression tag	UNP P03185

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	SER	-	expression tag	UNP P03185
Ι	-4	GLY	-	expression tag	UNP P03185
Ι	-3	PRO	-	expression tag	UNP P03185
Ι	-2	LEU	-	expression tag	UNP P03185
Ι	-1	GLY	-	expression tag	UNP P03185
Ι	0	SER	-	expression tag	UNP P03185

• Molecule 2 is a protein called Nuclear egress protein 1.

Mol	Chain	Residues			Atom	S			ZeroOcc	AltConf	Trace
0	P	239	Total	С	Η	Ν	0	S	0	0 0	0
	D		3736	1195	1867	314	348	12	0	0	0
9	Л	242	Total	С	Η	Ν	0	\mathbf{S}	0	0	0
	D	242	3791	1211	1897	319	352	12		0	0
9	F	208	Total	С	Η	Ν	0	\mathbf{S}	0	0	0
	I'	200	3227	1038	1611	269	298	11			0
9	Ц	241	Total	С	Η	Ν	0	S	0	0	0
2	11	241	3775	1206	1888	318	351	12	0	0	0
2	T	203	Total	C	H	N	0	S	0	0	0
	J	200	3190	1024	1600	263	291	12	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	62	GLY	-	expression tag	UNP P0CK47
В	63	PRO	-	expression tag	UNP P0CK47
В	64	GLY	-	expression tag	UNP P0CK47
В	65	SER	-	expression tag	UNP P0CK47
D	62	GLY	-	expression tag	UNP P0CK47
D	63	PRO	-	expression tag	UNP P0CK47
D	64	GLY	-	expression tag	UNP P0CK47
D	65	SER	-	expression tag	UNP P0CK47
F	62	GLY	-	expression tag	UNP P0CK47
F	63	PRO	-	expression tag	UNP P0CK47
F	64	GLY	-	expression tag	UNP P0CK47
F	65	SER	-	expression tag	UNP P0CK47
Н	62	GLY	-	expression tag	UNP P0CK47
Н	63	PRO	-	expression tag	UNP P0CK47
Н	64	GLY	-	expression tag	UNP P0CK47
Н	65	SER	-	expression tag	UNP P0CK47
J	62	GLY	-	expression tag	UNP P0CK47
J	63	PRO	-	expression tag	UNP P0CK47



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	64	GLY	-	expression tag	UNP P0CK47
J	65	SER	-	expression tag	UNP P0CK47

• Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0
3	F	1	Total Zn 1 1	0	0
3	Н	1	Total Zn 1 1	0	0
3	J	1	Total Zn 1 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	Total O 1 1	0	0
4	G	1	Total O 1 1	0	0
4	Ι	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Nuclear egress protein 2



• Molecule 2: Nuclear egress protein 1







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants	238.15Å 238.15Å 137.53Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	106.52 - 3.97	Depositor
Resolution (A)	106.52 - 3.97	EDS
% Data completeness	99.5 (106.52 - 3.97)	Depositor
(in resolution range)	$99.5\ (106.52 - 3.97)$	EDS
R_{merge}	0.28	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.40 (at 4.01 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
B B.	0.270 , 0.308	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.268 , 0.305	DCC
R_{free} test set	2000 reflections $(5.79%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	166.6	Xtriage
Anisotropy	0.315	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 140.2	EDS
L-test for $twinning^2$	$ < L >=0.43, < L^2>=0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	32335	wwPDB-VP
Average B, all atoms $(Å^2)$	219.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.22% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.28	0/1540	0.53	0/2078
1	С	0.27	0/1540	0.52	0/2078
1	Е	0.27	0/1557	0.50	0/2100
1	G	0.26	0/1548	0.52	0/2088
1	Ι	0.24	0/1236	0.45	0/1659
2	В	0.28	0/1910	0.58	0/2592
2	D	0.30	0/1935	0.57	0/2625
2	F	0.28	0/1646	0.56	0/2224
2	Н	0.28	0/1928	0.56	0/2615
2	J	0.25	0/1618	0.46	0/2186
All	All	0.27	0/16458	0.53	0/22245

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1511	1519	1521	6	0
1	С	1511	1519	1521	27	2
1	E	1522	1536	1538	13	0



7]	[7]

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1516	1528	1530	19	0
1	Ι	1218	1228	1228	16	1
2	В	1869	1867	1867	33	2
2	D	1894	1897	1897	25	2
2	F	1616	1611	1611	44	1
2	Н	1887	1888	1888	54	0
2	J	1590	1600	1600	31	0
3	В	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
3	Н	1	0	0	0	0
3	J	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	Ι	1	0	0	0	0
All	All	16142	16193	16201	244	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (244) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	$\begin{array}{r} {\rm Clash}\\ {\rm overlap}\;({\rm \AA})\\ \hline 0.82\\ 0.79\\ 0.79\\ 0.78\\ \hline 0.77\\ 0.77\\ 0.77\\ \hline 0.77\\ 0.75\\ \hline 0.74\\ \hline 0.74\\ \hline 0.74\\ \hline 0.72\\ \hline 0.72\\ \hline 0.72\\ \hline 0.72\\ \hline 0.71\\ \hline 0.69\\ \hline 0.68\\ \hline 0.67\\ \hline 0.66\\ \hline 0.65\\ \hline \end{array}$
Atom-1	Atom-2	distance (\AA)	
2:H:289:ILE:O	2:H:293:ILE:HG23	1.80	0.82
2:F:238:LEU:HD12	2:F:267:PHE:CZ	2.17	0.79
2:H:175:ILE:HG22	2:H:176:PRO:HD3	1.64	0.78
2:F:127:GLY:O	2:F:141:LEU:HD12	1.84	0.77
1:A:90:THR:HG21	2:H:135:PHE:O	1.85	0.77
1:C:121:ASN:OD1	2:F:117:LEU:HD23	1.87	0.75
2:F:132:LEU:HD11	2:F:267:PHE:CZ	2.23	0.74
1:A:154:ARG:NH2	1:A:165:GLN:OE1	2.20	0.74
1:C:101:LEU:HD21	2:F:116:PHE:CZ	2.24	0.72
1:C:116:VAL:HG11	1:C:124:ILE:HD11	1.71	0.72
2:J:174:ILE:HG22	2:J:176:PRO:HD2	1.72	0.71
2:F:132:LEU:HD11	2:F:267:PHE:CE1	2.27	0.69
2:J:132:LEU:HD13	2:J:267:PHE:CD1	2.29	0.68
1:E:101:LEU:HD13	1:E:125:MET:HE1	1.76	0.67
2:F:245:LEU:HD12	2:F:246:LYS:N	2.10	0.67
1:C:86:GLY:HA3	2:F:262:LEU:HD11	1.77	0.66
2:B:145:CYS:SG	2:B:239:HIS:CE1	2.88	0.65
1:G:50:LEU:HD12	1:G:89:THR:HG22	1.76	0.65



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:J:121:LEU:HD13	2:J:245:LEU:HD22	1.77	0.65
2:F:124:LEU:HD23	2:F:125:SER:O	1.98	0.63
1:I:144:LEU:HD23	1:I:144:LEU:O	1.98	0.63
1:C:38:SER:HB3	2:F:109:ILE:HD11	1.80	0.62
2:H:218:ILE:HD13	2:H:232:LEU:HD13	1.81	0.62
1:E:101:LEU:HD22	1:E:125:MET:HE2	1.82	0.62
2:F:308:ASN:OD1	2:F:309:TYR:N	2.32	0.61
1:C:101:LEU:HD21	2:F:116:PHE:CE1	2.35	0.61
2:D:293:ILE:HD12	2:D:294:LYS:N	2.15	0.61
2:H:314:LEU:HD23	2:H:314:LEU:O	2.01	0.61
1:G:105:GLN:HB2	2:J:149:ILE:HD13	1.83	0.60
2:B:293:ILE:HD12	2:B:295:ASP:H	1.68	0.59
2:H:146:GLU:O	2:H:150:ASN:N	2.35	0.59
1:E:154:ARG:HH22	2:F:141:LEU:HD11	1.67	0.59
1:G:21:CYS:CB	1:G:26:LEU:HD11	2.33	0.58
2:F:238:LEU:HD12	2:F:267:PHE:HZ	1.63	0.58
1:I:132:ILE:HB	1:I:144:LEU:HD21	1.85	0.58
2:D:252:ILE:HD12	2:D:252:ILE:C	2.24	0.57
2:D:106:ASN:O	2:D:144:HIS:NE2	2.37	0.57
2:J:115:VAL:CG1	2:J:119:LEU:HD22	2.35	0.57
1:E:82:ILE:HD13	1:E:164:MET:HE3	1.86	0.57
2:J:115:VAL:HG11	2:J:119:LEU:HD22	1.85	0.57
1:C:101:LEU:HD22	1:C:123:ILE:CD1	2.34	0.56
1:G:161:ARG:NH1	1:G:163:THR:OG1	2.39	0.56
2:B:106:ASN:OD1	2:B:107:THR:HG23	2.06	0.56
2:B:284:VAL:HG23	2:B:284:VAL:O	2.06	0.56
2:H:175:ILE:CG2	2:H:176:PRO:HD3	2.35	0.55
2:H:156:VAL:N	2:H:157:PRO:CD	2.70	0.55
2:H:162:SER:HB3	2:H:165:LEU:HD23	1.89	0.55
2:B:215:ILE:HG21	2:B:231:LEU:HB3	1.89	0.55
2:D:252:ILE:HD12	2:D:253:GLY:N	2.22	0.55
2:J:132:LEU:HD12	2:J:132:LEU:O	2.07	0.54
2:B:290:TYR:O	2:B:293:ILE:HG13	2.06	0.54
2:J:301:GLU:OE1	2:J:301:GLU:N	2.40	0.54
2:D:240:ILE:HD12	2:D:240:ILE:H	1.72	0.54
2:D:121:LEU:HD13	2:D:258:LEU:CD2	2.38	0.54
2:H:232:LEU:HD12	2:H:232:LEU:N	2.23	0.54
2:H:202:LEU:O	2:H:206:LEU:HD23	2.08	0.53
2:B:111:VAL:HG11	2:B:144:HIS:HB2	1.89	0.53
2:H:203:TYR:CE2	2:H:247:LEU:HD21	2.43	0.53
2:B:167:PHE:O	2:B:171:VAL:HG13	2.09	0.53



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:188:SER:N	2:H:189:PRO:HD2	2.24	0.53
2:D:121:LEU:HD13	2:D:258:LEU:HD23	1.91	0.53
1:E:101:LEU:HD22	1:E:125:MET:CE	2.37	0.53
1:I:147:LEU:HD11	1:I:181:MET:HG2	1.91	0.53
2:H:165:LEU:HD12	2:H:166:SER:N	2.23	0.53
2:J:203:TYR:O	2:J:207:VAL:HG12	2.07	0.53
1:C:86:GLY:CA	2:F:262:LEU:HD11	2.40	0.52
1:E:191:LEU:HD11	2:F:93:ALA:HB2	1.91	0.52
2:F:258:LEU:CD1	2:F:271:VAL:HG22	2.39	0.52
1:G:21:CYS:HB3	1:G:26:LEU:HD11	1.91	0.52
2:H:115:VAL:HG12	2:H:137:HIS:O	2.10	0.52
2:H:218:ILE:CD1	2:H:232:LEU:HD13	2.39	0.52
1:C:28:VAL:HG22	1:C:48:VAL:HG22	1.92	0.51
2:J:92:SER:O	2:J:93:ALA:CB	2.58	0.51
2:J:295:ASP:OD1	2:J:295:ASP:N	2.42	0.51
2:B:94:ASN:ND2	1:E:136:SER:OG	2.43	0.51
2:D:178:LYS:O	2:D:182:VAL:HG23	2.11	0.51
2:H:156:VAL:N	2:H:157:PRO:HD3	2.26	0.51
1:E:184:ILE:CD1	2:F:91:ILE:HD11	2.40	0.51
2:H:315:GLU:O	2:H:316:ASN:HB2	2.11	0.51
2:B:87:PHE:CZ	2:B:91:ILE:HD11	2.46	0.51
2:D:240:ILE:HD12	2:D:240:ILE:N	2.26	0.51
2:B:129:CYS:O	2:B:139:LEU:HD23	2.11	0.51
2:F:205:TYR:CD1	2:F:215:ILE:HD11	2.45	0.51
1:G:74:TYR:CD1	1:G:75:PRO:HD2	2.46	0.51
1:G:83:SER:HB3	1:G:123:ILE:HG22	1.93	0.51
2:H:310:THR:O	2:H:313:ILE:HG13	2.11	0.51
1:C:3:SER:N	1:C:4:PRO:HD2	2.26	0.50
2:H:91:ILE:HD12	2:H:98:GLY:CA	2.42	0.50
1:C:101:LEU:HD22	1:C:123:ILE:HD11	1.92	0.50
1:I:118:LEU:HD23	1:I:162:THR:HB	1.94	0.50
2:H:263:VAL:HG23	2:H:263:VAL:O	2.12	0.50
2:H:299:GLY:HA3	2:H:302:LEU:HD12	1.93	0.50
1:G:116:VAL:HG11	1:G:124:ILE:HD11	1.93	0.50
2:D:121:LEU:HD23	2:D:245:LEU:HD22	1.94	0.50
2:B:185:LEU:HD22	2:B:293:ILE:HD13	1.94	0.49
1:G:83:SER:CB	1:G:123:ILE:HG22	2.42	0.49
2:F:258:LEU:HD13	2:F:271:VAL:HG22	1.94	0.49
2:F:260:VAL:HG23	2:F:269:ILE:HG22	1.93	0.49
1:G:192:SER:O	1:G:193:ARG:HB2	2.13	0.49
1:I:12:LEU:HD22	1:I:65:LEU:HD22	1.94	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:121:LEU:HD11	2:D:260:VAL:HG23	1.94	0.49
2:H:233:LEU:HD12	2:H:234:GLN:H	1.78	0.49
1:G:21:CYS:HB2	1:G:26:LEU:HD11	1.94	0.49
1:I:135:LYS:O	1:I:139:VAL:HG12	2.13	0.49
2:J:92:SER:O	2:J:93:ALA:HB3	2.12	0.49
2:J:99:LYS:HA	2:J:102:LEU:HD23	1.95	0.49
2:D:168:PHE:CG	2:D:168:PHE:O	2.66	0.49
2:B:189:PRO:HG2	2:B:191:ALA:HB3	1.95	0.48
2:H:121:LEU:HD22	2:H:245:LEU:HD22	1.95	0.48
2:H:222:ASN:O	2:H:223:GLY:C	2.50	0.48
2:H:247:LEU:C	2:H:247:LEU:HD23	2.34	0.48
2:D:133:SER:OG	2:D:134:PRO:HD2	2.13	0.48
1:G:99:SER:O	2:J:150:ASN:ND2	2.46	0.48
1:G:172:ALA:HB2	2:H:107:THR:HG21	1.95	0.48
1:A:172:ALA:HB2	2:B:107:THR:HG21	1.96	0.48
2:B:188:SER:N	2:B:189:PRO:HD3	2.29	0.48
1:G:37:PHE:O	1:G:96:HIS:CE1	2.66	0.48
2:F:107:THR:HG23	2:F:107:THR:O	2.14	0.48
2:H:125:SER:OG	2:H:128:ARG:NH1	2.47	0.48
2:H:130:LEU:HD12	2:H:138:SER:O	2.14	0.48
2:J:107:THR:HG23	2:J:107:THR:O	2.14	0.48
2:H:219:PHE:HB3	2:H:227:LEU:HD21	1.95	0.47
1:I:46:CYS:SG	1:I:47:THR:N	2.87	0.47
2:F:233:LEU:HD22	2:F:267:PHE:CE2	2.49	0.47
2:B:262:LEU:HA	2:B:267:PHE:HA	1.97	0.47
1:G:10:ASP:OD1	1:G:30:ARG:NH1	2.48	0.47
2:H:159:GLU:OE1	2:H:159:GLU:HA	2.15	0.47
2:J:253:GLY:N	2:J:254:PRO:HD2	2.29	0.47
2:D:87:PHE:CZ	2:D:91:ILE:HD11	2.50	0.47
2:H:224:LYS:O	2:H:226:ARG:N	2.48	0.46
1:E:139:VAL:HG12	2:F:109:ILE:HD13	1.97	0.46
2:J:248:LEU:O	2:J:253:GLY:N	2.49	0.46
2:B:124:LEU:HD23	2:B:125:SER:O	2.14	0.46
1:C:182:ASP:OD2	2:D:79:ARG:NH2	2.47	0.46
1:C:192:SER:O	1:C:193:ARG:HG3	2.15	0.46
2:B:111:VAL:HG13	2:B:141:LEU:HB2	1.97	0.46
2:B:214:THR:HG23	2:B:214:THR:O	2.16	0.46
2:D:121:LEU:N	2:D:121:LEU:HD12	2.31	0.46
2:H:308:ASN:HA	2:H:311:GLN:OE1	2.16	0.46
1:E:184:ILE:HD13	2:F:91:ILE:HD11	1.97	0.46
2:F:216:CYS:HB2	2:F:232:LEU:HD21	1.98	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:F:231:LEU:HG	2:F:269:ILE:HG13	1.98	0.45
2:J:117:LEU:CB	2:J:118:PRO:HD3	2.46	0.45
2:J:117:LEU:HB2	2:J:118:PRO:HD3	1.97	0.45
2:J:263:VAL:HG21	2:J:313:ILE:HD13	1.97	0.45
1:C:191:LEU:HD12	1:C:193:ARG:HH21	1.81	0.45
2:J:121:LEU:HD13	2:J:245:LEU:CD2	2.45	0.45
2:D:297:GLU:HG2	2:D:298:CYS:H	1.81	0.45
2:B:168:PHE:O	2:B:168:PHE:CG	2.69	0.45
2:F:231:LEU:HD11	2:F:269:ILE:HD11	1.98	0.45
2:J:149:ILE:HD12	2:J:149:ILE:C	2.37	0.45
2:B:153:GLN:HE21	2:B:154:VAL:HG23	1.81	0.45
1:I:8:LEU:HD11	1:I:68:LYS:O	2.17	0.45
2:D:132:LEU:HD23	2:D:267:PHE:CD2	2.52	0.45
2:H:233:LEU:HD12	2:H:234:GLN:N	2.31	0.45
2:B:132:LEU:C	2:B:132:LEU:HD12	2.36	0.45
1:C:112:LEU:HD21	1:C:126:LEU:HD21	1.98	0.45
1:I:74:TYR:HH	1:I:96:HIS:N	2.15	0.45
2:H:121:LEU:HD23	2:H:124:LEU:HD21	1.97	0.44
1:I:147:LEU:HD12	2:J:101:PHE:CE1	2.52	0.44
2:F:263:VAL:O	2:F:266:ALA:O	2.35	0.44
2:D:185:LEU:HD21	2:D:293:ILE:HD13	1.99	0.44
1:E:154:ARG:NH2	1:E:165:GLN:OE1	2.49	0.44
2:H:222:ASN:HB2	2:H:228:ILE:HG13	2.00	0.44
1:C:161:ARG:NH1	1:C:163:THR:OG1	2.51	0.44
1:C:116:VAL:CG1	1:C:124:ILE:HD11	2.44	0.44
1:I:61:VAL:O	1:I:65:LEU:HG	2.17	0.44
1:I:63:LYS:HG3	1:I:146:LEU:HD22	2.00	0.44
2:J:309:TYR:O	2:J:313:ILE:HG12	2.18	0.44
2:D:231:LEU:O	2:D:269:ILE:HD12	2.16	0.44
2:H:158:GLN:HB2	2:H:160:PHE:CE2	2.53	0.44
2:F:209:GLY:O	2:F:210:HIS:CG	2.71	0.43
1:G:9:LEU:HD21	1:G:36:VAL:HG11	2.00	0.43
1:I:81:VAL:HG13	1:I:125:MET:HG3	2.00	0.43
2:B:232:LEU:HD21	2:B:266:ALA:HB3	1.98	0.43
2:H:130:LEU:HB3	2:H:240:ILE:CG2	2.49	0.43
2:H:310:THR:HA	2:H:313:ILE:HG23	2.01	0.43
2:H:196:LEU:HD11	2:H:289:ILE:HD11	2.00	0.43
1:A:3:SER:N	1:A:4:PRO:CD	2.82	0.43
2:B:145:CYS:SG	2:B:239:HIS:HE1	2.36	0.43
1:C:82:ILE:CG1	1:C:124:ILE:HB	2.49	0.43
1:A:41:SER:HA	2:H:110:HIS:CE1	2.54	0.43



	h i c	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:101:LEU:HD13	1:C:125:MET:HE1	2.01	0.42
2:H:163:THR:HG23	2:H:164:GLN:N	2.34	0.42
1:C:191:LEU:HD23	2:D:89:ARG:HD3	2.00	0.42
2:D:121:LEU:HD12	2:D:121:LEU:H	1.84	0.42
2:F:187:SER:O	2:F:188:SER:C	2.57	0.42
1:C:116:VAL:HG11	1:C:124:ILE:CD1	2.45	0.42
1:G:116:VAL:CG1	1:G:124:ILE:HD11	2.49	0.42
2:F:132:LEU:HD21	2:F:267:PHE:CE2	2.54	0.42
2:F:214:THR:O	2:F:214:THR:HG23	2.20	0.42
1:A:16:ILE:HD13	1:A:46:CYS:SG	2.60	0.42
2:B:301:GLU:O	2:B:304:LEU:HG	2.19	0.42
1:C:90:THR:HG21	2:F:135:PHE:HA	2.01	0.42
2:H:303:ARG:O	2:H:307:ILE:HG12	2.18	0.42
2:J:207:VAL:HG13	2:J:208:THR:N	2.34	0.42
1:C:121:ASN:HB3	2:F:118:PRO:HG3	2.02	0.42
2:D:229:MET:HB3	2:D:271:VAL:HG22	2.01	0.42
2:F:149:ILE:HG22	2:F:150:ASN:N	2.33	0.42
2:F:222:ASN:O	2:F:223:GLY:C	2.58	0.42
1:G:35:HIS:HB2	1:G:43:GLN:CD	2.39	0.42
2:H:168:PHE:O	2:H:168:PHE:CG	2.73	0.42
1:E:126:LEU:HD12	1:E:126:LEU:N	2.35	0.42
2:H:115:VAL:HG21	2:H:119:LEU:HD22	2.01	0.42
2:J:232:LEU:HD13	2:J:309:TYR:CD2	2.55	0.42
2:B:178:LYS:O	2:B:182:VAL:HG23	2.20	0.42
2:J:253:GLY:N	2:J:254:PRO:CD	2.83	0.42
2:F:240:ILE:HG13	2:F:240:ILE:O	2.19	0.41
1:G:39:ARG:CG	1:G:96:HIS:ND1	2.83	0.41
2:D:209:GLY:O	2:D:210:HIS:C	2.59	0.41
1:E:41:SER:O	1:E:96:HIS:HE1	2.04	0.41
2:F:130:LEU:CD1	2:F:139:LEU:HD13	2.51	0.41
2:H:203:TYR:CZ	2:H:247:LEU:HD21	2.54	0.41
2:B:276:THR:O	2:B:276:THR:HG23	2.21	0.41
1:C:136:SER:HB3	1:C:137:PRO:HD3	2.03	0.41
1:I:15:VAL:HG21	1:I:64:PHE:CE1	2.55	0.41
2:B:130:LEU:HB3	2:B:240:ILE:HB	2.02	0.41
2:D:109:ILE:HG23	2:D:110:HIS:N	2.36	0.41
1:I:136:SER:HB2	1:I:137:PRO:HD3	2.03	0.41
2:B:252:ILE:CG2	2:B:258:LEU:HD21	2.51	0.41
2:B:263:VAL:O	2:B:264:GLY:C	2.59	0.41
1:C:106:SER:HB2	2:F:116:PHE:HB2	2.03	0.41
2:F:231:LEU:HG	2:F:269:ILE:CG1	2.50	0.41



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:H:314:LEU:HD23	2:H:314:LEU:C	2.41	0.41
1:I:115:ASP:OD1	1:I:115:ASP:N	2.54	0.41
2:H:232:LEU:HD22	2:H:309:TYR:CD1	2.56	0.41
2:J:119:LEU:HB3	2:J:260:VAL:HG12	2.02	0.41
2:J:228:ILE:HG13	2:J:271:VAL:O	2.21	0.41
2:F:121:LEU:H	2:F:121:LEU:HD22	1.86	0.41
2:F:130:LEU:HD11	2:F:139:LEU:HD13	2.01	0.40
2:H:167:PHE:CD1	2:H:199:PRO:HB3	2.56	0.40
2:B:200:SER:HA	2:B:252:ILE:HD11	2.03	0.40
2:F:233:LEU:HD22	2:F:267:PHE:HE2	1.87	0.40
2:J:163:THR:HG23	2:J:164:GLN:N	2.36	0.40
2:B:109:ILE:HG23	2:B:110:HIS:N	2.36	0.40
2:B:201:LEU:HD11	2:B:227:LEU:HD21	2.03	0.40
2:H:217:PRO:HB3	2:H:231:LEU:HD23	2.03	0.40
2:H:310:THR:O	2:H:313:ILE:CG1	2.69	0.40
2:H:313:ILE:HG13	2:H:314:LEU:N	2.37	0.40
2:J:200:SER:HB3	2:J:252:ILE:HB	2.03	0.40
1:C:3:SER:O	1:C:4:PRO:C	2.59	0.40
1:C:191:LEU:HD12	1:C:193:ARG:NH2	2.36	0.40
2:H:188:SER:O	2:H:190:SER:N	2.54	0.40
2:H:233:LEU:O	2:H:266:ALA:HB1	2.22	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:172:HIS:HA	2:D:135:PHE:HE1[7_555]	1.35	0.25
2:B:151:ARG:NH2	1:C:189:GLN:O[8_554]	2.09	0.11
1:C:136:SER:OG	2:D:80:SER:OG[8_554]	2.12	0.08
2:F:159:GLU:OE2	1:I:120:LYS:NZ[4_444]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was



71	Γ7Ι

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	192/200~(96%)	179~(93%)	11 (6%)	2(1%)	15 52
1	С	192/200~(96%)	186~(97%)	6 (3%)	0	100 100
1	Ε	194/200~(97%)	188~(97%)	6 (3%)	0	100 100
1	G	193/200~(96%)	186 (96%)	7 (4%)	0	100 100
1	Ι	137/200~(68%)	124 (90%)	13 (10%)	0	100 100
2	В	237/257~(92%)	211 (89%)	21 (9%)	5(2%)	7 38
2	D	240/257~(93%)	218 (91%)	20 (8%)	2(1%)	19 57
2	F	194/257~(76%)	179~(92%)	11 (6%)	4 (2%)	7 38
2	Н	239/257~(93%)	214 (90%)	17 (7%)	8 (3%)	4 30
2	J	189/257~(74%)	174 (92%)	14 (7%)	1 (0%)	29 66
All	All	2007/2285~(88%)	1859 (93%)	126 (6%)	22 (1%)	14 50

analysed, and the total number of residues.

All (22) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
2	В	188	SER
2	Н	225	GLY
2	J	93	ALA
1	А	104	GLY
2	В	123	THR
2	F	223	GLY
2	Н	189	PRO
2	Н	223	GLY
2	Н	253	GLY
2	D	236	THR
2	F	110	HIS
2	F	126	PRO
2	В	253	GLY
2	В	275	ASP
2	F	264	GLY
2	Н	149	ILE
2	D	213	GLY
2	Н	190	SER
2	В	264	GLY
2	Н	299	GLY
2	Н	156	VAL
1	А	98	PRO



7T7I

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	174/177~(98%)	169~(97%)	5(3%)	42	64
1	\mathbf{C}	174/177~(98%)	171~(98%)	3~(2%)	60	78
1	Ε	176/177~(99%)	176 (100%)	0	100	100
1	G	175/177~(99%)	175 (100%)	0	100	100
1	Ι	140/177~(79%)	136~(97%)	4(3%)	42	64
2	В	215/230~(94%)	209~(97%)	6 (3%)	43	65
2	D	218/230~(95%)	211~(97%)	7 (3%)	39	62
2	F	185/230~(80%)	180 (97%)	5(3%)	44	66
2	Н	217/230~(94%)	210~(97%)	7 (3%)	39	62
2	J	184/230~(80%)	174 (95%)	10 (5%)	22	50
All	All	1858/2035~(91%)	1811 (98%)	47 (2%)	47	68

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	3	SER
1	А	42	SER
1	А	43	GLN
1	А	150	MET
1	А	158	THR
2	В	86	ASP
2	В	187	SER
2	В	255	THR
2	В	265	ASP
2	В	277	VAL
2	В	285	ASP
1	С	35	HIS
1	С	38	SER
1	С	96	HIS
2	D	138	SER
2	D	153	GLN



ъ <i>т</i> 1		́р	
Mol	Chain	Res	Type
2	D	215	ILE
2	D	236	THR
2	D	252	ILE
2	D	285	ASP
2	D	312	LEU
2	F	167	PHE
2	F	175	ILE
2	F	203	TYR
2	F	262	LEU
2	F	316	ASN
2	Н	112	SER
2	Н	148	CYS
2	Н	215	ILE
2	Н	252	ILE
2	Н	293	ILE
2	Н	297	GLU
2	Н	313	ILE
1	Ι	80	PHE
1	Ι	82	ILE
1	Ι	163	THR
1	Ι	169	PHE
2	J	129	CYS
2	J	140	THR
2	J	150	ASN
2	J	200	SER
2	J	206	LEU
2	J	214	THR
2	J	238	LEU
2	J	255	THR
2	J	268	CYS
2	J	315	GLU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such side chains are listed below:

Mol	Chain	Res	Type
1	А	43	GLN
2	В	153	GLN
2	D	251	ASN
2	Н	251	ASN
2	Н	316	ASN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis. There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	194/200~(97%)	0.29	5 (2%) 56 46	127, 149, 210, 277	0
1	С	194/200~(97%)	0.48	5 (2%) 56 46	129, 157, 209, 259	0
1	Е	194/200~(97%)	0.34	8 (4%) 37 30	148, 184, 228, 277	0
1	G	194/200~(97%)	0.17	6 (3%) 49 38	149, 178, 216, 273	0
1	Ι	153/200~(76%)	1.18	33 (21%) 0 1	207, 240, 284, 310	0
2	В	239/257~(92%)	0.37	4 (1%) 70 60	131, 188, 227, 250	0
2	D	242/257~(94%)	0.28	2 (0%) 86 79	136, 204, 243, 271	0
2	F	208/257~(80%)	0.23	15 (7%) 15 12	170, 239, 280, 318	0
2	Н	241/257~(93%)	0.32	7 (2%) 51 41	148, 189, 231, 309	0
2	J	203/257~(78%)	0.97	41 (20%) 1 1	212, 255, 291, 325	0
All	All	2062/2285~(90%)	0.44	126 (6%) 21 17	127, 195, 270, 325	0

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Ι	144	LEU	12.9
1	Ι	80	PHE	8.7
1	Ι	126	LEU	7.8
2	F	171	VAL	5.8
2	F	258	LEU	5.4
1	Ι	110	LEU	5.0
2	J	255	THR	4.9
1	Ι	20	LEU	4.8
1	Е	112	LEU	4.7
1	Ι	143	GLU	4.6
1	Ι	168	VAL	4.6
2	J	273	PRO	4.5
2	J	275	ASP	4.3



1

5.8	
3.6	
3.5	
3.5	
3.5	
3.4	
3.4	
3.3	
0	

Continued from previous page...MolChainResTypeRSRZ

Ι

98

PRO

4.2

2	J	163	THR	4.1
2	J	212	CYS	4.1
2	J	295	ASP	4.0
1	Ι	57	HIS	3.8
2	J	208	THR	3.6
2	J	210	HIS	3.5
1	G	60	PHE	3.5
2	J	262	LEU	3.5
1	Ι	164	MET	3.4
2	Н	316	ASN	3.4
2	D	316	ASN	3.3
2	В	267	PHE	3.2
2	J	221	THR	3.1
2	J	252	ILE	3.1
2	Н	265	ASP	3.1
1	Е	126	LEU	3.1
2	J	167	PHE	3.1
1	А	126	LEU	3.0
1	С	60	PHE	3.0
1	Ι	169	PHE	3.0
1	Ι	47	THR	3.0
2	J	130	LEU	2.9
2	F	285	ASP	2.9
2	J	203	TYR	2.9
2	J	161	SER	2.9
1	Ι	129	ASP	2.9
1	Ι	156	TYR	2.9
2	J	300	ASP	2.9
1	Ι	19	PHE	2.9
2	J	110	HIS	2.9
1	Ι	45	LEU	2.9
2	J	84	LEU	2.8
1	Ι	163	THR	2.8
2	Н	196	LEU	2.8
2	F	168	PHE	2.8
2	J	109	ILE	2.8
1	G	37	PHE	2.8
1	Ι	42	SER	2.8
1	Е	124	ILE	2.8
2	J	261	ASP	2.8
1	Ι	165	GLN	2.8



Mol	Chain	Res	Type	RSRZ
2	F	271	VAL	2.7
1	Ι	60	PHE	2.7
2	J	249	CYS	2.7
1	Ι	58	LEU	2.7
2	J	248	LEU	2.7
1	G	165	GLN	2.7
1	А	80	PHE	2.7
2	В	265	ASP	2.6
2	J	164	GLN	2.6
2	Н	234	GLN	2.6
2	F	289	ILE	2.6
2	F	284	VAL	2.6
2	J	263	VAL	2.6
1	С	165	GLN	2.6
2	Н	309	TYR	2.6
1	G	45	LEU	2.5
2	J	199	PRO	2.5
1	Ι	61	VAL	2.5
2	F	111	VAL	2.5
1	А	138	LEU	2.5
1	Ι	82	ILE	2.5
1	Ι	145	ASP	2.5
2	J	269	ILE	2.5
2	J	260	VAL	2.5
2	J	219	PHE	2.5
2	F	248	LEU	2.5
1	Е	166	PHE	2.4
2	F	130	LEU	2.4
1	Е	118	LEU	2.4
1	Е	36	VAL	2.4
2	J	114	ALA	2.4
1	С	8	LEU	2.4
1	Ι	154	ARG	2.4
2	F	232	LEU	2.3
1	Ι	131	PHE	2.3
2	F	186	SER	2.3
1	Ι	46	CYS	2.3
1	G	25	SER	2.3
2	J	277	VAL	2.3
2	J	162	SER	2.3
2	Н	192	VAL	2.3
1	Ι	100	GLY	2.3



Mol	Chain	Res	Type	RSRZ
1	Ι	149	SER	2.3
1	С	112	LEU	2.2
2	F	229	MET	2.2
1	Ι	167	LEU	2.2
2	В	309	TYR	2.2
1	Е	125	MET	2.2
2	Н	131	ARG	2.1
2	J	224	LYS	2.1
2	J	253	GLY	2.1
2	J	246	LYS	2.1
1	Ι	125	MET	2.1
2	J	137	HIS	2.1
2	В	233	LEU	2.1
2	J	232	LEU	2.1
1	А	112	LEU	2.1
2	F	223	GLY	2.1
1	Ι	81	VAL	2.1
2	J	168	PHE	2.1
2	F	259	ALA	2.0
2	J	131	ARG	2.0
2	J	211	PHE	2.0
1	С	95	LEU	2.0
1	G	95	LEU	2.0
2	J	206	LEU	2.0
1	А	58	LEU	2.0
1	Е	8	LEU	2.0
2	J	254	PRO	2.0
2	D	124	LEU	2.0
1	Ι	161	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	ZN	Н	401	1/1	0.90	0.15	145,145,145,145	0
3	ZN	J	401	1/1	0.93	0.11	205,205,205,205	0
3	ZN	D	401	1/1	0.97	0.29	140,140,140,140	0
3	ZN	F	401	1/1	0.97	0.10	166,166,166,166	0
3	ZN	В	401	1/1	0.98	0.23	125,125,125,125	0

6.5 Other polymers (i)

There are no such residues in this entry.

