

# Full wwPDB X-ray Structure Validation Report (i)

#### Jan 14, 2024 - 05:40 am GMT

:	6T9R
:	Aplysia californica AChBP in complex with a cytisine derivative
:	Davis, S.; Hunter, W.N.
:	2019-10-28
:	1.72  Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
R <sub>free</sub>	130704	5722(1.74-1.70)		
Clashscore	141614	6152(1.74-1.70)		
Ramachandran outliers	138981	6051 (1.74-1.70)		
Sidechain outliers	138945	6051 (1.74-1.70)		
RSRZ outliers	127900	5629(1.74-1.70)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	AAA	249	<sup>%</sup> ■	•	18%
1	DDD	240	2%		
	БВВ	249	78%	6%	15%
1	CCC	249	77%	• •	17%
1	DDD	249	78%	•	18%
1	EEE	249	78%	•	18%



Mol	Chain	Length	Quality of chain			
1	FFF	249	74%	8%	•	18%
1	GGG	249	2% <b>78%</b>	•	•	18%
1	HHH	249	76%	6%		18%
1	III	249	% • 77%	5%	•	18%
1	JJJ	249	77%	5%		18%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	CCC	303	-	-	Х	-



#### $6\mathrm{T}9\mathrm{R}$

# 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 38198 atoms, of which 17501 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atom	s			ZeroOcc	AltConf	Trace
1		205	Total	С	Н	Ν	0	S	06	18	0
1	ЛЛЛ	200	3431	1109	1701	273	337	11	90	10	0
1	BBB	919	Total	С	Η	Ν	Ο	$\mathbf{S}$	08	18	0
1			3557	1149	1767	289	341	11	50	10	0
1	CCC	206	Total	$\mathbf{C}$	Η	Ν	Ο	$\mathbf{S}$	96	14	0
	000	200	3384	1092	1674	274	335	9	50	11	0
1	מממ	205	Total	$\mathbf{C}$	Η	Ν	Ο	$\mathbf{S}$	91	13	0
		200	3376	1095	1671	270	330	10	51	10	
1	EEE	205	Total	$\mathbf{C}$	Н	Ν	Ο	$\mathbf{S}$	98	15	0
-		200	3391	1096	1679	272	334	10			0
1	FFF	205	Total	$\mathbf{C}$	Η	Ν	Ο	$\mathbf{S}$	96	19	0
-	111	200	3428	1109	1700	272	335	12	50	10	ļ
1	GGG	205	Total	$\mathbf{C}$	Η	Ν	Ο	$\mathbf{S}$	92	11	0
	444	200	3353	1080	1661	274	328	10	02		0
1	ннн	205	Total	$\mathbf{C}$	Η	Ν	Ο	$\mathbf{S}$	93	13	0
		200	3369	1090	1665	271	333	10		10	0
1	III	205	Total	С	Η	Ν	Ο	$\mathbf{S}$	93	11	0
	***		3350	1083	1657	271	329	10		**	
1	.J.J.J	205	Total	С	Н	Ν	Ο	$\mathbf{S}$	94	12	0
	000	200	3356	1083	1658	272	333	10		14	

• Molecule 1 is a protein called Acetylcholine binding protein.

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	60	VAL	ALA	conflict	UNP Q8WSF8
AAA	155	VAL	ALA	conflict	UNP Q8WSF8
AAA	237	GLU	-	expression tag	UNP Q8WSF8
AAA	238	ASN	-	expression tag	UNP Q8WSF8
AAA	239	LEU	-	expression tag	UNP Q8WSF8
AAA	240	TYR	-	expression tag	UNP Q8WSF8
AAA	241	PHE	-	expression tag	UNP Q8WSF8
AAA	242	GLN	-	expression tag	UNP Q8WSF8
AAA	243	GLY	-	expression tag	UNP Q8WSF8



Chain	Residue	Modelled	Actual	Comment	Reference
AAA	244	HIS	-	expression tag	UNP Q8WSF8
AAA	245	HIS	-	expression tag	UNP Q8WSF8
AAA	246	HIS	-	expression tag	UNP Q8WSF8
AAA	247	HIS	-	expression tag	UNP Q8WSF8
AAA	248	HIS	-	expression tag	UNP Q8WSF8
AAA	249	HIS	-	expression tag	UNP Q8WSF8
BBB	60	VAL	ALA	conflict	UNP Q8WSF8
BBB	155	VAL	ALA	conflict	UNP Q8WSF8
BBB	237	GLU	-	expression tag	UNP Q8WSF8
BBB	238	ASN	-	expression tag	UNP Q8WSF8
BBB	239	LEU	-	expression tag	UNP Q8WSF8
BBB	240	TYR	-	expression tag	UNP Q8WSF8
BBB	241	PHE	-	expression tag	UNP Q8WSF8
BBB	242	GLN	-	expression tag	UNP Q8WSF8
BBB	243	GLY	-	expression tag	UNP Q8WSF8
BBB	244	HIS	-	expression tag	UNP Q8WSF8
BBB	245	HIS	-	expression tag	UNP Q8WSF8
BBB	246	HIS	-	expression tag	UNP Q8WSF8
BBB	247	HIS	-	expression tag	UNP Q8WSF8
BBB	248	HIS	-	expression tag	UNP Q8WSF8
BBB	249	HIS	-	expression tag	UNP Q8WSF8
CCC	60	VAL	ALA	conflict	UNP Q8WSF8
CCC	155	VAL	ALA	conflict	UNP Q8WSF8
CCC	237	GLU	-	expression tag	UNP Q8WSF8
CCC	238	ASN	-	expression tag	UNP Q8WSF8
CCC	239	LEU	-	expression tag	UNP Q8WSF8
CCC	240	TYR	-	expression tag	UNP Q8WSF8
CCC	241	PHE	-	expression tag	UNP Q8WSF8
CCC	242	GLN	-	expression tag	UNP Q8WSF8
CCC	243	GLY	-	expression tag	UNP Q8WSF8
CCC	244	HIS	-	expression tag	UNP Q8WSF8
CCC	245	HIS	-	expression tag	UNP Q8WSF8
CCC	246	HIS	-	expression tag	UNP Q8WSF8
CCC	247	HIS	-	expression tag	UNP Q8WSF8
CCC	248	HIS	-	expression tag	UNP Q8WSF8
CCC	249	HIS	-	expression tag	UNP Q8WSF8
DDD	60	VAL	ALA	conflict	UNP Q8WSF8
DDD	155	VAL	ALA	conflict	UNP Q8WSF8
DDD	237	GLU	-	expression tag	UNP Q8WSF8
DDD	238	ASN	-	expression tag	UNP Q8WSF8
DDD	239	LEU	-	expression tag	UNP Q8WSF8
DDD	240	TYR	-	expression tag	UNP Q8WSF8

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
DDD	241	PHE	-	expression tag	UNP Q8WSF8
DDD	242	GLN	-	expression tag	UNP Q8WSF8
DDD	243	GLY	-	expression tag	UNP Q8WSF8
DDD	244	HIS	-	expression tag	UNP Q8WSF8
DDD	245	HIS	-	expression tag	UNP Q8WSF8
DDD	246	HIS	-	expression tag	UNP Q8WSF8
DDD	247	HIS	-	expression tag	UNP Q8WSF8
DDD	248	HIS	-	expression tag	UNP Q8WSF8
DDD	249	HIS	-	expression tag	UNP Q8WSF8
EEE	60	VAL	ALA	conflict	UNP Q8WSF8
EEE	155	VAL	ALA	conflict	UNP Q8WSF8
EEE	237	GLU	-	expression tag	UNP Q8WSF8
EEE	238	ASN	-	expression tag	UNP Q8WSF8
EEE	239	LEU	-	expression tag	UNP Q8WSF8
EEE	240	TYR	-	expression tag	UNP Q8WSF8
EEE	241	PHE	-	expression tag	UNP Q8WSF8
EEE	242	GLN	-	expression tag	UNP Q8WSF8
EEE	243	GLY	-	expression tag	UNP Q8WSF8
EEE	244	HIS	-	expression tag	UNP Q8WSF8
EEE	245	HIS	-	expression tag	UNP Q8WSF8
EEE	246	HIS	-	expression tag	UNP Q8WSF8
EEE	247	HIS	-	expression tag	UNP Q8WSF8
EEE	248	HIS	-	expression tag	UNP Q8WSF8
EEE	249	HIS	-	expression tag	UNP Q8WSF8
FFF	60	VAL	ALA	conflict	UNP Q8WSF8
FFF	155	VAL	ALA	conflict	UNP Q8WSF8
FFF	237	GLU	-	expression tag	UNP Q8WSF8
FFF	238	ASN	-	expression tag	UNP Q8WSF8
FFF	239	LEU	-	expression tag	UNP Q8WSF8
FFF	240	TYR	-	expression tag	UNP Q8WSF8
FFF	241	PHE	-	expression tag	UNP Q8WSF8
FFF	242	GLN	-	expression tag	UNP Q8WSF8
FFF	243	GLY	-	expression tag	UNP Q8WSF8
FFF	244	HIS	-	expression tag	UNP Q8WSF8
FFF	245	HIS	-	expression tag	UNP Q8WSF8
FFF	246	HIS	-	expression tag	UNP Q8WSF8
FFF	247	HIS	-	expression tag	UNP Q8WSF8
FFF	248	HIS	-	expression tag	UNP Q8WSF8
FFF	249	HIS	-	expression tag	UNP Q8WSF8
GGG	60	VAL	ALA	conflict	UNP Q8WSF8
GGG	155	VAL	ALA	conflict	UNP Q8WSF8
GGG	237	GLU	-	expression tag	UNP Q8WSF8



Chain	Residue	Modelled	Actual	Comment Reference		
GGG	238	ASN	-	expression tag	UNP Q8WSF8	
GGG	239	LEU	-	expression tag	UNP Q8WSF8	
GGG	240	TYR	-	expression tag	UNP Q8WSF8	
GGG	241	PHE	-	expression tag	UNP Q8WSF8	
GGG	242	GLN	-	expression tag	UNP Q8WSF8	
GGG	243	GLY	-	expression tag	UNP Q8WSF8	
GGG	244	HIS	-	expression tag	UNP Q8WSF8	
GGG	245	HIS	-	expression tag	UNP Q8WSF8	
GGG	246	HIS	-	expression tag	UNP Q8WSF8	
GGG	247	HIS	-	expression tag	UNP Q8WSF8	
GGG	248	HIS	-	expression tag	UNP Q8WSF8	
GGG	249	HIS	-	expression tag	UNP Q8WSF8	
HHH	60	VAL	ALA	conflict	UNP Q8WSF8	
HHH	155	VAL	ALA	conflict	UNP Q8WSF8	
HHH	237	GLU	-	expression tag	UNP Q8WSF8	
HHH	238	ASN	-	expression tag	UNP Q8WSF8	
HHH	239	LEU	-	expression tag	UNP Q8WSF8	
HHH	240	TYR	-	expression tag	UNP Q8WSF8	
HHH	241	PHE	-	expression tag	UNP Q8WSF8	
HHH	242	GLN	-	expression tag	UNP Q8WSF8	
HHH	243	GLY	-	expression tag	UNP Q8WSF8	
HHH	244	HIS	-	expression tag	UNP Q8WSF8	
HHH	245	HIS	-	expression tag	UNP Q8WSF8	
HHH	246	HIS	-	expression tag	UNP Q8WSF8	
HHH	247	HIS	-	expression tag	UNP Q8WSF8	
HHH	248	HIS	-	expression tag	UNP Q8WSF8	
HHH	249	HIS	-	expression tag	UNP Q8WSF8	
III	60	VAL	ALA	conflict	UNP Q8WSF8	
III	155	VAL	ALA	conflict	UNP Q8WSF8	
III	237	GLU	-	expression tag	UNP Q8WSF8	
III	238	ASN	-	expression tag	UNP Q8WSF8	
III	239	LEU	-	expression tag	UNP Q8WSF8	
III	240	TYR	-	expression tag	UNP Q8WSF8	
III	241	PHE	-	expression tag	UNP Q8WSF8	
III	242	GLN	-	expression tag	UNP Q8WSF8	
III	243	GLY	-	expression tag	UNP Q8WSF8	
III	244	HIS	-	expression tag	UNP Q8WSF8	
III	245	HIS	-	expression tag	UNP Q8WSF8	
III	246	HIS	-	expression tag	UNP Q8WSF8	
III	247	HIS	-	expression tag	UNP Q8WSF8	
III	248	HIS	-	expression tag	UNP Q8WSF8	
III	249	HIS	-	expression tag	UNP Q8WSF8	



6T9R
------

Chain	Residue	Modelled	Actual	Comment	Reference
JJJ	60	VAL	ALA	conflict	UNP Q8WSF8
JJJ	155	VAL	ALA	conflict	UNP Q8WSF8
JJJ	237	GLU	-	expression tag	UNP Q8WSF8
JJJ	238	ASN	-	expression tag	UNP Q8WSF8
JJJ	239	LEU	-	expression tag	UNP Q8WSF8
JJJ	240	TYR	-	expression tag	UNP Q8WSF8
JJJ	241	PHE	-	expression tag	UNP Q8WSF8
JJJ	242	GLN	-	expression tag	UNP Q8WSF8
JJJ	243	GLY	-	expression tag	UNP Q8WSF8
JJJ	244	HIS	-	expression tag	UNP Q8WSF8
JJJ	245	HIS	-	expression tag	UNP Q8WSF8
JJJ	246	HIS	-	expression tag	UNP Q8WSF8
JJJ	247	HIS	-	expression tag	UNP Q8WSF8
JJJ	248	HIS	-	expression tag	UNP Q8WSF8
JJJ	249	HIS	-	expression tag	UNP Q8WSF8

• Molecule 2 is (1 {R},9 {S})-5-(3-oxidanylpropyl)-7,11-diazatricyclo[7.3.1.0^{2,7}]tride ca-2,4-dien-6-one (three-letter code: MXQ) (formula:  $C_{14}H_{20}N_2O_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	ΔΔΔ	1	Total	С	Η	Ν	0	1	0
2	ллл	I	38	14	20	2	2	T	0
9	BBB	1	Total	С	Η	Ν	Ο	1	0
	DDD	1	38	14	20	2	2	I	0
9	CCC	1	Total	С	Η	Ν	Ο	1	0
		1	38	14	20	2	2	L	0



Mol	Chain	Residues		Ate	$\mathbf{oms}$			ZeroOcc	AltConf
0	מממ	1	Total	С	Η	Ν	0	1	0
	עעע	L	38	14	20	2	2	L	0
0	EEE	1	Total	С	Η	Ν	Ο	1	0
	בוכוכו	L	38	14	20	2	2	L	0
0		1	Total	С	Η	Ν	0	1	0
	ГГГ	L	38	14	20	2	2	L	0
0	CCC	1	Total	С	Η	Ν	0	1	0
	GGG	1	38	14	20	2	2	L	0
0	ипп	1	Total	С	Η	Ν	0	1	0
	111111	L	38	14	20	2	2	L	0
0	TTT	1	Total	С	Η	Ν	0	1	0
	111	L	38	14	20	2	2	L	0
0	ттт	1	Total	С	Η	Ν	Ο	1	0
	111		38	14	20	2	2		

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	ΛΛΛ	1	Total	С	Η	Ν	Ο	3	0
0	ллл	1	28	8	14	1	5	5	0
2	BBB	1	Total	С	Η	Ν	Ο	2	0
0	DDD	1	28	8	14	1	5	5	0
2	CCC	1	Total	С	Η	Ν	Ο	2	0
0		1	28	8	14	1	5	5	0
2	מחת	1	Total	С	Η	Ν	Ο	2	0
J	עעע	1	28	8	14	1	5	5	0



Mol	Chain	Residues		At	$\mathbf{oms}$			ZeroOcc	AltConf
3	FFF	1	Total	С	Η	Ν	0	3	0
5	5 EEE	L	28	8	14	1	5	5	0
3	FFF	1	Total	С	Η	Ν	Ο	2	0
5	I, I, I,	1	28	8	14	1	5	0	0
3	CCC	1	Total	С	Η	Ν	Ο	3	0
5	999	1	28	8	14	1	5	5	0
3	ипп	1	Total	С	Η	Ν	Ο	2	0
5	111111	1	28	8	14	1	5	5	0
3	III	1	Total	С	Η	Ν	Ο	2	0
5	111	T	28	8	14	1	5	5	0
3	TTT	1	Total	С	Η	N	0	3	0
5	111	1	28	8	14	1	5	5	0

Continued from previous page...

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	1	Total         C         H         O           14         3         8         3	2	0
4	AAA	1	Total         C         H         O           14         3         8         3	2	0
4	BBB	1	Total         C         H         O           14         3         8         3	2	0
4	BBB	1	Total         C         H         O           14         3         8         3	2	0
4	BBB	1	Total         C         H         O           14         3         8         3	2	0



Continued from previous page...

Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
4	חחח	1	Total	С	Η	0	0	0
4	BBB	1	14	3	8	3	2	0
4	חחח	1	Total	С	Η	0	0	0
4	BBB	1	14	3	8	3	2	0
4	חחח	1	Total	С	Η	0	0	0
4	BBB	1	14	3	8	3	2	0
4	aaa	1	Total	С	Η	0	0	0
4		1	14	3	8	3		0
4	aaa	1	Total	С	Η	0	0	0
4		1	14	3	8	3		0
4	aaa	1	Total	С	Η	0	0	0
4		1	14	3	8	3		0
4	aaa	1	Total	С	Η	0	0	0
4		1	14	3	8	3		0
4	מחח	1	Total	С	Η	0	0	0
4	עעע	1	14	3	8	3		0
4	מחח	1	Total	С	Η	0	0	0
4	עעע	1	14	3	8	3		0
4	מממ	1	Total	С	Η	0	0	0
4	עעע	1	14	3	8	3		0
4	מממ	1	Total	С	Η	0	0	0
4	עעע	1	14	3	8	3	2	0
4	ਸ਼ਾਸ	1	Total	С	Η	0	2	0
4	EEE	1	14	3	8	3		0
4	ਸੂਸੂਸ	1	Total	С	Η	0	2	0
4	עניי	1	14	3	8	3	2	0
4	FFF	1	Total	С	Η	0	9	0
4	ענים	1	14	3	8	3		0
4	FFF	1	Total	С	Η	0	9	0
-1		T	14	3	8	3		0
4	EEE	1	Total	С	Η	Ο	2	0
т		1	14	3	8	3		0
	FFF	1	Total	С	Η	Ο	2	0
	111	I	14	3	8	3		0
4	FFF	1	Total	С	Η	Ο	2	0
		1	14	3	8	3		0
	FFF	1	Total	С	Η	Ο	2	0
	* * *	1	14	3	8	3		0
4	GGG	1	Total	С	Η	Ο	2	0
- <b>T</b>		1	14	3	8	3		0
	GGG	1	Total	С	Η	0	2	Ω
<del>1</del>	000		14	3	8	3		



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	CCC	1	Total	С	Н	0	0	0
4	GGG	1	14	3	8	3		0
4	CCC	1	Total	С	Η	0	2	0
4	GGG	1	14	3	8	3	Δ	0
4	инн	1	Total	С	Η	0	2	0
4	111111	1	14	3	8	3		0
4	ннн	1	Total	С	Η	Ο	9	0
	111111	I	14	3	8	3		0
4	ННН	1	Total	С	Н	Ο	2	0
	111111	Ĩ	14	3	8	3		0
4	ННН	1	Total	С	Н	Ο	2	0
-		1	14	3	8	3	2	0
4	ннн	1	Total	С	Η	Ο	2	0
		-	14	3	8	3	-	<u> </u>
4	ННН	1	Total	С	Η	Ο	2	0
		-	14	3	8	3	_	<u> </u>
4	III	1	Total	С	Η	0	2	0
		-	14	3	8	3	_	<u> </u>
4	III	1	Total	С	Н	0	2	0
		_	14	3	8	3		
4	III	1	Total	С	Н	0	2	0
			14	3	8	3		
4	III	1	Total	С	Н	0	2	0
			14	3	8	3		
4	JJJ	1	Total	С	H	0	2	0
			14	3	8	3		
4	JJJ	1	Total	C	H	U	2	0
			14	3	8	3		
4	JJJ	1	Total	C	H	U o	2	0
			14	3	8	3		

Continued from previous page...

• Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	AAA	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	BBB	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	CCC	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	DDD	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	EEE	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	FFF	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	GGG	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	HHH	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	III	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
5	JJJ	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	AAA	1	Total Cl 1 1	0	0
6	BBB	1	Total Cl 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	CCC	1	Total Cl 1 1	0	0
6	DDD	1	Total Cl 1 1	0	0
6	EEE	1	Total Cl 1 1	0	0
6	FFF	1	Total Cl 1 1	0	0
6	GGG	1	Total Cl 1 1	0	0
6	HHH	1	Total Cl 1 1	0	0
6	III	1	Total Cl 1 1	0	0
6	JJJ	1	Total Cl 1 1	0	0

• Molecule 7 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	AAA	1	Total K 1 1	0	0
7	BBB	1	Total K 1 1	0	0
7	CCC	1	Total K 1 1	0	0
7	DDD	1	Total K 1 1	0	0
7	EEE	1	Total K 1 1	0	0
7	$\mathbf{FFF}$	1	Total K 1 1	0	0
7	GGG	1	Total K 1 1	0	0
7	HHH	1	Total K 1 1	0	0
7	III	1	Total K 1 1	0	0
7	JJJ	1	Total K 1 1	0	0

• Molecule 8 is water.



6T9	R
-----	---

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	AAA	310	Total O 310 310	0	0
8	BBB	315	Total O 315 315	0	0
8	CCC	291	Total         O           291         291	0	0
8	DDD	312	Total         O           312         312	0	0
8	EEE	284	Total         O           284         284	0	0
8	FFF	278	Total         O           278         278	0	0
8	GGG	282	Total         O           282         282	0	0
8	ННН	288	Total         O           288         288	0	0
8	III	273	Total         O           273         273	0	0
8	JJJ	266	Total         O           266         266	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Acetylcholine binding protein

• Molecule 1: Acetylcholine	e binding protein	
Chain EEE:	78%	• 18%
MET LEU VAL TYR SER SER VAL TYR TYR LEU VAL LEU VAL CEU VAL CALA OLN OLN GLY GLY GTA GTA SER	R13 834 835 835 835 835 835 146 146 117 1113 1114 1114 1114 1114 1113 1113	0138 P146 P146 C207 C207 ARG ARG ARG ARG ARG ARG ARG ARG
LEU PHE CLIN HIS HIS HIS HIS HIS HIS		
• Molecule 1: Acetylcholine	e binding protein	
Chain FFF:	74%	8% • 18%
MET LEU VAL SER VAL TAL TAL ALA ALA CYAL CAL GLY GLY GLY GLY GLY GLY GLY GLY CYAL	834 835 146 146 146 146 146 146 146 146 146 1113 1113	V118 Q122 Q122 Q123 P146 P146 P146 P146 P146 P146 P146 P133 P133 P133 P133 P146 P135 P132 P122
ARG GLY CLY CLY CLY CLY ASN PHE ASN PHE ASN ASN CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	HIS HIS HIS HIS HIS HIS	
• Molecule 1: Acetylcholine	e binding protein	
Chain GGG:	78%	•• 18%
MET VAL VAL SER YAL TYAL TYAL ALA ALA CYAL CLU CLU CLU CLU CLU CLU CLU CLU CLY CLU CLU CLY CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	R33 833 836 836 836 836 836 836 846 8114 8114 8114 8122 8122 8122	01153 0154 0155 0155 0155 0155 0155 0155 0155
LEU PHE CLIN CLIN CLIN HIS HIS HIS HIS HIS		
• Molecule 1: Acetylcholine	e binding protein	
Chain HHH:	76%	6% 18%
MET LEU VAL TYR SER SER VAL TYR LEU VAL LEU VAL CEU VAL CIA OLN OLN SER SER SER SER	M36 141 V60 V67 V60 141 111 1113 1114 1114 1114 1114	R139 C144 D1446 D1446 P146 Q201 R224 ARG ARG ARG ARG ARG ARG ARG ARG ARG ARG
LEU ASP ASP CLU CLU CLU CLU CLU CLU HIS HIS HIS HIS HIS		
• Molecule 1: Acetylcholine	e binding protein	
Chain III:	77%	5% • 18%
MET LEU VAL TAR SER SER TAR TAR ALA ALA ALA ALA CAL CAL CAL CAL CAL CAL	R33 833 835 835 835 835 836 836 836 836 836 836 836 836 836 836	9122 8139 8145 9145 9145 9145 8124 8124 8124 8124 8124 8124 8124 8124
ASP ASN ASU ASU TTR ASU ALR ALR ALS HIS HIS HIS HIS		

• Molecule 1: Acetylcholine binding protein







# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	209.47Å 132.87Å 131.09Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $102.52^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	111.67 - 1.72	Depositor
Resolution (A)	111.42 - 1.72	EDS
% Data completeness	95.5 (111.67-1.72)	Depositor
(in resolution range)	95.5(111.42-1.72)	EDS
$R_{merge}$	0.07	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.46 (at 1.72 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
B B.	0.162 , $0.192$	Depositor
II, II, <i>free</i>	0.173 , $0.202$	DCC
$R_{free}$ test set	17388 reflections $(4.92\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	24.9	Xtriage
Anisotropy	0.605	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.41 , 54.8	EDS
L-test for twinning <sup>2</sup>	$ \langle L  \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	38198	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NAG, MXQ, PO4, GOL, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	B	ond angles
WIOI	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	AAA	0.80	0/1825	0.97	1/2489~(0.0%)
1	BBB	0.83	0/1886	0.99	1/2567~(0.0%)
1	CCC	0.79	0/1791	0.99	0/2445
1	DDD	0.86	2/1786~(0.1%)	0.98	0/2439
1	EEE	0.79	0/1799	0.97	0/2457
1	$\mathbf{FFF}$	0.80	0/1826	0.98	0/2492
1	GGG	0.79	0/1764	1.00	0/2405
1	HHH	0.81	0/1784	0.98	3/2436~(0.1%)
1	III	0.79	0/1767	0.99	3/2412~(0.1%)
1	JJJ	0.79	0/1774	0.99	3/2420~(0.1%)
All	All	0.80	2/18002~(0.0%)	0.98	11/24562~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	BBB	0	2
1	CCC	0	1
1	EEE	0	2
1	GGG	0	2
1	HHH	0	2
1	JJJ	0	2
All	All	0	11

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	DDD	153	GLU	CD-OE1	6.65	1.32	1.25
1	DDD	153	GLU	CD-OE2	5.56	1.31	1.25



6T9R
------

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	HHH	122[A]	GLN	CB-CA-C	5.73	121.86	110.40
1	HHH	122[B]	GLN	CB-CA-C	5.73	121.86	110.40
1	JJJ	122[A]	GLN	CB-CA-C	5.26	120.92	110.40
1	JJJ	122[B]	GLN	CB-CA-C	5.26	120.92	110.40
1	HHH	201	GLN	CB-CA-C	-5.24	99.91	110.40
1	III	122[A]	GLN	CB-CA-C	5.15	120.70	110.40
1	III	122[B]	GLN	CB-CA-C	5.15	120.70	110.40
1	AAA	76	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	BBB	20	GLN	CB-CA-C	-5.07	100.26	110.40
1	III	68	ASP	CB-CG-OD2	-5.05	113.75	118.30
1	JJJ	25	ARG	NE-CZ-NH2	5.01	122.81	120.30

All (11) bond angle outliers are listed below:

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	BBB	20	GLN	Peptide
1	BBB	207	CYS	Peptide
1	CCC	20	GLN	Peptide
1	EEE	20	GLN	Peptide
1	EEE	207	CYS	Peptide
1	GGG	20	GLN	Peptide
1	GGG	207	CYS	Peptide
1	HHH	20	GLN	Peptide
1	HHH	207	CYS	Peptide
1	JJJ	20	GLN	Peptide
1	JJJ	207	CYS	Peptide

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	1730	1701	1716	10	0
1	BBB	1790	1767	1781	16	0
1	CCC	1710	1674	1684	11	0
1	DDD	1705	1671	1681	10	0



67	Г9R
01	19N

	Chain	Non-H	H(model)	H(addad)	Clashes	Symm-Clashes
1		1719	1670	1685	10	0
		1712	1079	1085	10	0
		1602	1661	1710	6	0
1	нин	1092	1665	1675	14	0
1	IIIIII	1603	1657	1665	14	0
1		1608	1658	1667	7	0
2		1090	20	1007	0	0
$\frac{2}{2}$	RBR	18	20	0	0	0
$\frac{2}{2}$		10	20	0	0	0
$\frac{2}{2}$		18	20	0	0	0
$\frac{2}{2}$	EEE	18	20	0	0	0
$\frac{2}{2}$	FFF	18	20	0	0	0
2	GGG	18	20	0	0	0
2	ННН	18	20	0	0	0
2	III	18	20	0	0	0
2	J.L.I	18	20	0	0	0
3	AAA	10	14	13	0	0
3	BBB	14	14	13	0	0
3	CCC	14	14	13	1	0
3	DDD	14	14	13	0	0
3	EEE	14	14	13	0	0
3	FFF	14	14	13	0	0
3	GGG	14	14	13	0	0
3	HHH	14	14	13	0	0
3	III	14	14	13	0	0
3	JJJ	14	14	13	0	0
4	AAA	12	16	16	0	0
4	BBB	36	48	48	0	0
4	CCC	24	32	32	6	0
4	DDD	24	32	32	2	0
4	EEE	30	40	40	2	0
4	FFF	18	24	24	0	0
4	GGG	24	32	32	1	0
4	HHH	36	48	48	3	0
4	III	24	32	32	0	0
4	JJJ	18	24	24	0	0
5	AAA	5	0	0	0	0
5	BBB	5	0	0	0	0
5	CCC	5	0	0	0	0
5	DDD	5	0	0	0	0
5	EEE	5	0	0	0	0
5	FFF	5	0	0	0	0



6T9R
------

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	GGG	5	0	0	0	0
5	HHH	5	0	0	0	0
5	III	5	0	0	0	0
5	JJJ	5	0	0	0	0
6	AAA	1	0	0	0	0
6	BBB	1	0	0	0	0
6	CCC	1	0	0	0	0
6	DDD	1	0	0	0	0
6	EEE	1	0	0	0	0
6	FFF	1	0	0	0	0
6	GGG	1	0	0	0	0
6	HHH	1	0	0	0	0
6	III	1	0	0	0	0
6	JJJ	1	0	0	0	0
7	AAA	1	0	0	0	0
7	BBB	1	0	0	0	0
7	CCC	1	0	0	0	0
7	DDD	1	0	0	0	0
7	EEE	1	0	0	0	0
7	FFF	1	0	0	0	0
7	GGG	1	0	0	0	0
7	HHH	1	0	0	0	0
7	III	1	0	0	0	0
7	JJJ	1	0	0	0	0
8	AAA	310	0	0	4	0
8	BBB	315	0	0	5	0
8	CCC	291	0	0	7	0
8	DDD	312	0	0	7	0
8	EEE	284	0	0	5	0
8	$\mathbf{FFF}$	278	0	0	7	0
8	GGG	282	0	0	3	1
8	HHH	288	0	0	6	0
8	III	273	0	0	2	0
8	JJJ	266	0	0	2	0
All	All	20697	17501	17396	111	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	$\frac{\text{overlap}(\mathbf{A})}{0.00}$
1.EEE.110[D].TVD.OU	8:BBB:401:HOH:O	1.81	0.98
1 EEE 102D H E HD11	8:EEE:4301:HOH:O	1.79	0.95
	1:FFF:219[B]:VAL:HG13	1.49	0.94
	8:HHH:501:HOH:0	1.80	0.94
1:AAA:110[B]:1YR:OH	8:AAA:401:HOH:0	1.79	0.90
1:FFF:110[A]:TYR:OH	8:FFF:401:HOH:O	1.79	0.84
1:FFF:193[B]:ILE:CD1	1:FFF:219[B]:VAL:HG13	2.10	0.80
1:BBB:201[B]:GLN:HG2	1:BBB:203:GLN:HE21	1.48	0.77
1:CCC:177:THR:HG22	8:CCC:606:HOH:O	1.86	0.74
1:DDD:114[B]:ARG:NH2	8:DDD:603:HOH:O	2.20	0.74
4:CCC:303:GOL:O1	4:CCC:303:GOL:O3	2.06	0.74
1:GGG:114[B]:ARG:NH2	8:GGG:2701:HOH:O	2.21	0.72
1:EEE:122[B]:GLN:NE2	8:EEE:4303:HOH:O	2.15	0.70
4:EEE:4204:GOL:O1	8:EEE:4302:HOH:O	2.11	0.69
4:DDD:501:GOL:O3	8:DDD:602:HOH:O	2.12	0.68
1:EEE:114[B]:ARG:NH2	8:EEE:4304:HOH:O	2.27	0.68
1:DDD:44[B]:ASP:OD2	8:DDD:601:HOH:O	2.11	0.67
1:JJJ:114[B]:ARG:NH2	8:JJJ:402:HOH:O	2.29	0.65
1:AAA:118:VAL:HG13	8:AAA:505:HOH:O	1.98	0.63
1:CCC:114[B]:ARG:NH2	8:CCC:404:HOH:O	2.31	0.63
1:HHH:114[B]:ARG:NH1	8:HHH:504:HOH:O	2.31	0.63
1:FFF:114[A]:ARG:NH1	8:FFF:403:HOH:O	2.32	0.63
4:HHH:404:GOL:O1	8:HHH:503:HOH:O	2.15	0.63
1:BBB:201[B]:GLN:CG	1:BBB:203:GLN:HE21	2.12	0.60
1:FFF:118:VAL:HG13	8:FFF:519:HOH:O	2.03	0.59
1:DDD:210:GLU:HG3	8:DDD:604:HOH:O	2.03	0.57
1:III:114[B]:ARG:NH2	8:III:402:HOH:O	2.36	0.57
1:FFF:193[B]:ILE:CD1	1:FFF:219[B]:VAL:CG1	2.83	0.57
1:III:118:VAL:HB	8:III:498:HOH:O	2.04	0.56
1:HHH:96:ARG:HH22	4:HHH:401:GOL:H11	1.71	0.56
1:AAA:114[A]:ARG:NH1	8:AAA:404:HOH:O	2.38	0.55
1:FFF:183[A]:SER:OG	8:FFF:402:HOH:O	2.16	0.55
1:BBB:20:GLN:OE1	1:BBB:20:GLN:CA	2.54	0.55
1:AAA:123:ILE:HD13	4:CCC:307:GOL:H31	1.89	0.54
4:CCC:303:GOL:H32	8:CCC:431:HOH:O	2.08	0.54
1:BBB:114[B]:ARG:NH2	8:BBB:403:HOH:O	2.39	0.54
1:EEE:110B:TYR:HE2	8:EEE:4381:HOH:O	1.91	0.53
1:HHH:160:LYS:HE3	1:HHH:201:GLN:HE22	1.73	0.53
1:CCC:60[Al:VAL:HG13	1:CCC:146:PRO:HG3	1.91	0.52
1:HHH:36[B]:MET:HE3	1:HHH:36[B]:MET:HA	1.91	0.51
1:CCC:91:ASN·HD22	3:CCC:302·NAG·H83	1.75	0.51
1:JJJ:20:GLN·OF1	1:JJJ:20:GLN·CA	2.59	0.51
1:JJJ:20:GLN:OE1	1:JJJ:20:GLN:CA	2.59	0.51



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
8:HHH:502:HOH:O	1:III:20:GLN:HB2	2.10	0.51
1:AAA:113:THR:O	1:DDD:139:ARG:HD2	2.11	0.50
1:DDD:118:VAL:HG13	8:DDD:748:HOH:O	2.12	0.50
1:CCC:42:LYS:HE2	4:CCC:303:GOL:H12	1.93	0.50
1:BBB:20:GLN:HG2	1:DDD:44[A]:ASP:OD2	2.12	0.50
1:BBB:20:GLN:OE1	1:BBB:20:GLN:HA	2.11	0.50
1:CCC:33:ARG:HG3	8:CCC:486:HOH:O	2.12	0.49
1:CCC:20:GLN:OE1	1:CCC:20:GLN:N	2.45	0.49
1:AAA:20:GLN:N	1:AAA:20:GLN:OE1	2.46	0.48
1:FFF:122[B]:GLN:NE2	8:FFF:405:HOH:O	2.39	0.48
1:BBB:201[B]:GLN:CG	1:BBB:203:GLN:NE2	2.75	0.48
1:FFF:160:LYS:NZ	1:FFF:201[A]:GLN:HE22	2.11	0.48
1:FFF:96:ARG:HH12	4:GGG:2604:GOL:H11	1.78	0.48
1:III:113:THR:O	1:JJJ:139:ARG:HD2	2.14	0.48
1:AAA:20:GLN:OE1	1:AAA:20:GLN:CA	2.61	0.48
1:BBB:122[A]:GLN:NE2	8:BBB:409:HOH:O	2.47	0.48
1:CCC:33:ARG:NH2	8:CCC:408:HOH:O	2.46	0.48
1:FFF:67:VAL:HG21	1:FFF:144[A]:CYS:SG	2.54	0.47
1:GGG:60[B]:VAL:HG22	1:GGG:146:PRO:HB3	1.94	0.47
1:BBB:201[B]:GLN:HG2	1:BBB:203:GLN:NE2	2.24	0.47
1:DDD:60[A]:VAL:HG13	1:DDD:146:PRO:HG3	1.96	0.47
1:AAA:20:GLN:HB2	8:CCC:405:HOH:O	2.14	0.47
8:FFF:406:HOH:O	1:HHH:20:GLN:HB2	2.14	0.47
1:CCC:60[A]:VAL:HG22	1:CCC:67:VAL:HG22	1.96	0.47
1:HHH:113:THR:O	1:III:139:ARG:HD2	2.14	0.47
1:GGG:60[A]:VAL:HG13	1:GGG:146:PRO:HG3	1.96	0.46
4:CCC:303:GOL:C3	8:CCC:431:HOH:O	2.62	0.46
1:GGG:224[B]:ARG:NH1	8:GGG:2705:HOH:O	2.47	0.46
1:BBB:196:ALA:HA	1:BBB:218:VAL:O	2.16	0.46
1:HHH:60[A]:VAL:HG13	1:HHH:146:PRO:HG3	1.98	0.46
8:BBB:402:HOH:O	1:EEE:20:GLN:HB2	2.16	0.46
1:HHH:20:GLN:OE1	1:HHH:20:GLN:N	2.49	0.46
1:DDD:44[B]:ASP:CG	8:DDD:601:HOH:O	2.53	0.45
1:EEE:20:GLN:N	1:EEE:20:GLN:OE1	2.49	0.45
1:GGG:122[B]:GLN:NE2	8:GGG:2707:HOH:O	2.48	0.45
1:AAA:96:ARG:HH22	4:CCC:303:GOL:H31	1.82	0.45
1:FFF:110[A]:TYR:HE2	8:FFF:509:HOH:O	2.00	0.44
1:AAA:110[B]:TYR:HE2	8:AAA:517:HOH:O	1.99	0.44
1:III:67:VAL:HG21	1:III:144:CYS:SG	2.58	0.44
1:FFF:60[A]:VAL:CG1	1:FFF:146:PRO:CB	2.95	0.44
1:HHH:20:GLN:OE1	1:HHH:20:GLN:CA	2.66	0.44



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:DDD:20:GLN:OE1	1:DDD:20:GLN:CA	2.65	0.44
1:DDD:20:GLN:OE1	1:DDD:20:GLN:HA	2.18	0.44
1:FFF:113:THR:O	1:HHH:139:ARG:HD2	2.18	0.44
1:BBB:118:VAL:HG13	8:BBB:443:HOH:O	2.17	0.43
1:HHH:110[B]:TYR:HE2	8:HHH:561:HOH:O	2.02	0.43
1:III:20:GLN:OE1	1:III:20:GLN:CA	2.67	0.43
1:FFF:46[A]:LEU:HD12	1:FFF:46[A]:LEU:HA	1.85	0.43
1:III:60[A]:VAL:CG1	1:III:146:PRO:HG3	2.49	0.43
1:FFF:139:ARG:HD2	1:GGG:113:THR:O	2.19	0.42
4:HHH:404:GOL:H2	1:III:96:ARG:HH22	1.83	0.42
1:HHH:67:VAL:HG21	1:HHH:144:CYS:SG	2.59	0.42
1:BBB:150:ASP:HA	1:BBB:225:ARG:HH12	1.84	0.42
1:JJJ:67:VAL:HG21	1:JJJ:144:CYS:SG	2.59	0.42
1:FFF:60[A]:VAL:HG13	1:FFF:146:PRO:HB3	2.02	0.41
1:BBB:60[A]:VAL:HG22	1:BBB:67:VAL:HG22	2.01	0.41
1:EEE:138:GLN:HE22	4:EEE:4207:GOL:C3	2.33	0.41
1:EEE:20:GLN:OE1	1:EEE:20:GLN:CA	2.68	0.41
4:DDD:507:GOL:C3	8:DDD:610:HOH:O	2.68	0.41
1:III:60[A]:VAL:HG11	1:III:146:PRO:CB	2.51	0.41
1:BBB:113:THR:O	1:EEE:139:ARG:HD2	2.20	0.41
1:JJJ:20:GLN:OE1	1:JJJ:20:GLN:HA	2.20	0.41
1:JJJ:60:VAL:HG13	1:JJJ:146:PRO:HG3	2.02	0.41
1:CCC:68:ASP:HA	1:CCC:140:LEU:O	2.21	0.41
1:HHH:41:THR:OG1	8:HHH:502:HOH:O	2.14	0.41
1:III:20:GLN:OE1	1:III:20:GLN:N	2.54	0.41
1:BBB:201[B]:GLN:CD	1:BBB:203:GLN:NE2	2.74	0.40
1:CCC:139:ARG:HD2	1:EEE:113:THR:O	2.20	0.40
1:JJJ:20:GLN:HB3	8:JJJ:600:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:GGG:2731:HOH:O	8:GGG:2731:HOH:O[2_556]	1.42	0.78



## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	AAA	221/249~(89%)	219 (99%)	2(1%)	0	100	100
1	BBB	226/249~(91%)	224 (99%)	2(1%)	0	100	100
1	CCC	217/249~(87%)	214 (99%)	3~(1%)	0	100	100
1	DDD	216/249~(87%)	214 (99%)	2(1%)	0	100	100
1	EEE	218/249~(88%)	214 (98%)	4 (2%)	0	100	100
1	FFF	222/249~(89%)	219~(99%)	3~(1%)	0	100	100
1	GGG	213/249~(86%)	213 (100%)	0	0	100	100
1	HHH	216/249~(87%)	210~(97%)	6 (3%)	0	100	100
1	III	214/249~(86%)	213 (100%)	1 (0%)	0	100	100
1	JJJ	215/249~(86%)	213 (99%)	2 (1%)	0	100	100
All	All	2178/2490~(88%)	2153 (99%)	25 (1%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	AAA	206/224~(92%)	200~(97%)	6 (3%)	42 22
1	BBB	211/224 (94%)	206 (98%)	5 (2%)	49 29
1	CCC	202/224~(90%)	196~(97%)	6 (3%)	41 21
1	DDD	201/224~(90%)	199 (99%)	2 (1%)	76 65



Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	EEE	203/224~(91%)	197~(97%)	6(3%)	41	21
1	$\mathbf{FFF}$	207/224~(92%)	198 (96%)	9 (4%)	29	10
1	GGG	199/224~(89%)	190 (96%)	9 (4%)	27	9
1	HHH	201/224~(90%)	200 (100%)	1 (0%)	88	83
1	III	199/224~(89%)	195~(98%)	4 (2%)	55	37
1	JJJ	200/224~(89%)	195 (98%)	5 (2%)	47	27
All	All	2029/2240~(91%)	1976 (97%)	53 (3%)	52	26

Continued from previous page...

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	20	GLN
1	AAA	34	SER
1	AAA	44[A]	ASP
1	AAA	44[C]	ASP
1	AAA	201[A]	GLN
1	AAA	201[B]	GLN
1	BBB	20	GLN
1	BBB	60[A]	VAL
1	BBB	60[B]	VAL
1	BBB	152	GLU
1	BBB	232	ARG
1	CCC	20	GLN
1	CCC	33	ARG
1	CCC	36	MET
1	CCC	60[A]	VAL
1	CCC	60[B]	VAL
1	CCC	97	THR
1	DDD	20	GLN
1	DDD	34	SER
1	EEE	20	GLN
1	EEE	46[A]	LEU
1	EEE	46[B]	LEU
1	EEE	76	ARG
1	EEE	97	THR
1	EEE	146	PRO
1	FFF	20	GLN
1	FFF	34	SER
1	FFF	36	MET
1	FFF	46[A]	LEU



	<i>y</i>	1	
Mol	Chain	Res	Type
1	FFF	46[B]	LEU
1	FFF	192[A]	GLU
1	FFF	192[B]	GLU
1	FFF	201[A]	GLN
1	FFF	201[B]	GLN
1	GGG	20	GLN
1	GGG	36[A]	MET
1	GGG	36[B]	MET
1	GGG	153	GLU
1	GGG	155[A]	VAL
1	GGG	155[B]	VAL
1	GGG	192	GLU
1	GGG	224[A]	ARG
1	GGG	224[B]	ARG
1	HHH	20	GLN
1	III	20	GLN
1	III	118	VAL
1	III	174	LYS
1	III	224	ARG
1	JJJ	20	GLN
1	JJJ	34	SER
1	JJJ	42	LYS
1	JJJ	76	ARG
1	JJJ	224	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



## 5.6 Ligand geometry (i)

Of 91 ligands modelled in this entry, 20 are monoatomic - leaving 71 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Tipk	Bo	ond leng	ths	В	ond ang	les
WIOI	туре	Ullaili	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	CCC	304	-	$5,\!5,\!5$	0.44	0	$5,\!5,\!5$	0.92	0
2	MXQ	FFF	301	-	19,20,20	0.74	0	$23,\!28,\!28$	0.73	0
2	MXQ	EEE	4202	-	19,20,20	0.84	1(5%)	$23,\!28,\!28$	0.86	0
3	NAG	CCC	302	1	14,14,15	0.78	0	17,19,21	1.95	4 (23%)
4	GOL	FFF	303	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	0.77	0
3	NAG	BBB	302	1	14,14,15	1.28	2 (14%)	17,19,21	2.69	<mark>5 (29%)</mark>
4	GOL	CCC	305	-	$5,\!5,\!5$	0.16	0	$5,\!5,\!5$	0.68	0
4	GOL	BBB	303	-	$5,\!5,\!5$	0.19	0	$5,\!5,\!5$	0.84	0
4	GOL	BBB	305	-	$5,\!5,\!5$	0.24	0	$5,\!5,\!5$	0.55	0
4	GOL	BBB	307	-	$5,\!5,\!5$	0.13	0	$5,\!5,\!5$	0.49	0
5	PO4	AAA	304	-	$4,\!4,\!4$	1.19	1 (25%)	$6,\!6,\!6$	0.77	0
3	NAG	DDD	504	1	14,14,15	1.02	2 (14%)	$17,\!19,\!21$	2.69	5 (29%)
4	GOL	EEE	4204	-	$5,\!5,\!5$	0.19	0	$5,\!5,\!5$	0.73	0
4	GOL	DDD	501	-	$5,\!5,\!5$	0.21	0	$5,\!5,\!5$	0.36	0
4	GOL	DDD	502	-	$5,\!5,\!5$	0.15	0	$5,\!5,\!5$	0.40	0
4	GOL	GGG	2601	-	$5,\!5,\!5$	0.20	0	$5,\!5,\!5$	0.53	0
4	GOL	HHH	409	-	$5,\!5,\!5$	0.25	0	$5,\!5,\!5$	0.46	0
2	MXQ	AAA	301	-	19,20,20	0.97	1 (5%)	23,28,28	0.85	2 (8%)
3	NAG	JJJ	302	1	$14,\!14,\!15$	0.90	0	$17,\!19,\!21$	1.80	5 (29%)
2	MXQ	GGG	2602	-	19,20,20	0.65	0	23,28,28	0.75	1 (4%)
4	GOL	III	307	-	$5,\!5,\!5$	0.14	0	$5,\!5,\!5$	0.38	0
4	GOL	JJJ	303	-	$5,\!5,\!5$	0.22	0	$5,\!5,\!5$	0.54	0
2	MXQ	HHH	402	-	19,20,20	0.77	1 (5%)	$23,\!28,\!28$	0.90	2 (8%)
3	NAG	GGG	2603	1	14,14,15	1.13	0	17,19,21	2.38	7 (41%)
4	GOL	AAA	303	-	$5,\!5,\!5$	0.45	0	$5,\!5,\!5$	0.89	0
4	GOL	AAA	305	-	$5,\!5,\!5$	0.16	0	$5,\!5,\!5$	0.66	0
4	GOL	HHH	401	_	$5,\!5,\!5$	0.18	0	$5,\!5,\!5$	0.37	0
4	GOL	BBB	304	_	5,5,5	0.17	0	$5,\!5,\!5$	0.39	0
4	GOL	EEE	4207	-	$5,\!5,\!5$	0.20	0	$5,\!5,\!5$	0.41	0
4	GOL	DDD	506	_	$5,\!5,\!5$	0.17	0	$5,\!5,\!5$	0.44	0



N/L-1	<b>T</b> 0	Chain	Daa	T : 1-	Bo	ond leng	ths	B	ond ang	les
NIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
4	GOL	III	306	-	$5,\!5,\!5$	0.33	0	$5,\!5,\!5$	0.91	0
4	GOL	GGG	2604	-	$5,\!5,\!5$	0.32	0	$5,\!5,\!5$	1.17	0
4	GOL	GGG	2605	-	$5,\!5,\!5$	0.36	0	5,5,5	0.78	0
2	MXQ	JJJ	301	-	19,20,20	0.55	0	23,28,28	0.62	0
4	GOL	JJJ	304	-	$5,\!5,\!5$	0.28	0	5,5,5	0.75	0
5	PO4	III	304	-	4,4,4	1.15	1 (25%)	6,6,6	0.79	0
4	GOL	EEE	4208	-	$5,\!5,\!5$	0.22	0	5,5,5	0.40	0
2	MXQ	BBB	301	-	19,20,20	0.66	0	23,28,28	0.77	0
4	GOL	HHH	405	-	$5,\!5,\!5$	0.48	0	5,5,5	0.82	0
5	PO4	DDD	505	-	4,4,4	0.70	0	6,6,6	0.54	0
5	PO4	$\mathbf{FFF}$	305	-	$4,\!4,\!4$	1.14	1 (25%)	$6,\!6,\!6$	0.47	0
4	GOL	$\mathbf{FFF}$	306	-	$5,\!5,\!5$	0.14	0	$5,\!5,\!5$	0.30	0
4	GOL	CCC	307	-	$5,\!5,\!5$	0.17	0	$5,\!5,\!5$	1.00	0
4	GOL	CCC	303	-	$5,\!5,\!5$	0.23	0	5,5,5	0.66	0
5	PO4	CCC	306	-	4,4,4	1.01	0	6,6,6	0.85	0
4	GOL	HHH	407	-	$5,\!5,\!5$	0.15	0	$5,\!5,\!5$	0.33	0
5	PO4	HHH	406	-	4,4,4	0.92	0	6,6,6	0.55	0
4	GOL	EEE	4205	-	$5,\!5,\!5$	0.18	0	5,5,5	0.66	0
3	NAG	III	302	1	14,14,15	0.84	1 (7%)	17,19,21	1.95	5 (29%)
3	NAG	$\mathbf{FFF}$	302	1	14,14,15	0.70	0	17,19,21	1.69	4 (23%)
2	MXQ	DDD	503	-	19,20,20	0.78	0	23,28,28	0.72	0
4	GOL	BBB	308	-	$5,\!5,\!5$	0.24	0	$5,\!5,\!5$	0.57	0
4	GOL	III	303	-	$5,\!5,\!5$	0.25	0	5,5,5	0.44	0
4	GOL	EEE	4201	-	$5,\!5,\!5$	0.18	0	$5,\!5,\!5$	0.44	0
4	GOL	HHH	404	-	$5,\!5,\!5$	0.35	0	5,5,5	0.56	0
4	GOL	III	305	-	5,5,5	0.14	0	5,5,5	0.40	0
4	GOL	111	306	-	5,5,5	0.13	0	5,5,5	0.31	0
5	PO4	BBB	306	-	4,4,4	1.04	0	6,6,6	0.56	0
2	MXQ	III	301	-	19,20,20	0.96	2 (10%)	23,28,28	1.03	2 (8%)
4	GOL	GGG	2606	-	$5,\!5,\!5$	0.20	0	5,5,5	0.52	0
3	NAG	HHH	403	1	14,14,15	0.96	0	17,19,21	2.20	7 (41%)
4	GOL	BBB	309	-	$5,\!5,\!5$	0.17	0	5,5,5	0.48	0
4	GOL	FFF	304	-	$5,\!5,\!5$	0.21	0	$5,\!5,\!5$	0.41	0
3	NAG	AAA	302	1	14,14,15	0.88	0	17,19,21	2.18	4 (23%)
4	GOL	HHH	408		$5,\!5,\!5$	0.12	0	5,5,5	0.34	0
5	PO4	GGG	2607	-	4,4,4	1.13	0	6,6,6	0.65	0
4	GOL	DDD	507	-	$5,\!5,\!5$	0.29	0	5,5,5	0.37	0
3	NAG	EEE	4203	1	14,14,15	0.63	0	17,19,21	2.09	6 (35%)
5	PO4	JJJ	305	-	$4,\!4,\!\overline{4}$	1.40	1(25%)	$6,\!6,\!\overline{6}$	0.50	0
2	MXQ	CCC	301	-	19,20,20	0.91	1 (5%)	23,28,28	0.59	0



Mal	Tuno	Chain	Dog	Link	Link Bond lengths			Bond angles		
WIOI	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PO4	EEE	4206	-	4,4,4	1.34	1 (25%)	$6,\!6,\!6$	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	CCC	304	-	-	2/4/4/4	-
2	MXQ	FFF	301	-	-	0/4/22/22	0/4/3/3
2	MXQ	EEE	4202	-	_	0/4/22/22	0/4/3/3
3	NAG	$\operatorname{CCC}$	302	1	-	2/6/23/26	0/1/1/1
4	GOL	FFF	303	-	-	2/4/4/4	-
3	NAG	BBB	302	1	-	1/6/23/26	0/1/1/1
4	GOL	CCC	305	-	-	2/4/4/4	-
4	GOL	BBB	303	-	-	4/4/4/4	-
4	GOL	BBB	305	-	-	2/4/4/4	-
4	GOL	BBB	307	-	_	2/4/4/4	_
3	NAG	DDD	504	1	-	1/6/23/26	0/1/1/1
4	GOL	EEE	4204	-	-	3/4/4/4	-
4	GOL	DDD	501	-	-	0/4/4/4	-
4	GOL	DDD	502	-	-	2/4/4/4	-
4	GOL	GGG	2601	-	-	3/4/4/4	-
4	GOL	HHH	409	-	-	3/4/4/4	-
2	MXQ	AAA	301	-	-	0/4/22/22	0/4/3/3
3	NAG	JJJ	302	1	_	1/6/23/26	0/1/1/1
2	MXQ	GGG	2602	-	-	0/4/22/22	0/4/3/3
4	GOL	III	307	-	-	2/4/4/4	-
4	GOL	JJJ	303	-	-	0/4/4/4	-
2	MXQ	HHH	402	-	-	0/4/22/22	0/4/3/3
3	NAG	GGG	2603	1	-	4/6/23/26	0/1/1/1
4	GOL	AAA	303	-	-	2/4/4/4	-
4	GOL	AAA	305	-	-	2/4/4/4	-
4	GOL	HHH	401	-	-	0/4/4/4	-
4	GOL	BBB	304	-	-	2/4/4/4	-
4	GOL	EEE	4207	-	-	2/4/4/4	-
4	GOL	DDD	506	-	-	2/4/4/4	-
4	GOL	III	306	-	-	2/4/4/4	-



6	Т	9	R

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	GGG	2604	-	-	2/4/4/4	-
4	GOL	GGG	2605	-	-	2/4/4/4	-
2	MXQ	JJJ	301	-	-	0/4/22/22	0/4/3/3
4	GOL	JJJ	304	-	-	2/4/4/4	-
4	GOL	EEE	4208	-	-	3/4/4/4	-
2	MXQ	BBB	301	-	_	0/4/22/22	0/4/3/3
4	GOL	HHH	405	-	-	2/4/4/4	-
4	GOL	FFF	306	-	-	2/4/4/4	-
4	GOL	CCC	307	-	-	4/4/4/4	-
4	GOL	CCC	303	-	-	$\frac{4}{4/4}$	-
4	GOL	HHH	407	-	-	0/4/4/4	-
4	GOL	EEE	4205	-	-	2/4/4/4	-
3	NAG	III	302	1	-	3/6/23/26	0/1/1/1
3	NAG	FFF	302	1	-	2/6/23/26	0/1/1/1
2	MXQ	DDD	503	-	-	0/4/22/22	0/4/3/3
4	GOL	BBB	308	-	-	2/4/4/4	-
4	GOL	III	303	-	-	2/4/4/4	-
4	GOL	EEE	4201	-	-	1/4/4/4	-
4	GOL	HHH	404	-	-	0/4/4/4	-
4	GOL	III	305	-	-	2/4/4/4	-
4	GOL	JJJ	306	-	-	0/4/4/4	-
2	MXQ	III	301	-	-	0/4/22/22	0/4/3/3
4	GOL	GGG	2606	-	-	2/4/4/4	-
3	NAG	HHH	403	1	-	4/6/23/26	0/1/1/1
4	GOL	BBB	309	-	-	2/4/4/4	-
4	GOL	FFF	304	-	-	4/4/4/4	-
3	NAG	AAA	302	1	-	2/6/23/26	0/1/1/1
4	GOL	HHH	408	-	-	0/4/4/4	-
4	GOL	DDD	507	-	-	$\frac{2}{4}/\frac{4}{4}$	-
3	NAG	EEE	4203	1	-	3/6/23/26	0/1/1/1
2	MXQ	CCC	301	-	-	0/4/22/22	0/4/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	CCC	301	MXQ	C2-N3	2.98	1.45	1.40
5	JJJ	305	PO4	P-01	2.72	1.57	1.50



67	$^{19}$ R
<u> </u>	

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	III	301	MXQ	C2-N3	2.49	1.44	1.40
5	EEE	4206	PO4	P-01	2.38	1.56	1.50
3	BBB	302	NAG	O5-C1	2.35	1.47	1.43
2	EEE	4202	MXQ	C11-N3	2.31	1.42	1.38
3	BBB	302	NAG	O5-C5	2.25	1.48	1.43
2	AAA	301	MXQ	C2-C14	2.25	1.51	1.45
2	III	301	MXQ	C2-C14	2.21	1.51	1.45
3	DDD	504	NAG	O5-C5	2.21	1.47	1.43
5	$\mathbf{FFF}$	305	PO4	P-01	2.15	1.55	1.50
5	AAA	304	PO4	P-01	2.13	1.55	1.50
2	HHH	402	MXQ	C2-C14	2.06	1.51	1.45
5	III	304	PO4	P-01	2.05	1.55	1.50
3	DDD	504	NAG	O5-C1	2.03	1.47	1.43
3	III	302	NAG	C1-C2	2.00	1.55	1.52

Continued from previous page...

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	BBB	302	NAG	C1-O5-C5	8.84	124.17	112.19
3	DDD	504	NAG	C1-O5-C5	8.56	123.79	112.19
3	AAA	302	NAG	C1-O5-C5	5.72	119.94	112.19
3	GGG	2603	NAG	C1-O5-C5	5.61	119.79	112.19
3	III	302	NAG	C1-O5-C5	4.97	118.93	112.19
3	HHH	403	NAG	C1-O5-C5	4.74	118.61	112.19
3	HHH	403	NAG	C8-C7-N2	4.45	123.63	116.10
3	FFF	302	NAG	C8-C7-N2	4.25	123.29	116.10
3	CCC	302	NAG	C1-O5-C5	4.21	117.90	112.19
3	AAA	302	NAG	C8-C7-N2	4.16	123.14	116.10
3	EEE	4203	NAG	C8-C7-N2	4.12	123.07	116.10
3	JJJ	302	NAG	O5-C1-C2	-4.03	104.92	111.29
3	CCC	302	NAG	C2-N2-C7	4.00	128.60	122.90
3	EEE	4203	NAG	C1-O5-C5	3.71	117.22	112.19
3	III	302	NAG	C1-C2-N2	3.70	116.82	110.49
3	CCC	302	NAG	C8-C7-N2	3.68	122.34	116.10
3	GGG	2603	NAG	C3-C4-C5	3.66	116.77	110.24
3	GGG	2603	NAG	C8-C7-N2	3.54	122.09	116.10
3	FFF	302	NAG	C1-O5-C5	3.42	116.83	112.19
2	III	301	MXQ	C13-C12-C11	3.24	122.50	120.21
3	DDD	504	NAG	C4-C3-C2	-3.24	106.27	111.02
3	AAA	302	NAG	C2-N2-C7	3.22	127.49	122.90
3	JJJ	302	NAG	C3-C4-C5	3.16	115.88	110.24
3	JJJ	302	NAG	C2-N2-C7	3.04	127.23	122.90



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	BBB	302	NAG	C4-C3-C2	-3.03	106.58	111.02
3	GGG	2603	NAG	O5-C5-C6	2.98	111.88	107.20
3	GGG	2603	NAG	C2-N2-C7	2.93	127.08	122.90
3	GGG	2603	NAG	C1-C2-N2	2.93	115.49	110.49
3	EEE	4203	NAG	C2-N2-C7	2.87	126.99	122.90
3	III	302	NAG	C2-N2-C7	2.83	126.93	122.90
3	EEE	4203	NAG	O5-C5-C6	2.81	111.60	107.20
3	DDD	504	NAG	C1-C2-N2	2.77	115.22	110.49
3	HHH	403	NAG	O5-C5-C6	2.68	111.41	107.20
3	HHH	403	NAG	O7-C7-C8	-2.66	117.12	122.06
3	GGG	2603	NAG	O7-C7-C8	-2.55	117.32	122.06
3	FFF	302	NAG	C2-N2-C7	2.55	126.53	122.90
2	HHH	402	MXQ	C13-C12-C11	2.51	121.99	120.21
3	BBB	302	NAG	O5-C5-C4	2.45	116.80	110.83
3	JJJ	302	NAG	C1-O5-C5	2.45	115.51	112.19
2	HHH	402	MXQ	C12-C13-C14	-2.44	118.71	122.89
2	III	301	MXQ	C12-C13-C14	-2.42	118.75	122.89
2	AAA	301	MXQ	C13-C12-C11	2.41	121.92	120.21
3	DDD	504	NAG	O5-C5-C4	2.40	116.66	110.83
3	HHH	403	NAG	C2-N2-C7	2.38	126.30	122.90
3	III	302	NAG	C4-C3-C2	-2.38	107.53	111.02
2	AAA	301	MXQ	C12-C13-C14	-2.26	119.02	122.89
2	GGG	2602	MXQ	C8-N7-C6	2.22	114.14	111.70
3	III	302	NAG	O5-C5-C6	2.22	110.69	107.20
3	$\mathbf{FFF}$	302	NAG	O7-C7-C8	-2.21	117.96	122.06
3	HHH	403	NAG	O4-C4-C5	2.19	114.73	109.30
3	BBB	302	NAG	C3-C4-C5	2.16	114.09	110.24
3	CCC	302	NAG	C1-C2-N2	2.16	114.18	110.49
3	HHH	403	NAG	C4-C3-C2	-2.15	107.86	111.02
3	BBB	302	NAG	O3-C3-C2	2.15	113.92	109.47
3	EEE	4203	NAG	C1-C2-N2	-2.12	106.87	110.49
3	JJJ	302	NAG	C1-C2-N2	2.04	113.97	110.49
3	EEE	4203	NAG	07-C7-N2	-2.04	118.20	121.95
3	DDD	504	NAG	C2-N2-C7	2.03	125.79	122.90
3	AAA	302	NAG	O7-C7-C8	-2.02	118.31	122.06

There are no chirality outliers.

All (102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	AAA	303	GOL	C1-C2-C3-O3
4	AAA	303	GOL	O2-C2-C3-O3



Mol	Chain	Res	Type	Atoms
4	BBB	303	GOL	O1-C1-C2-C3
4	BBB	303	GOL	C1-C2-C3-O3
4	BBB	303	GOL	O2-C2-C3-O3
4	BBB	304	GOL	C1-C2-C3-O3
4	BBB	305	GOL	O2-C2-C3-O3
4	BBB	307	GOL	O1-C1-C2-C3
4	BBB	308	GOL	O1-C1-C2-O2
4	BBB	308	GOL	O1-C1-C2-C3
4	CCC	303	GOL	O1-C1-C2-O2
4	CCC	303	GOL	O1-C1-C2-C3
4	CCC	305	GOL	C1-C2-C3-O3
4	CCC	307	GOL	O1-C1-C2-C3
4	DDD	507	GOL	O1-C1-C2-C3
4	EEE	4204	GOL	O1-C1-C2-C3
4	EEE	4204	GOL	C1-C2-C3-O3
4	EEE	4207	GOL	C1-C2-C3-O3
4	EEE	4207	GOL	O2-C2-C3-O3
4	FFF	303	GOL	C1-C2-C3-O3
4	FFF	303	GOL	O2-C2-C3-O3
4	FFF	306	GOL	C1-C2-C3-O3
4	GGG	2605	GOL	C1-C2-C3-O3
4	GGG	2606	GOL	O2-C2-C3-O3
4	HHH	405	GOL	C1-C2-C3-O3
4	HHH	405	GOL	O2-C2-C3-O3
4	III	303	GOL	C1-C2-C3-O3
4	III	305	GOL	O1-C1-C2-C3
4	III	306	GOL	O1-C1-C2-C3
4	JJJ	304	GOL	C1-C2-C3-O3
3	GGG	2603	NAG	O5-C5-C6-O6
3	III	302	NAG	O5-C5-C6-O6
3	III	302	NAG	C4-C5-C6-O6
3	GGG	2603	NAG	C4-C5-C6-O6
3	AAA	302	NAG	C8-C7-N2-C2
3	AAA	302	NAG	O7-C7-N2-C2
3	CCC	302	NAG	C8-C7-N2-C2
3	CCC	302	NAG	O7-C7-N2-C2
3	EEE	4203	NAG	C8-C7-N2-C2
3	EEE	4203	NAG	07-C7-N2-C2
3	FFF	302	NAG	C8-C7-N2-C2
3	FFF	302	NAG	O7-C7-N2-C2
3	GGG	$26\overline{03}$	NAG	C8-C7-N2-C2
3	GGG	2603	NAG	07-C7-N2-C2

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	HHH	403	NAG	C8-C7-N2-C2
3	HHH	403	NAG	O7-C7-N2-C2
4	BBB	307	GOL	O1-C1-C2-O2
4	GGG	2604	GOL	O1-C1-C2-O2
4	III	305	GOL	O1-C1-C2-O2
4	JJJ	304	GOL	O2-C2-C3-O3
3	HHH	403	NAG	C4-C5-C6-O6
4	AAA	305	GOL	C1-C2-C3-O3
4	BBB	305	GOL	C1-C2-C3-O3
4	BBB	309	GOL	C1-C2-C3-O3
4	CCC	303	GOL	C1-C2-C3-O3
4	CCC	307	GOL	C1-C2-C3-O3
4	DDD	502	GOL	C1-C2-C3-O3
4	DDD	506	GOL	O1-C1-C2-C3
4	EEE	4201	GOL	O1-C1-C2-C3
4	EEE	4205	GOL	O1-C1-C2-C3
4	EEE	4208	GOL	C1-C2-C3-O3
4	FFF	304	GOL	O1-C1-C2-C3
4	FFF	304	GOL	C1-C2-C3-O3
4	GGG	2601	GOL	C1-C2-C3-O3
4	GGG	2604	GOL	O1-C1-C2-C3
4	GGG	2606	GOL	C1-C2-C3-O3
4	HHH	409	GOL	O1-C1-C2-C3
4	HHH	409	GOL	C1-C2-C3-O3
4	III	307	GOL	C1-C2-C3-O3
4	AAA	305	GOL	O2-C2-C3-O3
4	CCC	305	GOL	O2-C2-C3-O3
4	DDD	507	GOL	O1-C1-C2-O2
4	FFF	306	GOL	O2-C2-C3-O3
4	GGG	2601	GOL	02-C2-C3-O3
4	GGG	2605	GOL	O2-C2-C3-O3
4	HHH	409	GOL	O2-C2-C3-O3
4	III	306	GOL	01-C1-C2-O2
4	BBB	303	GOL	01-C1-C2-O2
4	BBB	304	GOL	O2-C2-C3-O3
4	CCC	303	GOL	O2-C2-C3-O3
4	EEE	4204	GOL	O2-C2-C3-O3
4	$GG\overline{G}$	2601	GOL	01-C1-C2-C3
3	HHH	403	NAG	O5-C5-C6-O6
4	CCC	307	GOL	01-C1-C2-O2
4	DDD	502	GOL	O2-C2-C3-O3
4	DDD	506	GOL	01-C1-C2-O2

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	FFF	304	GOL	O2-C2-C3-O3
4	III	303	GOL	O2-C2-C3-O3
3	III	302	NAG	C1-C2-N2-C7
4	FFF	304	GOL	O1-C1-C2-O2
4	CCC	304	GOL	O1-C1-C2-C3
4	EEE	4205	GOL	O1-C1-C2-O2
3	DDD	504	NAG	C3-C2-N2-C7
3	JJJ	302	NAG	C3-C2-N2-C7
4	BBB	309	GOL	O2-C2-C3-O3
4	CCC	307	GOL	O2-C2-C3-O3
3	EEE	4203	NAG	C4-C5-C6-O6
3	BBB	302	NAG	C4-C5-C6-O6
4	EEE	4208	GOL	O1-C1-C2-C3
4	CCC	304	GOL	O1-C1-C2-O2
4	III	307	GOL	O2-C2-C3-O3
4	EEE	4208	GOL	O1-C1-C2-O2

Continued from previous page...

There are no ring outliers.

CCC

 $\mathbf{CCC}$ 

HHH

DDD

307

303

404

507

4

4

4

4

Mol	Chain	Res	Type	Clashes	Symm-Clashes			
3	CCC	302	NAG	1	0			
4	EEE	4204	GOL	1	0			
4	DDD	501	GOL	1	0			
4	HHH	401	GOL	1	0			
4	EEE	4207	GOL	1	0			
4	GGG	2604	GOL	1	0			

GOL

GOL

GOL

GOL

1

5

 $\overline{2}$ 

1

10 monomers are involved in 15 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

0

0

0

0



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	AAA	205/249~(82%)	-0.04	3 (1%) 73 78	19, 27, 44, 70	0
1	BBB	212/249~(85%)	0.09	6 (2%) 53 57	18, 25, 51, 84	0
1	CCC	206/249~(82%)	-0.01	3 (1%) 73 78	19, 26, 50, 84	0
1	DDD	205/249~(82%)	-0.02	2 (0%) 82 85	19, 26, 46, 74	0
1	EEE	205/249~(82%)	0.00	3 (1%) 73 78	20, 27, 49, 84	0
1	$\mathbf{FFF}$	205/249~(82%)	-0.07	0 100 100	20, 27, 48, 71	0
1	GGG	205/249~(82%)	-0.04	4 (1%) 65 69	20, 28, 45, 89	0
1	HHH	205/249~(82%)	-0.09	1 (0%) 91 92	22, 29, 48, 69	0
1	III	205/249~(82%)	-0.04	3 (1%) 73 78	23, 30, 52, 96	0
1	JJJ	205/249~(82%)	-0.07	1 (0%) 91 92	22, 31, 53, 81	0
All	All	2058/2490 (82%)	-0.03	26 (1%) 77 81	18, 28, 50, 96	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	232	ARG	5.9
1	BBB	231	PHE	4.1
1	III	34	SER	3.7
1	JJJ	33	ARG	3.6
1	GGG	33	ARG	3.6
1	III	33	ARG	3.6
1	GGG	36[A]	MET	3.4
1	BBB	225	ARG	3.3
1	DDD	34	SER	3.0
1	DDD	36[A]	MET	2.8
1	BBB	227	GLY	2.7
1	GGG	34	SER	2.6
1	AAA	33	ARG	2.6



Mol	Chain	Res	Type	RSRZ
1	EEE	33	ARG	2.6
1	III	36[A]	MET	2.5
1	CCC	36	MET	2.4
1	BBB	36[A]	MET	2.4
1	HHH	36[A]	MET	2.3
1	EEE	34	SER	2.3
1	AAA	34	SER	2.3
1	EEE	35	PRO	2.1
1	GGG	46[A]	LEU	2.1
1	BBB	193[A]	ILE	2.1
1	CCC	33	ARG	2.0
1	AAA	35	PRO	2.0
1	CCC	34	SER	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	NAG	GGG	2603	14/15	0.43	0.25	90,104,113,114	3
3	NAG	BBB	302	14/15	0.57	0.33	69,90,106,110	3
4	GOL	GGG	2606	6/6	0.60	0.28	60,71,90,90	2
3	NAG	AAA	302	14/15	0.62	0.22	65,94,103,106	3
3	NAG	CCC	302	14/15	0.62	0.28	73,108,127,129	3
3	NAG	JJJ	302	14/15	0.63	0.21	81,91,102,103	3
3	NAG	DDD	504	14/15	0.63	0.17	73,86,96,100	3
3	NAG	FFF	302	14/15	0.64	0.24	73,97,113,122	3
4	GOL	III	307	6/6	0.66	0.26	79,91,97,97	2
4	GOL	BBB	308	6/6	0.67	0.23	62,68,78,78	2



67	Г9R
U	1 9 N

	Continued from previous page								
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	$Q{<}0.9$	
4	GOL	DDD	506	6/6	0.68	0.24	69,75,87,87	2	
3	NAG	HHH	403	14/15	0.70	0.27	90,103,113,116	3	
4	GOL	CCC	305	6/6	0.72	0.24	62,69,74,74	2	
3	NAG	EEE	4203	14/15	0.72	0.22	82,99,107,125	3	
3	NAG	III	302	14/15	0.74	0.24	88,99,108,112	3	
4	GOL	$\mathbf{FFF}$	304	6/6	0.76	0.24	$54,\!64,\!69,\!69$	2	
4	GOL	BBB	305	6/6	0.77	0.21	$63,\!70,\!76,\!76$	2	
4	GOL	HHH	409	6/6	0.78	0.30	56,63,66,66	2	
4	GOL	BBB	303	6/6	0.79	0.13	45,48,62,62	2	
4	GOL	CCC	307	6/6	0.80	0.22	57,65,69,69	2	
4	GOL	CCC	303	6/6	0.81	0.16	47,54,68,68	2	
4	GOL	EEE	4208	6/6	0.81	0.29	53,61,70,70	2	
4	GOL	EEE	4207	6/6	0.82	0.22	53,56,63,63	2	
4	GOL	BBB	307	6/6	0.82	0.29	69,75,90,90	2	
4	GOL	JJJ	303	6/6	0.82	0.14	49,56,61,61	2	
4	GOL	HHH	407	6/6	0.84	0.41	55,68,76,76	2	
4	GOL	GGG	2604	6/6	0.85	0.18	42,49,70,70	2	
4	GOL	EEE	4201	6/6	0.86	0.17	46,54,73,73	2	
4	GOL	HHH	405	6/6	0.87	0.20	36,50,65,65	2	
4	GOL	III	305	6/6	0.88	0.28	60,80,99,99	2	
4	GOL	AAA	303	6/6	0.88	0.11	38,49,62,62	2	
4	GOL	DDD	501	6/6	0.88	0.16	42,51,55,55	2	
4	GOL	CCC	304	6/6	0.89	0.16	37,46,55,55	2	
4	GOL	HHH	408	6/6	0.89	0.20	54,65,83,83	2	
4	GOL	GGG	2605	6/6	0.90	0.14	38,51,66,66	2	
4	GOL	FFF	306	6/6	0.90	0.19	56,67,70,70	2	
4	GOL	AAA	305	6/6	0.90	0.22	55,61,70,70	2	
4	GOL	JJJ	306	6/6	0.90	0.12	53,61,66,66	2	
4	GOL	HHH	401	6/6	0.91	0.13	39,50,63,63	2	
4	GOL	HHH	404	6/6	0.91	0.15	42,46,51,51	2	
4	GOL	BBB	309	6/6	0.91	0.28	40,70,82,82	2	
4	GOL	DDD	502	6/6	0.91	0.18	40,55,70,70	2	
4	GOL	JJJ	304	6/6	0.91	0.17	34,48,54,54	2	
4	GOL	GGG	2601	6/6	0.91	0.24	47,64,74,74	2	
4	GOL	EEE	4204	6/6	0.92	0.17	46,52,61,61	2	
4	GOL	III	306	6/6	0.92	0.19	39.48.54.54	2	
4	GOL	III	303	6/6	0.92	0.15	52,55,68,68	2	
5	PO4	HHH	406	$\frac{1}{5/5}$	0.92	0.20	63,64,76,77	0	
4	GOL	DDD	507	6/6	0.93	0.20	34,55.66.66	2	
4	GOL	FFF	303	6/6	0.93	0.12	30,45.62.62	2	
4	GOL	EEE	4205	6/6	0.94	0.22	34.47.71.71	2	
4	GOL	BBB	304	6/6	0.94	0.17	38,45,62,62	2	

 $\alpha$ 1 L.



6T9R
------

Mol		Chain	$\mathbf{Res}$	Atoms	RSCC	RSR	$B$ -factors( $Å^2$ )	Q<0.9
5	PO4	JJJ	305	5/5	0.94	0.13	43.56.65.66	0
5	PO4	DDD	505	5/5	0.95	0.17	46.61.71.74	0
5	PO4	GGG	2607	5/5	0.95	0.11	46.54.61.64	0
2	MXQ	III	301	18/18	0.95	0.11	28,33,38,38	1
5	PO4	AAA	304	5/5	0.95	0.14	45.55.61.66	0
5	PO4	EEE	4206	5/5	0.96	0.15	38,50,50,56	0
2	MXQ	FFF	301	18/18	0.96	0.08	25,30,33,35	1
5	PO4	CCC	306	5/5	0.96	0.15	44,55,65,65	0
2	MXQ	HHH	402	18/18	0.96	0.10	28,32,39,39	1
2	MXQ	BBB	301	18/18	0.97	0.09	24,27,32,33	1
2	MXQ	EEE	4202	18/18	0.97	0.09	24,27,33,33	1
5	PO4	FFF	305	5/5	0.97	0.12	37,50,53,53	0
2	MXQ	JJJ	301	18/18	0.97	0.07	27,30,38,38	1
5	PO4	BBB	306	5/5	0.97	0.15	47,53,55,60	0
5	PO4	III	304	5/5	0.97	0.14	44,46,57,60	0
2	MXQ	AAA	301	18/18	0.97	0.08	23,27,31,32	1
7	Κ	III	309	1/1	0.97	0.06	43,43,43,43	0
2	MXQ	GGG	2602	18/18	0.98	0.09	21,23,28,30	1
2	MXQ	CCC	301	18/18	0.98	0.08	20,22,28,28	1
6	CL	BBB	310	1/1	0.98	0.08	34,34,34,34	0
6	CL	GGG	2608	1/1	0.98	0.08	37,37,37,37	0
6	CL	III	308	1/1	0.98	0.08	35,35,35,35	0
6	CL	JJJ	307	1/1	0.98	0.09	37,37,37,37	0
7	K	GGG	2609	1/1	0.98	0.07	41,41,41,41	0
2	MXQ	DDD	503	18/18	0.98	0.08	17,21,27,30	1
6	CL	HHH	410	1/1	0.99	0.07	$35,\!35,\!35,\!35$	0
6	CL	$\operatorname{CCC}$	308	1/1	0.99	0.09	31,31,31,31	0
6	CL	EEE	4209	1/1	0.99	0.09	33,33,33,33	0
7	Κ	AAA	307	1/1	0.99	0.06	$37,\!37,\!37,\!37$	0
7	K	BBB	311	1/1	0.99	0.07	$37,\!37,\!37,\!37$	0
7	Κ	$\operatorname{CCC}$	309	1/1	0.99	0.08	38, 38, 38, 38	0
7	K	DDD	509	1/1	0.99	0.06	40,40,40,40	0
7	Κ	$\mathbf{FFF}$	308	1/1	0.99	0.07	40,40,40,40	0
6	CL	$\mathbf{FFF}$	307	1/1	0.99	0.10	34,34,34,34	0
6	CL	AAA	306	1/1	0.99	0.06	33,33,33,33	0
7	K	JJJ	308	1/1	0.99	0.08	44,44,44,44	0
7	К	HHH	411	1/1	1.00	0.07	40,40,40,40	0
6	CL	DDD	508	1/1	1.00	0.09	32,32,32,32	0
7	K	EEE	4210	1/1	1.00	0.09	39,39,39,39	0

 $\sim$ · · 1 0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different



orientation to approximate a three-dimensional view.

























## 6.5 Other polymers (i)

There are no such residues in this entry.

