



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 04:44 pm GMT

PDB ID : 3TIB
Title : Crystal structure of 1957 pandemic H2N2 neuraminidase complexed with laninamivir octanoate
Authors : Vavricka, C.J.; Li, Q.; Wu, Y.; Qi, J.; Wang, M.; Liu, Y.; Gao, F.; Liu, J.; Feng, E.; He, J.; Wang, J.; Liu, H.; Jiang, H.; Gao, G.F.
Deposited on : 2011-08-20
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4343 (2.20-2.20)
Clashscore	122126	5027 (2.20-2.20)
Ramachandran outliers	120053	4952 (2.20-2.20)
Sidechain outliers	120020	4953 (2.20-2.20)
RSRZ outliers	108989	4245 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	 73% 9% 17%
1	B	469	 73% 9% 17%
1	C	469	 72% 9% 17%
1	D	469	 73% 9% 17%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 13900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	388	3023	1866	543	591	23	0	1	0
1	B	388	3023	1866	543	591	23	0	1	0
1	C	388	3017	1863	542	589	23	0	0	0
1	D	388	3023	1866	543	591	23	0	1	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	D	1	Total 14	8	1	5	0	0
3	D	1	Total 14	8	1	5	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is BETA-D-MANNOSE (three-letter code: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	6	5		
4	B	1	Total	C	O	0	0
			11	6	5		
4	C	1	Total	C	O	0	0
			11	6	5		
4	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 11 6 5	0	0
5	B	1	Total C O 11 6 5	0	0
5	C	1	Total C O 11 6 5	0	0
5	D	1	Total C O 11 6 5	0	0

- Molecule 6 is 5-(acetylamino)-2,6-anhydro-4-carbamimidamido-3,4,5-trideoxy-7-O-methyl-9-O-octanoyl-D-glycero-D-galacto-non-2-enonic acid (three-letter code: LVO) (formula: $C_{21}H_{36}N_4O_8$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			26	14	4	8		
6	B	1	Total	C	N	O	0	0
			26	14	4	8		
6	C	1	Total	C	N	O	0	0
			26	14	4	8		
6	D	1	Total	C	N	O	0	0
			26	14	4	8		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	358	Total	O	0	0
			358	358		
7	B	347	Total	O	0	0
			347	347		
7	C	333	Total	O	0	0
			333	333		
7	D	356	Total	O	0	0
			356	356		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	90.45Å 140.18Å 90.30Å 90.00° 101.22° 90.00°	Depositor
Resolution (Å)	43.17 – 2.20 43.17 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.1 (43.17-2.20) 99.1 (43.17-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.06 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.155 , 0.191 0.161 , 0.195	Depositor DCC
R_{free} test set	5534 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	14.0	Xtrriage
Anisotropy	0.430	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 23.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.467 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13900	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LVO, CA, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3096	0.47	0/4203
1	B	0.26	0/3096	0.47	0/4203
1	C	0.27	0/3090	0.47	0/4195
1	D	0.27	0/3096	0.47	0/4203
All	All	0.27	0/12378	0.47	0/16804

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3023	0	2836	35	0
1	B	3023	0	2836	32	0
1	C	3017	0	2832	38	0
1	D	3023	0	2836	37	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	56	0	49	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	56	0	49	0	0
3	C	56	0	49	0	0
3	D	56	0	49	0	0
4	A	11	0	9	1	0
4	B	11	0	9	0	0
4	C	11	0	9	1	0
4	D	11	0	9	0	0
5	A	11	0	10	0	0
5	B	11	0	10	0	0
5	C	11	0	10	0	0
5	D	11	0	10	0	0
6	A	26	0	18	3	0
6	B	26	0	18	2	0
6	C	26	0	17	4	0
6	D	26	0	18	3	0
7	A	358	0	0	5	0
7	B	347	0	0	2	0
7	C	333	0	0	2	0
7	D	356	0	0	4	0
All	All	13900	0	11683	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:226:GLN:HE21	1:C:240:VAL:H	1.16	0.92
1:D:226:GLN:HE21	1:D:240:VAL:H	1.19	0.91
1:A:144:HIS:HE2	1:C:463:ASN:H	1.21	0.89
1:B:226:GLN:HE21	1:B:240:VAL:H	1.19	0.88
1:A:226:GLN:HE21	1:A:240:VAL:H	1.20	0.85
1:B:144:HIS:HE2	1:D:463:ASN:H	1.25	0.83
1:D:288:ARG:HD3	1:D:304:ASP:OD1	1.82	0.79
1:A:334:ASN:HA	1:A:387:ASN:HD21	1.50	0.76
1:C:334:ASN:HA	1:C:387:ASN:HD21	1.50	0.75
1:C:288:ARG:HD3	1:C:304:ASP:OD1	1.87	0.75
1:B:288:ARG:HD3	1:B:304:ASP:OD1	1.88	0.73
1:C:142:ASN:HD22	1:C:144:HIS:H	1.35	0.72
1:A:288:ARG:HD3	1:A:304:ASP:OD1	1.88	0.72
1:B:334:ASN:HA	1:B:387:ASN:HD21	1.56	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:334:ASN:HA	1:D:387:ASN:HD21	1.55	0.69
1:B:184:HIS:CD2	1:B:186:GLY:H	2.12	0.68
1:A:274:HIS:HD2	1:A:294:ASN:H	1.42	0.67
1:D:142:ASN:HD22	1:D:144:HIS:H	1.42	0.67
1:D:184:HIS:CD2	1:D:186:GLY:H	2.13	0.66
1:D:184:HIS:HD2	1:D:186:GLY:H	1.44	0.66
1:A:369:GLU:HB3	7:A:1008:HOH:O	1.94	0.66
1:C:274:HIS:HD2	1:C:294:ASN:H	1.44	0.65
1:C:226:GLN:NE2	1:C:240:VAL:H	1.92	0.65
1:A:142:ASN:HD22	1:A:144:HIS:H	1.42	0.65
1:C:184:HIS:CD2	1:C:186:GLY:H	2.14	0.65
1:C:142:ASN:ND2	1:C:144:HIS:H	1.95	0.64
6:B:801:LVO:H2AX	6:B:801:LVO:CAN	2.28	0.64
1:A:142:ASN:ND2	1:A:144:HIS:H	1.96	0.64
1:A:461:GLY:HA3	1:D:155:HIS:CE1	2.34	0.63
1:D:131:GLN:NE2	1:D:164:GLY:H	1.95	0.63
1:B:142:ASN:HD22	1:B:144:HIS:H	1.47	0.63
1:D:142:ASN:HD21	1:D:144:HIS:HD1	1.47	0.62
1:A:131:GLN:HE21	1:A:164:GLY:H	1.48	0.62
1:A:131:GLN:NE2	1:A:164:GLY:H	1.97	0.62
1:D:273:GLN:HE22	1:D:296:LYS:NZ	1.97	0.62
6:A:801:LVO:CAN	6:A:801:LVO:H2AX	2.29	0.62
1:C:184:HIS:HD2	1:C:186:GLY:H	1.47	0.62
1:C:142:ASN:HD21	1:C:144:HIS:HD1	1.48	0.61
1:D:131:GLN:HE21	1:D:164:GLY:H	1.47	0.61
1:A:184:HIS:CD2	1:A:186:GLY:H	2.19	0.61
1:A:274:HIS:CD2	1:A:294:ASN:H	2.18	0.60
1:C:273:GLN:HE22	1:C:296:LYS:NZ	1.99	0.60
1:D:142:ASN:ND2	1:D:144:HIS:H	1.99	0.60
1:A:273:GLN:HE22	1:A:296:LYS:NZ	2.00	0.59
1:B:142:ASN:ND2	1:B:144:HIS:H	2.01	0.58
1:B:274:HIS:CD2	1:B:294:ASN:H	2.21	0.58
1:B:461:GLY:HA3	1:C:155:HIS:CE1	2.38	0.58
1:D:384:SER:HB2	7:D:1247:HOH:O	2.05	0.57
1:A:226:GLN:NE2	1:A:240:VAL:H	1.98	0.57
1:B:184:HIS:HD2	1:B:186:GLY:H	1.49	0.57
1:A:155:HIS:CE1	1:C:461:GLY:HA3	2.39	0.57
1:B:274:HIS:HD2	1:B:294:ASN:H	1.52	0.57
1:C:274:HIS:CD2	1:C:294:ASN:H	2.23	0.57
1:B:226:GLN:NE2	1:B:240:VAL:H	1.97	0.55
1:B:131:GLN:NE2	1:B:164:GLY:H	2.04	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:274:HIS:HD2	1:D:294:ASN:H	1.54	0.55
1:D:246:ALA:HB2	6:D:801:LVO:CAN	2.38	0.54
1:B:177:ALA:HB2	1:B:193:CYS:HB3	1.90	0.54
1:B:336:ASN:O	1:B:337:CYS:HB2	2.08	0.54
1:D:175:CYS:HB2	7:D:588:HOH:O	2.07	0.54
1:C:177:ALA:HB2	1:C:193:CYS:HB3	1.89	0.54
1:C:364:ARG:HD2	1:C:375:GLU:OE2	2.07	0.53
1:A:344:ARG:NH1	7:A:1008:HOH:O	2.41	0.53
1:B:155:HIS:CE1	1:D:461:GLY:HA3	2.44	0.52
1:B:142:ASN:HD22	1:B:143:LYS:N	2.07	0.52
1:B:246:ALA:HB2	6:B:801:LVO:CAN	2.40	0.52
1:C:131:GLN:NE2	1:C:164:GLY:H	2.06	0.52
1:A:142:ASN:HD22	1:A:143:LYS:N	2.07	0.52
1:C:226:GLN:HE21	1:C:240:VAL:N	1.96	0.52
1:C:336:ASN:O	1:C:337:CYS:HB2	2.10	0.52
1:A:364:ARG:HD2	1:A:375:GLU:OE2	2.10	0.51
1:D:177:ALA:HB2	1:D:193:CYS:HB3	1.92	0.51
1:A:335:SER:H	1:A:387:ASN:ND2	2.09	0.51
1:D:336:ASN:O	1:D:337:CYS:HB2	2.10	0.51
1:A:246:ALA:HB2	6:A:801:LVO:CAN	2.40	0.51
6:C:801:LVO:CAN	6:C:801:LVO:H2AX	2.41	0.51
1:A:184:HIS:HD2	1:A:186:GLY:H	1.60	0.50
1:D:274:HIS:CD2	1:D:294:ASN:H	2.28	0.50
1:A:177:ALA:HB2	1:A:193:CYS:HB3	1.94	0.50
1:D:226:GLN:HE21	1:D:240:VAL:N	2.01	0.49
1:B:131:GLN:HE21	1:B:164:GLY:H	1.60	0.49
1:D:364:ARG:HD2	1:D:375:GLU:OE2	2.13	0.49
1:B:142:ASN:HD22	1:B:142:ASN:C	2.16	0.49
1:C:273:GLN:HE22	1:C:296:LYS:HZ3	1.61	0.49
1:C:175:CYS:HB2	7:C:547:HOH:O	2.12	0.49
1:A:175:CYS:HB2	7:A:581:HOH:O	2.12	0.48
1:A:142:ASN:C	1:A:142:ASN:HD22	2.17	0.48
1:D:142:ASN:C	1:D:142:ASN:HD22	2.17	0.48
1:C:246:ALA:HB2	6:C:801:LVO:CAN	2.43	0.48
1:D:254:ILE:N	1:D:254:ILE:HD12	2.29	0.47
1:C:273:GLN:NE2	7:C:1230:HOH:O	2.47	0.47
1:D:142:ASN:HD22	1:D:143:LYS:N	2.12	0.47
1:C:142:ASN:C	1:C:142:ASN:HD22	2.18	0.47
1:B:344:ARG:HD2	7:B:968:HOH:O	2.14	0.46
1:A:264:HIS:HE1	7:A:1207:HOH:O	1.98	0.46
1:B:364:ARG:HD2	1:B:375:GLU:OE2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:142:ASN:HD22	1:C:143:LYS:N	2.14	0.46
1:D:249:ARG:NH1	7:D:569:HOH:O	2.44	0.46
1:A:128:LYS:HB3	1:A:128:LYS:HE2	1.77	0.46
6:C:801:LVO:OBF	6:C:801:LVO:H3AX	2.16	0.46
6:D:801:LVO:CAN	6:D:801:LVO:H2AX	2.45	0.45
1:D:125:ASP:HB2	1:D:126:PRO:CD	2.47	0.45
1:A:336:ASN:O	1:A:337:CYS:HB2	2.17	0.44
1:D:387:ASN:HA	1:D:387:ASN:HD22	1.57	0.44
6:D:801:LVO:OBF	6:D:801:LVO:H3AX	2.16	0.44
1:C:152:ARG:HD3	6:C:801:LVO:H3BE	1.99	0.44
1:A:325:THR:O	1:A:348:GLY:HA2	2.18	0.43
1:D:264:HIS:HE1	7:D:888:HOH:O	2.01	0.43
1:A:361:TRP:CZ2	1:A:378:LYS:HE3	2.54	0.43
1:A:344:ARG:NH2	7:A:1220:HOH:O	2.50	0.43
1:B:125:ASP:HB2	1:B:126:PRO:CD	2.49	0.43
1:B:454:GLY:H	1:C:202:THR:CG2	2.32	0.43
1:B:392:VAL:HG22	1:B:393:ASN:N	2.34	0.43
1:B:273:GLN:HE22	1:B:296:LYS:NZ	2.17	0.42
1:B:175:CYS:HB2	7:B:565:HOH:O	2.18	0.42
1:C:228:SER:HB3	1:C:350:LYS:HE2	2.01	0.42
1:C:406:TYR:HB2	1:C:425:GLU:OE1	2.20	0.42
1:B:278:CYS:HB3	1:B:289:CYS:HB3	2.01	0.42
1:C:387:ASN:HA	1:C:387:ASN:HD22	1.60	0.42
1:D:392:VAL:HG22	1:D:393:ASN:N	2.35	0.42
1:D:161:ASN:HD22	1:D:161:ASN:HA	1.68	0.42
1:A:226:GLN:HE21	1:A:240:VAL:N	2.02	0.42
6:A:801:LVO:H3AX	6:A:801:LVO:OBF	2.19	0.42
1:B:361:TRP:CZ2	1:B:378:LYS:HE3	2.55	0.42
1:C:278:CYS:HB3	1:C:289:CYS:HB3	2.01	0.42
1:D:273:GLN:HE22	1:D:296:LYS:HZ3	1.67	0.42
1:C:325:THR:O	1:C:348:GLY:HA2	2.20	0.41
1:B:325:THR:O	1:B:348:GLY:HA2	2.20	0.41
1:C:131:GLN:HE21	1:C:163:LEU:HD12	1.84	0.41
1:A:391:GLN:HG2	1:A:392:VAL:N	2.35	0.41
4:A:605:BMA:H61	1:C:392:VAL:HG23	2.03	0.41
1:D:128:LYS:HE2	1:D:128:LYS:HB3	1.78	0.41
1:B:128:LYS:HE2	1:B:128:LYS:HB3	1.76	0.41
1:C:125:ASP:OD1	1:C:125:ASP:C	2.60	0.41
1:C:284:TYR:CG	1:C:285:PRO:HA	2.56	0.41
1:D:184:HIS:HD2	1:D:186:GLY:N	2.15	0.41
1:A:284:TYR:CG	1:A:285:PRO:HA	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:392:VAL:HG23	4:C:605:BMA:H61	2.03	0.41
1:D:278:CYS:HB3	1:D:289:CYS:HB3	2.03	0.40
1:C:131:GLN:HE21	1:C:164:GLY:H	1.68	0.40
1:A:112:GLY:HA3	1:D:169:LEU:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	387/469 (82%)	371 (96%)	16 (4%)	0	100	100
1	B	387/469 (82%)	370 (96%)	17 (4%)	0	100	100
1	C	386/469 (82%)	371 (96%)	15 (4%)	0	100	100
1	D	387/469 (82%)	372 (96%)	15 (4%)	0	100	100
All	All	1547/1876 (82%)	1484 (96%)	63 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/414 (82%)	329 (97%)	10 (3%)	45	58
1	B	339/414 (82%)	329 (97%)	10 (3%)	45	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	338/414 (82%)	329 (97%)	9 (3%)	48 60
1	D	339/414 (82%)	329 (97%)	10 (3%)	45 58
All	All	1355/1656 (82%)	1316 (97%)	39 (3%)	45 58

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	ASN
1	A	199	LYS
1	A	202	THR
1	A	231	VAL
1	A	288	ARG
1	A	329	ASP
1	A	364	ARG
1	A	369	GLU
1	A	387	ASN
1	A	419	ASN
1	B	142	ASN
1	B	199	LYS
1	B	202	THR
1	B	231	VAL
1	B	288	ARG
1	B	329	ASP
1	B	364	ARG
1	B	369	GLU
1	B	387	ASN
1	B	419	ASN
1	C	142	ASN
1	C	199	LYS
1	C	202	THR
1	C	231	VAL
1	C	364	ARG
1	C	369	GLU
1	C	387	ASN
1	C	419	ASN
1	C	459	PRO
1	D	142	ASN
1	D	199	LYS
1	D	202	THR
1	D	231	VAL
1	D	288	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	329	ASP
1	D	364	ARG
1	D	369	GLU
1	D	387	ASN
1	D	419	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (64) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	93	GLN
1	A	104	ASN
1	A	131	GLN
1	A	142	ASN
1	A	161	ASN
1	A	184	HIS
1	A	226	GLN
1	A	264	HIS
1	A	273	GLN
1	A	274	HIS
1	A	334	ASN
1	A	356	ASN
1	A	387	ASN
1	A	393	ASN
1	A	419	ASN
1	A	432	GLN
1	B	86	ASN
1	B	93	GLN
1	B	104	ASN
1	B	131	GLN
1	B	142	ASN
1	B	161	ASN
1	B	184	HIS
1	B	226	GLN
1	B	273	GLN
1	B	274	HIS
1	B	334	ASN
1	B	356	ASN
1	B	387	ASN
1	B	393	ASN
1	B	419	ASN
1	B	432	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	104	ASN
1	C	131	GLN
1	C	142	ASN
1	C	161	ASN
1	C	184	HIS
1	C	226	GLN
1	C	264	HIS
1	C	273	GLN
1	C	274	HIS
1	C	334	ASN
1	C	356	ASN
1	C	387	ASN
1	C	393	ASN
1	C	419	ASN
1	C	432	GLN
1	D	86	ASN
1	D	93	GLN
1	D	104	ASN
1	D	131	GLN
1	D	142	ASN
1	D	161	ASN
1	D	184	HIS
1	D	226	GLN
1	D	264	HIS
1	D	273	GLN
1	D	274	HIS
1	D	334	ASN
1	D	387	ASN
1	D	393	ASN
1	D	419	ASN
1	D	432	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 4 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	601	1,3	14,14,15	0.57	0	17,19,21	0.78	0
3	NAG	A	602	3	14,14,15	0.46	0	17,19,21	0.78	0
3	NAG	A	603	1,3	14,14,15	0.50	0	17,19,21	0.87	0
3	NAG	A	604	3,4	14,14,15	0.50	0	17,19,21	0.77	0
4	BMA	A	605	3,5	11,11,12	0.59	0	15,15,17	0.91	1 (6%)
5	MAN	A	606	4	11,11,12	0.66	0	15,15,17	0.73	0
6	LVO	A	801	-	22,26,33	4.05	11 (50%)	17,35,43	2.80	7 (41%)
3	NAG	B	601	1,3	14,14,15	0.58	0	17,19,21	0.81	0
3	NAG	B	602	3	14,14,15	0.49	0	17,19,21	0.79	0
3	NAG	B	603	1,3	14,14,15	0.45	0	17,19,21	1.20	1 (5%)
3	NAG	B	604	3,4	14,14,15	0.46	0	17,19,21	0.78	0
4	BMA	B	605	3,5	11,11,12	0.62	0	15,15,17	0.80	0
5	MAN	B	606	4	11,11,12	0.63	0	15,15,17	0.82	0
6	LVO	B	801	-	22,26,33	4.07	11 (50%)	17,35,43	2.69	7 (41%)
3	NAG	C	601	1,3	14,14,15	0.57	0	17,19,21	0.95	1 (5%)
3	NAG	C	602	3	14,14,15	0.52	0	17,19,21	0.66	0
3	NAG	C	603	1,3	14,14,15	0.56	0	17,19,21	0.93	1 (5%)
3	NAG	C	604	3,4	14,14,15	0.48	0	17,19,21	0.82	0
4	BMA	C	605	3,5	11,11,12	0.61	0	15,15,17	0.79	0
5	MAN	C	606	4	11,11,12	0.54	0	15,15,17	0.77	0
6	LVO	C	801	-	22,26,33	4.08	9 (40%)	17,35,43	2.70	7 (41%)
3	NAG	D	601	1,3	14,14,15	0.55	0	17,19,21	0.99	1 (5%)
3	NAG	D	602	3	14,14,15	0.53	0	17,19,21	0.77	1 (5%)
3	NAG	D	603	1,3	14,14,15	0.46	0	17,19,21	0.87	0
3	NAG	D	604	3,4	14,14,15	0.52	0	17,19,21	0.80	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BMA	D	605	3,5	11,11,12	0.63	0	15,15,17	0.86	0
5	MAN	D	606	4	11,11,12	0.59	0	15,15,17	0.66	0
6	LVO	D	801	-	22,26,33	3.85	10 (45%)	17,35,43	2.86	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	602	3	-	0/6/23/26	0/1/1/1
3	NAG	A	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	604	3,4	-	0/6/23/26	0/1/1/1
4	BMA	A	605	3,5	-	0/2/19/22	0/1/1/1
5	MAN	A	606	4	-	0/2/19/22	0/1/1/1
6	LVO	A	801	-	-	1/22/42/50	0/1/1/1
3	NAG	B	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	602	3	-	0/6/23/26	0/1/1/1
3	NAG	B	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	604	3,4	-	0/6/23/26	0/1/1/1
4	BMA	B	605	3,5	-	0/2/19/22	0/1/1/1
5	MAN	B	606	4	-	0/2/19/22	0/1/1/1
6	LVO	B	801	-	-	1/22/42/50	0/1/1/1
3	NAG	C	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	602	3	-	0/6/23/26	0/1/1/1
3	NAG	C	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	604	3,4	-	0/6/23/26	0/1/1/1
4	BMA	C	605	3,5	-	0/2/19/22	0/1/1/1
5	MAN	C	606	4	-	0/2/19/22	0/1/1/1
6	LVO	C	801	-	-	1/22/42/50	0/1/1/1
3	NAG	D	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	602	3	-	0/6/23/26	0/1/1/1
3	NAG	D	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	604	3,4	-	0/6/23/26	0/1/1/1
4	BMA	D	605	3,5	-	0/2/19/22	0/1/1/1
5	MAN	D	606	4	-	0/2/19/22	0/1/1/1
6	LVO	D	801	-	-	0/22/42/50	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	801	LVO	OAY-CAK	-5.50	1.31	1.43
6	C	801	LVO	OAY-CAK	-5.14	1.32	1.43
6	B	801	LVO	OAY-CAK	-4.98	1.32	1.43
6	B	801	LVO	CAC-NAZ	-4.94	1.39	1.46
6	A	801	LVO	CAC-NAZ	-4.63	1.40	1.46
6	A	801	LVO	OAY-CAK	-4.56	1.33	1.43
6	C	801	LVO	OBF-CBD	-4.38	1.13	1.23
6	D	801	LVO	CAC-NAZ	-4.22	1.40	1.46
6	A	801	LVO	OBF-CBD	-4.16	1.13	1.23
6	C	801	LVO	CAC-NAZ	-4.08	1.40	1.46
6	B	801	LVO	OBF-CBD	-4.06	1.13	1.23
6	D	801	LVO	OBF-CBD	-3.61	1.14	1.23
6	A	801	LVO	OAF-CAE	-3.56	1.39	1.46
6	B	801	LVO	OAF-CAE	-3.55	1.39	1.46
6	D	801	LVO	OAW-CAJ	-2.81	1.35	1.42
6	B	801	LVO	OAW-CAJ	-2.81	1.35	1.42
6	A	801	LVO	OAW-CAJ	-2.71	1.35	1.42
6	C	801	LVO	OAW-CAJ	-2.57	1.35	1.42
6	C	801	LVO	OAF-CAE	-2.50	1.41	1.46
6	D	801	LVO	CBA-NBB	-2.50	1.24	1.34
6	B	801	LVO	OAW-CAX	-2.50	1.33	1.42
6	C	801	LVO	CBA-NBB	-2.28	1.25	1.34
6	B	801	LVO	CAD-NBG	-2.28	1.42	1.45
6	D	801	LVO	OAF-CAE	-2.23	1.42	1.46
6	A	801	LVO	OAW-CAX	-2.14	1.34	1.42
6	B	801	LVO	CBA-NBB	-2.13	1.25	1.34
6	D	801	LVO	OAW-CAX	-2.13	1.34	1.42
6	C	801	LVO	CAD-NBG	-2.13	1.42	1.45
6	A	801	LVO	CBA-NBB	-2.08	1.26	1.34
6	A	801	LVO	CAE-CAD	2.05	1.56	1.53
6	D	801	LVO	CAC-CAB	2.10	1.53	1.50
6	B	801	LVO	CAC-CAB	2.61	1.54	1.50
6	D	801	LVO	CBA-NAZ	3.21	1.38	1.33
6	C	801	LVO	CBA-NAZ	3.23	1.38	1.33
6	A	801	LVO	CAC-CAB	3.37	1.55	1.50
6	B	801	LVO	CBA-NAZ	4.08	1.40	1.33
6	A	801	LVO	CBA-NAZ	5.03	1.42	1.33
6	D	801	LVO	CAB-CAA	14.46	1.50	1.32
6	A	801	LVO	CAB-CAA	14.78	1.50	1.32
6	B	801	LVO	CAB-CAA	15.03	1.50	1.32
6	C	801	LVO	CAB-CAA	15.74	1.51	1.32

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	801	LVO	OAF-CAA-CAB	-7.15	114.15	124.27
6	A	801	LVO	OAF-CAA-CAB	-6.84	114.58	124.27
6	B	801	LVO	OAF-CAA-CAB	-6.35	115.28	124.27
6	C	801	LVO	OAF-CAA-CAB	-6.03	115.74	124.27
6	D	801	LVO	OBFB-CBD-CBE	-2.55	117.47	122.07
3	D	601	NAG	O5-C1-C2	-2.37	108.25	111.52
3	C	601	NAG	O5-C1-C2	-2.02	108.74	111.52
3	D	602	NAG	O5-C5-C6	2.07	110.42	107.15
6	B	801	LVO	NAZ-CBA-NBC	2.16	124.32	120.50
6	C	801	LVO	OAY-CAK-CAJ	2.23	114.50	109.09
6	D	801	LVO	CBE-CBD-NBG	2.28	120.09	116.10
4	A	605	BMA	O5-C5-C6	2.36	110.89	107.15
6	A	801	LVO	CBE-CBD-NBG	2.40	120.30	116.10
3	C	603	NAG	C1-O5-C5	2.42	115.52	112.19
6	A	801	LVO	CAL-CAK-CAJ	2.47	116.75	111.52
6	C	801	LVO	CAL-CAK-CAJ	2.53	116.87	111.52
6	B	801	LVO	CBE-CBD-NBG	2.58	120.61	116.10
6	C	801	LVO	CAX-OAW-CAJ	2.67	121.71	114.56
6	D	801	LVO	CAL-CAK-CAJ	2.69	117.20	111.52
6	D	801	LVO	CAX-OAW-CAJ	2.73	121.88	114.56
6	A	801	LVO	OAY-CAK-CAJ	2.84	115.99	109.09
6	B	801	LVO	CAL-CAK-CAJ	2.85	117.55	111.52
6	D	801	LVO	OAY-CAK-CAL	2.88	116.44	110.02
6	C	801	LVO	OAY-CAK-CAL	3.19	117.13	110.02
3	B	603	NAG	C1-O5-C5	3.44	116.92	112.19
6	B	801	LVO	CAE-CAD-NBG	3.48	116.96	110.94
6	D	801	LVO	OAM-CAL-CAK	3.52	116.75	108.54
6	D	801	LVO	OAY-CAK-CAJ	3.54	117.67	109.09
6	A	801	LVO	CAX-OAW-CAJ	3.81	124.75	114.56
6	B	801	LVO	OAM-CAL-CAK	3.95	117.75	108.54
6	A	801	LVO	CAE-CAD-NBG	3.98	117.83	110.94
6	B	801	LVO	OAY-CAK-CAJ	4.21	119.32	109.09
6	C	801	LVO	OAM-CAL-CAK	4.25	118.45	108.54
6	A	801	LVO	OAM-CAL-CAK	4.76	119.65	108.54
6	D	801	LVO	CAE-CAD-NBG	4.98	119.55	110.94
6	C	801	LVO	CAE-CAD-NBG	6.00	121.31	110.94

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	801	LVO	CAL-OAM-CAN-OAV
6	A	801	LVO	CAL-OAM-CAN-OAV

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	801	LVO	CAL-OAM-CAN-OAV

There are no ring outliers.

6 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	605	BMA	1	0
6	A	801	LVO	3	0
6	B	801	LVO	2	0
4	C	605	BMA	1	0
6	C	801	LVO	4	0
6	D	801	LVO	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/469 (82%)	-0.74	0 100 100	3, 12, 25, 49	0
1	B	388/469 (82%)	-0.76	0 100 100	4, 12, 25, 50	0
1	C	388/469 (82%)	-0.71	0 100 100	4, 12, 26, 48	0
1	D	388/469 (82%)	-0.73	0 100 100	4, 12, 27, 53	0
All	All	1552/1876 (82%)	-0.74	0 100 100	3, 12, 26, 53	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	602	14/15	0.78	0.21	54,63,82,84	0
3	NAG	D	602	14/15	0.83	0.21	56,72,80,83	0
3	NAG	C	602	14/15	0.85	0.20	51,67,78,84	0
3	NAG	B	602	14/15	0.86	0.19	56,64,80,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	A	601	14/15	0.91	0.16	26,35,46,52	0
3	NAG	D	601	14/15	0.94	0.14	26,33,47,50	0
6	LVO	D	801	26/33	0.94	0.11	8,12,20,33	0
3	NAG	B	601	14/15	0.94	0.12	24,33,43,47	0
6	LVO	A	801	26/33	0.94	0.11	7,11,20,36	0
5	MAN	D	606	11/12	0.94	0.11	16,18,23,23	0
3	NAG	C	601	14/15	0.95	0.12	23,33,42,48	0
5	MAN	C	606	11/12	0.95	0.12	14,18,21,22	0
6	LVO	B	801	26/33	0.95	0.12	7,11,20,34	0
4	BMA	C	605	11/12	0.95	0.08	11,18,25,26	0
6	LVO	C	801	26/33	0.95	0.12	6,11,23,36	0
4	BMA	A	605	11/12	0.95	0.09	16,20,26,30	0
3	NAG	D	603	14/15	0.96	0.10	12,16,31,33	0
4	BMA	D	605	11/12	0.96	0.08	12,17,20,29	0
3	NAG	C	603	14/15	0.96	0.11	12,16,32,35	0
5	MAN	B	606	11/12	0.96	0.10	17,20,24,30	0
5	MAN	A	606	11/12	0.96	0.09	15,20,24,25	0
4	BMA	B	605	11/12	0.96	0.09	16,20,26,26	0
3	NAG	B	603	14/15	0.97	0.11	12,17,33,33	0
3	NAG	A	603	14/15	0.97	0.10	15,21,33,38	0
3	NAG	B	604	14/15	0.97	0.08	14,17,22,24	0
3	NAG	A	604	14/15	0.97	0.08	14,16,24,25	0
3	NAG	C	604	14/15	0.98	0.07	11,14,18,19	0
3	NAG	D	604	14/15	0.98	0.08	10,15,18,20	0
2	CA	C	501	1/1	0.99	0.12	11,11,11,11	0
2	CA	D	501	1/1	0.99	0.12	12,12,12,12	0
2	CA	B	501	1/1	1.00	0.12	11,11,11,11	0
2	CA	A	501	1/1	1.00	0.10	10,10,10,10	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.