



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 14, 2023 – 10:55 PM EDT

PDB ID : 7TJM  
Title : Bacteriophage Q beta capsid protein in T3 symmetry  
Authors : Jin, X.  
Deposited on : 2022-01-16  
Resolution : 3.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1028 (3.60-3.48)
Ramachandran outliers	138981	1073 (3.60-3.48)
Sidechain outliers	138945	1074 (3.60-3.48)
RSRZ outliers	127900	1079 (3.62-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	132	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">2%      82%      18%</p>
1	1	132	<div style="display: flex; align-items: center;"> <div style="width: 1%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 98%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">%      98%      .</p>
1	2	132	<div style="display: flex; align-items: center;"> <div style="width: 1%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 99%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">%      99%      .</p>
1	3	132	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 96%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">3%      96%      .</p>
1	4	132	<div style="display: flex; align-items: center;"> <div style="width: 1%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">%      88%      12%</p>
1	5	132	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 98%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> </div> <p style="text-align: center;">2%      98%      .</p>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	6	132	98%
1	7	132	96%
1	8	132	84% 16%
1	9	132	91% 9%
1	A	132	96%
1	B	132	95% 5%
1	C	132	99%
1	D	132	99%
1	E	132	98%
1	F	132	98%
1	G	132	97%
1	H	132	95% 5%
1	I	132	97%
1	J	132	100%
1	K	132	98%
1	L	132	95% 5%
1	M	132	95% 5%
1	N	132	96%
1	O	132	98%
1	P	132	97%
1	Q	132	94% 6%
1	R	132	96%
1	S	132	98%
1	T	132	97%
1	U	132	97%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	V	132	2% 95% 5%
1	W	132	4% 98% 5%
1	X	132	6% 91% 9%
1	Y	132	3% 97% 5%
1	Z	132	2% 95% 5%
1	a	132	3% 94% 5%
1	b	132	2% 97% 5%
1	c	132	5% 98% 5%
1	d	132	6% 96% 5%
1	e	132	5% 97% 5%
1	f	132	2% 96% 5%
1	g	132	0% 95% 5%
1	h	132	5% 90% 9%
1	i	132	6% 94% 6%
1	j	132	3% 98% 5%
1	k	132	4% 92% 8%
1	l	132	2% 94% 6%
1	m	132	2% 96% 5%
1	n	132	5% 98% 5%
1	o	132	6% 98% 5%
1	p	132	3% 97% 5%
1	q	132	5% 97% 5%
1	r	132	2% 96% 5%
1	s	132	6% 97% 5%
1	t	132	8% 97% 5%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	u	132	 <p>6% 89% 10%</p>
1	v	132	 <p>4% 95% 5%</p>
1	w	132	 <p>8% 92% 7%</p>
1	x	132	 <p>1% 98% 1%</p>

## 2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 59580 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Minor capsid protein A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	132	993	616	177	198	2	0	0	0
1	a	132	993	616	177	198	2	0	0	0
1	B	132	993	616	177	198	2	0	0	0
1	b	132	993	616	177	198	2	0	0	0
1	C	132	993	616	177	198	2	0	0	0
1	c	132	993	616	177	198	2	0	0	0
1	D	132	993	616	177	198	2	0	0	0
1	d	132	993	616	177	198	2	0	0	0
1	E	132	993	616	177	198	2	0	0	0
1	e	132	993	616	177	198	2	0	0	0
1	1	132	993	616	177	198	2	0	0	0
1	U	132	993	616	177	198	2	0	0	0
1	F	132	993	616	177	198	2	0	0	0
1	f	132	993	616	177	198	2	0	0	0
1	G	132	993	616	177	198	2	0	0	0
1	g	132	993	616	177	198	2	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	h	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	I	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	i	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	J	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	j	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	5	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	Y	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	K	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	k	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	L	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	l	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	M	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	m	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	N	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	n	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	O	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	o	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	9	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	v	132	Total 993	C 616	N 177	O 198	S 2	0	0	0
1	P	132	Total 993	C 616	N 177	O 198	S 2	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	p	132	993	616	177	198	2	0	0	0
1	Q	132	993	616	177	198	2	0	0	0
1	q	132	993	616	177	198	2	0	0	0
1	R	132	993	616	177	198	2	0	0	0
1	r	132	993	616	177	198	2	0	0	0
1	S	132	993	616	177	198	2	0	0	0
1	s	132	993	616	177	198	2	0	0	0
1	T	132	993	616	177	198	2	0	0	0
1	t	132	993	616	177	198	2	0	0	0
1	w	132	993	616	177	198	2	0	0	0
1	x	132	993	616	177	198	2	0	0	0
1	2	132	993	616	177	198	2	0	0	0
1	V	132	993	616	177	198	2	0	0	0
1	3	132	993	616	177	198	2	0	0	0
1	W	132	993	616	177	198	2	0	0	0
1	4	132	993	616	177	198	2	0	0	0
1	X	132	993	616	177	198	2	0	0	0
1	6	132	993	616	177	198	2	0	0	0
1	Z	132	993	616	177	198	2	0	0	0
1	7	132	993	616	177	198	2	0	0	0
1	u	132	993	616	177	198	2	0	0	0

*Continued on next page...*




*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>					<b>ZeroOcc</b>	<b>AltConf</b>	<b>Trace</b>
1	8	132	Total	C	N	O	S	0	0	0
			993	616	177	198	2			
1	0	132	Total	C	N	O	S	0	0	0
			993	616	177	198	2			


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1





- Molecule 1: Minor capsid protein A1






- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1





- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1







- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1






- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1



- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




- Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1



● Molecule 1: Minor capsid protein A1




● Molecule 1: Minor capsid protein A1





- Molecule 1: Minor capsid protein A1



## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	286.63Å 286.63Å 662.68Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.56 – 3.54 49.51 – 3.54	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.56-3.54) 100.0 (49.51-3.54)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.71 (at 3.57Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.278 , 0.328 0.315 , 0.316	Depositor DCC
$R_{free}$ test set	12266 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	100.7	Xtrriage
Anisotropy	0.129	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 22.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.33$ , $\langle L^2 \rangle = 0.17$	Xtrriage
Estimated twinning fraction	0.499 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	59580	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	106.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.32	0/1007	0.65	0/1371
1	1	0.31	0/1007	0.72	2/1371 (0.1%)
1	2	0.31	0/1007	0.63	0/1371
1	3	0.34	0/1007	0.70	0/1371
1	4	0.32	0/1007	0.65	0/1371
1	5	0.31	0/1007	0.65	0/1371
1	6	0.34	0/1007	0.67	0/1371
1	7	0.35	0/1007	0.65	0/1371
1	8	0.29	0/1007	0.64	0/1371
1	9	0.29	0/1007	0.62	0/1371
1	A	0.29	0/1007	0.60	0/1371
1	B	0.32	0/1007	0.64	0/1371
1	C	0.32	0/1007	0.61	0/1371
1	D	0.31	0/1007	0.62	0/1371
1	E	0.30	0/1007	0.61	0/1371
1	F	0.29	0/1007	0.60	0/1371
1	G	0.31	0/1007	0.60	0/1371
1	H	0.31	0/1007	0.65	0/1371
1	I	0.30	0/1007	0.59	0/1371
1	J	0.31	0/1007	0.62	0/1371
1	K	0.32	0/1007	0.63	0/1371
1	L	0.31	0/1007	0.65	0/1371
1	M	0.31	0/1007	0.64	0/1371
1	N	0.32	0/1007	0.66	1/1371 (0.1%)
1	O	0.31	0/1007	0.61	0/1371
1	P	0.31	0/1007	0.66	0/1371
1	Q	0.33	0/1007	0.65	1/1371 (0.1%)
1	R	0.30	0/1007	0.61	0/1371
1	S	0.30	0/1007	0.63	0/1371
1	T	0.32	0/1007	0.61	1/1371 (0.1%)
1	U	0.31	0/1007	0.66	0/1371
1	V	0.30	0/1007	0.64	0/1371
1	W	0.30	0/1007	0.66	0/1371
1	X	0.30	0/1007	0.65	0/1371

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	Y	0.30	0/1007	0.70	0/1371
1	Z	0.31	0/1007	0.64	0/1371
1	a	0.31	0/1007	0.68	2/1371 (0.1%)
1	b	0.31	0/1007	0.65	1/1371 (0.1%)
1	c	0.34	0/1007	0.64	0/1371
1	d	0.30	0/1007	0.62	0/1371
1	e	0.32	0/1007	0.62	0/1371
1	f	0.29	0/1007	0.62	0/1371
1	g	0.31	0/1007	0.65	0/1371
1	h	0.32	0/1007	0.65	0/1371
1	i	0.30	0/1007	0.66	0/1371
1	j	0.30	0/1007	0.62	0/1371
1	k	0.32	0/1007	0.65	0/1371
1	l	0.30	0/1007	0.60	0/1371
1	m	0.33	0/1007	0.64	0/1371
1	n	0.32	0/1007	0.64	0/1371
1	o	0.32	0/1007	0.66	0/1371
1	p	0.32	0/1007	0.66	0/1371
1	q	0.30	0/1007	0.61	0/1371
1	r	0.36	0/1007	0.65	0/1371
1	s	0.32	0/1007	0.63	0/1371
1	t	0.30	0/1007	0.64	0/1371
1	u	0.32	0/1007	0.66	0/1371
1	v	0.31	0/1007	0.69	0/1371
1	w	0.29	0/1007	0.64	1/1371 (0.1%)
1	x	0.31	0/1007	0.64	0/1371
All	All	0.31	0/60420	0.64	9/82260 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	R	0	1
1	h	0	1
All	All	0	2

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	24	ARG	CA-CB-CG	-6.53	99.03	113.40
1	1	3	LEU	CA-CB-CG	6.44	130.10	115.30
1	N	78	GLY	N-CA-C	-6.29	97.36	113.10
1	1	128	LEU	CB-CG-CD1	-6.18	100.50	111.00
1	w	74	CYS	CA-CB-SG	6.16	125.09	114.00
1	T	78	GLY	N-CA-C	-5.94	98.25	113.10
1	b	44	LEU	CA-CB-CG	5.91	128.89	115.30
1	Q	80	CYS	CA-CB-SG	-5.32	104.42	114.00
1	a	128	LEU	CB-CG-CD2	5.04	119.57	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	R	75	THR	Peptide
1	h	80	CYS	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	130/132 (98%)	121 (93%)	9 (7%)	0	100	100
1	1	130/132 (98%)	120 (92%)	10 (8%)	0	100	100
1	2	130/132 (98%)	121 (93%)	9 (7%)	0	100	100
1	3	130/132 (98%)	122 (94%)	7 (5%)	1 (1%)	19	60
1	4	130/132 (98%)	122 (94%)	6 (5%)	2 (2%)	10	47
1	5	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	6	130/132 (98%)	121 (93%)	8 (6%)	1 (1%)	19	60
1	7	130/132 (98%)	125 (96%)	4 (3%)	1 (1%)	19	60
1	8	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
1	9	130/132 (98%)	120 (92%)	8 (6%)	2 (2%)	10	47
1	A	130/132 (98%)	122 (94%)	7 (5%)	1 (1%)	19	60
1	B	130/132 (98%)	122 (94%)	7 (5%)	1 (1%)	19	60
1	C	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
1	D	130/132 (98%)	122 (94%)	8 (6%)	0	100	100
1	E	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60
1	F	130/132 (98%)	125 (96%)	4 (3%)	1 (1%)	19	60
1	G	130/132 (98%)	122 (94%)	8 (6%)	0	100	100
1	H	130/132 (98%)	121 (93%)	9 (7%)	0	100	100
1	I	130/132 (98%)	122 (94%)	7 (5%)	1 (1%)	19	60
1	J	130/132 (98%)	124 (95%)	6 (5%)	0	100	100
1	K	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
1	L	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60
1	M	130/132 (98%)	121 (93%)	7 (5%)	2 (2%)	10	47
1	N	130/132 (98%)	120 (92%)	10 (8%)	0	100	100
1	O	130/132 (98%)	120 (92%)	9 (7%)	1 (1%)	19	60
1	P	130/132 (98%)	120 (92%)	9 (7%)	1 (1%)	19	60
1	Q	130/132 (98%)	122 (94%)	6 (5%)	2 (2%)	10	47
1	R	130/132 (98%)	121 (93%)	8 (6%)	1 (1%)	19	60
1	S	130/132 (98%)	121 (93%)	9 (7%)	0	100	100
1	T	130/132 (98%)	121 (93%)	8 (6%)	1 (1%)	19	60
1	U	130/132 (98%)	124 (95%)	6 (5%)	0	100	100
1	V	130/132 (98%)	122 (94%)	6 (5%)	2 (2%)	10	47
1	W	130/132 (98%)	119 (92%)	9 (7%)	2 (2%)	10	47
1	X	130/132 (98%)	122 (94%)	5 (4%)	3 (2%)	6	38
1	Y	130/132 (98%)	120 (92%)	8 (6%)	2 (2%)	10	47
1	Z	130/132 (98%)	120 (92%)	8 (6%)	2 (2%)	10	47
1	a	130/132 (98%)	125 (96%)	5 (4%)	0	100	100

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	b	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
1	c	130/132 (98%)	121 (93%)	9 (7%)	0	100	100
1	d	130/132 (98%)	121 (93%)	7 (5%)	2 (2%)	10	47
1	e	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
1	f	130/132 (98%)	121 (93%)	7 (5%)	2 (2%)	10	47
1	g	130/132 (98%)	123 (95%)	5 (4%)	2 (2%)	10	47
1	h	130/132 (98%)	123 (95%)	6 (5%)	1 (1%)	19	60
1	i	130/132 (98%)	122 (94%)	7 (5%)	1 (1%)	19	60
1	j	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60
1	k	130/132 (98%)	118 (91%)	9 (7%)	3 (2%)	6	38
1	l	130/132 (98%)	123 (95%)	6 (5%)	1 (1%)	19	60
1	m	130/132 (98%)	122 (94%)	6 (5%)	2 (2%)	10	47
1	n	130/132 (98%)	120 (92%)	9 (7%)	1 (1%)	19	60
1	o	130/132 (98%)	121 (93%)	8 (6%)	1 (1%)	19	60
1	p	130/132 (98%)	123 (95%)	6 (5%)	1 (1%)	19	60
1	q	130/132 (98%)	122 (94%)	6 (5%)	2 (2%)	10	47
1	r	130/132 (98%)	118 (91%)	9 (7%)	3 (2%)	6	38
1	s	130/132 (98%)	122 (94%)	8 (6%)	0	100	100
1	t	130/132 (98%)	123 (95%)	5 (4%)	2 (2%)	10	47
1	u	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60
1	v	130/132 (98%)	124 (95%)	5 (4%)	1 (1%)	19	60
1	w	130/132 (98%)	126 (97%)	4 (3%)	0	100	100
1	x	130/132 (98%)	124 (95%)	6 (5%)	0	100	100
All	All	7800/7920 (98%)	7322 (94%)	418 (5%)	60 (1%)	19	60

All (60) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	79	SER
1	F	79	SER
1	f	79	SER
1	i	79	SER
1	j	79	SER
1	5	77	ASN

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	Y	58	ASN
1	L	79	SER
1	M	75	THR
1	M	79	SER
1	9	59	ARG
1	P	79	SER
1	p	79	SER
1	q	77	ASN
1	R	79	SER
1	r	79	SER
1	t	79	SER
1	X	80	CYS
1	f	39	GLY
1	I	79	SER
1	9	62	TYR
1	Q	76	ALA
1	r	62	TYR
1	V	55	PRO
1	V	62	TYR
1	3	77	ASN
1	W	59	ARG
1	4	56	SER
1	g	38	ALA
1	g	80	CYS
1	k	38	ALA
1	l	38	ALA
1	Q	78	GLY
1	4	53	SER
1	X	2	LYS
1	6	79	SER
1	Z	57	ARG
1	7	80	CYS
1	u	80	CYS
1	A	79	SER
1	d	38	ALA
1	d	79	SER
1	m	38	ALA
1	n	38	ALA
1	v	59	ARG
1	q	38	ALA
1	r	38	ALA
1	t	38	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	W	79	SER
1	B	79	SER
1	T	79	SER
1	h	40	ALA
1	Y	62	TYR
1	k	79	SER
1	m	80	CYS
1	O	79	SER
1	o	38	ALA
1	X	82	PRO
1	k	130	PRO
1	Z	54	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	1	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	2	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	3	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	4	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	5	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	6	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	7	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	8	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	9	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	A	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	B	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	C	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	D	110/110 (100%)	109 (99%)	1 (1%)	78	90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	F	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	G	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	H	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	I	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	J	110/110 (100%)	110 (100%)	0	100	100
1	K	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	L	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	M	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	N	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	O	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	P	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	Q	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	R	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	S	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	T	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	U	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	V	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	W	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	X	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	Y	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	Z	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	a	110/110 (100%)	110 (100%)	0	100	100
1	b	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	c	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	d	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	e	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	f	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	g	110/110 (100%)	110 (100%)	0	100	100
1	h	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	i	110/110 (100%)	109 (99%)	1 (1%)	78	90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	j	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	k	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	l	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	m	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	n	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	o	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	p	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	q	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	r	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	s	110/110 (100%)	106 (96%)	4 (4%)	35	67
1	t	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	u	110/110 (100%)	107 (97%)	3 (3%)	44	74
1	v	110/110 (100%)	108 (98%)	2 (2%)	59	81
1	w	110/110 (100%)	109 (99%)	1 (1%)	78	90
1	x	110/110 (100%)	108 (98%)	2 (2%)	59	81
All	All	6600/6600 (100%)	6466 (98%)	134 (2%)	55	79

All (134) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	65	GLN
1	A	107	PHE
1	B	13	LYS
1	B	128	LEU
1	B	132	TYR
1	b	79	SER
1	b	107	PHE
1	C	79	SER
1	c	107	PHE
1	c	128	LEU
1	D	132	TYR
1	d	16	LYS
1	d	65	GLN
1	d	83	SER
1	E	16	LYS
1	e	16	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	e	98	GLN
1	e	107	PHE
1	e	116	LEU
1	1	83	SER
1	U	60	LYS
1	U	74	CYS
1	U	79	SER
1	U	98	GLN
1	F	46	LYS
1	F	98	GLN
1	f	83	SER
1	f	98	GLN
1	f	129	ASN
1	G	65	GLN
1	G	77	ASN
1	G	98	GLN
1	G	107	PHE
1	H	80	CYS
1	H	91	ASP
1	H	107	PHE
1	h	98	GLN
1	h	107	PHE
1	I	109	ARG
1	i	107	PHE
1	j	65	GLN
1	5	13	LYS
1	Y	57	ARG
1	Y	107	PHE
1	K	24	ARG
1	K	98	GLN
1	K	107	PHE
1	k	46	LYS
1	k	107	PHE
1	L	16	LYS
1	L	59	ARG
1	L	107	PHE
1	l	4	GLU
1	l	83	SER
1	l	107	PHE
1	M	13	LYS
1	M	74	CYS
1	M	77	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	M	98	GLN
1	m	87	GLN
1	m	98	GLN
1	m	107	PHE
1	N	98	GLN
1	N	107	PHE
1	n	59	ARG
1	n	80	CYS
1	O	59	ARG
1	O	61	ASN
1	o	74	CYS
1	9	14	ASP
1	9	74	CYS
1	9	83	SER
1	v	87	GLN
1	v	107	PHE
1	P	107	PHE
1	P	132	TYR
1	p	4	GLU
1	p	59	ARG
1	p	107	PHE
1	Q	74	CYS
1	Q	98	GLN
1	Q	107	PHE
1	Q	116	LEU
1	q	98	GLN
1	q	107	PHE
1	R	57	ARG
1	R	80	CYS
1	R	98	GLN
1	r	59	ARG
1	r	116	LEU
1	S	80	CYS
1	S	107	PHE
1	s	13	LYS
1	s	80	CYS
1	s	91	ASP
1	s	128	LEU
1	T	81	ASP
1	T	98	GLN
1	t	57	ARG
1	t	98	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	w	74	CYS
1	x	79	SER
1	x	107	PHE
1	2	63	LYS
1	V	59	ARG
1	V	65	GLN
1	V	80	CYS
1	V	107	PHE
1	3	57	ARG
1	3	80	CYS
1	3	107	PHE
1	3	127	GLN
1	W	56	SER
1	4	57	ARG
1	4	65	GLN
1	4	107	PHE
1	4	132	TYR
1	X	24	ARG
1	X	91	ASP
1	X	98	GLN
1	6	107	PHE
1	Z	53	SER
1	Z	59	ARG
1	Z	87	GLN
1	Z	107	PHE
1	7	80	CYS
1	7	107	PHE
1	u	13	LYS
1	u	57	ARG
1	u	98	GLN
1	8	91	ASP
1	8	107	PHE
1	0	98	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	ASN
1	b	87	GLN
1	C	61	ASN
1	D	77	ASN
1	E	77	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	e	87	GLN
1	l	77	ASN
1	F	129	ASN
1	f	129	ASN
1	G	129	ASN
1	g	69	GLN
1	I	69	GLN
1	J	30	ASN
1	j	87	GLN
1	k	69	GLN
1	N	54	GLN
1	O	61	ASN
1	v	77	ASN
1	P	61	ASN
1	r	37	GLN
1	t	61	ASN
1	w	58	ASN
1	4	37	GLN
1	4	54	GLN
1	4	129	ASN
1	0	98	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	0	132/132 (100%)	0.19	3 (2%) 60 46	69, 97, 152, 179	0
1	1	132/132 (100%)	0.21	1 (0%) 86 75	81, 107, 161, 179	0
1	2	132/132 (100%)	0.27	1 (0%) 86 75	74, 104, 163, 180	0
1	3	132/132 (100%)	0.28	4 (3%) 50 37	79, 103, 164, 182	0
1	4	132/132 (100%)	0.24	1 (0%) 86 75	73, 100, 149, 179	0
1	5	132/132 (100%)	0.33	2 (1%) 73 61	66, 102, 164, 181	0
1	6	132/132 (100%)	0.18	1 (0%) 86 75	72, 102, 162, 182	0
1	7	132/132 (100%)	0.53	9 (6%) 17 13	78, 109, 167, 183	0
1	8	132/132 (100%)	0.32	4 (3%) 50 37	70, 97, 165, 191	0
1	9	132/132 (100%)	0.39	4 (3%) 50 37	72, 103, 166, 175	0
1	A	132/132 (100%)	0.33	5 (3%) 40 29	68, 100, 157, 175	0
1	B	132/132 (100%)	0.47	7 (5%) 26 19	70, 101, 156, 172	0
1	C	132/132 (100%)	0.38	5 (3%) 40 29	80, 102, 156, 175	0
1	D	132/132 (100%)	0.36	5 (3%) 40 29	83, 106, 160, 182	0
1	E	132/132 (100%)	0.31	4 (3%) 50 37	71, 102, 157, 176	0
1	F	132/132 (100%)	0.42	6 (4%) 33 24	71, 102, 155, 179	0
1	G	132/132 (100%)	0.35	3 (2%) 60 46	74, 101, 148, 180	0
1	H	132/132 (100%)	0.37	1 (0%) 86 75	74, 101, 150, 170	0
1	I	132/132 (100%)	0.53	6 (4%) 33 24	76, 103, 155, 174	0
1	J	132/132 (100%)	0.43	2 (1%) 73 61	82, 106, 151, 177	0
1	K	132/132 (100%)	0.43	1 (0%) 86 75	69, 97, 151, 181	0
1	L	132/132 (100%)	0.52	4 (3%) 50 37	69, 98, 152, 178	0
1	M	132/132 (100%)	0.49	5 (3%) 40 29	71, 96, 159, 178	0
1	N	132/132 (100%)	0.33	0 100 100	70, 95, 151, 182	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	O	132/132 (100%)	0.40	2 (1%) 73 61	70, 100, 150, 175	0
1	P	132/132 (100%)	0.46	9 (6%) 17 13	65, 95, 151, 178	0
1	Q	132/132 (100%)	0.47	4 (3%) 50 37	71, 96, 153, 200	0
1	R	132/132 (100%)	0.46	5 (3%) 40 29	70, 95, 151, 194	0
1	S	132/132 (100%)	0.36	5 (3%) 40 29	70, 98, 149, 185	0
1	T	132/132 (100%)	0.47	5 (3%) 40 29	70, 100, 150, 179	0
1	U	132/132 (100%)	0.22	0 100 100	79, 107, 156, 184	0
1	V	132/132 (100%)	0.27	2 (1%) 73 61	80, 102, 159, 179	0
1	W	132/132 (100%)	0.27	5 (3%) 40 29	75, 104, 165, 184	0
1	X	132/132 (100%)	0.48	8 (6%) 21 15	77, 103, 162, 186	0
1	Y	132/132 (100%)	0.28	4 (3%) 50 37	74, 103, 162, 179	0
1	Z	132/132 (100%)	0.28	3 (2%) 60 46	66, 102, 166, 181	0
1	a	132/132 (100%)	0.19	4 (3%) 50 37	74, 103, 153, 188	0
1	b	132/132 (100%)	0.30	3 (2%) 60 46	72, 105, 166, 189	0
1	c	132/132 (100%)	0.44	7 (5%) 26 19	79, 104, 163, 182	0
1	d	132/132 (100%)	0.38	8 (6%) 21 15	78, 107, 165, 188	0
1	e	132/132 (100%)	0.39	7 (5%) 26 19	70, 102, 159, 178	0
1	f	132/132 (100%)	0.21	3 (2%) 60 46	72, 102, 163, 186	0
1	g	132/132 (100%)	0.28	0 100 100	75, 103, 154, 190	0
1	h	132/132 (100%)	0.26	7 (5%) 26 19	73, 106, 165, 190	0
1	i	132/132 (100%)	0.29	8 (6%) 21 15	75, 103, 156, 187	0
1	j	132/132 (100%)	0.32	4 (3%) 50 37	76, 105, 159, 186	0
1	k	132/132 (100%)	0.32	5 (3%) 40 29	69, 96, 157, 178	0
1	l	132/132 (100%)	0.22	3 (2%) 60 46	70, 101, 154, 175	0
1	m	132/132 (100%)	0.31	2 (1%) 73 61	71, 95, 154, 180	0
1	n	132/132 (100%)	0.43	7 (5%) 26 19	68, 102, 156, 178	0
1	o	132/132 (100%)	0.50	8 (6%) 21 15	72, 101, 159, 184	0
1	p	132/132 (100%)	0.38	4 (3%) 50 37	67, 96, 152, 179	0
1	q	132/132 (100%)	0.30	6 (4%) 33 24	72, 98, 159, 183	0
1	r	132/132 (100%)	0.16	3 (2%) 60 46	70, 97, 162, 181	0
1	s	132/132 (100%)	0.44	8 (6%) 21 15	67, 102, 159, 183	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	t	132/132 (100%)	0.43	10 (7%) 13 10	71, 101, 158, 187	0
1	u	132/132 (100%)	0.54	8 (6%) 21 15	82, 109, 163, 176	0
1	v	132/132 (100%)	0.41	5 (3%) 40 29	77, 106, 162, 189	0
1	w	132/132 (100%)	0.37	10 (7%) 13 10	72, 104, 163, 179	0
1	x	132/132 (100%)	0.22	1 (0%) 86 75	77, 104, 163, 186	0
All	All	7920/7920 (100%)	0.35	267 (3%) 45 33	65, 102, 162, 200	0

All (267) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	s	58	ASN	7.2
1	D	78	GLY	5.7
1	G	77	ASN	5.7
1	8	28	PRO	5.1
1	n	28	PRO	5.1
1	F	58	ASN	5.0
1	B	60	LYS	4.9
1	h	57	ARG	4.9
1	e	57	ARG	4.8
1	D	75	THR	4.8
1	A	60	LYS	4.6
1	c	58	ASN	4.6
1	J	58	ASN	4.6
1	d	57	ARG	4.4
1	f	79	SER	4.3
1	T	77	ASN	4.2
1	7	66	VAL	4.1
1	I	82	PRO	4.0
1	j	57	ARG	4.0
1	b	50	VAL	4.0
1	M	58	ASN	3.9
1	a	58	ASN	3.8
1	X	4	GLU	3.8
1	s	50	VAL	3.8
1	o	77	ASN	3.7
1	b	44	LEU	3.6
1	u	50	VAL	3.6
1	D	76	ALA	3.5
1	u	72	THR	3.5
1	D	77	ASN	3.5

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	n	58	ASN	3.5
1	j	87	GLN	3.5
1	i	85	THR	3.5
1	I	75	THR	3.5
1	o	44	LEU	3.5
1	u	1	ALA	3.5
1	e	58	ASN	3.4
1	d	59	ARG	3.4
1	j	58	ASN	3.4
1	F	57	ARG	3.4
1	w	94	PHE	3.4
1	T	78	GLY	3.4
1	e	44	LEU	3.4
1	Q	77	ASN	3.4
1	Z	66	VAL	3.4
1	W	58	ASN	3.3
1	h	58	ASN	3.3
1	A	76	ALA	3.2
1	u	59	ARG	3.2
1	Y	57	ARG	3.2
1	v	1	ALA	3.2
1	R	76	ALA	3.2
1	e	50	VAL	3.1
1	k	89	TYR	3.1
1	d	58	ASN	3.1
1	3	28	PRO	3.1
1	d	44	LEU	3.1
1	Q	63	LYS	3.1
1	V	28	PRO	3.1
1	T	120	LEU	3.1
1	P	60	LYS	3.1
1	P	77	ASN	3.1
1	W	57	ARG	3.0
1	s	75	THR	3.0
1	F	60	LYS	3.0
1	J	77	ASN	3.0
1	a	57	ARG	3.0
1	L	77	ASN	3.0
1	R	77	ASN	3.0
1	2	44	LEU	3.0
1	k	44	LEU	3.0
1	7	28	PRO	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	o	79	SER	2.9
1	i	44	LEU	2.9
1	i	89	TYR	2.9
1	s	66	VAL	2.9
1	h	44	LEU	2.9
1	8	29	THR	2.9
1	d	87	GLN	2.9
1	S	60	LYS	2.9
1	b	66	VAL	2.8
1	G	60	LYS	2.8
1	s	92	VAL	2.8
1	e	56	SER	2.8
1	e	60	LYS	2.8
1	B	66	VAL	2.8
1	9	94	PHE	2.8
1	9	28	PRO	2.8
1	a	16	LYS	2.8
1	G	75	THR	2.8
1	7	73	ALA	2.8
1	h	20	VAL	2.7
1	7	55	PRO	2.7
1	q	68	ILE	2.7
1	w	84	VAL	2.7
1	0	56	SER	2.7
1	0	66	VAL	2.7
1	L	63	LYS	2.7
1	w	60	LYS	2.7
1	5	1	ALA	2.7
1	7	50	VAL	2.7
1	B	50	VAL	2.7
1	7	92	VAL	2.7
1	u	62	TYR	2.7
1	t	50	VAL	2.7
1	L	60	LYS	2.7
1	t	91	ASP	2.6
1	V	4	GLU	2.6
1	A	75	THR	2.6
1	u	58	ASN	2.6
1	P	131	ALA	2.6
1	S	120	LEU	2.6
1	X	56	SER	2.6
1	Z	1	ALA	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	t	92	VAL	2.6
1	F	44	LEU	2.6
1	k	91	ASP	2.6
1	F	90	ALA	2.6
1	w	58	ASN	2.6
1	w	72	THR	2.6
1	q	1	ALA	2.6
1	Q	98	GLN	2.6
1	X	46	LYS	2.6
1	X	120	LEU	2.6
1	P	73	ALA	2.6
1	S	90	ALA	2.6
1	R	60	LYS	2.5
1	P	62	TYR	2.5
1	8	131	ALA	2.5
1	D	98	GLN	2.5
1	p	30	ASN	2.5
1	O	120	LEU	2.5
1	S	115	LEU	2.5
1	t	57	ARG	2.5
1	k	57	ARG	2.5
1	o	50	VAL	2.5
1	X	66	VAL	2.5
1	q	91	ASP	2.5
1	c	1	ALA	2.5
1	B	82	PRO	2.4
1	M	90	ALA	2.4
1	H	60	LYS	2.4
1	o	89	TYR	2.4
1	n	1	ALA	2.4
1	a	56	SER	2.4
1	r	131	ALA	2.4
1	P	55	PRO	2.4
1	i	58	ASN	2.4
1	C	28	PRO	2.4
1	q	120	LEU	2.4
1	t	56	SER	2.4
1	d	50	VAL	2.4
1	P	120	LEU	2.4
1	v	66	VAL	2.4
1	s	84	VAL	2.4
1	T	121	LEU	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	m	50	VAL	2.4
1	c	87	GLN	2.3
1	n	57	ARG	2.3
1	3	50	VAL	2.3
1	n	29	THR	2.3
1	E	60	LYS	2.3
1	Q	44	LEU	2.3
1	I	40	ALA	2.3
1	X	50	VAL	2.3
1	u	66	VAL	2.3
1	C	60	LYS	2.3
1	Y	120	LEU	2.3
1	t	66	VAL	2.3
1	W	54	GLN	2.3
1	l	21	LEU	2.3
1	j	89	TYR	2.3
1	l	1	ALA	2.3
1	c	67	LYS	2.3
1	r	58	ASN	2.3
1	c	56	SER	2.3
1	E	58	ASN	2.3
1	I	60	LYS	2.3
1	M	67	LYS	2.3
1	i	69	GLN	2.3
1	C	16	LYS	2.3
1	v	3	LEU	2.3
1	p	21	LEU	2.3
1	T	50	VAL	2.3
1	A	79	SER	2.3
1	M	44	LEU	2.3
1	l	4	GLU	2.3
1	7	70	ASN	2.3
1	M	68	ILE	2.3
1	t	44	LEU	2.3
1	X	57	ARG	2.2
1	i	50	VAL	2.2
1	i	87	GLN	2.2
1	B	52	VAL	2.2
1	E	44	LEU	2.2
1	s	1	ALA	2.2
1	w	73	ALA	2.2
1	I	58	ASN	2.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	W	44	LEU	2.2
1	m	57	ARG	2.2
1	n	50	VAL	2.2
1	R	85	THR	2.2
1	O	77	ASN	2.2
1	C	40	ALA	2.2
1	0	4	GLU	2.2
1	w	31	GLY	2.2
1	6	50	VAL	2.2
1	n	73	ALA	2.2
1	t	67	LYS	2.2
1	u	55	PRO	2.2
1	1	28	PRO	2.2
1	F	85	THR	2.2
1	p	44	LEU	2.2
1	8	120	LEU	2.2
1	f	57	ARG	2.2
1	Z	28	PRO	2.2
1	E	79	SER	2.2
1	7	90	ALA	2.2
1	P	54	GLN	2.2
1	q	44	LEU	2.2
1	w	50	VAL	2.2
1	3	2	LYS	2.2
1	d	20	VAL	2.2
1	q	50	VAL	2.2
1	5	66	VAL	2.1
1	o	92	VAL	2.1
1	s	94	PHE	2.1
1	t	29	THR	2.1
1	w	131	ALA	2.1
1	c	88	ALA	2.1
1	C	94	PHE	2.1
1	e	84	VAL	2.1
1	3	1	ALA	2.1
1	X	44	LEU	2.1
1	9	131	ALA	2.1
1	Y	56	SER	2.1
1	P	28	PRO	2.1
1	4	94	PHE	2.1
1	p	4	GLU	2.1
1	c	90	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	k	77	ASN	2.1
1	h	66	VAL	2.1
1	9	50	VAL	2.1
1	t	90	ALA	2.1
1	d	30	ASN	2.1
1	h	30	ASN	2.1
1	L	67	LYS	2.1
1	B	10	ASN	2.1
1	W	59	ARG	2.1
1	r	50	VAL	2.1
1	i	1	ALA	2.1
1	A	58	ASN	2.1
1	Y	58	ASN	2.1
1	w	20	VAL	2.1
1	B	88	ALA	2.1
1	o	94	PHE	2.0
1	K	120	LEU	2.0
1	v	54	GLN	2.0
1	S	119	PRO	2.0
1	f	50	VAL	2.0
1	o	58	ASN	2.0
1	7	25	GLY	2.0
1	x	76	ALA	2.0
1	h	16	LYS	2.0
1	v	92	VAL	2.0
1	I	20	VAL	2.0
1	R	58	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.