



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 24, 2023 – 12:24 AM EDT

PDB ID : 5TLJ
Title : COMPLEX BETWEEN HUMAN CD27 AND FAB FRAGMENTS OF ANTI-BODIES M2177 AND M2191
Authors : Teplyakov, A.; Obmolova, G.; Malia, T.; Gilliland, G.L.
Deposited on : 2016-10-11
Resolution : 3.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	74% 21% ..
1	E	218	72% 24% ..
2	B	229	3% 77% 17% ..
2	F	229	3% 79% 15% ..
3	C	218	83% 14% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	218	<p>%</p> <p>76% 22% ..</p>
4	D	226	<p>%</p> <p>81% 13% . .</p>
4	H	226	<p>3%</p> <p>75% 19% . .</p>
5	X	109	<p>2%</p> <p>54% 13% . 32%</p>
6	I	2	<p>100%</p>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13732 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called M2177 LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	215	Total 1647	C 1029	N 274	O 339	S 5	0	0	0
1	E	215	Total 1647	C 1029	N 274	O 339	S 5	0	0	0

- Molecule 2 is a protein called M2177 HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	220	Total 1632	C 1034	N 267	O 325	S 6	0	0	0
2	F	220	Total 1632	C 1034	N 267	O 325	S 6	0	0	0

- Molecule 3 is a protein called M2191 LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	215	Total 1656	C 1040	N 281	O 330	S 5	0	0	0
3	G	215	Total 1656	C 1040	N 281	O 330	S 5	0	0	0

- Molecule 4 is a protein called M2191 HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	217	Total 1632	C 1027	N 276	O 322	S 7	0	0	0
4	H	217	Total 1632	C 1027	N 276	O 322	S 7	0	0	0

- Molecule 5 is a protein called CD27 antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	X	74	570	343	109	105	13	0	0	0


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	102	GLY	-	expression tag	UNP P26842
X	103	GLY	-	expression tag	UNP P26842
X	104	HIS	-	expression tag	UNP P26842
X	105	HIS	-	expression tag	UNP P26842
X	106	HIS	-	expression tag	UNP P26842
X	107	HIS	-	expression tag	UNP P26842
X	108	HIS	-	expression tag	UNP P26842
X	109	HIS	-	expression tag	UNP P26842

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	I	2	28	16	2	10	0	0	0	



GLU
CYS
ASP
GLY
GLY
HIS
HIS
HIS
HIS
HIS
HIS

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

100%

MAG1
MAG2

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	141.08Å 52.96Å 143.41Å 90.00° 112.19° 90.00°	Depositor
Resolution (Å)	20.00 – 3.50 29.25 – 3.49	Depositor EDS
% Data completeness (in resolution range)	98.0 (20.00-3.50) 98.2 (29.25-3.49)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 3.47Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.283 , 0.356 0.285 , 0.355	Depositor DCC
R_{free} test set	1261 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	65.0	Xtrriage
Anisotropy	0.202	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtrriage
Estimated twinning fraction	0.068 for l,-k,h	Xtrriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	13732	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.1899e-04.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1683	0.62	0/2288
1	E	0.41	0/1683	0.66	0/2288
2	B	0.46	0/1668	0.64	1/2275 (0.0%)
2	F	0.44	0/1668	0.64	0/2275
3	C	0.41	0/1695	0.65	1/2303 (0.0%)
3	G	0.44	0/1695	0.63	0/2303
4	D	0.43	0/1673	0.65	0/2276
4	H	0.45	0/1673	0.65	0/2276
5	X	0.41	0/585	0.64	0/790
All	All	0.43	0/14023	0.64	2/19074 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	C	15	LEU	CA-CB-CG	5.23	127.32	115.30
2	B	185	LEU	CA-CB-CG	5.11	127.06	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1647	0	1583	17	0
1	E	1647	0	1583	22	0
2	B	1632	0	1574	16	0
2	F	1632	0	1574	13	0
3	C	1656	0	1611	11	0
3	G	1656	0	1611	20	0
4	D	1632	0	1597	13	0
4	H	1632	0	1597	20	0
5	X	570	0	509	4	0
6	I	28	0	25	0	0
All	All	13732	0	13264	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:91:THR:HG23	4:D:114:THR:HA	1.73	0.69
2:F:9:PRO:HD2	2:F:208:LYS:HD3	1.74	0.69
1:E:14:SER:HA	1:E:111:LYS:HB2	1.76	0.68
3:C:194:LYS:HE3	3:C:214:ASN:HB3	1.77	0.67
1:A:196:TYR:HB2	1:A:213:PHE:CE1	2.31	0.66
3:G:43:LYS:HB2	3:G:46:GLN:HB2	1.78	0.66
4:D:151:PRO:HD2	4:D:206:PRO:HG2	1.79	0.64
4:D:130:PRO:HG3	4:D:142:LEU:HB3	1.79	0.64
3:G:87:ALA:HB2	3:G:110:ILE:HG12	1.81	0.62
4:H:157:SER:H	4:H:201:ASN:HB2	1.66	0.61
3:G:41:GLN:O	3:G:48:PRO:HA	2.00	0.61
1:A:13:VAL:HG21	1:A:19:ALA:HB2	1.83	0.60
1:E:36:TYR:HA	1:E:54:ALA:HA	1.81	0.60
1:E:2:ILE:HG21	1:E:94:GLN:HG2	1.81	0.60
2:B:196:LEU:HB3	2:B:220:PRO:HG3	1.84	0.59
1:A:196:TYR:HB2	1:A:213:PHE:HE1	1.67	0.58
3:C:43:LYS:HD2	3:C:44:PRO:HD2	1.85	0.58
2:F:166:LEU:HD21	2:F:189:VAL:HG21	1.85	0.57
3:G:120:PHE:HB2	3:G:139:LEU:HB3	1.87	0.57
3:C:69:SER:HB2	3:C:76:THR:HB	1.87	0.56
3:G:22:SER:HA	3:G:76:THR:HA	1.88	0.56
2:F:61:ASN:HB3	2:F:64:PHE:HD2	1.72	0.55
5:X:20:CYS:SG	5:X:33:CYS:N	2.80	0.54
3:G:196:TYR:HE1	3:G:215:ARG:HD3	1.72	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:24:ALA:HB3	4:H:29:PHE:HE1	1.73	0.53
1:E:38:ASN:HB2	1:E:93:GLN:HB3	1.90	0.53
1:A:14:SER:HB2	1:A:17:GLN:HG3	1.90	0.53
3:C:164:GLN:HB3	4:D:173:VAL:HG11	1.90	0.53
1:A:128:GLN:HE22	1:A:135:SER:HB2	1.73	0.53
1:E:136:VAL:HB	1:E:183:LEU:HB3	1.91	0.53
3:G:112:ARG:HE	3:G:175:SER:HB2	1.72	0.53
3:G:151:GLN:HB2	3:G:199:GLU:HB3	1.90	0.52
1:A:53:TYR:HB2	2:B:105:TYR:HB3	1.91	0.51
4:H:129:ALA:HA	4:H:215:VAL:HG12	1.91	0.51
4:H:167:VAL:HG22	4:H:186:VAL:HG23	1.92	0.51
2:B:142:THR:HA	2:B:192:PRO:HA	1.92	0.51
1:E:190:TYR:HA	1:E:196:TYR:OH	2.11	0.51
5:X:49:VAL:O	5:X:64:CYS:HB2	2.09	0.51
3:C:43:LYS:HB2	3:C:46:GLN:HB2	1.93	0.51
2:B:146:GLY:HA3	2:B:188:VAL:HG12	1.92	0.50
3:C:41:GLN:HB2	3:C:51:LEU:HD11	1.93	0.50
4:H:2:VAL:HA	4:H:26:GLY:HA3	1.93	0.50
1:A:111:LYS:HA	1:A:144:TYR:OH	2.11	0.50
4:H:24:ALA:HB3	4:H:29:PHE:CE1	2.46	0.50
3:G:94:HIS:CE1	3:G:101:THR:H	2.30	0.50
3:G:132:GLY:HA2	3:G:187:LYS:HB2	1.92	0.50
1:A:66:PHE:HA	1:A:78:ASN:O	2.12	0.49
1:E:151:GLN:HE22	1:E:153:LYS:HE3	1.77	0.49
2:B:159:VAL:HG22	2:B:205:VAL:HA	1.93	0.49
2:F:70:LEU:HD23	2:F:81:MET:HG3	1.95	0.49
4:H:4:LEU:HD23	4:H:24:ALA:HB2	1.93	0.49
4:D:48:VAL:HG12	4:D:64:VAL:HG21	1.94	0.48
2:B:86:LEU:HB3	2:B:118:VAL:HG21	1.95	0.48
2:B:11:LEU:HD13	2:B:154:PRO:HG3	1.96	0.48
4:D:51:ILE:HD12	4:D:70:ILE:HG23	1.95	0.48
4:D:61:PRO:HG2	4:D:64:VAL:HG22	1.95	0.48
1:E:124:PRO:HD3	1:E:136:VAL:HG22	1.96	0.47
3:C:159:GLN:HB3	3:C:162:ASN:HD21	1.78	0.47
4:H:4:LEU:HD22	4:H:96:CYS:HB3	1.96	0.47
3:G:124:PRO:HG3	3:G:136:VAL:HG22	1.97	0.47
2:B:22:CYS:HB3	2:B:79:ALA:HB3	1.96	0.47
1:E:119:VAL:HG21	1:E:200:VAL:HG21	1.96	0.47
1:E:50:LEU:HD21	1:E:53:TYR:HB3	1.95	0.47
4:H:47:TRP:HZ2	4:H:50:TYR:HB2	1.80	0.47
3:G:2:ILE:HD12	3:G:94:HIS:CD2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:ILE:HG12	1:A:27:GLN:HB2	1.97	0.46
3:G:196:TYR:CE1	3:G:215:ARG:HD3	2.51	0.46
3:G:119:VAL:HG21	3:G:200:VAL:HG21	1.97	0.46
4:H:130:PRO:HG2	4:H:217:PRO:HB3	1.96	0.46
2:B:151:ASP:HB3	2:B:182:LEU:HD13	1.98	0.45
2:B:69:THR:HB	2:B:82:GLN:HB3	1.99	0.45
1:E:111:LYS:HA	1:E:144:TYR:OH	2.17	0.45
4:D:152:GLU:HA	4:D:153:PRO:HA	1.73	0.45
2:F:12:VAL:HG21	2:F:86:LEU:HD13	1.99	0.45
5:X:11:HIS:NE2	5:X:21:GLN:HG2	2.31	0.45
1:E:54:ALA:HB3	1:E:57:ASN:ND2	2.32	0.45
4:H:42:GLU:HB2	4:H:44:ARG:HG2	1.99	0.44
1:E:127:GLU:H	1:E:127:GLU:HG2	1.58	0.44
2:F:38:LYS:HB2	2:F:48:ILE:HD11	1.99	0.44
4:D:163:LEU:HD21	4:D:186:VAL:HG21	1.99	0.44
4:H:73:ASP:HB3	4:H:78:THR:HB	1.99	0.44
4:D:196:GLN:HG2	4:D:198:TYR:CZ	2.52	0.44
1:E:139:LEU:HD13	2:F:188:VAL:HG21	1.99	0.44
1:A:13:VAL:HG12	1:A:17:GLN:HB2	2.00	0.43
3:G:163:SER:HB3	3:G:183:LEU:HD12	2.00	0.43
1:E:12:ALA:HB1	1:E:111:LYS:HD2	2.01	0.43
5:X:51:PHE:CE1	5:X:81:ASN:HB3	2.54	0.43
1:E:19:ALA:HB3	1:E:79:ILE:HB	2.00	0.43
4:H:37:VAL:HG13	4:H:47:TRP:HA	2.01	0.43
2:F:153:PHE:HA	2:F:154:PRO:HA	1.77	0.43
4:H:150:PHE:HA	4:H:151:PRO:HA	1.69	0.43
2:F:11:LEU:HB2	2:F:154:PRO:HG3	2.00	0.43
1:E:52:ILE:HG21	1:E:68:GLY:HA3	2.00	0.42
2:B:9:PRO:HA	2:B:114:THR:HG23	2.02	0.42
3:C:8:PRO:HG3	3:C:11:LEU:HD13	2.01	0.42
4:H:188:VAL:HA	4:H:189:PRO:HD2	1.83	0.42
4:H:156:VAL:HA	4:H:201:ASN:O	2.19	0.42
2:B:38:LYS:HD3	2:B:40:ARG:HD2	2.01	0.42
3:G:35:SER:HB3	3:G:75:PHE:HZ	1.84	0.42
1:A:54:ALA:HB3	1:A:57:ASN:ND2	2.35	0.42
2:F:161:TRP:HB3	2:F:166:LEU:HD23	2.01	0.42
1:A:84:GLU:HA	1:A:110:ILE:HG13	2.01	0.42
2:F:34:MET:HE2	2:F:34:MET:HB2	1.88	0.41
1:A:7:SER:HA	1:A:8:PRO:HA	1.83	0.41
1:E:117:PRO:HD3	1:E:202:HIS:CD2	2.55	0.41
1:E:47:PRO:HG3	2:F:112:GLN:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:104:ASP:C	2:F:106:GLY:H	2.24	0.41
3:C:194:LYS:HA	3:C:215:ARG:HD3	2.01	0.41
4:H:139:THR:HA	4:H:189:PRO:HA	2.02	0.41
2:B:146:GLY:HA2	2:B:161:TRP:HZ2	1.85	0.41
1:A:37:MET:HB3	1:A:55:ALA:HB2	2.02	0.41
1:A:122:PHE:HE1	1:A:139:LEU:HD23	1.86	0.41
2:B:208:LYS:N	2:B:209:PRO:CD	2.84	0.41
1:E:98:ASP:HA	1:E:99:PRO:HA	1.83	0.41
1:E:116:ALA:HA	1:E:202:HIS:HD2	1.86	0.41
3:G:164:GLN:HB3	3:G:165:GLU:H	1.76	0.41
1:A:63:PRO:HB2	1:A:65:ARG:HG3	2.01	0.41
2:B:175:ALA:HA	2:B:185:LEU:HB3	2.03	0.41
3:C:14:SER:HA	3:C:111:LYS:HB2	2.03	0.41
1:E:80:HIS:HA	1:E:81:PRO:HA	1.78	0.41
2:B:40:ARG:HA	2:B:41:PRO:HD2	1.85	0.40
4:D:29:PHE:O	4:D:72:ARG:NH2	2.54	0.40
4:H:51:ILE:HD12	4:H:70:ILE:HG23	2.03	0.40
3:G:47:PRO:HG2	4:H:109:GLN:HA	2.04	0.40
3:G:53:TYR:HB2	4:H:103:PRO:HG3	2.04	0.40
3:G:35:SER:HB3	3:G:75:PHE:CZ	2.56	0.40
4:D:129:ALA:HA	4:D:130:PRO:HD3	1.96	0.40
1:A:126:ASP:HA	1:A:129:LEU:HD12	2.02	0.40
3:C:128:GLN:HG3	4:D:126:PHE:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/218 (98%)	189 (89%)	19 (9%)	5 (2%)	6	36
1	E	213/218 (98%)	189 (89%)	17 (8%)	7 (3%)	4	28

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	218/229 (95%)	186 (85%)	26 (12%)	6 (3%)	5	32
2	F	218/229 (95%)	187 (86%)	27 (12%)	4 (2%)	8	41
3	C	213/218 (98%)	194 (91%)	17 (8%)	2 (1%)	17	56
3	G	213/218 (98%)	186 (87%)	20 (9%)	7 (3%)	4	28
4	D	215/226 (95%)	195 (91%)	16 (7%)	4 (2%)	8	40
4	H	215/226 (95%)	188 (87%)	24 (11%)	3 (1%)	11	46
5	X	70/109 (64%)	61 (87%)	8 (11%)	1 (1%)	11	46
All	All	1788/1891 (95%)	1575 (88%)	174 (10%)	39 (2%)	6	37

All (39) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
2	B	28	ALA
2	B	86	LEU
1	E	8	PRO
3	G	142	ASN
4	H	151	PRO
1	A	147	GLU
1	E	32	ALA
3	G	32	SER
1	E	36	TYR
2	F	65	LYS
2	F	198	THR
3	G	55	ALA
3	G	204	GLY
4	H	137	GLY
1	A	87	ALA
1	A	162	ASN
2	B	103	GLY
3	C	26	SER
4	D	148	ASP
4	D	151	PRO
4	D	153	PRO
1	E	142	ASN
1	E	172	SER
3	G	15	LEU
1	A	17	GLN
1	E	170	GLN
2	F	209	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	208	PRO
3	G	87	ALA
3	G	206	SER
4	D	138	GLY
2	B	154	PRO
2	F	140	GLY
4	H	55	GLY
2	B	56	GLY
3	C	44	PRO
5	X	8	PRO
2	B	156	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/187 (99%)	159 (86%)	26 (14%)	3	19
1	E	185/187 (99%)	164 (89%)	21 (11%)	5	26
2	B	179/190 (94%)	168 (94%)	11 (6%)	18	51
2	F	179/190 (94%)	162 (90%)	17 (10%)	8	34
3	C	187/189 (99%)	171 (91%)	16 (9%)	10	38
3	G	187/189 (99%)	174 (93%)	13 (7%)	15	46
4	D	185/194 (95%)	173 (94%)	12 (6%)	17	50
4	H	185/194 (95%)	167 (90%)	18 (10%)	8	33
5	X	65/95 (68%)	58 (89%)	7 (11%)	6	30
All	All	1537/1615 (95%)	1396 (91%)	141 (9%)	9	36

All (141) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	ASP
1	A	10	SER
1	A	13	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	15	LEU
1	A	26	SER
1	A	27	GLN
1	A	57	ASN
1	A	60	SER
1	A	71	SER
1	A	83	GLU
1	A	84	GLU
1	A	85	GLU
1	A	101	THR
1	A	109	GLU
1	A	112	ARG
1	A	138	CYS
1	A	139	LEU
1	A	146	ARG
1	A	158	LEU
1	A	173	LYS
1	A	174	ASP
1	A	194	LYS
1	A	198	CYS
1	A	201	THR
1	A	205	LEU
1	A	210	THR
2	B	40	ARG
2	B	55	ASP
2	B	71	THR
2	B	82	GLN
2	B	87	THR
2	B	145	LEU
2	B	147	CYS
2	B	157	VAL
2	B	200	THR
2	B	216	LYS
2	B	218	VAL
3	C	43	LYS
3	C	46	GLN
3	C	67	SER
3	C	84	GLU
3	C	92	CYS
3	C	93	GLN
3	C	94	HIS
3	C	101	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	112	ARG
3	C	125	SER
3	C	130	LYS
3	C	167	VAL
3	C	169	GLU
3	C	179	LEU
3	C	189	ASP
3	C	201	THR
4	D	1	GLU
4	D	20	LEU
4	D	48	VAL
4	D	76	ARG
4	D	96	CYS
4	D	100	ARG
4	D	105	ASP
4	D	111	THR
4	D	112	THR
4	D	163	LEU
4	D	188	VAL
4	D	213	LYS
1	E	2	ILE
1	E	30	ASP
1	E	34	ASP
1	E	42	GLN
1	E	57	ASN
1	E	71	SER
1	E	78	ASN
1	E	85	GLU
1	E	92	CYS
1	E	95	SER
1	E	101	THR
1	E	112	ARG
1	E	127	GLU
1	E	131	SER
1	E	133	THR
1	E	144	TYR
1	E	147	GLU
1	E	151	GLN
1	E	167	VAL
1	E	182	THR
1	E	194	LYS
2	F	5	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	12	VAL
2	F	21	SER
2	F	27	TYR
2	F	71	THR
2	F	100	ASP
2	F	104	ASP
2	F	115	LEU
2	F	142	THR
2	F	149	VAL
2	F	153	PHE
2	F	199	GLN
2	F	202	ILE
2	F	208	LYS
2	F	212	THR
2	F	216	LYS
2	F	217	LYS
3	G	13	VAL
3	G	17	GLN
3	G	20	THR
3	G	58	LEU
3	G	76	THR
3	G	85	GLU
3	G	112	ARG
3	G	133	THR
3	G	155	ASP
3	G	173	LYS
3	G	185	LEU
3	G	205	LEU
3	G	214	ASN
4	H	20	LEU
4	H	44	ARG
4	H	45	LEU
4	H	48	VAL
4	H	69	THR
4	H	76	ARG
4	H	96	CYS
4	H	98	ARG
4	H	104	PHE
4	H	105	ASP
4	H	112	THR
4	H	113	LEU
4	H	142	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	155	THR
4	H	157	SER
4	H	199	ILE
4	H	209	THR
4	H	212	ASP
5	X	9	GLU
5	X	18	LEU
5	X	56	HIS
5	X	64	CYS
5	X	77	THR
5	X	78	ILE
5	X	83	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	42	GLN
1	A	78	ASN
1	A	96	ASN
1	A	128	GLN
2	B	39	GLN
3	C	93	GLN
3	C	128	GLN
3	C	170	GLN
3	C	202	HIS
4	D	57	ASN
4	D	77	ASN
4	D	109	GLN
1	E	151	GLN
1	E	202	HIS
3	G	42	GLN
3	G	78	ASN
3	G	93	GLN
3	G	94	HIS
3	G	142	ASN
3	G	170	GLN
4	H	77	ASN
5	X	15	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PCA	F	1	2	7,8,9	0.57	0	9,10,12	1.17	1 (11%)
2	PCA	B	1	2	7,8,9	0.60	0	9,10,12	1.11	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCA	F	1	2	-	0/0/11/13	0/1/1/1
2	PCA	B	1	2	-	0/0/11/13	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	PCA	O-C-CA	-2.08	119.31	124.78
2	F	1	PCA	CB-CA-C	-2.02	109.93	112.70

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates i

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	I	1	6,5	14,14,15	0.73	0	17,19,21	2.30	5 (29%)
6	NAG	I	2	6	14,14,15	0.57	0	17,19,21	1.08	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	I	1	6,5	-	4/6/23/26	0/1/1/1
6	NAG	I	2	6	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	1	NAG	C1-O5-C5	5.23	119.27	112.19
6	I	1	NAG	C4-C3-C2	4.73	117.95	111.02
6	I	1	NAG	C3-C4-C5	3.47	116.42	110.24
6	I	1	NAG	O5-C5-C6	3.10	112.07	107.20
6	I	2	NAG	C1-O5-C5	2.74	115.90	112.19
6	I	1	NAG	C8-C7-N2	2.36	120.09	116.10
6	I	2	NAG	C4-C3-C2	2.35	114.47	111.02

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	I	1	NAG	C4-C5-C6-O6

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	I	1	NAG	C8-C7-N2-C2
6	I	1	NAG	O7-C7-N2-C2
6	I	1	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/218 (98%)	-0.19	1 (0%) 91 88	26, 53, 89, 99	0
1	E	215/218 (98%)	-0.06	1 (0%) 91 88	34, 69, 96, 99	0
2	B	219/229 (95%)	0.27	7 (3%) 47 42	39, 72, 99, 99	0
2	F	219/229 (95%)	0.01	7 (3%) 47 42	27, 64, 99, 99	0
3	C	215/218 (98%)	-0.43	0 100 100	16, 40, 66, 83	0
3	G	215/218 (98%)	0.19	3 (1%) 75 69	45, 75, 98, 99	0
4	D	217/226 (96%)	-0.40	2 (0%) 84 79	14, 39, 65, 96	0
4	H	217/226 (96%)	0.23	6 (2%) 53 47	50, 75, 97, 99	0
5	X	74/109 (67%)	0.07	2 (2%) 54 48	24, 46, 63, 66	0
All	All	1806/1891 (95%)	-0.04	29 (1%) 72 66	14, 62, 96, 99	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	H	214	LYS	4.2
2	F	220	PRO	3.7
2	F	215	ASP	3.2
4	H	116	SER	3.1
2	B	220	PRO	3.0
2	F	143	ALA	3.0
3	G	201	THR	3.0
2	B	87	THR	2.7
4	D	134	SER	2.7
2	F	195	SER	2.6
4	H	137	GLY	2.5
2	B	181	GLY	2.5
4	H	53	SER	2.5
5	X	35	GLN	2.4
1	A	197	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	135	SER	2.2
3	G	97	GLU	2.2
2	F	192	PRO	2.2
4	D	1	GLU	2.2
2	F	200	THR	2.2
3	G	127	GLU	2.2
1	E	212	SER	2.1
2	B	195	SER	2.1
2	B	43	LYS	2.0
2	B	203	CYS	2.0
4	H	209	THR	2.0
4	H	134	SER	2.0
2	B	219	GLU	2.0
5	X	38	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PCA	F	1	8/9	0.80	0.25	66,68,77,79	0
2	PCA	B	1	8/9	0.92	0.29	59,60,62,64	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	I	1	14/15	0.79	0.30	54,63,72,80	0
6	NAG	I	2	14/15	0.80	0.30	75,93,99,99	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.