



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 13, 2024 – 03:34 AM EDT

PDB ID : 1TMU
Title : Changes in interactions in complexes of hirudin derivatives and human alpha-thrombin due to different crystal forms
Authors : Priestle, J.P.; Gruetter, M.G.
Deposited on : 1994-05-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	28	
2	H	259	
3	J	11	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 2516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thrombin light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	28	232	145	37	49	1	0	0	0


- Molecule 2 is a protein called Thrombin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	257	2064	1316	364	370	14	0	0	0

- Molecule 3 is a protein called Hirudin variant-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	J	11	104	64	12	27	1	0	0	0

- Molecule 4 is D-phenylalanyl-N-[(2S,3S)-6-{{[amino(iminio)methyl]amino}}-1-chloro-2-hydroxyhexan-3-yl]-L-prolinamide (three-letter code: 0G6) (formula: C₂₁H₃₄ClN₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	H	1	30	21	6	3	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	H	1	14	8	1	5	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	L	3	3	3	0	0
6	H	69	69	69	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Thrombin light chain

Chain L: 



- Molecule 2: Thrombin heavy chain

Chain H: 



- Molecule 3: Hirudin variant-2

Chain J: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.90Å 107.50Å 45.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT, X-PLOR	Depositor
R, R_{free}	0.202 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2516	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 0G6, TYS, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	1.50	5/234 (2.1%)	1.83	7/310 (2.3%)
2	H	1.15	11/2119 (0.5%)	1.75	52/2871 (1.8%)
3	J	1.87	4/88 (4.5%)	2.19	3/115 (2.6%)
All	All	1.22	20/2441 (0.8%)	1.77	62/3296 (1.9%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	14(H)	GLU	CD-OE1	7.60	1.34	1.25
3	J	58	GLU	CD-OE2	7.36	1.33	1.25
2	H	127	GLU	CD-OE1	7.28	1.33	1.25
2	H	164	GLU	CD-OE2	6.93	1.33	1.25
2	H	39	GLU	CD-OE1	6.53	1.32	1.25
2	H	80	GLU	CD-OE2	6.39	1.32	1.25
2	H	97(A)	GLU	CD-OE1	6.38	1.32	1.25
1	L	13	GLU	CD-OE2	6.31	1.32	1.25
1	L	14(E)	GLU	CD-OE1	6.26	1.32	1.25
2	H	192	GLU	CD-OE1	6.14	1.32	1.25
3	J	57	GLU	CD-OE2	5.90	1.32	1.25
3	J	62	GLU	CD-OE2	5.67	1.31	1.25
2	H	86	GLU	CD-OE1	5.64	1.31	1.25
1	L	8	GLU	CD-OE1	5.60	1.31	1.25
2	H	93	ARG	NE-CZ	5.51	1.40	1.33
1	L	1(C)	GLU	CD-OE2	5.42	1.31	1.25
2	H	186(B)	GLU	CD-OE1	5.39	1.31	1.25
3	J	61	GLU	CD-OE2	5.34	1.31	1.25
2	H	61	GLU	CD-OE1	5.11	1.31	1.25
2	H	18	GLU	CD-OE2	5.01	1.31	1.25

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	55	ASP	CB-CG-OD1	11.38	128.54	118.30
3	J	55	ASP	CB-CG-OD2	-10.27	109.06	118.30
2	H	137	ARG	CD-NE-CZ	10.19	137.87	123.60
2	H	137	ARG	NE-CZ-NH1	9.80	125.20	120.30
2	H	74	THR	N-CA-CB	-9.65	91.96	110.30
2	H	170	ASP	CB-CG-OD2	-9.25	109.98	118.30
2	H	170	ASP	CB-CG-OD1	8.71	126.14	118.30
2	H	27	SER	CB-CA-C	-8.66	93.65	110.10
2	H	175	ARG	NE-CZ-NH2	8.48	124.54	120.30
2	H	93	ARG	CD-NE-CZ	8.46	135.44	123.60
3	J	55	ASP	CA-CB-CG	8.40	131.89	113.40
2	H	45	SER	N-CA-CB	-8.39	97.91	110.50
2	H	137	ARG	NE-CZ-NH2	-8.30	116.15	120.30
2	H	64	LEU	CB-CA-C	-8.27	94.48	110.20
2	H	176	ILE	N-CA-CB	-8.05	92.27	110.80
2	H	39	GLU	N-CA-CB	-7.62	96.88	110.60
2	H	125	ASP	CB-CG-OD1	7.59	125.13	118.30
2	H	221(A)	ARG	CA-CB-CG	-7.47	96.96	113.40
2	H	125	ASP	CB-CG-OD2	-7.34	111.69	118.30
2	H	73	ARG	NE-CZ-NH1	-7.24	116.68	120.30
2	H	175	ARG	NE-CZ-NH1	-7.08	116.76	120.30
1	L	4	ARG	NE-CZ-NH1	7.01	123.80	120.30
2	H	36(A)	SER	CB-CA-C	-6.83	97.13	110.10
2	H	60(E)	ASP	CB-CG-OD2	-6.72	112.25	118.30
2	H	178	ASP	CB-CG-OD2	-6.68	112.28	118.30
2	H	102	ASP	CB-CG-OD1	6.61	124.25	118.30
1	L	7	PHE	CB-CG-CD1	6.40	125.28	120.80
2	H	206	ARG	CB-CA-C	-6.27	97.86	110.40
2	H	222	ASP	CB-CG-OD2	6.26	123.93	118.30
2	H	165	ARG	NE-CZ-NH2	-6.20	117.20	120.30
2	H	194	ASP	CB-CG-OD1	-6.13	112.78	118.30
1	L	4	ARG	NE-CZ-NH2	-6.06	117.27	120.30
2	H	60(H)	PHE	CB-CG-CD2	6.02	125.02	120.80
2	H	143	ASN	CB-CA-C	-5.98	98.44	110.40
2	H	181	PHE	N-CA-CB	5.96	121.33	110.60
2	H	87	LYS	N-CA-CB	-5.89	100.00	110.60
1	L	7	PHE	CB-CG-CD2	-5.84	116.71	120.80
2	H	240	LYS	CB-CA-C	5.84	122.07	110.40
2	H	187	ARG	NE-CZ-NH2	5.74	123.17	120.30
2	H	206	ARG	NE-CZ-NH1	5.69	123.14	120.30
2	H	21	ASP	CA-CB-CG	-5.67	100.93	113.40
2	H	97	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	L	10	LYS	CB-CA-C	-5.61	99.19	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	49	ASP	CB-CG-OD2	5.60	123.34	118.30
2	H	154	VAL	N-CA-CB	-5.46	99.50	111.50
1	L	13	GLU	N-CA-CB	-5.45	100.79	110.60
2	H	221(A)	ARG	CG-CD-NE	-5.44	100.38	111.80
2	H	137	ARG	CG-CD-NE	5.41	123.17	111.80
2	H	148	TRP	N-CA-CB	-5.39	100.89	110.60
2	H	129(B)	SER	CB-CA-C	-5.35	99.93	110.10
2	H	21	ASP	CB-CA-C	-5.35	99.70	110.40
2	H	194	ASP	CB-CG-OD2	5.27	123.05	118.30
2	H	33	LEU	CB-CG-CD2	-5.27	102.04	111.00
2	H	222	ASP	CB-CG-OD1	-5.23	113.59	118.30
1	L	3	LEU	CA-CB-CG	-5.18	103.38	115.30
2	H	178	ASP	CB-CG-OD1	5.12	122.91	118.30
2	H	39	GLU	CA-CB-CG	5.12	124.67	113.40
2	H	149(C)	VAL	CA-CB-CG1	-5.12	103.22	110.90
2	H	221(A)	ARG	CD-NE-CZ	5.07	130.70	123.60
2	H	206	ARG	NE-CZ-NH2	-5.06	117.77	120.30
2	H	165	ARG	NE-CZ-NH1	5.05	122.83	120.30
2	H	102	ASP	CB-CG-OD2	-5.05	113.76	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	232	0	231	10	0
2	H	2064	0	2011	80	0
3	J	104	0	81	3	0
4	H	30	0	30	3	0
5	H	14	0	13	0	0
6	H	69	0	0	6	0
6	L	3	0	0	0	0
All	All	2516	0	2366	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 18.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:14(F):LEU:HD21	2:H:159:ASN:HD22	1.20	1.01
1:L:14(A):LYS:HE3	2:H:26:MET:HE3	1.55	0.88
1:L:14(F):LEU:CD2	2:H:159:ASN:HD22	1.91	0.84
2:H:233:ARG:HH11	2:H:233:ARG:HG2	1.42	0.83
2:H:60(I):THR:HG22	2:H:62:ASN:H	1.43	0.83
2:H:50:ARG:HH21	2:H:107:LYS:CE	1.99	0.76
2:H:186(D):LYS:NZ	2:H:186(D):LYS:HB3	2.02	0.74
1:L:14(F):LEU:HD21	2:H:159:ASN:ND2	1.99	0.73
4:H:1:OG6:HD22	6:H:264:HOH:O	1.87	0.73
2:H:146:GLU:OE1	2:H:221(A):ARG:HD2	1.90	0.71
2:H:50:ARG:HE	2:H:107:LYS:HE3	1.55	0.70
2:H:70:LYS:HB3	2:H:77:GLU:OE1	1.91	0.69
2:H:165:ARG:NH2	2:H:180:MET:O	2.26	0.68
2:H:87:LYS:HG2	2:H:89:TYR:CZ	2.30	0.66
2:H:31:VAL:HG22	2:H:68:ILE:HG12	1.77	0.66
2:H:130:LEU:HD12	2:H:210:MET:CE	2.25	0.66
3:J:63:TYS:O	3:J:65:GLN:N	2.27	0.66
2:H:71:HIS:ND1	6:H:310:HOH:O	2.28	0.65
2:H:50:ARG:HH21	2:H:107:LYS:HE2	1.62	0.62
2:H:189:ASP:OD2	6:H:292:HOH:O	2.16	0.61
2:H:233:ARG:HH11	2:H:233:ARG:CG	2.13	0.60
2:H:187:ARG:NH2	6:H:316:HOH:O	2.31	0.59
2:H:50:ARG:HE	2:H:107:LYS:CE	2.16	0.58
1:L:1:CYS:O	2:H:206:ARG:NH1	2.35	0.58
2:H:130:LEU:HD12	2:H:210:MET:HE2	1.86	0.57
2:H:186(D):LYS:HB3	2:H:186(D):LYS:HZ2	1.68	0.57
2:H:157:VAL:HG12	2:H:158:VAL:N	2.21	0.55
1:L:14(K):ILE:OXT	1:L:14(K):ILE:HG22	2.07	0.54
2:H:186(B):GLU:O	2:H:186(D):LYS:HG3	2.07	0.54
2:H:130:LEU:HD12	2:H:210:MET:HE3	1.89	0.54
2:H:159:ASN:O	2:H:160:LEU:HD23	2.08	0.53
2:H:235:LYS:O	2:H:239:GLN:HG2	2.09	0.53
2:H:96:TRP:CZ2	2:H:97:ARG:NH1	2.78	0.52
2:H:59:LEU:HD13	2:H:88:ILE:HG21	1.93	0.51
2:H:203:SER:HB3	2:H:204(B):ASN:ND2	2.27	0.50
2:H:86:GLU:HB3	2:H:107:LYS:O	2.12	0.50
2:H:22:ALA:HB2	2:H:157:VAL:HG23	1.94	0.49
2:H:45:SER:HB2	6:H:265:HOH:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:233:ARG:HG2	2:H:233:ARG:NH1	2.20	0.49
3:J:63:TYS:C	3:J:65:GLN:N	2.75	0.49
2:H:33:LEU:HB2	2:H:42:CYS:O	2.12	0.49
2:H:103:ILE:HG21	2:H:234:LEU:HD22	1.93	0.49
2:H:149(C):VAL:O	2:H:149(C):VAL:HG12	2.08	0.48
2:H:50:ARG:NH2	2:H:107:LYS:HE2	2.28	0.48
2:H:211:GLY:HA2	2:H:229:THR:O	2.14	0.48
1:L:14(A):LYS:HE3	2:H:26:MET:CE	2.37	0.47
2:H:35:ARG:CZ	2:H:37:PRO:HD2	2.44	0.47
2:H:198:PRO:HB2	2:H:200:VAL:HG13	1.96	0.47
2:H:43:GLY:O	2:H:196:GLY:HA3	2.15	0.47
2:H:98:ASN:O	2:H:99:LEU:HB2	2.15	0.47
2:H:233:ARG:CG	2:H:233:ARG:NH1	2.74	0.47
2:H:124:PRO:HD3	2:H:209:GLN:O	2.15	0.47
2:H:189:ASP:OD1	2:H:190:ALA:N	2.48	0.47
2:H:27:SER:HB2	6:H:285:HOH:O	2.14	0.46
2:H:26:MET:SD	2:H:157:VAL:HG21	2.56	0.46
2:H:35:ARG:NH1	2:H:36(A):SER:O	2.49	0.46
2:H:66:VAL:O	2:H:66:VAL:HG12	2.16	0.46
2:H:138:VAL:HG22	2:H:199:PHE:CD1	2.51	0.46
1:L:14(A):LYS:HG3	1:L:14(B):THR:HG23	1.97	0.46
2:H:176:ILE:HG22	2:H:176:ILE:O	2.15	0.46
2:H:240:LYS:HG2	2:H:244:GLN:HE22	1.80	0.46
2:H:186(D):LYS:HB3	2:H:186(D):LYS:HZ3	1.77	0.45
2:H:17:VAL:HG23	2:H:191:CYS:HB2	1.99	0.45
2:H:215:TRP:HA	4:H:1:OG6:HG21	1.99	0.44
2:H:137:ARG:HD3	2:H:157:VAL:HG13	2.00	0.44
2:H:33:LEU:HD23	2:H:33:LEU:HA	1.29	0.44
1:L:3:LEU:HA	1:L:3:LEU:HD23	1.58	0.43
1:L:14(A):LYS:CE	2:H:26:MET:HE3	2.38	0.43
2:H:91:HIS:HA	2:H:92:PRO:HD2	1.86	0.43
2:H:60(I):THR:HG22	2:H:61:GLU:N	2.32	0.43
2:H:99:LEU:HD12	2:H:215:TRP:HB3	1.99	0.43
2:H:85:LEU:HD22	2:H:106:MET:HB3	2.01	0.43
2:H:60(D):TRP:O	2:H:60(E):ASP:HB2	2.17	0.42
2:H:212:ILE:O	2:H:228:TYR:HA	2.19	0.42
2:H:101:ARG:HG2	2:H:234:LEU:HD21	2.01	0.42
2:H:50:ARG:HH21	2:H:107:LYS:NZ	2.17	0.42
2:H:60(I):THR:HG22	2:H:62:ASN:N	2.23	0.42
2:H:85:LEU:HD23	2:H:108:LEU:HD23	2.00	0.42
2:H:88:ILE:HG12	2:H:106:MET:HG2	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:240:LYS:HG2	2:H:244:GLN:NE2	2.34	0.41
2:H:60(I):THR:CG2	2:H:61:GLU:N	2.83	0.41
2:H:206:ARG:HB2	2:H:208:TYR:CE1	2.56	0.41
2:H:24:ILE:HD12	2:H:24:ILE:HG23	1.70	0.41
2:H:139:THR:HA	2:H:156:GLN:O	2.21	0.41
2:H:33:LEU:HD12	2:H:42:CYS:HB2	2.03	0.41
3:J:65:GLN:HA	3:J:65:GLN:OE1	2.21	0.41
2:H:215:TRP:HA	4:H:1:OG6:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	26/28 (93%)	24 (92%)	2 (8%)	0	100	100
2	H	255/259 (98%)	243 (95%)	11 (4%)	1 (0%)	30	49
3	J	8/11 (73%)	7 (88%)	1 (12%)	0	100	100
All	All	289/298 (97%)	274 (95%)	14 (5%)	1 (0%)	37	56

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	186(C)	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	26/26 (100%)	21 (81%)	5 (19%)	1	2
2	H	220/225 (98%)	188 (86%)	32 (14%)	2	5
3	J	10/10 (100%)	8 (80%)	2 (20%)	1	2
All	All	256/261 (98%)	217 (85%)	39 (15%)	2	4

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(C)	GLU
1	L	1(A)	ASP
1	L	6	LEU
1	L	14(E)	GLU
1	L	14(G)	LEU
2	H	33	LEU
2	H	35	ARG
2	H	40	LEU
2	H	48	SER
2	H	60	LEU
2	H	60(E)	ASP
2	H	64	LEU
2	H	66	VAL
2	H	70	LYS
2	H	74	THR
2	H	86	GLU
2	H	87	LYS
2	H	97	ARG
2	H	109	LYS
2	H	126	ARG
2	H	128	THR
2	H	130	LEU
2	H	137	ARG
2	H	154	VAL
2	H	164	GLU
2	H	165	ARG
2	H	169	LYS
2	H	176	ILE
2	H	182	CYS
2	H	186(D)	LYS
2	H	204(B)	ASN
2	H	221(A)	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	224	LYS
2	H	233	ARG
2	H	234	LEU
2	H	240	LYS
2	H	244	GLN
3	J	58	GLU
3	J	62	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	159	ASN
2	H	204(B)	ASN
2	H	244	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TYS	J	63	3	15,16,17	1.80	2 (13%)	15,22,24	1.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	J	63	3	-	0/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	J	63	TYS	OH-S	-4.58	1.49	1.58
3	J	63	TYS	OH-CZ	-3.94	1.36	1.42

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	J	63	TYS	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OG6	H	1	2	30,31,32	0.85	1 (3%)	37,41,42	1.28	7 (18%)
5	NAG	H	250	2	14,14,15	1.05	1 (7%)	17,19,21	1.94	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	0G6	H	1	2	-	4/31/41/43	0/2/2/2
5	NAG	H	250	2	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	250	NAG	C1-C2	-2.53	1.48	1.52
4	H	1	0G6	CA1-N1	-2.25	1.42	1.47

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	250	NAG	C2-N2-C7	4.19	128.52	122.90
4	H	1	0G6	CD-N1-CA1	3.18	117.00	112.01
5	H	250	NAG	C6-C5-C4	-3.06	105.51	113.02
5	H	250	NAG	C3-C4-C5	-2.80	105.15	110.23
4	H	1	0G6	CB2-CA2-N2	2.63	113.71	110.30
4	H	1	0G6	CG2-CB2-CA2	-2.54	109.10	113.94
4	H	1	0G6	C2-CA2-N2	-2.51	106.34	110.90
5	H	250	NAG	O7-C7-N2	2.45	126.31	121.98
5	H	250	NAG	O5-C1-C2	-2.40	107.58	111.29
5	H	250	NAG	C8-C7-N2	-2.19	112.48	116.12
5	H	250	NAG	O4-C4-C3	2.19	115.55	110.38
4	H	1	0G6	NE-CZ1-NH2	-2.17	116.95	120.67
4	H	1	0G6	CB-CA-N	-2.14	103.19	111.40
4	H	1	0G6	CB1-CA1-C1	-2.02	106.92	111.21

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	H	1	0G6	NE-CD3-CG2-CB2
5	H	250	NAG	O5-C5-C6-O6
5	H	250	NAG	C4-C5-C6-O6
4	H	1	0G6	CA2-CB2-CG2-CD3
4	H	1	0G6	N2-CA2-CB2-CG2
4	H	1	0G6	O2-C2-CA2-CB2

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	1	0G6	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.