



# Full wwPDB X-ray Structure Validation Report

(i)

Jan 16, 2024 – 03:22 am GMT

PDB ID : 6TOS

Title : Crystal structure of the Orexin-1 receptor in complex with GSK1059865

Authors : Rappas, M.; Ali, A.; Bennett, K.A.; Brown, J.D.; Bucknell, S.J.; Congreve, M.; Cooke, R.M.; Cseke, G.; de Graaf, C.; Dore, A.S.; Errey, J.C.; Jazayeri, A.; Marshall, F.H.; Mason, J.S.; Mould, R.; Patel, J.C.; Tehan, B.G.; Weir, M.; Christopher, J.A.

Deposited on : 2019-12-11

Resolution : 2.13 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36


# 1 Overall quality at a glance [\(i\)](#)

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2523 (2.16-2.12)
Clashscore	141614	2653 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CIT	A	403	-	-	-	X
6	SOG	A	411	-	-	-	X
6	SOG	B	410	-	-	-	X
6	SOG	B	413	-	-	-	X
6	SOG	B	418	-	-	-	X
8	PGW	B	404	X	-	-	-

## 2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 5708 atoms, of which 46 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orexin receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	302	2444	1626	404	397	17	0	2	0
1	B	307	2458	1631	412	398	17	0	2	0

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ALA	-	expression tag	UNP O43613
A	26	ALA	-	expression tag	UNP O43613
A	27	SER	-	expression tag	UNP O43613
A	46	ALA	GLU	engineered mutation	UNP O43613
A	85	LEU	ILE	engineered mutation	UNP O43613
A	95	ALA	VAL	engineered mutation	UNP O43613
A	162	LEU	ARG	engineered mutation	UNP O43613
A	194	ALA	ASN	engineered mutation	UNP O43613
A	198	ALA	LEU	engineered mutation	UNP O43613
A	211	ALA	TYR	engineered mutation	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	VAL	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ASN	deletion	UNP O43613
A	?	-	TRP	deletion	UNP O43613
A	?	-	LYS	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	ASP	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	ASP	deletion	UNP O43613

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	?	-	SER	deletion	UNP O43613
A	?	-	GLY	deletion	UNP O43613
A	?	-	GLU	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	GLN	deletion	UNP O43613
A	?	-	PRO	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	ARG	deletion	UNP O43613
A	?	-	ALA	deletion	UNP O43613
A	?	-	PHE	deletion	UNP O43613
A	?	-	LEU	deletion	UNP O43613
A	304	VAL	LEU	engineered mutation	UNP O43613
A	339	ALA	CYS	engineered mutation	UNP O43613
A	375	TRP	CYS	engineered mutation	UNP O43613
A	376	TRP	CYS	engineered mutation	UNP O43613
A	381	ALA	-	expression tag	UNP O43613
A	382	ALA	-	expression tag	UNP O43613
A	383	ALA	-	expression tag	UNP O43613
A	384	HIS	-	expression tag	UNP O43613
A	385	HIS	-	expression tag	UNP O43613
A	386	HIS	-	expression tag	UNP O43613
A	387	HIS	-	expression tag	UNP O43613
A	388	HIS	-	expression tag	UNP O43613
A	389	HIS	-	expression tag	UNP O43613
A	390	HIS	-	expression tag	UNP O43613
A	391	HIS	-	expression tag	UNP O43613
A	392	HIS	-	expression tag	UNP O43613
B	25	ALA	-	expression tag	UNP O43613
B	26	ALA	-	expression tag	UNP O43613
B	27	SER	-	expression tag	UNP O43613
B	46	ALA	GLU	engineered mutation	UNP O43613
B	85	LEU	ILE	engineered mutation	UNP O43613
B	95	ALA	VAL	engineered mutation	UNP O43613
B	162	LEU	ARG	engineered mutation	UNP O43613
B	194	ALA	ASN	engineered mutation	UNP O43613
B	198	ALA	LEU	engineered mutation	UNP O43613

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	211	ALA	TYR	engineered mutation	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	VAL	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ASN	deletion	UNP O43613
B	?	-	TRP	deletion	UNP O43613
B	?	-	LYS	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	ASP	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	?	-	SER	deletion	UNP O43613
B	?	-	GLY	deletion	UNP O43613
B	?	-	GLU	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	GLN	deletion	UNP O43613
B	?	-	PRO	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	ARG	deletion	UNP O43613
B	?	-	ALA	deletion	UNP O43613
B	?	-	PHE	deletion	UNP O43613
B	?	-	LEU	deletion	UNP O43613
B	304	VAL	LEU	engineered mutation	UNP O43613
B	339	ALA	CYS	engineered mutation	UNP O43613
B	375	TRP	CYS	engineered mutation	UNP O43613
B	376	TRP	CYS	engineered mutation	UNP O43613
B	381	ALA	-	expression tag	UNP O43613
B	382	ALA	-	expression tag	UNP O43613
B	383	ALA	-	expression tag	UNP O43613
B	384	HIS	-	expression tag	UNP O43613
B	385	HIS	-	expression tag	UNP O43613

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	386	HIS	-	expression tag	UNP O43613
B	387	HIS	-	expression tag	UNP O43613
B	388	HIS	-	expression tag	UNP O43613
B	389	HIS	-	expression tag	UNP O43613
B	390	HIS	-	expression tag	UNP O43613
B	391	HIS	-	expression tag	UNP O43613
B	392	HIS	-	expression tag	UNP O43613

- Molecule 2 is [(2 {S},5 {S})-2-[(5-bromanylpyridin-2-yl)amino]methyl]-5-methyl-piperidin-1-yl]-3-fluoranyl-2-methoxy-phenyl)methanone (three-letter code: NRE) (formula: C<sub>20</sub>H<sub>23</sub>BrFN<sub>3</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms								ZeroOcc	AltConf
2	A	1	Total	Br	C	F	H	N	O			
			50	1	20	1	23	3	2			
2	B	1	Total	Br	C	F	H	N	O			
			50	1	20	1	23	3	2			

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	9	6	3	0	0

- Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	13	6	7	0	0
4	A	1	13	6	7	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O S 5 4 1	0	0
5	A	1	Total O S 5 4 1	0	0
5	B	1	Total O S 5 4 1	0	0
5	B	1	Total O S 5 4 1	0	0

- Molecule 6 is octyl 1-thio-beta-D-glucopyranoside (three-letter code: SOG) (formula: C<sub>14</sub>H<sub>28</sub>O<sub>5</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C 5 5	0	0
6	A	1	Total C 8 8	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 14 8 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	A	1	Total C O S 14 8 5 1	0	0
6	A	1	Total C S 8 7 1	0	0
6	A	1	Total C O S 18 12 5 1	0	0
6	A	1	Total C S 6 5 1	0	0
6	A	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 13 7 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C S 10 9 1	0	0
6	B	1	Total C S 5 4 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C 6 6	0	0
6	B	1	Total C S 6 5 1	0	0
6	B	1	Total C O S 15 9 5 1	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C S 9 8 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0
6	B	1	Total C O S 20 14 5 1	0	0

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Na 1 1	0	0

- Molecule 8 is (1R)-2-{{(S)-{[(2S)-2,3-dihydroxypropyl]oxy}(hydroxy)phosphoryl]oxy}-1-[(hexadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (three-letter code: PGW) (formula: C<sub>40</sub>H<sub>77</sub>O<sub>10</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C O P 51 40 10 1	0	0
8	B	1	Total C O P 51 40 10 1	0	0



- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	67	Total O 67 67	0	0
9	B	84	Total O 84 84	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Orexin receptor type 1



- Molecule 1: Orexin receptor type 1



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.69 Å    146.19 Å    71.51 Å 90.00°    112.43°    90.00°	Depositor
Resolution (Å)	30.47 – 2.13 49.03 – 2.12	Depositor EDS
% Data completeness (in resolution range)	71.1 (30.47-2.13) 82.9 (49.03-2.12)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.46 (at 2.12 Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
$R$ , $R_{free}$	0.193 , 0.218 0.215 , 0.238	Depositor DCC
$R_{free}$ test set	3031 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtriage
Anisotropy	0.340	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 63.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5708	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NRE, SO4, SOG, CIT, PGW, PG4, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/2520	0.63	1/3432 (0.0%)
1	B	0.56	1/2534 (0.0%)	0.62	1/3456 (0.0%)
All	All	0.55	1/5054 (0.0%)	0.63	2/6888 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	41	TYR	C-N	8.76	1.50	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	LEU	N-CA-C	-5.53	96.06	111.00
1	A	77	MET	CB-CA-C	-5.33	99.74	110.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2444	0	2490	10	0
1	B	2458	0	2530	19	0
2	A	27	23	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	27	23	0	0	0
3	A	9	0	11	0	0
4	A	26	0	10	0	0
5	A	10	0	0	0	0
5	B	10	0	0	0	0
6	A	173	0	225	4	0
6	B	224	0	305	7	0
7	A	1	0	0	0	0
8	B	102	0	152	7	0
9	A	67	0	0	0	0
9	B	84	0	0	1	0
All	All	5662	46	5723	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ALA:HB2	8:B:404:PGW:H7A	1.62	0.79
1:B:174:ALA:HB1	8:B:405:PGW:H8	1.78	0.65
1:B:77:MET:HE1	1:B:368:GLN:HG3	1.80	0.64
1:B:156:SER:HB2	6:B:416:SOG:H5'1	1.80	0.62
1:B:41:TYR:HA	1:B:108:ILE:O	2.01	0.60
1:B:83:TYR:HE2	1:B:158:ALA:HB1	1.69	0.56
1:B:77:MET:CE	1:B:368:GLN:HG3	2.38	0.53
1:B:83:TYR:CE2	1:B:158:ALA:HB1	2.43	0.53
1:A:100:LEU:HD12	1:A:348:TYR:HB3	1.93	0.51
6:B:416:SOG:H7'1	9:B:580:HOH:O	2.10	0.51
1:A:221:ILE:HD12	1:B:221:ILE:HD13	1.93	0.51
1:B:171:VAL:HG21	6:B:412:SOG:H4'2	1.93	0.49
1:A:83:TYR:HE2	1:A:158:ALA:HB1	1.79	0.48
6:A:414:SOG:H3	6:B:408:SOG:H4	1.96	0.47
1:A:116[B]:HIS:CD2	1:A:185:CYS:HB3	2.49	0.47
1:B:100:LEU:HD12	1:B:348:TYR:HB3	1.97	0.47
1:B:164:SER:HA	6:B:412:SOG:H1	1.98	0.46
6:A:408:SOG:H8'3	1:B:229:GLY:HA2	1.97	0.45
1:A:83:TYR:CE2	1:A:158:ALA:HB1	2.52	0.45
1:A:234:ALA:HB2	8:B:405:PGW:H9	1.98	0.44
1:B:177:VAL:HG12	8:B:405:PGW:H3A	2.00	0.44
1:B:70:ALA:HB1	1:B:77:MET:HE1	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:ILE:O	1:B:54:VAL:HG23	2.19	0.43
1:B:301:MET:HB3	6:B:420:SOG:H7'1	2.02	0.42
1:A:233:MET:SD	8:B:405:PGW:H01	2.60	0.42
1:B:146:TYR:HB2	6:B:416:SOG:H6'1	2.00	0.42
1:A:233:MET:HB3	8:B:405:PGW:H2A	2.01	0.42
1:A:120:LYS:HD3	6:A:413:SOG:H1	2.02	0.42
1:A:291:ARG:HE	1:A:295:LYS:HZ1	1.68	0.41
1:B:77:MET:SD	1:B:364:LYS:HB3	2.60	0.41
6:A:408:SOG:S1	8:B:404:PGW:H20A	2.60	0.41

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	298/336 (89%)	293 (98%)	5 (2%)	0	100 100
1	B	307/336 (91%)	302 (98%)	5 (2%)	0	100 100
All	All	605/672 (90%)	595 (98%)	10 (2%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/279 (92%)	255 (99%)	2 (1%)	81	85
1	B	258/279 (92%)	258 (100%)	0	100	100
All	All	515/558 (92%)	513 (100%)	2 (0%)	91	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	LEU
1	A	156	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	350	ASN
1	A	368	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 39 ligands modelled in this entry, 1 is monoatomic - leaving 38 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	SOG	B	409	-	20,20,20	0.46	0	24,25,25	0.65	0
6	SOG	B	415	-	15,15,20	0.39	0	18,20,25	0.51	0
6	SOG	B	420	-	20,20,20	0.31	0	24,25,25	0.33	0
8	PGW	B	405	-	50,50,50	0.30	0	53,56,56	0.36	0
6	SOG	A	414	-	14,14,20	0.32	0	18,19,25	0.81	1 (5%)
4	CIT	A	404	-	12,12,12	1.21	1 (8%)	17,17,17	1.32	2 (11%)
6	SOG	A	409	-	4,4,20	0.15	0	3,3,25	0.20	0
5	SO4	A	405	-	4,4,4	0.26	0	6,6,6	0.43	0
6	SOG	B	413	-	5,5,20	0.15	0	4,4,25	0.09	0
6	SOG	B	419	-	20,20,20	0.32	0	24,25,25	0.38	0
6	SOG	B	418	-	20,20,20	0.37	0	24,25,25	0.40	0
6	SOG	A	418	-	20,20,20	0.36	0	24,25,25	0.32	0
6	SOG	B	408	-	20,20,20	0.41	0	24,25,25	0.78	1 (4%)
6	SOG	B	412	-	20,20,20	0.31	0	24,25,25	0.41	0
6	SOG	A	417	-	5,5,20	0.30	0	3,4,25	0.18	0
6	SOG	B	410	-	9,9,20	0.20	0	8,8,25	0.10	0
3	PG4	A	402	-	8,8,12	0.18	0	7,7,11	0.23	0
6	SOG	B	407	-	12,13,20	0.60	0	16,18,25	0.46	0
8	PGW	B	404	-	50,50,50	0.32	0	53,56,56	0.35	0
4	CIT	A	403	-	12,12,12	1.21	1 (8%)	17,17,17	1.36	2 (11%)
6	SOG	A	411	-	20,20,20	0.33	0	24,25,25	0.44	0
6	SOG	A	416	-	18,18,20	0.33	0	22,23,25	0.67	1 (4%)
6	SOG	A	412	-	14,14,20	0.44	0	18,19,25	0.90	2 (11%)
2	NRE	B	401	-	29,29,29	1.23	4 (13%)	35,40,40	1.45	4 (11%)
6	SOG	B	417	-	20,20,20	0.35	0	24,25,25	0.29	0
6	SOG	A	408	-	20,20,20	0.35	0	24,25,25	0.44	0
6	SOG	B	414	-	5,5,20	0.33	0	3,4,25	0.12	0
5	SO4	B	403	-	4,4,4	0.19	0	6,6,6	0.39	0
6	SOG	A	413	-	20,20,20	0.40	0	24,25,25	0.62	0
6	SOG	B	411	-	4,4,20	0.39	0	3,3,25	0.08	0
6	SOG	B	416	-	8,8,20	0.21	0	7,7,25	0.41	0
6	SOG	A	407	-	20,20,20	0.40	0	24,25,25	0.36	0
5	SO4	A	406	-	4,4,4	0.08	0	6,6,6	0.19	0
5	SO4	B	402	-	4,4,4	0.22	0	6,6,6	0.39	0
6	SOG	B	406	-	20,20,20	0.31	0	24,25,25	0.51	0
6	SOG	A	410	-	7,7,20	0.12	0	6,6,25	0.09	0
2	NRE	A	401	-	29,29,29	1.28	4 (13%)	35,40,40	1.51	4 (11%)
6	SOG	A	415	-	7,7,20	0.23	0	6,6,25	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.  
 '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SOG	B	409	-	-	10/11/31/31	0/1/1/1
6	SOG	B	415	-	-	3/6/26/31	0/1/1/1
6	SOG	B	420	-	-	7/11/31/31	0/1/1/1
8	PGW	B	405	-	-	29/55/55/55	-
6	SOG	A	414	-	-	2/5/25/31	0/1/1/1
4	CIT	A	404	-	-	2/16/16/16	-
6	SOG	A	409	-	-	1/2/2/31	-
6	SOG	B	413	-	-	2/3/3/31	-
6	SOG	B	419	-	-	7/11/31/31	0/1/1/1
6	SOG	B	418	-	-	8/11/31/31	0/1/1/1
6	SOG	A	418	-	-	5/11/31/31	0/1/1/1
6	SOG	B	408	-	-	5/11/31/31	0/1/1/1
6	SOG	B	412	-	-	4/11/31/31	0/1/1/1
6	SOG	A	417	-	-	0/3/3/31	-
6	SOG	B	410	-	-	2/7/7/31	-
3	PG4	A	402	-	-	5/6/6/10	-
6	SOG	B	407	-	-	2/4/24/31	0/1/1/1
8	PGW	B	404	-	1/1/5/7	29/55/55/55	-
4	CIT	A	403	-	-	10/16/16/16	-
6	SOG	A	411	-	-	5/11/31/31	0/1/1/1
6	SOG	A	416	-	-	4/9/29/31	0/1/1/1
6	SOG	A	412	-	-	2/5/25/31	0/1/1/1
2	NRE	B	401	-	-	1/15/28/28	0/3/3/3
6	SOG	B	417	-	-	10/11/31/31	0/1/1/1
6	SOG	A	408	-	-	4/11/31/31	0/1/1/1
6	SOG	B	414	-	-	1/3/3/31	-
6	SOG	A	413	-	-	8/11/31/31	0/1/1/1
6	SOG	B	411	-	-	0/2/2/31	-
6	SOG	B	416	-	-	2/6/6/31	-
6	SOG	A	407	-	-	4/11/31/31	0/1/1/1
6	SOG	B	406	-	-	4/11/31/31	0/1/1/1
6	SOG	A	410	-	-	5/5/5/31	-
2	NRE	A	401	-	-	1/15/28/28	0/3/3/3
6	SOG	A	415	-	-	3/5/5/31	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NRE	C17-N11	2.93	1.50	1.47
2	A	401	NRE	C12-N11	2.84	1.50	1.46
2	A	401	NRE	C20-N19	2.81	1.40	1.36
2	B	401	NRE	C12-N11	2.74	1.50	1.46
2	B	401	NRE	C20-N19	2.73	1.40	1.36
4	A	404	CIT	C3-C6	2.59	1.56	1.53
4	A	403	CIT	C3-C6	2.46	1.56	1.53
2	B	401	NRE	C17-N11	2.29	1.50	1.47
2	A	401	NRE	C20-N25	2.16	1.38	1.34
2	B	401	NRE	O2-C3	2.01	1.42	1.38

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NRE	C1-O2-C3	4.39	126.82	114.78
2	A	401	NRE	C1-O2-C3	3.64	124.76	114.78
4	A	403	CIT	O5-C6-C3	-3.43	117.39	122.25
2	A	401	NRE	C8-C9-N11	3.32	122.51	117.92
4	A	404	CIT	O5-C6-C3	-3.23	117.67	122.25
2	A	401	NRE	O10-C9-C8	-3.22	113.57	120.06
2	B	401	NRE	F27-C4-C3	3.00	121.69	117.58
4	A	403	CIT	O6-C6-C3	2.79	117.90	113.05
2	A	401	NRE	F27-C4-C3	2.70	121.28	117.58
4	A	404	CIT	O6-C6-C3	2.62	117.60	113.05
2	B	401	NRE	O10-C9-C8	-2.60	114.82	120.06
2	B	401	NRE	C8-C9-N11	2.32	121.12	117.92
6	B	408	SOG	C4-C3-C2	2.30	114.84	110.82
6	A	412	SOG	C4-C3-C2	2.09	114.47	110.82
6	A	414	SOG	C3-C4-C5	2.07	113.93	110.24
6	A	416	SOG	C4-C3-C2	2.06	114.41	110.82
6	A	412	SOG	C3-C4-C5	2.01	113.83	110.24

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	B	404	PGW	C05

All (187) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	403	CIT	C2-C3-C4-C5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	403	CIT	O7-C3-C4-C5
4	A	403	CIT	C6-C3-C4-C5
4	A	403	CIT	C4-C3-C6-O6
6	A	413	SOG	C2-C1-S1-C1'
6	A	413	SOG	O5-C1-S1-C1'
6	B	408	SOG	C2'-C1'-S1-C1
6	B	409	SOG	C2-C1-S1-C1'
6	B	409	SOG	C2'-C1'-S1-C1
6	B	419	SOG	C2'-C1'-S1-C1
8	B	404	PGW	C06-C10-C9-C8
8	B	405	PGW	C03-O11-P-O13
8	B	405	PGW	C04-O12-P-O14
8	B	405	PGW	C06-C10-C9-C8
8	B	404	PGW	O04-C19-O03-C01
6	B	419	SOG	C4-C5-C6-O6
8	B	404	PGW	C20-C19-O03-C01
6	A	408	SOG	S1-C1'-C2'-C3'
6	A	418	SOG	S1-C1'-C2'-C3'
6	B	412	SOG	S1-C1'-C2'-C3'
6	B	417	SOG	S1-C1'-C2'-C3'
6	B	408	SOG	C4-C5-C6-O6
6	A	418	SOG	O5-C5-C6-O6
6	B	420	SOG	O5-C5-C6-O6
8	B	405	PGW	C20-C19-O03-C01
6	A	412	SOG	C4-C5-C6-O6
6	B	417	SOG	O5-C5-C6-O6
8	B	405	PGW	O04-C19-O03-C01
6	A	416	SOG	O5-C5-C6-O6
6	A	414	SOG	O5-C5-C6-O6
6	B	409	SOG	O5-C5-C6-O6
6	B	419	SOG	O5-C5-C6-O6
6	A	412	SOG	O5-C5-C6-O6
6	B	418	SOG	O5-C5-C6-O6
6	B	408	SOG	O5-C5-C6-O6
6	B	407	SOG	O5-C5-C6-O6
6	B	418	SOG	C4-C5-C6-O6
6	A	414	SOG	C4-C5-C6-O6
6	A	408	SOG	O5-C5-C6-O6
6	B	409	SOG	C4-C5-C6-O6
6	A	415	SOG	C1'-C2'-C3'-C4'
6	B	410	SOG	C1'-C2'-C3'-C4'
6	B	417	SOG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	B	404	PGW	C1-C2-C3-C4
6	A	418	SOG	C4-C5-C6-O6
6	B	420	SOG	C4-C5-C6-O6
6	A	407	SOG	S1-C1'-C2'-C3'
6	B	407	SOG	C4-C5-C6-O6
8	B	405	PGW	C03-O11-P-O12
6	B	406	SOG	C1'-C2'-C3'-C4'
6	B	409	SOG	C1'-C2'-C3'-C4'
8	B	405	PGW	O02-C1-O01-C02
6	A	416	SOG	C4-C5-C6-O6
8	B	405	PGW	C2-C1-O01-C02
6	B	417	SOG	C1'-C2'-C3'-C4'
2	B	401	NRE	C8-C3-O2-C1
8	B	405	PGW	C06-C07-C08-C09
6	A	408	SOG	C4'-C5'-C6'-C7'
4	A	403	CIT	C1-C2-C3-O7
8	B	404	PGW	C23-C24-C25-C26
6	B	419	SOG	C3'-C4'-C5'-C6'
8	B	404	PGW	C07-C08-C09-C11
8	B	405	PGW	C23-C24-C25-C26
2	A	401	NRE	C8-C3-O2-C1
6	A	415	SOG	C2'-C3'-C4'-C5'
8	B	405	PGW	C08-C09-C11-C12
8	B	405	PGW	C09-C11-C12-C13
6	A	410	SOG	C4'-C5'-C6'-C7'
6	A	418	SOG	C2'-C3'-C4'-C5'
6	B	406	SOG	C4'-C5'-C6'-C7'
6	A	411	SOG	C2'-C3'-C4'-C5'
6	B	409	SOG	C3'-C4'-C5'-C6'
6	B	417	SOG	C2'-C3'-C4'-C5'
8	B	404	PGW	C20-C21-C22-C23
8	B	404	PGW	C2-C3-C4-C5
8	B	404	PGW	C09-C11-C12-C13
8	B	404	PGW	C16-C15-C27-C26
6	A	413	SOG	C4'-C5'-C6'-C7'
8	B	405	PGW	C27-C15-C16-C17
6	B	412	SOG	C4'-C5'-C6'-C7'
6	B	412	SOG	O5-C5-C6-O6
6	B	417	SOG	C3'-C4'-C5'-C6'
6	B	417	SOG	C4'-C5'-C6'-C7'
6	B	419	SOG	C2'-C3'-C4'-C5'
6	B	415	SOG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	B	405	PGW	C10-C06-C07-C08
6	A	411	SOG	C1'-C2'-C3'-C4'
6	B	412	SOG	C1'-C2'-C3'-C4'
6	B	406	SOG	O5-C5-C6-O6
8	B	404	PGW	C16-C17-C18-C28
4	A	403	CIT	C1-C2-C3-C4
8	B	405	PGW	C2-C3-C4-C5
6	B	416	SOG	C2'-C3'-C4'-C5'
8	B	404	PGW	C25-C26-C27-C15
8	B	404	PGW	C3-C4-C5-C6
8	B	405	PGW	C16-C17-C18-C28
8	B	404	PGW	C22-C23-C24-C25
8	B	404	PGW	C19-C20-C21-C22
6	B	409	SOG	C5'-C6'-C7'-C8'
6	B	418	SOG	C4'-C5'-C6'-C7'
6	A	413	SOG	C5'-C6'-C7'-C8'
8	B	404	PGW	C6-C7-C8-C9
8	B	405	PGW	C6-C7-C8-C9
6	B	418	SOG	C5'-C6'-C7'-C8'
6	B	409	SOG	C2'-C3'-C4'-C5'
6	A	410	SOG	C2'-C3'-C4'-C5'
8	B	405	PGW	C18-C28-C30-C29
6	A	411	SOG	C5'-C6'-C7'-C8'
6	A	410	SOG	C3'-C4'-C5'-C6'
6	B	408	SOG	C4'-C5'-C6'-C7'
6	A	411	SOG	S1-C1'-C2'-C3'
6	A	407	SOG	C2'-C3'-C4'-C5'
6	A	410	SOG	C1'-C2'-C3'-C4'
6	B	415	SOG	O5-C5-C6-O6
8	B	405	PGW	C07-C08-C09-C11
3	A	402	PG4	C6-C5-O3-C4
4	A	403	CIT	O7-C3-C6-O6
4	A	403	CIT	C4-C3-C6-O5
6	B	419	SOG	C5'-C6'-C7'-C8'
6	B	420	SOG	C5'-C6'-C7'-C8'
6	B	418	SOG	C2'-C3'-C4'-C5'
6	A	407	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	C20-C21-C22-C23
6	A	416	SOG	S1-C1'-C2'-C3'
6	B	406	SOG	C5'-C6'-C7'-C8'
6	B	414	SOG	C2-C1-S1-C1'
6	B	413	SOG	C5'-C6'-C7'-C8'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	B	420	SOG	C4'-C5'-C6'-C7'
8	B	405	PGW	C17-C18-C28-C30
6	B	409	SOG	O5-C1-S1-C1'
8	B	405	PGW	C04-O12-P-O11
3	A	402	PG4	C3-C4-O3-C5
8	B	405	PGW	C05-C04-O12-P
8	B	404	PGW	C01-C02-C03-O11
6	A	407	SOG	C5'-C6'-C7'-C8'
6	A	408	SOG	C4-C5-C6-O6
6	B	416	SOG	C5'-C6'-C7'-C8'
6	B	417	SOG	C2-C1-S1-C1'
6	B	418	SOG	C2-C1-S1-C1'
3	A	402	PG4	C1-C2-O2-C3
6	B	418	SOG	C3'-C4'-C5'-C6'
4	A	403	CIT	C2-C3-C6-O6
6	B	413	SOG	C4'-C5'-C6'-C7'
8	B	404	PGW	C15-C16-C17-C18
6	A	418	SOG	C4'-C5'-C6'-C7'
3	A	402	PG4	O1-C1-C2-O2
8	B	404	PGW	C17-C18-C28-C30
6	B	420	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	O03-C01-C02-O01
8	B	404	PGW	C04-O12-P-O11
6	B	418	SOG	S1-C1'-C2'-C3'
6	A	413	SOG	C1'-C2'-C3'-C4'
4	A	404	CIT	C2-C3-C4-C5
6	B	409	SOG	S1-C1'-C2'-C3'
6	A	410	SOG	C5'-C6'-C7'-C8'
6	A	416	SOG	C2'-C3'-C4'-C5'
6	B	417	SOG	C5'-C6'-C7'-C8'
4	A	403	CIT	C2-C3-C6-O5
8	B	405	PGW	C19-C20-C21-C22
6	A	413	SOG	C2'-C3'-C4'-C5'
6	B	410	SOG	C5'-C6'-C7'-C8'
6	B	415	SOG	S1-C1'-C2'-C3'
6	A	411	SOG	C4'-C5'-C6'-C7'
6	A	415	SOG	C3'-C4'-C5'-C6'
8	B	405	PGW	C07-C06-C10-C9
6	B	420	SOG	S1-C1'-C2'-C3'
8	B	404	PGW	O01-C02-C03-O11
6	B	420	SOG	C2'-C3'-C4'-C5'
6	A	413	SOG	S1-C1'-C2'-C3'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	B	404	PGW	O12-C04-C05-CAD
8	B	404	PGW	O03-C01-C02-O01
6	A	413	SOG	C2'-C1'-S1-C1
6	B	417	SOG	O5-C1-S1-C1'
8	B	405	PGW	C16-C15-C27-C26
6	B	408	SOG	C1'-C2'-C3'-C4'
8	B	404	PGW	O01-C1-C2-C3
8	B	404	PGW	C21-C22-C23-C24
8	B	404	PGW	O03-C01-C02-C03
4	A	404	CIT	C6-C3-C4-C5
3	A	402	PG4	O2-C3-C4-O3
8	B	404	PGW	C7-C8-C9-C10
6	A	409	SOG	C4'-C5'-C6'-C7'
8	B	404	PGW	O02-C1-C2-C3
8	B	405	PGW	O03-C01-C02-C03
8	B	405	PGW	C1-C2-C3-C4
8	B	404	PGW	C4-C5-C6-C7
6	B	419	SOG	C4'-C5'-C6'-C7'


There are no ring outliers.



9 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	420	SOG	1	0
8	B	405	PGW	5	0
6	A	414	SOG	1	0
6	B	408	SOG	1	0
6	B	412	SOG	2	0
8	B	404	PGW	2	0
6	A	408	SOG	2	0
6	A	413	SOG	1	0
6	B	416	SOG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	302/336 (89%)	0.74	36 (11%) <span style="border: 1px solid red; padding: 2px;">4</span> <span style="border: 1px solid red; padding: 2px;">5</span>	29, 48, 102, 147	0
1	B	307/336 (91%)	0.93	44 (14%) <span style="border: 1px solid red; padding: 2px;">2</span> <span style="border: 1px solid red; padding: 2px;">3</span>	30, 47, 96, 144	0
All	All	609/672 (90%)	0.84	80 (13%) <span style="border: 1px solid red; padding: 2px;">3</span> <span style="border: 1px solid red; padding: 2px;">4</span>	29, 47, 100, 147	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	41	TYR	11.2
1	A	376	TRP	10.6
1	A	377	LEU	9.4
1	B	42	PRO	9.2
1	B	376	TRP	8.9
1	B	373	PHE	8.6
1	B	45	TYR	8.1
1	B	47	TRP	7.4
1	B	39	TYR	7.0
1	A	373	PHE	6.5
1	A	73	ARG	6.3
1	B	375	TRP	6.3
1	B	44	GLN	6.2
1	A	197	ARG	6.2
1	B	40	LEU	6.1
1	B	370	LYS	6.0
1	A	198	ALA	5.7
1	A	188	VAL	5.7
1	A	330	ALA	5.3
1	B	374	SER	5.0
1	A	375	TRP	4.9
1	B	72	TRP	4.8
1	B	43	LYS	4.6
1	B	372	ALA	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	288	LYS	4.4
1	B	48	VAL	4.4
1	A	199	PHE	4.3
1	A	66	LEU	4.2
1	A	162	LEU	4.1
1	A	287	VAL	4.1
1	B	377	LEU	4.1
1	B	369	PHE	3.9
1	A	69	LEU	3.6
1	B	46	ALA	3.5
1	B	367	GLU	3.5
1	B	69	LEU	3.4
1	A	152	LEU	3.4
1	B	287	VAL	3.3
1	A	286	GLU	3.2
1	B	329	GLN	3.2
1	B	331	SER	3.1
1	B	334	GLU	3.1
1	A	116[A]	HIS	3.0
1	B	332	ASP	3.0
1	B	371	ALA	2.9
1	B	66	LEU	2.9
1	A	160	ARG	2.8
1	B	134	VAL	2.8
1	A	369	PHE	2.8
1	A	292	ALA	2.8
1	B	175	ILE	2.8
1	A	224	TYR	2.8
1	B	130	VAL	2.7
1	B	76	HIS	2.7
1	B	360	PHE	2.7
1	A	72	TRP	2.7
1	B	176	MET	2.7
1	A	333	ARG	2.6
1	A	114	PHE	2.6
1	B	67	VAL	2.5
1	B	330	ALA	2.5
1	B	171	VAL	2.5
1	A	62	VAL	2.4
1	A	83	TYR	2.4
1	B	220	PHE	2.4
1	B	236	PHE	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	331	SER	2.3
1	A	360	PHE	2.2
1	A	227	PRO	2.2
1	B	230	LEU	2.2
1	B	337	TYR	2.2
1	B	365	PHE	2.2
1	A	158	ALA	2.2
1	A	132	VAL	2.2
1	A	223	THR	2.1
1	A	228	LEU	2.1
1	A	291	ARG	2.1
1	A	230	LEU	2.1
1	B	221	ILE	2.0
1	B	335	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	SOG	B	411	5/20	0.51	0.27	88,89,92,94	0
4	CIT	A	403	13/13	0.55	0.60	134,137,139,139	0
6	SOG	B	417	20/20	0.56	0.29	128,139,143,144	0
6	SOG	A	418	20/20	0.60	0.27	125,135,137,137	0
6	SOG	B	419	20/20	0.61	0.36	77,117,121,122	0
6	SOG	A	417	6/20	0.63	0.26	107,109,109,110	0
4	CIT	A	404	13/13	0.67	0.32	141,145,147,147	0
3	PG4	A	402	9/13	0.67	0.22	92,101,104,105	0
6	SOG	A	413	20/20	0.68	0.23	64,98,101,103	0


*Continued on next page...*


*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	SOG	A	414	14/20	0.69	0.21	105,113,114,115	0
6	SOG	B	416	9/20	0.70	0.24	62,72,92,97	0
6	SOG	B	418	20/20	0.71	0.54	137,139,140,140	0
6	SOG	B	409	20/20	0.71	0.24	107,113,115,115	0
6	SOG	B	413	6/20	0.73	0.50	65,69,71,71	0
8	PGW	B	404	51/51	0.75	0.28	39,65,110,111	0
6	SOG	B	414	6/20	0.76	0.23	116,117,118,118	0
6	SOG	B	410	10/20	0.76	0.64	100,101,104,105	0
8	PGW	B	405	51/51	0.76	0.26	39,62,106,112	0
6	SOG	A	411	20/20	0.78	0.46	101,102,105,105	0
6	SOG	B	415	15/20	0.78	0.17	110,116,118,119	0
6	SOG	A	410	8/20	0.80	0.27	71,72,73,74	0
6	SOG	B	407	13/20	0.80	0.20	85,90,92,92	0
6	SOG	B	408	20/20	0.80	0.17	55,89,91,93	0
6	SOG	A	407	20/20	0.81	0.27	56,81,88,90	0
6	SOG	A	416	18/20	0.81	0.30	121,125,128,128	0
6	SOG	A	408	20/20	0.82	0.18	94,106,110,111	0
6	SOG	B	420	20/20	0.82	0.29	98,121,125,126	0
5	SO4	A	406	5/5	0.84	0.25	103,105,106,108	0
6	SOG	A	412	14/20	0.86	0.27	78,82,84,84	0
6	SOG	B	412	20/20	0.87	0.20	91,102,105,106	0
6	SOG	A	415	8/20	0.88	0.48	71,80,97,98	0
5	SO4	B	403	5/5	0.91	0.21	91,94,95,96	0
7	NA	A	419	1/1	0.92	0.21	71,71,71,71	0
6	SOG	B	406	20/20	0.93	0.11	42,50,55,56	0
2	NRE	A	401	27/27	0.95	0.12	42,43,48,60	0
5	SO4	A	405	5/5	0.95	0.15	71,76,78,80	0
2	NRE	B	401	27/27	0.95	0.13	41,43,49,64	0
6	SOG	A	409	5/20	0.96	0.13	50,51,56,58	0
5	SO4	B	402	5/5	0.97	0.12	69,70,72,77	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





















































## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.