



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 03:18 am BST

PDB ID : 3TW8
Title : GEF domain of DENND 1B in complex with Rab GTPase Rab35
Authors : Wu, X.D.; Kummel, D.; Reinisch, K.M.
Deposited on : 2011-09-21
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	 6% 73% 14% • 12%
1	C	391	 9% 75% 16% • 7%
2	B	181	 16% 78% 14% • 7%
2	D	181	 15% 76% 19% • •

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8573 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DENN domain-containing protein 1B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	343	2751	1772	458	504	17	87	0	0
1	C	362	2893	1863	480	533	17	115	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	EXPRESSION TAG	UNP Q6P3S1-2
C	1	SER	-	EXPRESSION TAG	UNP Q6P3S1-2

- Molecule 2 is a protein called Ras-related protein Rab-35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	169	1357	858	232	262	5	60	0	0
2	D	173	1385	876	236	268	5	75	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	SER	-	EXPRESSION TAG	UNP Q15286
D	0	SER	-	EXPRESSION TAG	UNP Q15286

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	80	Total 80	O 80	0	0
3	B	18	Total 18	O 18	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	64	Total	O	0	0
			64	64		
3	D	25	Total	O	0	0
			25	25		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DENN domain-containing protein 1B




- Molecule 1: DENN domain-containing protein 1B






- Molecule 2: Ras-related protein Rab-35





- Molecule 2: Ras-related protein Rab-35



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.59Å 56.56Å 175.31Å 90.00° 95.63° 90.00°	Depositor
Resolution (Å)	24.89 – 2.10 24.89 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (24.89-2.10) 91.2 (24.89-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.57 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.227 , 0.269 0.226 , 0.266	Depositor DCC
R_{free} test set	4502 reflections (7.03%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtrriage
Anisotropy	0.216	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8573	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.97	3/2812 (0.1%)	1.00	13/3813 (0.3%)
1	C	1.00	8/2960 (0.3%)	0.99	12/4020 (0.3%)
2	B	0.79	2/1377 (0.1%)	0.82	3/1858 (0.2%)
2	D	0.92	3/1406 (0.2%)	0.89	6/1897 (0.3%)
All	All	0.94	16/8555 (0.2%)	0.95	34/11588 (0.3%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	195	ARG	CZ-NH1	-11.05	1.18	1.33
1	A	195	ARG	CZ-NH1	-9.84	1.20	1.33
1	C	195	ARG	CZ-NH2	-9.14	1.21	1.33
1	A	195	ARG	CZ-NH2	-8.98	1.21	1.33
1	C	238	CYS	CB-SG	-8.88	1.67	1.82
1	C	369	ARG	CD-NE	-7.08	1.34	1.46
1	C	25	SER	CB-OG	-6.50	1.33	1.42
2	D	110	CYS	CB-SG	-6.47	1.71	1.82
2	D	124	ASP	CB-CG	-5.83	1.39	1.51
1	C	158	ASP	CB-CG	-5.80	1.39	1.51
2	D	126	GLU	CB-CG	-5.66	1.41	1.52
2	B	127	ARG	CB-CG	5.33	1.67	1.52
1	C	86	CYS	CB-SG	-5.24	1.73	1.81
1	A	372	LYS	CB-CG	-5.18	1.38	1.52
2	B	110	CYS	CB-SG	-5.07	1.73	1.81
1	C	59	GLU	CB-CG	5.06	1.61	1.52

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	195	ARG	NE-CZ-NH2	20.52	130.56	120.30
1	A	195	ARG	NE-CZ-NH1	15.61	128.11	120.30
1	C	195	ARG	NH1-CZ-NH2	-14.04	103.96	119.40
1	A	195	ARG	NE-CZ-NH2	13.68	127.14	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	195	ARG	NH1-CZ-NH2	-13.48	104.58	119.40
1	C	195	ARG	NE-CZ-NH1	10.21	125.41	120.30
1	C	126	ASP	CB-CG-OD2	-9.18	110.04	118.30
2	B	112	ASP	CB-CG-OD2	-7.81	111.27	118.30
1	A	3	ASP	CB-CG-OD1	6.58	124.22	118.30
1	A	313	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	A	3	ASP	CB-CG-OD2	-6.37	112.57	118.30
2	D	63	ASP	CB-CG-OD2	-6.21	112.71	118.30
1	C	126	ASP	CB-CG-OD1	6.05	123.75	118.30
2	D	33	PHE	CB-CG-CD1	-5.96	116.63	120.80
2	B	128	LYS	CD-CE-NZ	-5.94	98.03	111.70
1	A	126	ASP	CB-CG-OD2	-5.88	113.01	118.30
1	C	76	ASP	CB-CG-OD1	5.81	123.53	118.30
1	C	76	ASP	CB-CG-OD2	-5.80	113.08	118.30
1	A	313	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	A	169	ARG	CG-CD-NE	-5.73	99.76	111.80
1	C	270	ASP	CB-CG-OD1	5.69	123.42	118.30
1	A	141	LYS	CA-CB-CG	5.61	125.73	113.40
1	C	324	ASP	CB-CG-OD2	5.58	123.32	118.30
2	B	128	LYS	CG-CD-CE	-5.49	95.42	111.90
1	A	21	LYS	CB-CG-CD	5.49	125.87	111.60
1	C	59	GLU	CA-CB-CG	-5.37	101.58	113.40
2	D	79	ARG	NE-CZ-NH2	-5.29	117.66	120.30
2	D	33	PHE	CB-CG-CD2	5.25	124.47	120.80
1	C	5	ARG	CG-CD-NE	5.19	122.69	111.80
1	A	18	LEU	CA-CB-CG	5.16	127.16	115.30
2	D	6	ASP	CB-CG-OD2	-5.14	113.67	118.30
2	D	63	ASP	CB-CG-OD1	5.12	122.90	118.30
1	C	297	LYS	CA-CB-CG	5.05	124.51	113.40
1	A	126	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2751	0	2760	49	1
1	C	2893	0	2896	47	2
2	B	1357	0	1348	19	0
2	D	1385	0	1369	28	2
3	A	80	0	0	3	0
3	B	18	0	0	1	0
3	C	64	0	0	7	0
3	D	25	0	0	1	0
All	All	8573	0	8373	141	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:LYS:NZ	1:A:266:MET:HE1	1.80	0.96
1:A:257:LYS:NZ	1:A:266:MET:CE	2.39	0.85
1:A:257:LYS:HZ1	1:A:266:MET:CE	1.91	0.83
1:C:242:MET:H	1:C:242:MET:HE3	1.47	0.77
1:C:262:GLU:O	1:C:264:VAL:HG23	1.85	0.76
2:D:94:GLU:O	2:D:97:VAL:HG22	1.85	0.76
1:A:257:LYS:HZ3	1:A:266:MET:HE1	1.49	0.73
2:B:122:ASN:HD22	2:B:148:GLU:HB3	1.54	0.72
1:A:257:LYS:HZ1	1:A:266:MET:HE1	1.47	0.71
2:B:106:ILE:HG21	2:B:115:ARG:HD2	1.72	0.71
2:D:106:ILE:HG21	2:D:115:ARG:HD2	1.72	0.71
1:C:146:VAL:HB	1:C:154:PHE:CZ	2.25	0.71
2:D:10:LYS:H	2:D:82:HIS:HD2	1.36	0.71
1:C:146:VAL:CB	1:C:154:PHE:CE2	2.74	0.69
1:C:241:PRO:HG2	1:C:242:MET:CE	2.22	0.69
2:D:117:LEU:HD23	2:D:146:LEU:HD13	1.74	0.69
1:A:51:LYS:NZ	3:A:460:HOH:O	2.27	0.68
1:C:259:LYS:NZ	3:C:424:HOH:O	2.25	0.67
1:A:168:SER:HB2	3:A:433:HOH:O	1.94	0.66
1:A:189:SER:OG	3:A:441:HOH:O	2.13	0.66
1:C:363:LYS:HE3	2:D:72:THR:HB	1.77	0.66
2:D:9:PHE:CD2	2:D:168:VAL:CG1	2.80	0.64
2:B:117:LEU:HD23	2:B:146:LEU:HD13	1.80	0.64
1:C:181:ASN:O	1:C:185:GLN:HG2	1.99	0.62
1:A:241:PRO:HD2	1:A:242:MET:HE3	1.81	0.62
1:A:12:ARG:HD3	1:A:135:TYR:CE1	2.35	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:PRO:HG2	1:A:242:MET:CE	2.30	0.61
2:B:94:GLU:O	2:B:97:VAL:HG22	2.00	0.61
1:A:63:GLN:H	1:A:63:GLN:CD	2.04	0.61
2:D:9:PHE:CD2	2:D:168:VAL:HG12	2.35	0.61
2:D:97:VAL:HG23	2:D:98:ASN:N	2.16	0.60
1:C:146:VAL:HB	1:C:154:PHE:CE2	2.34	0.60
1:C:334:ILE:CG2	1:C:374:ASN:HD21	2.13	0.60
2:B:106:ILE:HG21	2:B:115:ARG:CD	2.32	0.60
1:A:257:LYS:HZ1	1:A:266:MET:HE2	1.67	0.59
1:C:82:ARG:HD3	3:C:394:HOH:O	2.02	0.59
1:C:242:MET:H	1:C:242:MET:CE	2.14	0.59
1:C:87:ARG:NH1	1:C:89:THR:HG22	2.18	0.58
1:A:241:PRO:HG2	1:A:242:MET:HE2	1.87	0.57
1:A:102:LEU:HD13	1:A:104:TRP:CZ2	2.40	0.56
2:D:94:GLU:O	2:D:97:VAL:CG2	2.53	0.56
1:C:236:ASP:OD1	1:C:259:LYS:HE3	2.06	0.56
1:C:335:THR:HG22	1:C:336:PHE:H	1.71	0.56
2:D:110:CYS:O	2:D:113:VAL:HG23	2.06	0.56
1:A:323:ARG:O	1:A:324:ASP:OD2	2.25	0.55
1:A:81:GLN:NE2	1:A:226:TYR:CD2	2.74	0.55
2:B:10:LYS:H	2:B:82:HIS:HD2	1.54	0.55
2:D:106:ILE:HG21	2:D:115:ARG:CD	2.37	0.55
1:C:144:THR:HG22	1:C:145:PRO:N	2.23	0.54
1:A:195:ARG:O	1:A:264:VAL:HG13	2.09	0.53
1:C:335:THR:HG22	1:C:336:PHE:N	2.23	0.53
1:C:342:VAL:CG1	1:C:342:VAL:O	2.56	0.53
1:A:34:TRP:CZ2	1:A:127:LEU:HD21	2.43	0.53
1:A:241:PRO:HD2	1:A:242:MET:CE	2.39	0.53
1:A:335:THR:HG22	1:A:336:PHE:N	2.24	0.52
2:D:99:VAL:HG11	2:D:117:LEU:CD1	2.39	0.52
1:A:335:THR:HG22	1:A:336:PHE:H	1.75	0.52
1:A:242:MET:CE	1:A:242:MET:H	2.23	0.51
1:A:236:ASP:OD1	1:A:259:LYS:HE2	2.11	0.51
1:C:78:GLU:O	1:C:79:SER:OG	2.27	0.51
2:D:86:VAL:HG21	2:D:103:LEU:HD21	1.93	0.51
1:C:68:GLN:HG2	3:C:396:HOH:O	2.11	0.50
2:D:9:PHE:CE2	2:D:168:VAL:HG12	2.47	0.50
2:B:100:LYS:HB2	3:B:181:HOH:O	2.12	0.50
1:C:77:ILE:HB	3:C:398:HOH:O	2.12	0.50
1:A:102:LEU:HD13	1:A:104:TRP:CH2	2.47	0.49
1:A:60:ARG:O	1:A:63:GLN:NE2	2.35	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:9:PHE:CD2	2:B:168:VAL:HG12	2.48	0.49
1:A:344:HIS:CE1	1:A:346:SER:OG	2.66	0.49
1:C:87:ARG:NH1	1:C:116:ALA:CB	2.76	0.48
1:A:185:GLN:NE2	1:A:281:LEU:CD2	2.76	0.48
2:B:97:VAL:HG23	2:B:98:ASN:N	2.29	0.48
1:C:241:PRO:HG2	1:C:242:MET:HE2	1.93	0.48
1:A:181:ASN:O	1:A:185:GLN:HG2	2.14	0.48
1:A:241:PRO:CD	1:A:242:MET:HE3	2.42	0.48
1:A:242:MET:H	1:A:242:MET:HE3	1.78	0.48
1:C:102:LEU:HD13	1:C:104:TRP:CZ2	2.48	0.48
1:C:2:MET:CE	1:C:367:ASP:HB3	2.43	0.48
2:B:13:ILE:HB	2:B:61:ILE:HD11	1.95	0.47
1:A:185:GLN:NE2	1:A:281:LEU:HD22	2.29	0.47
2:D:36:SER:HB3	3:D:202:HOH:O	2.14	0.47
2:B:9:PHE:CD2	2:B:168:VAL:CG1	2.97	0.47
1:C:16:LEU:HD11	1:C:18:LEU:HD21	1.96	0.47
2:D:4:ASP:OD1	2:D:4:ASP:N	2.48	0.47
1:A:195:ARG:HB2	1:A:264:VAL:HG22	1.97	0.46
1:C:118:TYR:CE1	1:C:126:ASP:HB3	2.50	0.46
1:A:102:LEU:HD11	1:A:139:VAL:HG13	1.98	0.46
2:B:45:PHE:HA	2:B:61:ILE:O	2.16	0.46
1:C:241:PRO:HD2	1:C:242:MET:CE	2.46	0.46
2:D:45:PHE:HA	2:D:61:ILE:O	2.16	0.46
1:A:13:THR:OG1	1:A:134:LEU:HD23	2.17	0.45
1:C:6:THR:CG2	3:C:397:HOH:O	2.64	0.45
2:D:5:TYR:CD1	2:D:5:TYR:C	2.90	0.45
1:A:16:LEU:HD11	1:A:18:LEU:HD21	1.98	0.45
2:D:9:PHE:CD2	2:D:168:VAL:HG11	2.50	0.45
2:B:86:VAL:HG21	2:B:103:LEU:HD21	1.98	0.45
1:A:134:LEU:HD23	1:A:134:LEU:O	2.16	0.45
1:C:338:GLU:HG2	1:C:357:ILE:HD11	1.98	0.45
2:B:113:VAL:O	2:B:115:ARG:NH1	2.46	0.44
2:B:45:PHE:C	2:B:45:PHE:CD1	2.90	0.44
1:C:104:TRP:HH2	1:C:140:PRO:HG2	1.83	0.44
2:D:113:VAL:O	2:D:115:ARG:NH1	2.50	0.44
1:A:49:VAL:N	1:A:50:PRO:CD	2.81	0.44
1:A:198:ILE:HD12	1:A:210:ILE:HD13	1.99	0.44
1:A:257:LYS:HZ3	1:A:266:MET:CE	2.16	0.44
2:D:36:SER:OG	2:D:38:ILE:HG22	2.18	0.44
2:D:110:CYS:HB3	2:D:113:VAL:HG23	2.00	0.43
1:C:98:ILE:HG13	1:C:112:LEU:HD21	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:175:ASN:O	2:B:176:LEU:C	2.57	0.43
1:C:2:MET:HE1	1:C:367:ASP:HB3	1.99	0.43
1:C:18:LEU:HD22	1:C:35:LYS:HB3	2.00	0.43
1:C:241:PRO:CG	1:C:242:MET:CE	2.96	0.43
2:D:10:LYS:HE2	2:D:60:GLN:NE2	2.34	0.43
2:B:110:CYS:O	2:B:113:VAL:HG23	2.19	0.42
1:A:98:ILE:HG13	1:A:112:LEU:HD21	2.02	0.42
1:A:14:PHE:CE2	1:A:134:LEU:HD22	2.54	0.42
1:A:81:GLN:NE2	1:A:226:TYR:CE2	2.87	0.42
1:C:69:HIS:CE1	1:C:113:ASN:OD1	2.72	0.42
1:C:133:SER:O	1:C:137:HIS:HB2	2.19	0.42
1:A:12:ARG:HD3	1:A:135:TYR:CZ	2.54	0.41
1:C:87:ARG:NH1	1:C:116:ALA:HB1	2.35	0.41
1:C:342:VAL:HG12	1:C:342:VAL:O	2.18	0.41
1:C:225:ILE:HB	1:C:244:TYR:CB	2.50	0.41
1:A:344:HIS:CD2	1:A:349:MET:HG2	2.55	0.41
2:B:94:GLU:O	2:B:97:VAL:CG2	2.68	0.41
2:B:99:VAL:HG11	2:B:117:LEU:CD1	2.51	0.41
1:A:241:PRO:CD	1:A:242:MET:CE	2.99	0.41
1:C:5:ARG:HH11	1:C:5:ARG:HD3	1.71	0.41
2:D:9:PHE:HB2	2:D:59:LEU:HD12	2.03	0.41
1:A:133:SER:O	1:A:137:HIS:HB2	2.20	0.41
1:A:257:LYS:NZ	1:A:266:MET:HE2	2.30	0.41
1:C:166:PRO:HA	1:C:172:THR:OG1	2.21	0.41
2:D:18:GLY:O	2:D:121:LYS:HE3	2.21	0.40
1:C:137:HIS:HA	1:C:138:PRO:HD2	1.90	0.40
1:C:248:ILE:HD12	1:C:256:VAL:HG21	2.01	0.40
1:A:173:GLU:HA	1:A:176:VAL:HG22	2.04	0.40
1:C:202:LYS:HD2	3:C:430:HOH:O	2.20	0.40
1:C:270:ASP:OD1	3:C:439:HOH:O	2.22	0.40
2:D:14:ILE:HA	2:D:67:GLN:OE1	2.22	0.40
1:C:363:LYS:CE	2:D:72:THR:HB	2.47	0.40
2:D:8:LEU:HD12	2:D:9:PHE:H	1.86	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:ASN:CG	1:A:181:ASN:ND2[1_545]	2.15	0.05
1:C:287:ASP:OD2	2:D:33:PHE:CE1[1_565]	2.17	0.03
1:C:287:ASP:OD2	2:D:33:PHE:CZ[1_565]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/391 (86%)	322 (96%)	12 (4%)	1 (0%)	41	41
1	C	356/391 (91%)	345 (97%)	11 (3%)	0	100	100
2	B	165/181 (91%)	158 (96%)	7 (4%)	0	100	100
2	D	169/181 (93%)	164 (97%)	5 (3%)	0	100	100
All	All	1025/1144 (90%)	989 (96%)	35 (3%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	373	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/351 (89%)	308 (99%)	4 (1%)	69	75
1	C	328/351 (93%)	324 (99%)	4 (1%)	71	77
2	B	151/160 (94%)	151 (100%)	0	100	100
2	D	153/160 (96%)	153 (100%)	0	100	100
All	All	944/1022 (92%)	936 (99%)	8 (1%)	81	86

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ARG
1	A	96	LEU
1	A	110	LYS
1	A	242	MET
1	C	5	ARG
1	C	242	MET
1	C	322	TYR
1	C	334	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	GLN
1	A	185	GLN
2	B	60	GLN
2	B	82	HIS
2	B	122	ASN
1	C	69	HIS
1	C	374	ASN
2	D	60	GLN
2	D	82	HIS
2	D	122	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	343/391 (87%)	0.40	23 (6%) 17 22	26, 45, 83, 104	22 (6%)
1	C	362/391 (92%)	0.53	36 (9%) 7 9	26, 50, 84, 120	33 (9%)
2	B	169/181 (93%)	0.97	29 (17%) 1 1	36, 62, 86, 99	16 (9%)
2	D	173/181 (95%)	0.61	27 (15%) 2 2	31, 52, 80, 98	19 (10%)
All	All	1047/1144 (91%)	0.57	115 (10%) 5 7	26, 51, 85, 120	90 (8%)

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	31	ASN	5.3
2	B	52	ILE	5.0
2	D	176	LEU	4.9
1	C	8	ALA	4.8
2	B	85	ILE	4.6
2	B	12	LEU	4.6
2	B	53	ASN	4.6
2	B	174	ASP	4.5
1	C	152	SER	4.5
1	C	123	LEU	4.4
2	B	13	ILE	4.4
2	D	14	ILE	4.3
2	B	50	VAL	4.0
1	C	99	LEU	3.9
1	A	187	TYR	3.9
1	C	136	ASN	3.8
2	D	124	ASP	3.8
1	A	335	THR	3.7
2	D	84	VAL	3.7
1	C	98	ILE	3.7
1	C	125	ASN	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	33	PHE	3.6
2	B	123	ASP	3.6
2	D	125	PRO	3.5
2	D	85	ILE	3.5
1	A	29	ASP	3.5
2	B	136	TYR	3.5
2	B	122	ASN	3.5
2	D	136	TYR	3.5
2	B	84	VAL	3.4
1	C	16	LEU	3.4
2	B	30	ASP	3.4
1	A	373	LEU	3.4
2	B	32	THR	3.3
2	D	86	VAL	3.3
2	B	6	ASP	3.3
2	B	111	ASP	3.2
1	C	373	LEU	3.2
1	C	370	LEU	3.1
1	A	8	ALA	3.1
1	A	98	ILE	3.1
2	D	138	PHE	3.0
2	D	13	ILE	3.0
1	C	110	LYS	3.0
2	B	107	ASN	3.0
1	A	260	SER	3.0
2	D	12	LEU	2.9
1	C	186	LEU	2.9
2	D	32	THR	2.9
2	B	153	GLU	2.9
2	B	164	ILE	2.8
1	C	27	ASN	2.8
1	A	374	ASN	2.8
1	A	99	LEU	2.8
1	A	17	VAL	2.8
1	A	142	ALA	2.8
2	B	51	GLU	2.8
2	B	11	LEU	2.8
2	D	140	GLY	2.7
1	A	72	PHE	2.7
1	C	188	ALA	2.7
2	B	49	THR	2.7
1	C	97	CYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	PHE	2.6
2	D	111	ASP	2.6
2	D	54	GLY	2.6
1	A	161	GLY	2.6
1	C	300	SER	2.6
2	B	176	LEU	2.6
1	C	118	TYR	2.5
1	C	374	ASN	2.5
2	B	86	VAL	2.5
2	D	87	VAL	2.5
1	C	124	GLU	2.5
1	C	347	SER	2.5
1	C	371	ALA	2.5
1	C	191	LEU	2.4
1	C	335	THR	2.4
1	A	344	HIS	2.4
1	C	359	LEU	2.4
1	A	122	GLU	2.4
2	D	122	ASN	2.4
1	C	154	PHE	2.4
2	D	127	ARG	2.4
1	C	127	LEU	2.3
2	D	56	LYS	2.3
1	C	9	ASN	2.3
2	B	62	TRP	2.3
2	B	61	ILE	2.3
2	D	130	VAL	2.3
2	B	14	ILE	2.3
2	B	41	ILE	2.2
2	D	164	ILE	2.2
1	A	16	LEU	2.2
1	A	36	PHE	2.2
1	C	309	ARG	2.2
1	A	37	PRO	2.2
1	C	18	LEU	2.2
1	C	361	LEU	2.2
2	D	4	ASP	2.2
2	D	129	VAL	2.1
1	A	229	VAL	2.1
2	D	117	LEU	2.1
1	C	17	VAL	2.1
2	D	126	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	345	ARG	2.1
2	B	118	VAL	2.1
1	C	214	ALA	2.1
1	C	187	TYR	2.1
1	C	144	THR	2.0
2	D	23	SER	2.0
1	A	97	CYS	2.0
1	C	137	HIS	2.0
1	C	196	ILE	2.0
1	A	84	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.