

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 27, 2024 – 04:08 PM EDT

PDB ID	:	8TX5
Title	:	Crystal structure of an engineered variant of galactose oxidase, GOaseRd4BB,
		from Fusarium graminearum
Authors	:	Selvaraj, B.; Orth, P.
Deposited on	:	2023-08-22
Resolution	:	1.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	4310 (1.96-1.92)
Clashscore	141614	1023 (1.94-1.94)
Ramachandran outliers	138981	1007 (1.94-1.94)
Sidechain outliers	138945	1007 (1.94-1.94)
RSRZ outliers	127900	4250 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	647	<sup>2%</sup> 94%	•••
1	В	647	3% 94%	• • •
1	С	647	<b>4%</b> 95%	•••
1	D	647	3% 94%	• • •



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 20976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	630	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	A	039	4824	3008	840	958	18	0	0	
1	В	630	Total	С	Ν	0	S	0	0	0
1	I D	039	4824	3008	840	958	18	0	0	U
1	1 C	C 620	Total	С	Ν	0	S	0	0	0
	039	4824	3008	840	958	18	0	U	U	
1 D	639	Total	С	Ν	Ο	S	0	0	0	
		4824	3008	840	958	18			U	

• Molecule 1 is a protein called Galactose oxidase.

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	0	MET	-	initiating methionine	UNP P0CS93
А	10	PRO	SER	conflict	UNP P0CS93
А	70	VAL	MET	conflict	UNP P0CS93
А	195	GLU	GLY	conflict	UNP P0CS93
А	219	SER	VAL	conflict	UNP P0CS93
А	290	PHE	TRP	conflict	UNP P0CS93
А	294	ARG	VAL	conflict	UNP P0CS93
А	295	VAL	PHE	conflict	UNP P0CS93
А	406	GLU	GLN	conflict	UNP P0CS93
А	464	THR	PHE	conflict	UNP P0CS93
А	494	ALA	VAL	conflict	UNP P0CS93
А	535	ASP	ASN	conflict	UNP P0CS93
А	640	GLY	-	expression tag	UNP P0CS93
А	641	HIS	-	expression tag	UNP P0CS93
А	642	HIS	-	expression tag	UNP P0CS93
А	643	HIS	-	expression tag	UNP P0CS93
А	644	HIS	-	expression tag	UNP P0CS93
А	645	HIS	-	expression tag	UNP P0CS93
A	646	HIS	-	expression tag	UNP P0CS93
В	0	MET	-	initiating methionine	UNP P0CS93
В	10	PRO	SER	conflict	UNP P0CS93



Chain	Residue	Modelled	Actual	Comment	Reference
В	70	VAL	MET	conflict	UNP P0CS93
В	195	GLU	GLY	conflict	UNP P0CS93
В	219	SER	VAL	conflict	UNP P0CS93
В	290	PHE	TRP	conflict	UNP P0CS93
В	294	ARG	VAL	conflict	UNP P0CS93
В	295	VAL	PHE	conflict	UNP P0CS93
В	406	GLU	GLN	conflict	UNP P0CS93
В	464	THR	PHE	conflict	UNP P0CS93
В	494	ALA	VAL	conflict	UNP P0CS93
В	535	ASP	ASN	conflict	UNP P0CS93
В	640	GLY	-	expression tag	UNP P0CS93
В	641	HIS	-	expression tag	UNP P0CS93
В	642	HIS	-	expression tag	UNP P0CS93
В	643	HIS	-	expression tag	UNP P0CS93
В	644	HIS	-	expression tag	UNP P0CS93
В	645	HIS	-	expression tag	UNP P0CS93
В	646	HIS	-	expression tag	UNP P0CS93
С	0	MET	-	initiating methionine	UNP P0CS93
С	10	PRO	SER	conflict	UNP P0CS93
С	70	VAL	MET	conflict	UNP P0CS93
С	195	GLU	GLY	conflict	UNP P0CS93
С	219	SER	VAL	conflict	UNP P0CS93
С	290	PHE	TRP	conflict	UNP P0CS93
С	294	ARG	VAL	conflict	UNP P0CS93
С	295	VAL	PHE	conflict	UNP P0CS93
С	406	GLU	GLN	conflict	UNP P0CS93
С	464	THR	PHE	conflict	UNP P0CS93
С	494	ALA	VAL	conflict	UNP P0CS93
С	535	ASP	ASN	conflict	UNP P0CS93
С	640	GLY	-	expression tag	UNP P0CS93
С	641	HIS	-	expression tag	UNP P0CS93
С	642	HIS	-	expression tag	UNP P0CS93
С	643	HIS	-	expression tag	UNP P0CS93
С	644	HIS	-	expression tag	UNP P0CS93
С	645	HIS	-	expression tag	UNP P0CS93
С	646	HIS	-	expression tag	UNP P0CS93
D	0	MET	-	initiating methionine	UNP P0CS93
D	10	PRO	SER	conflict	UNP P0CS93
D	70	VAL	MET	conflict	UNP P0CS93
D	195	GLU	GLY	conflict	UNP P0CS93
D	219	SER	VAL	conflict	UNP P0CS93
D	290	PHE	TRP	conflict	UNP P0CS93



Chain	Residue	Modelled	Actual	Comment	Reference
D	294	ARG	VAL	conflict	UNP P0CS93
D	295	VAL	PHE	conflict	UNP P0CS93
D	406	GLU	GLN	conflict	UNP P0CS93
D	464	THR	PHE	conflict	UNP P0CS93
D	494	ALA	VAL	conflict	UNP P0CS93
D	535	ASP	ASN	conflict	UNP P0CS93
D	640	GLY	-	expression tag	UNP P0CS93
D	641	HIS	-	expression tag	UNP P0CS93
D	642	HIS	-	expression tag	UNP P0CS93
D	643	HIS	-	expression tag	UNP P0CS93
D	644	HIS	-	expression tag	UNP P0CS93
D	645	HIS	-	expression tag	UNP P0CS93
D	646	HIS	-	expression tag	UNP P0CS93

• Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Cu 1 1	0	0
2	В	1	Total Cu 1 1	0	0
2	С	1	Total Cu 1 1	0	0
2	D	1	Total Cu 1 1	0	0

• Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	426	Total O 426 426	0	0
4	В	404	Total         O           404         404	0	0
4	С	425	Total         O           425         425	0	0
4	D	397	Total O 397 397	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Galactose oxidase

# 0450 E479 E479 E479 E514 C518 7523 Y532 Y532 Y533 Y534 Y534 Y534 Y534 Y534 Y534 Y534 Y534 Y534 Y544 Y544 Y544 Y544 Y544 Y544 Y544



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	89.01Å $205.75$ Å $89.29$ Å	Deneriten
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $92.93^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	28.02 - 1.93	Depositor
Resolution (A)	28.02 - 1.93	EDS
% Data completeness	92.7 (28.02-1.93)	Depositor
(in resolution range)	92.7(28.02-1.93)	EDS
R <sub>merge</sub>	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.17 (at 1.92 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
B B.	0.163 , $0.198$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.163 , $0.198$	DCC
$R_{free}$ test set	11305 reflections $(5.06\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	24.5	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34 , $42.3$	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50, < L^2 > = 0.33$	Xtriage
	0.011 for l,k,-h	
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
	0.085 for l,-k,h	
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	20976	wwPDB-VP
Average B, all atoms $(Å^2)$	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.95% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles	
IVIOI	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.83	4/4951~(0.1%)	0.85	8/6756~(0.1%)
1	В	0.84	3/4951~(0.1%)	0.85	8/6756~(0.1%)
1	С	0.81	3/4951~(0.1%)	0.84	3/6756~(0.0%)
1	D	0.84	7/4951~(0.1%)	0.83	4/6756~(0.1%)
All	All	0.83	17/19804~(0.1%)	0.84	23/27024~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	D	518	CYS	CB-SG	7.65	1.95	1.82
1	D	479	GLU	CG-CD	7.41	1.63	1.51
1	D	272	TYR	CD1-CE1	-7.34	1.28	1.39
1	D	272	TYR	CG-CD1	-6.81	1.30	1.39
1	С	272	TYR	CE2-CZ	-6.58	1.29	1.38
1	D	479	GLU	CB-CG	6.53	1.64	1.52
1	D	272	TYR	CE2-CZ	-6.31	1.30	1.38
1	С	272	TYR	CD1-CE1	-5.97	1.30	1.39
1	А	479	GLU	CD-OE2	5.73	1.31	1.25
1	А	296	GLU	CB-CG	5.51	1.62	1.52
1	В	479	GLU	CD-OE1	5.34	1.31	1.25
1	В	272	TYR	CG-CD1	-5.29	1.32	1.39
1	B	272	TYR	CE2-CZ	-5.19	1.31	1.38
1	C	272	TYR	CG-CD1	-5.19	1.32	1.39



00.000	e entennaea ji ente preceto ao pagem						
Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
1	А	300	GLU	CG-CD	5.16	1.59	1.51
1	D	532	TYR	CD2-CE2	5.08	1.47	1.39
1	А	518	CYS	CB-SG	5.02	1.90	1.82

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	272	TYR	CD1-CE1-CZ	8.93	127.83	119.80
1	С	272	TYR	CD1-CE1-CZ	8.56	127.51	119.80
1	В	524	ASP	CB-CG-OD1	8.11	125.59	118.30
1	D	272	TYR	CD1-CE1-CZ	8.07	127.06	119.80
1	В	272	TYR	CD1-CE1-CZ	7.87	126.89	119.80
1	С	524	ASP	CB-CG-OD1	7.00	124.59	118.30
1	В	234	ASP	CB-CG-OD1	6.80	124.42	118.30
1	А	586	ASP	CB-CG-OD1	6.37	124.03	118.30
1	А	272	TYR	CG-CD1-CE1	-6.33	116.24	121.30
1	А	265	ASP	CB-CG-OD1	6.14	123.83	118.30
1	А	586	ASP	CB-CG-OD2	-6.04	112.87	118.30
1	А	234	ASP	CB-CG-OD1	5.69	123.42	118.30
1	В	514	LEU	CB-CG-CD2	5.45	120.27	111.00
1	В	272	TYR	CG-CD1-CE1	-5.37	117.00	121.30
1	D	354	MET	CG-SD-CE	5.36	108.78	100.20
1	А	108	ASP	CB-CG-OD1	5.34	123.11	118.30
1	В	479	GLU	CG-CD-OE2	-5.29	107.72	118.30
1	D	233	MET	CA-CB-CG	5.25	122.23	113.30
1	А	234	ASP	CB-CG-OD2	-5.23	113.60	118.30
1	В	265	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	С	586	ASP	CB-CG-OD2	-5.05	113.76	118.30
1	В	535	ASP	CB-CG-OD1	5.04	122.83	118.30
1	D	68	LEU	CA-CB-CG	5.00	126.80	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	459	ARG	Sidechain

# 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4824	0	4598	16	0
1	В	4824	0	4598	15	0
1	С	4824	0	4598	15	0
1	D	4824	0	4598	18	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
3	А	6	0	8	0	0
3	В	6	0	8	0	0
3	С	6	0	8	0	0
3	D	6	0	8	0	0
4	А	426	0	0	4	0
4	В	404	0	0	4	1
4	С	425	0	0	3	0
4	D	397	0	0	5	1
All	All	20976	0	18424	64	1

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:228:CYS:SG	1:A:272:TYR:HE1	1.22	1.61
1:B:228:CYS:SG	1:B:272:TYR:HE1	1.28	1.57
1:C:228:CYS:SG	1:C:272:TYR:HE1	1.27	1.54
1:D:228:CYS:SG	1:D:272:TYR:HE1	1.33	1.50
1:C:479:GLU:OE1	4:C:1101:HOH:O	1.57	1.17
1:A:479:GLU:OE1	4:A:1101:HOH:O	1.63	1.13
1:B:479:GLU:OE2	4:B:1101:HOH:O	1.64	1.11
1:A:228:CYS:SG	1:A:272:TYR:CE1	2.12	1.05
1:D:479:GLU:OE1	4:D:1101:HOH:O	1.80	0.98
1:B:393:LYS:NZ	4:B:1102:HOH:O	1.98	0.96
1:C:228:CYS:SG	1:C:272:TYR:CE1	2.18	0.95
1:B:228:CYS:SG	1:B:272:TYR:CE1	2.19	0.94
1:D:228:CYS:SG	1:D:272:TYR:CE1	2.23	0.89
1:A:13:ASN:OD1	4:A:1103:HOH:O	1.96	0.82
1:D:84:ARG:HD2	4:D:1299:HOH:O	1.87	0.74



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:479:GLU:OE2	1:B:479:GLU:N	2.24	0.70
1:B:233:MET:HG2	4:B:1393:HOH:O	1.98	0.62
1:A:228:CYS:SG	1:A:272:TYR:CZ	2.85	0.59
1:C:448:PRO:HA	1:C:574:ILE:HD11	1.84	0.59
1:A:34:ASN:ND2	1:A:36:ASP:H	2.01	0.58
1:D:427:ASN:HB2	4:D:1449:HOH:O	2.05	0.56
1:D:448:PRO:HA	1:D:574:ILE:HD11	1.88	0.55
1:C:233:MET:HG2	4:C:1425:HOH:O	2.10	0.52
1:A:448:PRO:HA	1:A:574:ILE:HD11	1.91	0.50
1:B:448:PRO:HA	1:B:574:ILE:HD11	1.93	0.50
1:B:60:LYS:O	1:B:122:ARG:NH1	2.44	0.50
1:B:90:SER:HB2	1:B:96:TRP:CE3	2.48	0.49
1:D:170:VAL:HB	1:D:514:LEU:HD13	1.95	0.48
1:D:325:LYS:NZ	4:D:1102:HOH:O	1.94	0.48
1:B:90:SER:HB3	1:B:123:TYR:HB2	1.96	0.46
1:D:548:ARG:NH1	4:D:1106:HOH:O	2.49	0.46
1:C:228:CYS:SG	1:C:272:TYR:CZ	2.93	0.46
1:B:228:CYS:N	1:B:229:PRO:HD3	2.32	0.45
1:C:34:ASN:ND2	1:C:37:THR:HG23	2.32	0.45
1:D:385:ASN:HB2	1:D:399:PHE:CE2	2.51	0.45
1:C:295:VAL:HG22	1:C:296:GLU:N	2.33	0.44
1:D:228:CYS:N	1:D:229:PRO:HD3	2.32	0.44
1:D:192:ASP:HB3	1:D:523:PHE:CZ	2.53	0.44
1:C:171:PRO:HD2	1:C:511:GLY:HA2	1.99	0.44
1:B:573:LEU:HG	1:B:592:LEU:HD11	2.00	0.44
1:C:63:GLN:O	1:C:120:PRO:HA	2.18	0.44
1:A:34:ASN:HD22	1:A:35:LYS:N	2.16	0.43
1:B:171:PRO:HD2	1:B:511:GLY:HA2	2.01	0.43
1:A:81:TRP:O	1:A:131:GLU:HG2	2.18	0.43
1:D:228:CYS:SG	1:D:272:TYR:CZ	2.93	0.43
1:A:228:CYS:N	1:A:229:PRO:HD3	2.34	0.43
1:B:161:TRP:CE2	1:B:489:ASN:HB3	2.54	0.42
1:C:84:ARG:HG2	1:C:104:SER:OG	2.19	0.42
1:B:393:LYS:HD3	4:B:1195:HOH:O	2.20	0.42
1:A:161:TRP:CE2	1:A:489:ASN:HB3	2.55	0.42
1:A:228:CYS:SG	1:A:272:TYR:OH	2.78	0.42
1:C:295:VAL:HG22	1:C:296:GLU:H	1.85	0.42
1:A:233:MET:HG2	4:A:1403:HOH:O	2.20	0.42
1:C:316:LYS:NZ	4:C:1108:HOH:O	2.52	0.41
1:D:450:GLY:HA2	1:D:589:ARG:HD3	2.02	0.41
1:D:573:LEU:HG	1:D:592:LEU:HD11	2.02	0.41



8TX5

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:160:ARG:NH1	1:D:160:ARG:HG3	2.36	0.41
1:A:273:GLN:HB3	1:A:288:GLY:HA3	2.02	0.41
1:D:192:ASP:HB3	1:D:523:PHE:HZ	1.86	0.41
1:C:228:CYS:N	1:C:229:PRO:HD3	2.36	0.41
1:A:307:LYS:NZ	4:A:1102:HOH:O	1.76	0.40
1:A:393:LYS:HB3	1:A:393:LYS:HE2	1.95	0.40
1:C:227:PHE:CE2	1:C:228:CYS:SG	3.14	0.40
1:D:226:MET:O	1:D:229:PRO:HG3	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)
4:B:1231:HOH:O	4:D:1106:HOH:O[2_546]	1.84	0.36

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	637/647~(98%)	617 (97%)	20 (3%)	0	100	100
1	В	637/647~(98%)	616 (97%)	21 (3%)	0	100	100
1	С	637/647~(98%)	614 (96%)	23 (4%)	0	100	100
1	D	637/647~(98%)	609 (96%)	28 (4%)	0	100	100
All	All	2548/2588 (98%)	2456 (96%)	92 (4%)	0	100	100

There are no Ramachandran outliers to report.



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	526/533~(99%)	522~(99%)	4 (1%)	81	78
1	В	526/533~(99%)	520 (99%)	6 (1%)	73	67
1	С	526/533~(99%)	522~(99%)	4 (1%)	81	78
1	D	526/533~(99%)	523~(99%)	3 (1%)	86	85
All	All	2104/2132~(99%)	2087~(99%)	17 (1%)	81	78

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	34	ASN
1	А	119	ARG
1	А	203	LEU
1	А	532	TYR
1	В	35	LYS
1	В	406	GLU
1	В	407	ASP
1	В	480	GLN
1	В	532	TYR
1	В	605	GLN
1	С	12	ASN
1	С	137	TRP
1	С	218	THR
1	C	532	TYR
1	D	12	ASN
1	D	532	TYR
1	D	559	ARG

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such side chains are listed below:

Mol	Chain	Res	Type
1	А	34	ASN
1	А	413	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	В	427	ASN
1	В	552	GLN
1	С	74	GLN
1	С	135	GLN
1	С	427	ASN
1	D	427	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Turna	Chain	Dec	Tink	Bond lengths			Bond angles				
	Type	Type	Chain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GOL	А	1002	-	$5,\!5,\!5$	0.82	0	$5,\!5,\!5$	1.00	0	
3	GOL	D	1002	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	1.23	1 (20%)	
3	GOL	В	1002	-	$5,\!5,\!5$	0.53	0	$5,\!5,\!5$	0.94	0	
3	GOL	С	1002	-	$5,\!5,\!5$	0.60	0	$5,\!5,\!5$	1.15	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	А	1002	-	-	4/4/4/4	-
3	GOL	D	1002	-	-	0/4/4/4	-
3	GOL	В	1002	-	-	0/4/4/4	-
3	GOL	С	1002	-	-	0/4/4/4	-

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	1002	GOL	C3-C2-C1	-2.10	103.54	111.70

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	1002	GOL	O1-C1-C2-O2
3	А	1002	GOL	O1-C1-C2-C3
3	А	1002	GOL	C1-C2-C3-O3
3	А	1002	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RS	$\mathbf{RZ}$ >	$\cdot 2$	$OWAB(Å^2)$	Q<0.9
1	А	639/647~(98%)	-0.04	14 (2%)	62	69	15, 24, 42, 67	0
1	В	639/647~(98%)	-0.00	17 (2%)	54	61	15, 24, 45, 68	0
1	С	639/647~(98%)	0.00	26 (4%)	37	44	16, 24, 49, 71	0
1	D	639/647~(98%)	0.02	20 (3%)	49	56	16, 26, 45, 66	0
All	All	2556/2588~(98%)	-0.00	77 (3%)	50	57	15, 25, 46, 71	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	45	ALA	4.9
1	С	23	SER	4.1
1	D	45	ALA	4.0
1	С	44	GLY	3.9
1	А	45	ALA	3.7
1	В	295	VAL	3.5
1	С	45	ALA	3.5
1	В	62	THR	3.4
1	В	294	ARG	3.3
1	В	61	THR	3.3
1	D	294	ARG	3.3
1	D	61	THR	3.2
1	D	295	VAL	3.1
1	В	150	SER	3.0
1	D	293	GLY	2.9
1	С	294	ARG	2.9
1	А	583	VAL	2.8
1	С	24	GLY	2.8
1	А	295	VAL	2.8
1	С	583	VAL	2.8
1	В	91	SER	2.8



Mol	Chain	Res	Type	RSRZ
1	D	337	LEU	2.7
1	А	536	SER	2.7
1	С	337	LEU	2.7
1	С	61	THR	2.7
1	А	210	SER	2.7
1	В	92	ASP	2.7
1	D	36	ASP	2.7
1	В	95	ASN	2.7
1	А	135	GLN	2.6
1	С	149	SER	2.6
1	С	13	ASN	2.6
1	С	536	SER	2.6
1	D	537	ASN	2.6
1	С	62	THR	2.5
1	D	583	VAL	2.5
1	А	274	SER	2.5
1	В	94	THR	2.5
1	В	583	VAL	2.5
1	В	152	THR	2.5
1	С	94	THR	2.5
1	С	35	LYS	2.5
1	D	44	GLY	2.5
1	D	93	GLY	2.5
1	D	149	SER	2.4
1	С	123	TYR	2.4
1	С	295	VAL	2.4
1	D	94	THR	2.4
1	С	537	ASN	2.4
1	D	536	SER	2.4
1	D	62	THR	2.3
1	А	47	GLY	2.3
1	C	293	GLY	2.3
1	В	149	SER	2.3
1	A	537	ASN	2.3
1	A	335	ALA	2.3
1	А	294	ARG	2.3
1	D	13	ASN	2.3
1	С	68	LEU	2.3
1	A	36	ASP	2.3
1	В	44	GLY	2.2
1	D	23	SER	2.2
1	D	35	LYS	2.2



Mol	Chain	Res	Type	RSRZ	
1	С	210	SER	2.2	
1	D	43	TYR	2.2	
1	С	335	ALA	2.1	
1	С	12	ASN	2.1	
1	А	62	THR	2.1	
1	В	537	ASN	2.1	
1	В	210	SER	2.1	
1	В	123	TYR	2.1	
1	А	464	THR	2.1	
1	С	126	LEU	2.0	
1	D	518	CYS	2.0	
1	С	91	SER	2.0	
1	С	47	GLY	2.0	
1	C	585	THR	2.0	

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
3	GOL	С	1002	6/6	0.83	0.24	52,54,58,63	0
3	GOL	А	1002	6/6	0.91	0.14	42,44,46,55	0
3	GOL	В	1002	6/6	0.92	0.17	44,46,49,52	0
3	GOL	D	1002	6/6	0.96	0.16	41,43,46,49	0
2	CU	С	1001	1/1	0.99	0.06	38,38,38,38	0
2	CU	D	1001	1/1	0.99	0.09	43,43,43,43	0
2	CU	А	1001	1/1	0.99	0.08	37,37,37,37	0
2	CU	В	1001	1/1	1.00	0.08	39,39,39,39	0



# 6.5 Other polymers (i)

There are no such residues in this entry.

