



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 5, 2024 – 12:08 PM EDT

PDB ID : 8TX9  
Title : Nan Regulatory Protein (core isomerase domain) from *Streptococcus pneumoniae*  
Authors : Wood, D.M.; Horne, C.R.; Panjikar, S.; Dobson, R.C.J.  
Deposited on : 2023-08-23  
Resolution : 2.01 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 1.20.1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.002 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	9409 (2.00-2.00)
Clashscore	180529	10737 (2.00-2.00)
Ramachandran outliers	177936	10628 (2.00-2.00)
Sidechain outliers	177891	10627 (2.00-2.00)
RSRZ outliers	164620	9409 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	 5% 54% 13% 33%
1	B	286	 4% 50% 14% 36%
1	C	286	 % 55% 11% 34%
1	D	286	 % 53% 12% 34%

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12246 atoms, of which 5994 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MurR/RpiR family transcriptional regulator.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace	
			Total	C	H	N	O	S				
1	A	190	Total	C	H	N	O	S	0	0	0	
			3054	972	1526	255	293	8				
1	C	187	Total	C	H	N	O	S	Se	11	4	0
			3047	969	1523	250	293	9	3			
1	D	185	Total	C	H	N	O	S	0	0	0	
			2969	946	1484	244	287	8				
1	B	181	Total	C	H	N	O	S	0	0	0	
			2892	924	1441	237	282	8				

- Molecule 2 is 2-acetamido-2-deoxy-6-O-phosphono-alpha-D-mannopyranose (three-letter code: BMX) (formula: C<sub>8</sub>H<sub>16</sub>NO<sub>9</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
2	A	1	Total	C	H	N	O	P	0	0
			24	8	5	1	9	1		
2	C	1	Total	C	H	N	O	P	0	0
			24	8	5	1	9	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	D	1	Total	C	H	N	O	P	0	0
			24	8	5	1	9	1		
2	B	1	Total	C	H	N	O	P	0	0
			24	8	5	1	9	1		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	21	Total	O	0	0
			21	21		
4	C	75	Total	O	0	0
			75	75		
4	D	60	Total	O	0	0
			60	60		
4	B	28	Total	O	0	0
			28	28		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: MurR/RpiR family transcriptional regulator



- Molecule 1: MurR/RpiR family transcriptional regulator



- Molecule 1: MurR/RpiR family transcriptional regulator





## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	147.58Å 147.58Å 82.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.23 – 2.01 42.23 – 2.01	Depositor EDS
% Data completeness (in resolution range)	99.6 (42.23-2.01) 94.2 (42.23-2.01)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.12 (at 2.01Å)	Xtrriage
Refinement program	REFMAC 8.0.013, PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.211 , 0.271 0.217 , 0.268	Depositor DCC
$R_{free}$ test set	2846 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.0	Xtrriage
Anisotropy	0.416	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 50.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.019 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12246	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMX, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.63	0/1555	0.82	0/2099
1	B	0.64	0/1477	0.79	0/1997
1	C	0.82	1/1547 (0.1%)	0.87	0/2082
1	D	0.71	0/1511	0.82	0/2041
All	All	0.70	1/6090 (0.0%)	0.83	0/8219

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
1	C	0	1
1	D	0	2
All	All	0	6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	101[B]	MSE	C-N	-11.28	1.08	1.34

There are no bond angle outliers.

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	93	ARG	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	145	ARG	Sidechain
1	B	232	ARG	Sidechain
1	C	102	ARG	Sidechain
1	D	140	ARG	Sidechain
1	D	232	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1528	1526	1524	38	0
1	B	1451	1441	1441	35	0
1	C	1524	1523	1514	19	0
1	D	1485	1484	1484	28	0
2	A	19	5	13	3	0
2	B	19	5	13	0	0
2	C	19	5	13	0	0
2	D	19	5	14	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	21	0	0	0	0
4	B	28	0	0	0	0
4	C	75	0	0	0	0
4	D	60	0	0	0	0
All	All	6252	5994	6016	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ARG:NH1	1:B:95:LEU:HD12	1.78	0.97
1:B:149:LEU:HD11	1:B:247:TYR:CE1	2.13	0.84

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:LEU:HD22	1:B:102:ARG:NH1	2.01	0.76
2:A:301:BMX:H82C	2:A:301:BMX:H4	1.70	0.73
1:B:182:GLY:O	1:B:188:LEU:HD11	1.88	0.72
1:A:275:ARG:HB2	1:A:276:ARG:HD3	1.71	0.71
1:A:95:LEU:HD22	1:B:102:ARG:HH12	1.55	0.71
1:A:105:THR:O	1:A:109:ILE:HD12	1.90	0.70
1:A:102:ARG:NH1	1:B:95:LEU:CD1	2.54	0.70
1:A:191:LEU:HD12	1:A:201:THR:HB	1.74	0.70
1:D:97:SER:HB3	1:D:233:ILE:HD11	1.77	0.66
1:A:102:ARG:HH11	1:B:95:LEU:HD12	1.63	0.64
1:B:126:ARG:C	1:B:127:ILE:HD12	2.20	0.62
1:D:271:LEU:O	1:D:272:ASN:C	2.38	0.61
1:B:149:LEU:HD11	1:B:247:TYR:HE1	1.65	0.61
1:D:112:ILE:HD12	1:D:112:ILE:H	1.65	0.60
1:A:127:ILE:HD13	1:A:151:VAL:CG1	2.32	0.60
1:B:104:GLN:O	1:B:108:LEU:HD23	2.02	0.59
1:B:142:MET:HE2	1:B:243:ILE:HG13	1.82	0.59
1:A:127:ILE:HD12	1:A:127:ILE:N	2.20	0.57
1:C:211:ASP:O	1:C:214:THR:HG22	2.06	0.56
1:C:138:VAL:HG13	1:C:243:ILE:CD1	2.37	0.55
1:D:149:LEU:HD11	1:D:247:TYR:CE1	2.41	0.55
1:D:88:SER:O	1:D:92:LYS:HG3	2.08	0.54
1:C:233:ILE:HD12	1:C:237:LEU:HD13	1.89	0.54
1:B:256:GLU:HG2	1:B:257:SER:N	2.23	0.53
1:A:229:TYR:HA	1:A:232:ARG:HD2	1.90	0.53
1:C:169:MET:HE1	1:C:175:VAL:HG22	1.91	0.53
1:A:276:ARG:HD3	1:A:276:ARG:N	2.24	0.52
1:C:112:ILE:H	1:C:112:ILE:HD12	1.75	0.52
1:C:127:ILE:HD12	1:C:127:ILE:N	2.24	0.52
1:D:166:THR:O	1:D:197:MET:HG3	2.09	0.52
1:A:95:LEU:HB3	1:B:102:ARG:HH12	1.74	0.51
1:B:127:ILE:HD12	1:B:127:ILE:N	2.25	0.51
1:A:226:GLN:OE1	1:A:231:GLN:NE2	2.42	0.51
1:D:97:SER:HB3	1:D:233:ILE:CD1	2.41	0.51
1:D:88:SER:N	1:D:89:PRO:HD2	2.25	0.51
1:A:275:ARG:CB	1:A:276:ARG:HD3	2.40	0.51
1:A:127:ILE:HD13	1:A:151:VAL:HG13	1.92	0.51
1:A:144:LEU:C	1:A:144:LEU:HD23	2.31	0.51
1:A:229:TYR:CD1	1:A:232:ARG:HD2	2.46	0.50
1:A:187:ILE:O	1:A:191:LEU:HD23	2.12	0.50
1:A:102:ARG:HH12	1:B:95:LEU:CG	2.25	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:PHE:CE1	1:B:142:MET:SD	3.06	0.49
1:A:102:ARG:HH12	1:B:95:LEU:HG	1.76	0.49
1:A:102:ARG:O	1:A:102:ARG:HD2	2.13	0.49
1:A:142:MET:SD	1:A:243:ILE:HD12	2.54	0.48
1:C:126:ARG:C	1:C:127:ILE:HD12	2.33	0.48
1:D:138:VAL:HG13	1:D:243:ILE:HD11	1.96	0.48
1:D:210:LYS:O	1:D:213:GLN:HB2	2.14	0.48
1:A:239:MET:O	1:A:243:ILE:HG12	2.13	0.48
1:C:210:LYS:O	1:C:213:GLN:HB2	2.13	0.48
1:C:165:THR:HG22	1:C:169:MET:HE2	1.95	0.47
1:B:169:MET:CE	1:B:175:VAL:HG22	2.45	0.47
1:D:159:GLN:HG2	1:D:160:ASP:N	2.30	0.47
1:C:131:GLY:O	1:C:157:THR:HA	2.15	0.47
1:C:260:LYS:HE3	1:C:261:ILE:HG13	1.97	0.46
1:C:91:THR:OG1	1:D:249:TYR:OH	2.28	0.46
1:B:257:SER:HA	1:B:260:LYS:HE2	1.98	0.46
1:B:146:PHE:O	1:B:151:VAL:HG23	2.16	0.45
1:A:142:MET:HG3	1:A:243:ILE:HD12	1.99	0.45
1:B:127:ILE:O	1:B:153:CYS:HA	2.17	0.45
1:D:138:VAL:HG13	1:D:243:ILE:CD1	2.47	0.45
1:B:224:HIS:HB2	1:B:232:ARG:HH21	1.81	0.45
1:B:169:MET:HE2	1:B:175:VAL:HG22	1.99	0.45
1:D:97:SER:HB3	1:D:233:ILE:CG1	2.46	0.45
1:A:127:ILE:O	1:A:153:CYS:HA	2.16	0.44
1:C:201:THR:O	1:C:216:THR:HB	2.16	0.44
1:B:101:MET:HG3	1:B:222:ALA:HB3	1.99	0.44
1:A:90:LEU:HD13	1:B:249:TYR:HA	2.00	0.44
1:A:224:HIS:HB2	1:A:232:ARG:NH1	2.33	0.44
1:A:102:ARG:NH1	1:B:95:LEU:CG	2.81	0.44
2:A:301:BMX:H4	2:A:301:BMX:C8	2.45	0.44
1:B:122:GLU:HG2	1:B:253:ILE:HG21	1.98	0.44
1:A:90:LEU:HD11	1:B:252:GLU:HG3	1.99	0.44
1:A:252:GLU:HG3	1:B:90:LEU:HD21	2.00	0.44
1:D:166:THR:HA	1:D:169:MET:HE3	2.00	0.44
1:D:165:THR:O	1:D:168:ILE:HG13	2.16	0.44
1:D:131:GLY:O	1:D:157:THR:HA	2.18	0.43
1:A:178:PHE:CD1	1:A:239:MET:HG2	2.53	0.43
1:A:110:ASP:OD1	1:A:112:ILE:HG22	2.18	0.43
2:A:301:BMX:H83C	2:A:301:BMX:H1	1.99	0.43
1:D:127:ILE:N	1:D:127:ILE:HD12	2.34	0.43
1:A:142:MET:CG	1:A:243:ILE:HD12	2.48	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ARG:HH12	1:B:248:ALA:HB1	1.83	0.43
1:D:233:ILE:HG22	1:D:234:SER:N	2.34	0.43
1:C:138:VAL:HG13	1:C:243:ILE:HD11	2.01	0.42
1:B:101:MET:HG3	1:B:222:ALA:CB	2.48	0.42
1:C:144:LEU:O	1:C:148:ARG:HG3	2.19	0.42
1:C:140:ARG:NH1	1:D:140:ARG:HH22	2.17	0.42
1:D:109:ILE:HD11	1:D:245:LEU:HD11	2.02	0.42
1:D:126:ARG:HH12	1:D:168:ILE:HD12	1.85	0.41
1:B:142:MET:CE	1:B:243:ILE:CD1	2.98	0.41
1:D:112:ILE:H	1:D:112:ILE:CD1	2.33	0.41
1:D:116:ARG:HH11	1:D:217:GLU:CD	2.23	0.41
1:A:236:GLN:NE2	1:B:141:GLU:OE1	2.50	0.41
1:D:126:ARG:C	1:D:127:ILE:HD12	2.41	0.41
1:B:90:LEU:N	1:B:90:LEU:CD1	2.83	0.41
1:C:244:ASP:OD2	1:D:233:ILE:HG23	2.20	0.41
1:C:183:SER:O	1:C:185:PRO:HD3	2.21	0.41
1:C:237:LEU:CD2	1:D:237:LEU:HD21	2.50	0.41
1:A:276:ARG:N	1:A:276:ARG:CD	2.83	0.40
1:A:250:PHE:CZ	1:A:258:LYS:NZ	2.88	0.40
1:B:240:LEU:HD23	1:B:240:LEU:HA	1.88	0.40
1:D:250:PHE:O	1:D:258:LYS:NZ	2.50	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	188/286 (66%)	187 (100%)	1 (0%)	0	100	100
1	B	179/286 (63%)	173 (97%)	6 (3%)	0	100	100
1	C	183/286 (64%)	180 (98%)	3 (2%)	0	100	100
1	D	183/286 (64%)	180 (98%)	3 (2%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	733/1144 (64%)	720 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/254 (67%)	162 (95%)	8 (5%)	22	20
1	B	163/254 (64%)	157 (96%)	6 (4%)	29	29
1	C	171/254 (67%)	168 (98%)	3 (2%)	54	59
1	D	167/254 (66%)	163 (98%)	4 (2%)	44	47
All	All	671/1016 (66%)	650 (97%)	21 (3%)	35	36

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	SER
1	A	93	ARG
1	A	103	GLU
1	A	200	LYS
1	A	209	ASN
1	A	213	GLN
1	A	229	TYR
1	A	254	ASN
1	C	102	ARG
1	C	142[B]	MSE
1	C	159	GLN
1	D	159	GLN
1	D	269	LYS
1	D	271	LEU
1	D	272	ASN
1	B	210	LYS
1	B	211	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	213	GLN
1	B	214	THR
1	B	254	ASN
1	B	260	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BMX	D	301	-	19,19,19	1.62	4 (21%)	27,28,28	1.61	7 (25%)
2	BMX	C	301	-	19,19,19	1.78	4 (21%)	27,28,28	1.83	7 (25%)
2	BMX	A	301	-	19,19,19	1.75	5 (26%)	27,28,28	2.16	6 (22%)
2	BMX	B	301	-	19,19,19	1.64	5 (26%)	27,28,28	1.95	8 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BMX	D	301	-	-	0/10/30/30	0/1/1/1
2	BMX	C	301	-	-	3/10/30/30	0/1/1/1
2	BMX	A	301	-	-	9/10/30/30	0/1/1/1
2	BMX	B	301	-	-	1/10/30/30	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	BMX	C7-N2	3.71	1.46	1.34
2	C	301	BMX	C2-N2	3.68	1.51	1.45
2	C	301	BMX	C7-N2	3.66	1.46	1.34
2	A	301	BMX	C2-N2	3.53	1.51	1.45
2	D	301	BMX	C7-N2	3.45	1.45	1.34
2	C	301	BMX	O5-C1	3.41	1.51	1.42
2	B	301	BMX	C1-C2	-3.09	1.49	1.52
2	B	301	BMX	C7-N2	3.07	1.44	1.34
2	A	301	BMX	O7-C7	-2.67	1.17	1.23
2	D	301	BMX	P-O19	-2.63	1.45	1.54
2	B	301	BMX	C3-C2	-2.60	1.48	1.53
2	D	301	BMX	O5-C1	2.47	1.48	1.42
2	A	301	BMX	O5-C1	2.46	1.48	1.42
2	D	301	BMX	C8-C7	2.21	1.55	1.50
2	B	301	BMX	O7-C7	-2.18	1.18	1.23
2	C	301	BMX	C3-C2	-2.11	1.49	1.53
2	B	301	BMX	O5-C1	2.03	1.47	1.42
2	A	301	BMX	C8-C7	2.03	1.54	1.50

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	BMX	C8-C7-N2	6.88	127.52	116.12
2	A	301	BMX	O7-C7-N2	-4.59	113.86	121.98
2	B	301	BMX	C1-C2-N2	-4.42	105.60	110.73
2	B	301	BMX	O5-C1-C2	4.27	113.81	109.52
2	C	301	BMX	O5-C5-C4	3.70	116.37	109.70
2	B	301	BMX	C2-N2-C7	-3.41	115.11	123.11
2	D	301	BMX	C1-C2-N2	-3.40	106.79	110.73
2	C	301	BMX	C6-C5-C4	-3.32	105.09	112.07

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	BMX	O1-C1-C2	-3.28	102.40	109.22
2	A	301	BMX	C1-C2-C3	3.21	114.92	110.54
2	C	301	BMX	C1-C2-N2	-3.14	107.09	110.73
2	C	301	BMX	C1-O5-C5	-3.13	107.61	113.65
2	A	301	BMX	O5-C5-C4	2.98	115.07	109.70
2	D	301	BMX	O1-C1-C2	-2.93	103.12	109.22
2	C	301	BMX	O6-C6-C5	2.77	118.43	108.99
2	B	301	BMX	O7-C7-N2	-2.70	117.20	121.98
2	A	301	BMX	O5-C5-C6	-2.61	101.52	106.69
2	B	301	BMX	C8-C7-N2	2.55	120.35	116.12
2	D	301	BMX	C4-C3-C2	2.55	114.12	110.40
2	D	301	BMX	O3-C3-C2	2.53	114.62	109.58
2	A	301	BMX	O19-P-O6	2.42	112.97	106.67
2	B	301	BMX	O1-C1-O5	-2.38	103.33	110.41
2	C	301	BMX	O3-C3-C4	-2.36	104.81	110.38
2	C	301	BMX	O7-C7-C8	-2.21	118.11	122.05
2	B	301	BMX	C3-C4-C5	2.21	114.24	110.23
2	D	301	BMX	O19-P-O6	-2.20	100.93	106.67
2	D	301	BMX	C1-C2-C3	-2.16	107.60	110.54
2	D	301	BMX	O6-P-O17	2.05	111.99	106.44

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	BMX	C4-C5-C6-O6
2	A	301	BMX	O5-C5-C6-O6
2	A	301	BMX	C6-O6-P-O19
2	A	301	BMX	C6-O6-P-O17
2	A	301	BMX	C6-O6-P-O18
2	C	301	BMX	C4-C5-C6-O6
2	C	301	BMX	O5-C5-C6-O6
2	A	301	BMX	C8-C7-N2-C2
2	A	301	BMX	O7-C7-N2-C2
2	A	301	BMX	C1-C2-N2-C7
2	A	301	BMX	C3-C2-N2-C7
2	B	301	BMX	C1-C2-N2-C7
2	C	301	BMX	C6-O6-P-O18


There are no ring outliers.


1 monomer is involved in 3 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	BMX	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	C	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	101[A]:MET	C	102:ARG	N	1.08
1	C	101[B]:MSE	C	102:ARG	N	1.08

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	193/286 (67%)	0.82	15 (7%) 20 19	44, 74, 110, 138	0
1	B	184/286 (64%)	0.70	12 (6%) 26 24	46, 71, 104, 149	0
1	C	184/286 (64%)	-0.13	4 (2%) 62 60	18, 49, 92, 126	1 (0%)
1	D	188/286 (65%)	0.16	4 (2%) 63 62	34, 60, 93, 123	0
All	All	749/1144 (65%)	0.39	35 (4%) 37 35	18, 64, 104, 149	1 (0%)

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	90	LEU	6.5
1	C	274	TYR	6.2
1	D	233	ILE	4.7
1	A	87	HIS	4.5
1	A	222	ALA	3.7
1	C	272	ASN	3.6
1	B	243	ILE	3.6
1	A	229	TYR	3.4
1	A	89	PRO	3.2
1	A	94	VAL	3.2
1	D	272	ASN	3.0
1	D	269	LYS	3.0
1	D	271	LEU	2.7
1	A	92	LYS	2.7
1	A	207	VAL	2.6
1	B	230	ILE	2.6
1	A	93	ARG	2.5
1	A	214	THR	2.5
1	A	108	LEU	2.5
1	C	271	LEU	2.5
1	B	124	ALA	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	213	GLN	2.4
1	B	144	LEU	2.3
1	A	212	SER	2.3
1	A	198	GLY	2.2
1	B	90	LEU	2.2
1	B	212	SER	2.2
1	A	114	LEU	2.1
1	B	266	TRP	2.1
1	B	249	TYR	2.1
1	C	212	SER	2.1
1	B	211	ASP	2.1
1	A	209	ASN	2.1
1	B	220	LEU	2.1
1	B	149	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NA	A	302	1/1	0.71	0.23	66,66,66,66	0
2	BMX	A	301	19/19	0.89	0.13	63,77,99,103	0
3	NA	B	302	1/1	0.93	0.16	57,57,57,57	0
2	BMX	B	301	19/19	0.96	0.07	40,46,56,87	0
2	BMX	D	301	19/19	0.97	0.08	41,50,63,74	0
3	NA	D	302	1/1	0.98	0.11	27,27,27,27	0
2	BMX	C	301	19/19	0.98	0.06	32,44,60,61	0
3	NA	C	302	1/1	0.99	0.13	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around BMX B 301:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BMX D 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.