

Full wwPDB X-ray Structure Validation Report (i)

Jun 6, 2024 – 06:17 PM EDT

PDB ID	:	8TZ0
Title	:	Structure of a bacterial E1-E2-Ubl complex (form 1)
Authors	:	Ye, Q.; Chambers, L.R.; Corbett, K.D.
Deposited on	:	2023-08-26
Resolution	:	2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality	y of chain		
1	А	535	3% 		15%	• 6%
1	B	535	9%		1.49/	69/
2	C	204	4%		1470	078
		204	53% 6%	18%	• 28%	
2	D	204	53% 51%	13%	34%	
3	Е	100	50%	9%	41%	



8TZ0

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 20438 atoms, of which 10101 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Δ	505	Total	С	Η	Ν	0	\mathbf{S}	0	0	0
1	A	505	7528	2374	3756	676	705	17	0	0	0
1	D	505	Total	С	Η	Ν	0	S	0	0	0
	D	505	7518	2372	3748	677	704	17		U	

• Molecule 1 is a protein called E1(BilD).

• Molecule 2 is a protein called E2(BilB).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
9	С	146	Total	С	Н	Ν	0	S	0	0	0
		140	2279	745	1122	198	209	5	0	0	0
0	П	124	Total	С	Η	Ν	0	S	0	0	0
	D	104	2084	685	1023	181	190	5	0	0	0

• Molecule 3 is a protein called Ubl(BilA).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
3	Е	59	Total 898	C 284	Н 452	N 77	O 85	0	0	0

• Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Zn 1 1	0	0
4	В	1	Total Zn 1 1	0	0

• Molecule 5 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	76	Total O 76 76	0	0
5	В	29	TotalO2929	0	0
5	С	18	Total O 18 18	0	0
5	D	5	Total O 5 5	0	0
5	Е	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: E1(BilD)









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	73.85Å 89.66Å 131.60Å	Depositor
a, b, c, α , β , γ	90.00° 94.92° 90.00°	Depositor
Bosolution (Å)	74.01 - 2.47	Depositor
Resolution (A)	$74.01 \ - \ 2.47$	EDS
% Data completeness	98.8 (74.01-2.47)	Depositor
(in resolution range)	98.8(74.01-2.47)	EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.77 (at 2.48 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
B B.	0.196 , 0.244	Depositor
II, II, <i>free</i>	0.195 , 0.239	DCC
R_{free} test set	3043 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	53.7	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.38 , 42.4	EDS
L-test for $twinning^2$	$ < L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20438	wwPDB-VP
Average B, all atoms $(Å^2)$	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bo	ond angles
INIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.76	1/3847~(0.0%)	0.85	2/5226~(0.0%)
1	В	0.60	0/3844	0.77	1/5221~(0.0%)
2	С	0.73	0/1189	0.80	0/1611
2	D	0.61	0/1091	0.72	0/1479
3	Е	0.42	0/452	0.51	0/614
All	All	0.67	1/10423~(0.0%)	0.79	3/14151~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	2
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	273	GLU	CD-OE1	6.62	1.32	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	В	472	LEU	CA-CB-CG	-5.77	102.03	115.30
1	А	54	ASP	CB-CG-OD1	5.58	123.32	118.30
1	А	202	LEU	CB-CG-CD1	-5.01	102.49	111.00

There are no chirality outliers.



Mol	Chain	Res	Type	Group
1	А	246	ARG	Sidechain
1	А	332	HIS	Peptide
1	В	246	ARG	Sidechain
1	В	332	HIS	Peptide

All (4) planarity outliers are listed below:

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3772	3756	3756	59	1
1	В	3770	3748	3747	46	0
2	С	1157	1122	1122	26	0
2	D	1061	1023	1023	18	0
3	Е	446	452	452	5	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
5	А	76	0	0	4	0
5	В	29	0	0	6	0
5	С	18	0	0	3	0
5	D	5	0	0	1	0
5	Е	1	0	0	0	0
All	All	10337	10101	10100	143	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:85:ARG:NH1	5:D:301:HOH:O	1.90	1.05
2:C:134:SER:HB3	5:C:304:HOH:O	1.73	0.88
1:A:287:ARG:NE	5:A:701:HOH:O	2.14	0.81
1:B:306:ARG:NH2	5:B:702:HOH:O	2.17	0.76
1:B:50:GLN:O	5:B:701:HOH:O	2.01	0.76
1:B:134:ARG:NH1	1:B:174:SER:OG	2.19	0.75



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:C:130:SER:OG	2:C:133:ASP:OD2	2.02	0.75	
1:A:79:GLN:NE2	5:A:703:HOH:O	2.20	0.71	
1:B:291:TRP:HZ3	2:D:6:THR:O	1.74	0.71	
2:C:57:ARG:O	2:D:58:VAL:HG13	1.92	0.70	
2:C:52:PRO:O	2:C:57:ARG:NH1	2.26	0.68	
1:B:306:ARG:NE	5:B:702:HOH:O	2.23	0.68	
1:A:291:TRP:HZ3	2:C:6:THR:O	1.79	0.64	
2:C:39:GLU:OE1	2:C:85:ARG:NH2	2.30	0.64	
1:A:43:ALA:O	1:A:49:GLY:HA3	1.98	0.63	
2:C:93:LEU:HD22	2:C:135:PRO:HG3	1.80	0.63	
1:B:300:LEU:HD13	1:B:305:ASP:HB3	1.79	0.62	
1:A:300:LEU:HD13	1:A:305:ASP:HB3	1.81	0.62	
1:B:306:ARG:CZ	5:B:702:HOH:O	2.47	0.62	
1:B:392:ALA:O	1:B:429:ARG:NH2	2.34	0.61	
1:A:319:ASN:O	1:A:329:ILE:HA	2.02	0.59	
1:B:291:TRP:CD1	1:B:291:TRP:N	2.69	0.59	
2:D:52:PRO:O	2:D:57:ARG:NH1	2.35	0.59	
2:C:58:VAL:HG22	2:D:58:VAL:HG22	1.85	0.57	
1:A:305:ASP:OD2	5:A:702:HOH:O	2.17	0.57	
2:D:38:ILE:HG13	2:D:48:ILE:HG23	1.86	0.56	
1:B:390:ALA:HB2	1:B:400:LEU:HD12	1.87	0.56	
2:C:64:GLU:OE2	2:C:85:ARG:NH1	2.39	0.56	
1:A:278:PRO:O	1:A:279:LEU:HD23	2.06	0.56	
3:E:31:VAL:HG13	3:E:45:LYS:HD3	1.89	0.55	
2:C:19:GLU:OE1	2:C:166:CYS:HB2	2.07	0.55	
2:C:31:ARG:HG3	2:C:36:PHE:CE2	2.42	0.55	
1:B:334:PHE:CZ	1:B:493:CYS:HA	2.42	0.55	
1:B:335:ASP:OD2	1:B:503:ARG:NE	2.38	0.55	
1:B:201:ASP:OD1	1:B:203:GLY:N	2.27	0.55	
1:B:245:GLN:OE1	1:B:246:ARG:HG3	2.07	0.54	
2:D:148:ASN:OD1	2:D:149:PRO:HD2	2.07	0.54	
1:A:361:GLU:OE2	1:A:432:ARG:NE	2.39	0.53	
1:B:293:PHE:HB2	1:B:314:PRO:HB3	1.89	0.53	
1:A:390:ALA:HB2	1:A:400:LEU:HD12	1.91	0.53	
2:C:20:ILE:HG13	2:C:40:GLU:HG3	1.92	0.52	
1:A:353:ASP:HB2	1:A:355:HIS:CE1	2.44	0.52	
1:A:393:MET:HE2	1:A:429:ARG:NH1	2.24	0.52	
1:A:364:ILE:O	1:A:366:GLU:N	2.43	0.51	
1:B:246:ARG:HD2	1:B:436:PRO:HG2	1.92	0.51	
2:C:169:PHE:CE1	2:C:173:LYS:HE3	2.46	0.51	
1:A:210:LEU:HG	1:A:235:ASP:HB2	1.93	0.51	



	louis page	Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1·B·340·CYS·O	1·B·343·CYS·HB2	2.10	0.51	
1:A:105:VAL:HG11	1:A:160:VAL:HG13	1.92	0.51	
1:A:204:GLU:OE2	1.A.230.ABG.HD2	2.11	0.51	
1:A:245:GLN:OE1	1:A:246:ARG:HG3	2.10	0.51	
2:C:139:MET:HE1	2:C:173:LYS:HG3	1.94	0.50	
1:A:291:TRP:N	1:A:291:TRP:CD1	2.79	0.50	
2:D:56:PRO:O	2:D:58:VAL:HG23	2.11	0.50	
1:B:3:LEU:HD22	1:B:7:ILE:HG12	1.94	0.50	
1:A:504:ARG:HH22	1:A:505:LYS:HD2	1.77	0.49	
1:A:269:SER:HB2	5:A:746:HOH:O	2.13	0.49	
1:A:300:LEU:O	1:A:306:ARG:NH2	2.46	0.49	
1:A:473:ARG:HB3	1:A:474:PRO:HD2	1.94	0.48	
1:A:23:LEU:HD11	1:A:27:LYS:HE3	1.96	0.48	
1:A:246:ARG:HD2	1:A:436:PRO:HG2	1.96	0.48	
1:B:264:THR:OG1	1:B:276:ALA:HB2	2.12	0.48	
1:A:361:GLU:OE2	1:A:432:ARG:HB3	2.13	0.48	
1:A:334:PHE:CZ	1:A:493:CYS:HA	2.49	0.48	
1:B:389:VAL:O	1:B:393:MET:HG2	2.15	0.47	
2:C:169:PHE:O	2:C:173:LYS:HG2	2.14	0.47	
1:B:243:ASN:HB3	1:B:247:TYR:CD1	2.49	0.47	
1:A:322:THR:O	3:E:96:ALA:HB3	2.14	0.47	
1:A:34:VAL:HB	1:A:102:SER:O	2.15	0.47	
1:A:14:ALA:HA	1:A:437:MET:CE	2.45	0.47	
1:B:422:PHE:CE1	1:B:427:GLY:HA2	2.50	0.46	
1:B:350:LYS:HE2	2:D:154:ASP:OD1	2.14	0.46	
1:A:204:GLU:HG3	1:A:230:ARG:HD2	1.97	0.46	
1:B:197:ASP:OD2	1:B:199:ALA:HB3	2.16	0.46	
2:D:31:ARG:HG3	2:D:36:PHE:CE2	2.50	0.46	
2:C:89:ALA:HB1	2:C:131:LEU:O	2.15	0.45	
2:C:65:ILE:HG22	2:C:67:PHE:CE1	2.51	0.45	
1:A:477:SER:OG	3:E:28:PRO:HD3	2.17	0.45	
1:B:108:VAL:CG2	1:B:114:PRO:HG3	2.46	0.45	
1:A:364:ILE:C	1:A:366:GLU:H	2.20	0.45	
1:B:213:ILE:HD11	1:B:322:THR:HG23	1.99	0.45	
1:A:200:VAL:HG12	1:A:201:ASP:N	2.32	0.45	
1:A:212:ALA:HB1	1:A:441:SER:HB3	1.99	0.45	
1:A:323:GLN:OE1	3:E:94:GLY:CA	2.65	0.45	
1:B:316:TRP:CH2	1:B:318:ALA:HB2	2.52	0.45	
1:A:462:SER:OG	1:A:463:PRO:HD2	2.16	0.44	
2:C:57:ARG:HB2	2:D:59:ILE:HB	1.99	0.44	
1:A:84:GLU:HG2	1:A:96:ILE:HG21	1.98	0.44	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:128:TRP:CG	1:B:183:TYR:HB2	2.53	0.44	
1:B:99:SER:OG	1:B:101:LYS:HG3	2.18	0.44	
2:D:46:PHE:CD2	2:D:85:ARG:NE	2.86	0.44	
1:A:14:ALA:HA	1:A:437:MET:HE1	1.99	0.44	
1:B:389:VAL:HG11	1:B:411:PHE:CE1	2.53	0.44	
1:A:285:VAL:CG1	1:A:291:TRP:CZ3	3.00	0.43	
2:C:63:ILE:HD13	2:C:174:ILE:HD12	2.00	0.43	
1:B:40:ASP:OD1	1:B:110:GLY:HA3	2.19	0.43	
1:B:197:ASP:OD1	1:B:198:PRO:HD2	2.18	0.43	
1:B:201:ASP:HA	1:B:228:SER:O	2.19	0.43	
1:B:122:PHE:O	1:B:132:LEU:HA	2.18	0.43	
2:D:139:MET:SD	2:D:173:LYS:HG3	2.57	0.43	
1:A:301:ASP:HA	3:E:95:VAL:O	2.19	0.43	
1:A:365:PRO:O	1:A:366:GLU:OE2	2.36	0.43	
2:C:74:PRO:HD3	2:C:156:TRP:CD1	2.54	0.43	
2:D:24:ARG:HB2	2:D:25:PRO:HD3	2.00	0.43	
1:A:325:HIS:O	1:A:326:ASP:HB2	2.19	0.43	
1:B:200:VAL:HG22	1:B:457:ALA:HB2	2.01	0.43	
2:C:70:TYR:HA	2:C:71:ASP:HA	1.81	0.43	
1:B:344:MET:SD	1:B:483:LYS:HG2	2.59	0.42	
1:A:314:PRO:HG2	1:A:317:ILE:HD11	2.01	0.42	
1:A:132:LEU:C	1:A:132:LEU:HD23	2.38	0.42	
1:B:398:GLU:HB2	1:B:399:PRO:HD3	2.01	0.42	
1:B:62:ARG:HH11	1:B:62:ARG:HG2	1.84	0.42	
2:C:136:PHE:HB2	5:C:302:HOH:O	2.19	0.42	
2:D:9:PRO:O	2:D:13:ARG:HG3	2.20	0.42	
1:A:215:HIS:ND1	1:A:249:LEU:HB2	2.35	0.42	
1:A:285:VAL:CG1	1:A:291:TRP:CH2	3.03	0.42	
1:A:285:VAL:HG11	1:A:291:TRP:CZ3	2.55	0.42	
1:B:413:GLN:O	1:B:417:CYS:HB2	2.19	0.42	
1:A:210:LEU:HA	1:A:214:ALA:CB	2.50	0.41	
1:B:79:GLN:NE2	5:B:701:HOH:O	2.53	0.41	
1:B:390:ALA:CB	1:B:400:LEU:HD12	2.49	0.41	
2:D:84:THR:OG1	2:D:86:GLN:HG2	2.19	0.41	
1:A:13:ALA:HB2	1:A:435:VAL:HG12	2.02	0.41	
1:A:231:LEU:HD12	1:A:231:LEU:HA	1.84	0.41	
1:A:323:GLN:HG2	1:A:326:ASP:O	2.21	0.41	
1:A:380:GLY:HA2	1:A:406:GLN:O	2.20	0.41	
2:C:73:ARG:NH1	5:C:301:HOH:O	2.24	0.41	
1:B:2:ALA:HB1	1:B:65:PRO:O	2.21	0.41	
2:D:155:PRO:HD2	2:D:158:LEU:HD12	2.02	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:450:ALA:O	1:A:454:LYS:HG3	2.21	0.41
1:B:8:ASP:HB2	5:B:706:HOH:O	2.20	0.41
2:C:46:PHE:HB2	2:C:85:ARG:NH1	2.36	0.41
1:B:29:ALA:O	1:B:33:GLN:HG2	2.21	0.41
1:B:317:ILE:HG21	1:B:341:LEU:HD22	2.03	0.41
1:A:2:ALA:HB1	1:A:65:PRO:O	2.20	0.40
1:A:325:HIS:O	1:A:326:ASP:CB	2.68	0.40
1:A:473:ARG:HB3	1:A:474:PRO:CD	2.51	0.40
1:A:35:VAL:HG11	1:A:60:LEU:HD22	2.03	0.40
1:A:291:TRP:O	1:A:505:LYS:HE3	2.21	0.40
1:B:363:GLY:HA3	1:B:392:ALA:HB1	2.02	0.40
2:C:34:GLY:HA3	2:C:50:ALA:O	2.22	0.40
2:D:46:PHE:CE2	2:D:85:ARG:NE	2.89	0.40
1:A:291:TRP:CZ3	2:C:6:THR:O	2.68	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:SER:OG	1:A:230:ARG:NH2[2_555]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	503/535~(94%)	486 (97%)	14 (3%)	3 (1%)	25	40
1	В	501/535~(94%)	481 (96%)	20 (4%)	0	100	100
2	С	140/204~(69%)	134 (96%)	6 (4%)	0	100	100
2	D	130/204~(64%)	127~(98%)	3~(2%)	0	100	100
3	Е	53/100~(53%)	49 (92%)	3~(6%)	1 (2%)	8	12



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1327/1578~(84%)	1277~(96%)	46 (4%)	4 (0%)	41 59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	192	ASP
3	Е	97	GLY
1	А	326	ASP
1	А	365	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	387/413~(94%)	381~(98%)	6(2%)	62 82
1	В	386/413~(94%)	385 (100%)	1 (0%)	92 97
2	С	124/178~(70%)	120~(97%)	4 (3%)	39 63
2	D	111/178~(62%)	110 (99%)	1 (1%)	78 91
3	Е	49/80~(61%)	47 (96%)	2(4%)	30 53
All	All	1057/1262~(84%)	1043 (99%)	14 (1%)	69 86

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	78	SER
1	А	143	SER
1	А	290	ASP
1	А	326	ASP
1	А	432	ARG
1	А	494	SER
1	В	262	LEU
2	С	51	SER
2	С	83	PHE
2	С	130	SER



Continued from previous page...

Mol	Chain	Res	Type
2	С	134	SER
2	D	143	ARG
3	Е	59	ASN
3	Е	62	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	22	HIS
1	В	355	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	505/535~(94%)	0.51	14 (2%) 53 55	34, 48, 105, 122	0
1	В	505/535~(94%)	0.69	46 (9%) 9 8	45, 65, 145, 169	0
2	С	146/204~(71%)	0.57	9 (6%) 20 21	44, 59, 95, 112	0
2	D	134/204~(65%)	0.59	12 (8%) 9 9	54, 72, 99, 120	0
3	Е	59/100~(59%)	4.10	51 (86%) 0 0	111, 139, 152, 154	0
All	All	1349/1578~(85%)	0.75	132 (9%) 7 6	34, 61, 138, 169	0

All (132) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Е	39	LEU	10.7
1	В	397	PHE	10.1
3	Е	56	PRO	7.4
3	Е	57	PRO	7.4
3	Ε	21	ILE	7.3
3	Ε	53	VAL	7.2
3	Е	67	GLY	7.1
1	В	393	MET	7.1
3	Е	85	VAL	7.0
3	Е	29	THR	6.9
1	В	381	VAL	6.8
1	В	385	PHE	6.6
3	Е	50	THR	6.4
3	Е	49	ASN	6.3
3	Е	62	PHE	6.1
3	Е	47	LEU	6.1
1	В	374	LEU	6.1
3	Е	41	VAL	5.9
3	Е	46	ALA	5.7
1	В	380	GLY	5.7



Mol	Chain	Res	Type	RSRZ
1	В	411	PHE	5.6
3	Е	69	LEU	5.3
3	Е	65	GLU	5.2
1	В	389	VAL	5.2
3	Е	31	VAL	5.2
3	Е	87	LEU	5.2
1	В	400	LEU	5.2
3	Е	55	GLN	5.2
1	А	386	VAL	5.1
1	А	385	PHE	5.0
3	Е	42	VAL	4.9
3	Е	59	ASN	4.9
1	В	377	THR	4.9
3	Е	54	ALA	4.7
1	В	198	PRO	4.6
1	В	379	ALA	4.6
3	Е	30	GLN	4.6
3	Е	43	ARG	4.5
1	В	386	VAL	4.4
1	А	389	VAL	4.4
1	В	398	GLU	4.2
3	Е	40	HIS	4.1
3	Е	60	TRP	4.1
3	Е	44	THR	4.0
1	В	424	LEU	4.0
1	В	387	VAL	4.0
3	Е	84	THR	3.9
1	А	393	MET	3.9
1	В	395	VAL	3.9
3	Ε	52	ASN	3.8
1	В	364	ILE	3.8
3	Ε	95	VAL	3.8
1	В	399	PRO	3.7
1	В	383	ASN	3.7
1	В	403	PHE	3.6
1	В	414	GLN	3.6
2	С	55	LYS	3.6
1	А	384	ASP	3.6
3	E	89	LEU	3.5
2	С	131	LEU	3.5
3	Е	91	LEU	3.5
3	Ε	68	ASN	3.5



Mol	Chain	Res	Type	RSRZ
3	Е	20	ILE	3.4
2	D	179	THR	3.4
1	В	369	GLU	3.4
1	В	371	VAL	3.4
3	Е	51	GLN	3.3
1	В	359	ALA	3.3
1	В	406	GLN	3.3
1	В	366	GLU	3.3
1	В	384	ASP	3.2
1	А	378	ASN	3.2
1	А	407	PRO	3.2
2	D	56	PRO	3.2
1	В	375	LEU	3.2
1	В	370	GLN	3.2
2	С	93	LEU	3.2
2	С	126	ILE	3.1
2	D	137	LEU	3.1
3	Е	27	GLN	3.1
3	Е	58	ASP	3.1
1	В	376	GLN	3.1
2	D	53	LYS	3.0
1	В	408	LEU	3.0
3	Е	64	ASP	2.9
3	Е	24	VAL	2.9
3	Е	26	GLY	2.8
1	А	268	ARG	2.8
3	Е	88	PHE	2.8
3	Е	92	LYS	2.8
1	В	190	ALA	2.8
3	Е	90	SER	2.7
3	Е	86	THR	2.7
1	В	191	GLY	2.7
1	А	362	LEU	2.7
3	Е	25	ASN	2.7
1	А	429	ARG	2.6
2	С	179	THR	2.6
3	Е	38	PRO	2.5
2	С	134	SER	2.5
3	Е	28	PRO	2.5
1	В	420	LEU	2.4
1	А	192	ASP	2.4
1	В	192	ASP	2.4



Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	413	GLN	2.4
1	В	354	GLU	2.4
3	Е	94	GLY	2.3
1	В	388	ARG	2.3
1	В	407	PRO	2.3
2	D	169	PHE	2.3
1	В	367	ALA	2.3
2	D	173	LYS	2.3
1	В	382	PRO	2.3
1	А	432	ARG	2.3
1	В	410	SER	2.3
1	В	357	LEU	2.3
2	С	32	MET	2.2
2	С	132	GLN	2.2
3	Е	48	GLU	2.2
2	D	79	PHE	2.2
1	В	390	ALA	2.2
3	Е	66	ALA	2.2
2	С	130	SER	2.2
3	Е	97	GLY	2.1
2	D	54	VAL	2.1
1	А	380	GLY	2.1
1	В	412	TYR	2.1
2	D	175	ILE	2.1
2	D	88	ILE	2.1
2	D	51	SER	2.1
1	А	375	LEU	2.0
2	D	177	TYR	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	ZN	А	601	1/1	0.99	0.23	47,47,47,47	0
4	ZN	В	601	1/1	0.99	0.19	67,67,67,67	0

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

